



PROFESSIONAL PLIERS & CUTTERS



COMPLETE PLIERS AND CUTTERS PROGRAM














Ins	sulated Pliers/Cutters	
	Description	Page
	Insulated Lineman's Pliers	4
	Insulated Combination Pliers	4
-0	Insulated Serrated Edge Cutters	4
	Insulated Wire Stripper	4
48	Insulated Heavy Duty Diagonal Cutters	5
et 🤁	Insulated High Leverage Diagonal Cutters	4
~	Insulated Pliers - Long & Flat Nose	5
-	Insulated Pliers - Bent & Round Nose	5
ð 99	Insulated Waterpump Pliers	8
	Insulated Pliers Sets Insulated Belt Pack Pouch Sets	6-7

Insulated Adjustable Wrenches



Description Page Insulated Adjustable Wrenches 8 8", 10", 12", 15" OAL

Insulated Industrial Pliers/Cutters



Viny	I Grip Pliers & Cutters	
	Description	Page
	Combination Pliers	12
	Long Nose Pliers	13
	Bent Long Nose Pliers	13
	Long Flat Nose Pliers	13
	Long Round Nose Pliers	13
	Stripping Pliers	14
	Cable Cutters	13
	Diagonal Cutters	12
	Crimping Pliers	14
	BiCut SuperCut	12
	High Lev. End Cutting Nippers	14
	Carpenter's End Nippers	14
	Mason Nippers	14
	Adjustable Pliers	15
	Retaining Ring Pliers	17
	MagicTip Safety Notched Ring Pliers	18
	Standard Pliers/Cutters Sets Belt Pack Pouch Sets	15-16
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Molded Grip Shears	22

Pipe	Wrenches Narrow Style	
	Description	Page
	Narrow Style Pipe Wrenches S-Jaw, 45° Angle, 90° Angle	19

2



ComfortGrip Crimpers				
Description F				
	Ratchet End Sleeve Crimper	19		
	Ratchet Crimper For Standard Connectors	19		
	Ratchet Crimper Push On Terminals	19		
	<ul> <li>Ratchet Crimper</li> <li>For Eye Terminals</li> </ul>	19		


#### Industrial SoftGrip Pliers & Cutters

Description	Page
Combination Pliers	20
Linemans Crimpers	20
Diagonal Cutters	20
Cable Cutters	20
BiCut SuperCut	20
Stripping Pliers	21
 Long & Bent Nose Pliers	21
 Flat Nose Pliers	21
 Long Round Nose	21
Adjustable Pliers	22
Industrial SoftGrip Tool Sets	21-22

Precisi	ion Electronic Pliers/Cutters	5
	Description F	Page
	Electronic Diagonal Cutters Wide Pointed Head	23
$\checkmark$	Electronic Diagonal Cutters Wide Shape with Wire Holding Spring	23
$\leftarrow$	Electronic Diagonal Cutters Narrow Shape	23
$\boldsymbol{\prec}$	Electronic Diagonal Cutters Full Flush Cutters w/Wire Trapping Spring	23
	Electronic Diagonal Cutters 48° Front Cutter/Long Nose Pliers	23
$\leftarrow$	Electronic Diagonal Cutters Oblique 30° Cutting Nippers	23
	Electronic Diagonal Cutters Short Nose Precision Pliers	23
	Electronic Stripping Pliers	23

	SD Safe	Pliers/Cutters	
	Descriptio	n	Page
-		Diagonal Cutters & Oval Tapered Head	24-25
C10 -	ESD Safe	Oblique Angled Cutters	s 26
-2	ESD Safe	Oblique Front Cutters	26
Mar - 2	ESD Safe	End Cutters	26
	ESD Safe	Snipe/Bent Nose Pliers	3 26
	ESD Safe	Needle Nose Pliers	26
	ESD Safe	Short Round Nose	27
	ESD Safe	Short Flat Nose	27
A A A A	ESD Safe	Tool Sets	27

#### ESD Safe Proturn Pliers & Cutters



Description	Page
Proturn Wire Strippers 30 to 20 AWG	28
Proturn Pliers Long, Flat, Bent, Round Nose	28
Precision Cutters/Flush Cut 21° & 45° Angle	29

Industrial SoftGrip Pliers & Cutters				
	Description	Page		
	Strippers & Crimpers	24-25		




#4

32820

225

9.0

.86



Pliers

 **1000volt** 

.50

Pkg. lbs.

1

mm2 Pkg.

1

50

60

20

32828

200

8.0

lbs.

.42

.67




Insulated Electrician's **Diagonal Cutters** 



#### m1000volt

32861 Diagonal Cutters W/Stripping Holes. Insulation According to VDE 0682/ part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA,  $\uparrow$  up to 1000 Volt. Individually Tested. Drop-forged from special tool steel, cutters additionally induction hardened to approx. 64HRC, chrome-nickel plated, mirror-polished. Ergonomic comfort grip with slip guard. Holes in the cutting edge for stripping copper wire of Ø 1.5 and 2.5. Strips AWG sizes #10 & #14.

Item	$\leftrightarrow$	$\leftrightarrow$	<b>Cutting Capacity</b>		<b>.</b>
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32861	160	6.3	#10 & #14	1	.55



Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, A up to 1000 Volt. Individually Tested. Drop-forged from C70 special tool steel, cutters additionally induction hardened to approx. 64HRC, chrome-nickel plated, mirror-polished, ergonomic comfort grip with slip guard, serrated gripping surface.

Item	$\checkmark$		Cutting Capacity	_	<b>↓</b> •
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32806	160	6.3	#10	1	.32
32808	200	8.0	#8	1	.42

#### Insulated Diagonal Cutters



328 Diagonal Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA,  $\Rightarrow$  up to 1000 Volt. Individually Tested. DIN ISO 5749 Low wear lap joint, riveted & able to withstand high levels of load. Lightweight action, clean cutting. Long term cutting is achieved through additional inductive hardening to approx. 64HRC. Special tool steel hardened & tempered. For soft & medium hard wire. 32832 & 32834 for soft, hard & piano wire.

Item			Cutting Capacity	/ 🗩	•••
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32830	140	5.5	#6	1	.47
32832	160	6.3	#6	1	.49
32834	180	7.0	#6	1	.62



328 Bent Nose Pliers With Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA,  $\cancel{\frown}$  up to 1000 Volt. Individually Tested. Drop-forged from C70 special tool steel, cutters additionally induction hardened to approx. 64HRC, chrome-nickel plated, mirrorpolished. Ergo comfort grip with slip guard. Serrated gripping surface.

Item	$ \rightarrow $	$\leftrightarrow$	Cutting Capacity		<u>ب ب</u>
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32804	200	8.0	#8	1	.43
32807	160	6.3	#10	1	.32

#### Insulated Long Flat Nose Pliers

Two component Soft Grip handles



32810 Long Flat Nose Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA,  $\Leftrightarrow$  up to 1000 Volt. Individually Tested. DIN ISO 5745 Serrated Jaws are induction hardened. Special C70 tool steel forgings, Chrome finish. Use for Gripping and right-angle bending of wires and sheet metal parts.

Item	$\rightarrow$	$\leftrightarrow$		<b>.</b>	
No.	mm	Inch	Pkg.	lbs.	
32810	160	6.3	1	.39	



**Dvnamic ioint** provides 40% easier cuts & significantly longer tool life

5





New dynamic joint provides 40% easier cuts and significantly longer tool life

328 High Leverage Diagonal Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA, A up to 1000 Volt. Individually Tested. DIN ISO 5749 Semi-circular. Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long term cutting is achieved through additional inductive hardening to approx. 64HRC, C70 special tool steel hardened & tempered. For soft, hard & piano wire, lay-on joint, optimized power transmission.

Item	$\leftrightarrow$	$\leftrightarrow$	Cutting Capacity		• <b>•</b> •
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32835	160	6.3	#6	1	.64
32836	180	7.0	#5	1	.67
32838	200	8.0	#4	1	.80

#### Round Nose Pliers



#### lpha1000volt

32870 Round Nose Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA,  $\leftrightarrow$  up to 1000 Volt. Individually Tested. Drop-forged from C70 special tool steel, individually induction hardened, chrome and nickel plated, mirror-polished. Ergonomic comfort grip with slip guard. Serrated jaws. Item No. lbs. mm Inch Pkg. 32870 160 6.3 .34 1



#### Insulated BiCut SuperCut

Cutting capacity up to 3mm hardened piano wire

of a button

of pliers

32837

chains, etc.

mm

200

Item

No.

32837

Double the power at the press

BiCut does the job of two pairs

Up to 50% less hand strength

required for cutting

Cutting force doubled for

extremely hard materials

Easily switch between two strengths in one-handed operation

Insulated BiCut SuperCut. Insulation According to VDE 0682/part 201,

EN/IEC 60900, ASTM F-1505, NFPA70E & CSA, eq up to 1000 Volt. Individually Tested. Durable cutting is achieved through additional inductive hardening to approx. 64HRC. Drop forged of high C70 steel. For cutting various

materials from soft to extremely hard, such as

nails, screws, bolts, wire cables, spring wires,

Inch

8.0

____

lbs.

.78

Pkg.

1



Insulated Pliers/Cutters Sets

32864 3 Pc. Insualted Pliers/Cutters Set. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505, NFPA70E & CSA, Aup to 1000 volt. Individually Tested. Item No. Insulated Pliers & Cutters 32864 6.3" Diagonal Cutters lbs. 8.0" Long Nose Pliers 8.0" Combination Lineman's Pliers 1.94



#### **公1000volt**

32863 3 Pc. Insualted Pliers/Cutters & Stripping Pliers Set. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505, NFPA70E & CSA, 🖄 up to 1000 volt. Individually Tested.

Insulated Pliers/Cutters &		
Stripping Pliers		
8.0" High Lev. Diagonal Cutters		
9.0" Lineman's Pliers W/Crimpers		
6.3" Stripping Pliers		
Strips 0.81-2.59 / AWG #20-#10		

#### Wiha Insulated Belt Pack Pouch Sets



#### lpha1000volt

32873	<b>3 Piece Insulated Pliers/Cutters</b>
In Belt P	ack Pouch. Pliers chrome finish for
long lasti	ng corrosion protection. Soft grip
ergo des	igned handle body, safety slip guard.
Item No.	Pliers & Cutters
32873	6.3" / 160mm Diagonal Cutters
€	8.0" / 200mm Long Nose Pliers
lbs. 2.12	8.0" / 200mm Combination Pliers

#### lpha1000volt



32875 5 Piece Insulated Pliers/Cutters & Screwdrivers In Belt Pack Pouch. Pliers chrome finish for long lasting corrosion protection. Soft grip ergo designed handle body, safety slip guard. Insulated cushion grip drivers, multi-component. Blade CVM tool steel, hardened.

Item No.	Pliers/Cutters & Screwdrivers		
32875	9.0" / 225mm Lineman's Pliers		
• <b>`</b> •	8.0" / 200mm Long Nose Pliers		
lbs.	Insulated Screwdrivers:		
2.26	Slotted: 4.5, 6.5mm Phillips: #2		



60900, ASTM F-1505, NFPA70E and CSA,  $\Leftrightarrow$  up to 1000 Volt. Individually Tested. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened & tempered. Extra long cutting edge for flat and round cables. Two component soft grip ergonomic handles.

	-			
Item		$ \rightarrow $		€
No.	mm	Inch	Pkg.	wt.
32831	245	9.5	1	1.18

N	E Style Lineman's Pliers Set
ASTM, I	d Tool meets EC, EN, NFPA A standards
Individ	ually Tested
Knurled str zone on vir grip pliers	
	for flat & round cables
32833	2 Piece NE Style Lineman's
Pliers Set	-
Item No.	NE Style Lineman's Pliers
32833	9.5" Insulated 1000Volt
	9.5" Vinyl Soft Grip
Jbs.	2.22



32872 5 Piece Insulated Pliers/Cutters & Screwdrivers In Belt Pack Pouch. Pliers chrome finish for long lasting corrosion protection. Soft grip ergo designed handle body, safety slip guard. Insulated cushion grip drivers, multi-component. Blade CVM tool steel, hardened.

Item No.	Pliers/Cutters & Scr	ewdrivers	
32872	6.3" / 160mm Diagonal Cutters		
• •	8.0" / 200mm Long Nose Pliers		
lbs.	Insulated Screwdrivers:		
1.77	Slotted: 3.0, 4.5mm	Phillips: #2	



#### Wiha Insulated Pliers & Cutters Sets





Pliers drop-forged from special tool steel, individually high frequency induction hardened, chrome & nickel plated, mirror-polished.



32894 13 Piece Pliers, Cutters & Screwdriver Set In canvas tool bag Set Includes: - Ibs. 9.5 Item# 32894 8.0" Bent Nose Pliers 8.0" Combination Pliers 6.3" Long Nose Pliers 6.3" Side Cutters 10" Water Pump Pliers Insulated Slotted: 4.5 & 6.5mm Insulated Phillips: #1 & #2 Insulated Nut Driver: 1/4, 5/16, 3/8, 1/2"



#### ightarrow 1000Volt

32889 8 Piece Pliers & Cutters Set. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA,  $\bigwedge$  up to 1000 volt. Individually Tested. Item# 32889 Set Includes: ÷. 32806 - 6.3" Long Nose Pliers lbs. 32808 - 8.0" Long Nose Pliers 4.53 32814 - 6.3" Combination Pliers 32832 - 6.3" Diagonal Cutters 32820 - 9.0" H.Lev. Combo Pliers 32936 - 8.0" BiCut SuperCut 32860 - 6.3" Wire Stripping Pliers 15000 - Electrician's Knife



32891	10 Pi	ece Pliers	& Screv	vdriver Set.
Insulation	on Acc	ording to	<b>VDE 06</b>	82/part 201,
EN/IEC	60900,	ASTM F-	1505-10,	NFPA70E &
CSA, $A$	up to	1000 volt.	Individu	ually Tested.
Item# 3	2891	Set Includ	les:	€
32818 -	8.0" C	ombinatior	n Pliers	lbs.
32808 -	8.0" Lo	ong Nose		5.44
32936 - 8.0" BiCut SuperCut				
32848 -	6.3" C	able Cutte	rs	
32860 -	6.3" U	niversal W	ire Stripp	er
Insulate	d Philli	ps #1, #2,	#3	
Insulate	d Slott	ed 4.5, 6.5	mm	



32892 10 Piece Pliers & Screwdriver Set. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505, NFPA70E & CSA, A up to 1000 volt. Individually Tested. In canvas tool bag Item#32892 Set Includes: **↓** lbs. 6.64 8.0" Bent Nose 8.0" Combination Pliers 6.3" Long Nose 6.3" Side Cutters Insulated Slotted 3.0, 4.5, 6.5mm Insulated Phillips #0, 1, 2



#### m 1000Volt

32867	10 Piece Pliers	& Screwdriver		
Set In Car	ivas Pouch			
Item No. 3	32867	÷.		
6.3" Diago	nal Cutters	lbs.		
9.0" Comb	o Pliers	4.06		
6.3" Long I	Nose Pliers			
6.3" Wire Strippers				
7.0" Crimping Pliers				
Insulated Slotted 4.5, 6.0mm				
Insulated Phillips #1, 2				
Insulated Square: #2				



#### ightarrow 1000Volt

32868 10 Piece Pliers & So	crewdriver			
Set In Canvas Pouch				
Item No. 32868	<b>↓</b> ↓			
7.0" Diagonal Cutters	lbs.			
9.0" Combo Pliers	4.24			
8.0" Long Nose Pliers				
6.3" Wire Strippers				
7.0" Crimping Pliers				
Insulated Slotted 3.0, 4.5, 6.0mm				
Insulated Phillips #1, 2				



#### Wiha Insulated Ratcheting **Cable Cutters**

Insulation: VDE, EN/IEC, ASTM, NFPA70E, CSA & OSHA Tested to 10,000 volts with 1000 volts safety rating



#### ∕☆1000volt

11980 Insulated ACSR Ratcheting Cable Cutter Replaceable tool steel cutting blades are securely mounted for accurate cutting. Handles lock in closed position for easier storage. High leverage ratchet mechanism for best cutting performance, 13.9" OAL

Item	OAL	up to	Inch		÷	-
No.	mm	MCM	Dia.	Capacity	lbs.	Pkg.
11980	353	477	1.25"	32ml	3.4	1



#### imes1000volt

#### 119 High Voltage Double-Insulated **Ratcheting Cable Cutters**

High leverage ratchet cable cutter with shear type blades cuts stranded & flexible copper and aluminum cable. Not for use on steel. Features built in safety release in all cutting positions, and high-visibility comfort grip handles.

anaing	and high violenty connect grip handles.									
Item	OAL		up to	Inch	•••	-				
No.	mm/Inch	MCM	Dia.	Cap.	lbs. P	kg.				
11960	250/10.0"	500	1.25"	32ml	1.58	1				
11975	280/11.0"	750	2.0"	52ml	2.02	1				

#### **Insulated Stripping Pliers**



#### $\wedge$ 1000volt

10250 Insulated Stripping Pliers. Insulation According to EN/IEC 60900, DIN ISO 8976, ASTM F-1505 & CSA Specification. Individually Tested. Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10. Item No. mm Inch Ø AWG lbs. Pkg. 10250 160 6.3" 0.81-2.59 20-10 .26 1

#### Insulated End Cutters For cutting solid aluminum,

copper & medium hard wires



#### **∖1000volt**

29250 End Cutters, With Insulated Handle. Insulation According to EN/IEC 60900, DIN ISO 8976, ASTM F-1505 & CSA Specification. Individually Tested. Blade alloyed tool steel. Induction hardened. Item OAL OAL Cap. 🗸 🖛 No. mm Inch Inch lbs. pkg. 1.1 1 29250 250 10.0" 7/8"

#### Insulated Pliers Wrench 1-7/8" / 49mm



#### ☆1000Volt

11610 Pliers Wrench, With Insulated Handle Insulation According to EN/IEC 60900, DIN ISO 8976, ASTM F-1505 & CSA Specification, Up To 1000 Volt. Individually Tested. Chrome-vanadium steel, drop forged, oil hardened.

anop ioigea	, •			
Item	OAL	OAL	•••	
No.	mm	Inch	lbs.	pkg.
11610	254	10.0"	1.67	1

#### Proturn Insulated Electrician's Shears



## angle1000Volt

32951 Proturn Insulated Electrician's Shears Insulation meets VDE, ASTM, EN/ IEC, CSA, NFPA OSHA Specifications. 

32951	160	6.3	1	.22	
No.	mm	Inch	Pkg.	lbs.	
Item				÷.	
Made from	n stainie	ess 420	grade s	leel	

#### Wiha Insulated Adiustable Wrenches



76208 Insulated 8" Adjustable Wrench Insulation According to ASTM, EN/IEC, NFPA, CSA and ISO Specification, up to 1000 Volt. Individually Tested. Etched on scale for pre-setting size. Slip guard handle for added protection.

Item	OAL	OAL	Capacity	÷	
No.	Inch	mm	Opening	lbs.	pkg.
76208	8.0	200	1"	.7	1

76210	Insulated 10" Adjustable Wrench							
Item	OAL	OAL	Capacity	€				
No.	Inch	mm	Opening	lbs.	Pkg.			
76210	10.0	250	1-1/4"	1.4	1			

76212	Insulated 12" Adjustable Wrench							
Item	OAL	OAL	Capacity	••				
No.	Inch	mm	Opening	lbs.	Pkg.			
76212	12.0	300	1-1/2"	1.9	1			

76215	Insulated 15" Adjustable Wrench							
Item	OAL	OAL	Capacity	•••				
No.	Inch	mm	Opening	lbs.	Pkg.			
76215	15.0	380	1-11/16"	2.8	1			



76290 3 Pc. Insulated Adjustable Wrenches Etched on scale for pre-setting size. Slip guard handle for added protection. Item No. 76290 Includes the following: • lbs. 4.0 8.0", 10.0", 12.0" Adj. Pliers

#### **Insulation Standards:** EN/IEC 60900. ASTM F-1505-10. VDE 0682/part 201, NFPA70E and CSA



**NTED** 

ATED



9

#### **Insulated Industrial Pliers & Cutters** 10.000 Volt tested

1000 Volt Rated

Induction hardened jaws and cutters to 64HRC

Industrial brushed finish

#### **Insulated Lineman's Pliers** With Crimpers

#### 

Long life high performance dynamic 60/40 joint

32917 Insulated Industrial Lineman's Pliers "5-In-1" Professional Design Insulation According to EN/IEC, ASTM, NFPA70E & CSA, ightarrow up to 1000 volt. Individually Tested.

Item ---- Cutting Capacity lbs. Pkg. Copper AWG No. mm Inch .98 32917 225 9.0 1 #4

## Insulated Long Nose Pliers With Cutters ☆1000volt 329 Insulated Industrial Long Nose Pliers With Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, Aup to 1000 volt Individually Tested

Tooo voit. Individually rested.								
Item	$\leftrightarrow$		Cutting Capacity	/•••				
No.	mm	Inch	Copper AWG	lbs.	Pkg.			
32926	160	6.3	#10	.36	1			
32923	200	8.0	#8	.46	1			


Two component cushion grip handles

New dynamic joint provides 40% easier cuts & significantly longer tool life

#### Insulated High Leverage **Diagonal Cutters**




32939 Insulated Industrial High Leverage Diagonal Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA,  $\Leftrightarrow$  up to 1000 volt. Individually Tested. ---- Cutting Capacity -----Item Copper AWG lbs. Pkg. No. Inch mm 32939 200 8.0 .66 #4 1



Individually Tested. DIN ISO 5749 Item Cutting Capacity No. Inch Copper AWG lbs. Pkg. mm 32933 160 6.3 #6 .64 1 32929 200 8.0 .80 1 #6

#### Insulated OptiGrip Combo Pliers With Dynamic Joint



1000volt 32930 Insulated Industrial High Leverage **Combination Pliers. Insulation According** to EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, 2 up to 1000 volt. Individually Tested. DIN ISO 5746

Item	$\rightarrow$	$\leftrightarrow$	Cutting Capacity		
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32930	200	8.0	#4	.92	1

## Insulated Industrial **NE Style Lineman's Pliers**



32938 Insulated Industrial NE Style Lineman's Pliers. Insulation According to EN/IEC 60900, ASTM F-1505, NFPA70E and CSA, 2arrow up to 1000 Volt. Individually Tested. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened & tempered. Extra long cutting edge for flat and round cables.

ltem	$\leftrightarrow$	$\leftrightarrow$		•••
No.	mm	Inch	Pkg.	wt.
32938	245	9.5	1	1.18



32948 Insulated Industrial Lineman's Pliers With Crimpers. Insulation According to EN/IEC 60900, ASTM F-1505, NFPA70E and CSA,  $\leftrightarrow$  up to 1000 Volt. Individually Tested. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened & tempered. Extra long cutting edge for flat and round cables.

Item	$\leftrightarrow$	$\leftrightarrow$		•••	
No.	mm	Inch	Pkg.	wt.	
32948	245	9.5	1	1.22	

#### **Insulated Heavy Duty Cable Cutters**



32927 Insulated Industrial Serrated Edge Cable Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA, A up to 1000 Volt. Individually Tested. I

Item				-	<b>.</b>	-	
No.	mm	Inch	Ø	mm2	lbs.	Pkg.	
32927	200	8.0	20	60	.78	1	



10 Tools that work for you



32928 Bent Nose Pliers With Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA, 2 up to 1000 Volt. Individually Tested. Drop-forged from C70 special tool steel, cutters additionally induction hardened to approx. 64HRC. Ergo comfort grip with slip guard. Serrated gripping surface.

Item	$\leftrightarrow$	$\checkmark$	Cutting Capacity		•••
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32928	160	6.3	#10	1	.42



#### ∕∕**1000vol**t

32936 Insulated Industrial BiCut SuperCut. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505, NFPA70E & CSA,  $\triangle$  up to 1000 Volt. Individually Tested. For cutting various materials from soft to extremely hard, such as nails, screws, bolts, wire cables, spring wires, chains, etc.

Item		$\checkmark$	
No.	mm	Inch	Pkg. Ibs.
32936	200	8.0	1.78

## & Screwdriver Set Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards ☆1000volt 32942 7 Pc. Insulated Industrial BiCut SuperCut & Screwdrivers ____ lbs. 1.86 Item No. **Insulated BiCut SuperCut:** 32942 8.0"/200mm BiCut SuperCut

Insulated BiCut SuperCut

Ins. Drivers: Phillips: #0, #1, #2 Slotted: 3.0, 4.5, 5.5mm



DIN ISO 5745 Serrated Jaws are induction hardened. Special C70 tool steel forgings. Use for Gripping and right-angle bending of wires and sheet metal parts.

Item	$\leftrightarrow$	↔		• <b>`</b> •	
No.	mm	Inch	Pkg.	lbs.	NEW
32941	160	6.3	1	.42	





32947 Insulated Industrial Stripping Pliers. Insulation According to VDE 0682/ part 201, DIN 7437, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, 1000 volt rated. Individually Tested. DIN ISO 5745 Item - Stripping Capacity Copper AWG lbs. Pkg. No. Inch mm 32947 .46 1 160 6.3 #8 - #28



Insulated Industrial Crimping Pliers. Insulation According to VDE 0682/ part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA,  $\triangle$  up to 1000 Volt. Individually Tested

maiviau	uny ic	olea.				
Item					•••	
No.	mm	Inch	mm2	AWG	lbs.	Pkg.
32945	180	7.0	0.25-2.5	6-30	.64	1

#### Insulated TriCut Strippers & Cutters



32944 Insulated Industrial TriCut Strippers & Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA, A up to 1000 Volt. Individually Tested. Cuts cable, strips cable, strips wire leads. Unique 3 in 1 design provides faster combined cutting and stripping. Strips AWG sizes #10 & #14.

Item	$\leftrightarrow$				• <b>`</b> •
No.	mm	Inch	AWG	Pkg.	wt.
32944	170	6.7	#6	1	.58



Item	$\leftrightarrow$		Capac	ities		
No.	mm	Inch	Round	Hex	lbs.	Pkg.
32954	250	10.0	1 3/4	2	.90	1

## Insulated Push Button Water Pump Pliers

#### ⁄��1000volt

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards



32956 Insulated Industrial Push Button Water Pump Pliers Extra narrow head for working in small spaces. Rapid and simple push button setting & locking. Finger jam protection for safe operation at all settings. Item Capacities Round Hex lbs. Pka. No. mm Inch 32956 1 3/4 .90 2" 1 250 10.0

Pliers drop-forged from special tool steel, individually high frequency induction hardened, brushed finished



11

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards



32981 3 Pc. Insulated Industrial			
Pliers & C	Cutters + Ibs. 2.18		
Item No.	Insulated Pliers & Cutters		
32981	8.0" Combo Pliers, 8.0" Long Pliers,		
	8.0" Diagonal Cutters		



Pliers & S	Screwdrivers 🚽 Ibs. 2.06
Item No.	Insulated Combination Pliers:
32984	8.0" Combination Pliers
	8" Long Nose Pliers
	Divers: Slotted: 3.0, 4.5mm
	Phillips: #2 • Square: #2



		•		
Cutters &	Screwdrivers	🗲 🚽 lbs. 1.17		
Item No.	Insulated Diagona	al Cutters:		
32983	6.3"/160mm Diagonal Cutter			
	Insulated Divers:	Phillips: #1, #2		
	Slotted: 3.0, 4.5mm	n		

#### Wiha Insulated Industrial Tool Sets



32985 7 Pc. Insulated Industrial Pliers/ Cutters & Screwdrivers **Insulated Pliers/Cutters:** Item No. 8.0" Combo Pliers, 6.3" Long Nose, 32985 6.3" Diagonal Cutters lbs.

Insulated Divers: Phillips: #1, #2 2.30 Slotted: 3.0, 4.5mm

In Roll Out Pouch



#### ∕∕∕1000volt

32987 8 Pc. Pliers & Cutters Set. Insulation According to VDE 0682/part 201, DIN EN 60900, EN/IEC, ASTM, NFPA,  $\Leftrightarrow$  up to 1000 volt. Individually Tested. Item# 32987 Set Includes: •**`**• 32926 - 6.3" Long Nose Pliers lbs. 32933 - 6.3" Diagonal Cutters 5.52 32923 - 8.0" Long Nose Pliers 32929 - 8.0" H.D. Diagonal Cutters 32917 - 9.0" Lineman's w/Cutters 32947 - 6.3" Stripping Pliers 32927 - 8.0" Cable Cutters 32945 - 7.0" Crimpers

#### ☆1000volt



32986 11 Pc. Pliers/Cutters & Screwdriver Set. Insulation According to VDE 0682/part 201, DIN EN 60900, EN/IEC 60900, ASTM F-1505-10, NFPA70E, ightarrow up to 1000 volt. Individually Tested. Item# 32986 Set Includes:

item# 52500	Set includes.	* *
32926 - 6.3" Lo	ng Nose Pliers	lbs.
32933 - 6.3" Dia	agonal Cutters	3.62
32930 - 8.0" Co	mbination Pliers	
32947 - 6.3" Str	ripping Pliers	
Insulated Slotte	d: 3.0, 4.5, 5.5mm	
Insulated Phillip	s: #1, #2	
Insulated Squar	re: #1, #2	



32999	9 Pc. Insulated Industrial Pliers &
Cutters	Set Insulated pliers & cutters set in
a light we	eight tool box tray.
Item No.	9.0" Lineman's Pliers
32999	8.0" High Leverage Combo Pliers
÷-•	6.3" & 8.0" Long Nose Pliers
lbs.	8.0" Cable Cutters
6.34	6.3" & 8.0" Diagonal Cutters
	6.3" Stripping Pliers
	7.0" Crimping Pliers



32988 22 Pc. Pliers/Cutters & SlimLine Blade Set. Insulation According to VDE 0682/part 201, DIN EN 60900, EN/IEC 60900, ASTM F-1505-10, NFPA70E, Aup to 1000 volt. Individually Tested. Item# 32988 Set Includes: 32923 - 8.0" Long Nose Pliers lbs. 32933 - 6.3" Diagonal Cutters 5.74 32917 - 9.0" Lineman's w/Cutters 32929 - 8.0" H.D. Diagonal Cutters 32927 - 8.0" Cable Cutters 32947 - 6.3" Stripping Pliers 32945 - 7.0" Crimpers 15 Pc. SlimLine Blade Set includes: Insulated SlimLine Blade Holder Slotted: 3.0, 4.0, 5.5, 6.5 Phillips: #1, #2 Xeno: #1, #2 Square: #1, #2 TORX[®]: T8, T10, T15, T20



12 Tools that work for you



#8

.63

1

32609

200 8.0





Special C70 tool steel hardened & tempered

326 Diagonal Cutters DIN ISO 5749 Low wear lap joint, riveted & able to withstand high levels of load. Low force cutting action, clean cutting. Long life edge is achieved through additional induction hardening to approx. 64HRC. For soft & medium hard wire. Soft vinyl grips.

Item	$\leftrightarrow$	$ \rightarrow $	Cutting Capacity	, <b></b> ,	
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32638	140	5.5	#6	.33	1
32642	160	6.3	#6	.49	1
32639	180	7.0	#6	.54	1

#### Flush Cutting Mechanic's **Diagonal Cutters**

Special C70 tool steel hardened & tempered

Soft vinyl grips

Flush cutting, with return spring

326 Flush Cutting Mechanic's Diagonal Cutters With Return Spring DIN ISO 5749 Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened and tempered. For flush cutting soft and semi-hard wires.

ltem	$\leftrightarrow$	$\leftrightarrow$	Cutting Capacity	· • • •	
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32613	127	5.0	#12	.16	1

Soft	Grip	BiCu	t Su	perCu	It			
		g capaci dened p						
ĞS				-				
	9	Terror		et al.				
BiC Up Cut	Double the power at the press of a button BiCut does the job of two pairs of pliers Up to 50% less hand strength required for cutting Cutting force doubled for extremely hard materials Switch between 2 strengths in one-handed operation							
32636	Soft Gri	p BiCut	Super	Cut				
For cutting	g various	materia	ls from	soft to				
extremely	hard, suc	ch as na	ils, scre	ews, bolts	5,			
wire cable	s, spring	wires, c	hains, e	etc.				
Item	$\leftrightarrow$	$\leftrightarrow$		÷.				
No.	mm	Inch	Pkg.	lbs.				
32636	200	8.0	1	.72				

3

, , ,					
Item				•••	
No.	mm	Inch	Pkg.	wt.	
32631	245	9.5	1	1.18	



**Diagonal Cutters** 

Flush cutting,



#### **DIN ISO 5749**

326 Flush Cutting Diagonal Cutters With Return Spring For Cutting Plastic Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened & tempered. For flush cutting soft and semi-hard wires.

Item	$\leftrightarrow$			€
No.	mm	Inch	Pkg.	lbs.
32607	127	5.0	1	.14
32614	160	6.3	1	.36

#### Long Nose Pliers With Return Spring




32617 Long Nose Pliers With Cutters With Return Spring DIN ISO 5745 Long nose pliers. Extra long cutters for flat and round cables. Serrated Jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel forgings. Soft vinyl grips are oil & solvent resistant.

Item		$\leftrightarrow$	Cutting Capacity		
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32617	160	6.3	#12	.22	1

# Cable Cutters

کی



through additional induction hardening of cutting edge to 64HRC

326 Cable Cutters Light, energy-saving & clean cutting with specially ground precision cutting edges. C70 special tool steel hardened & tempered. Soft vinyl grips. For cutting of copper & aluminum cables without crushing, also suitable for stripping. Not for steel cable, wires & copper conductors with hard coatings.

Item	+	+	<ul> <li>Cutting Capacity</li> </ul>	• •	
No.	mm	Inch	Copper/Aluminum	lbs.	Pkg.
32600	160	6.3	16mm	.34	1
32602	200	7.9	20mm	.62	1

## High Leverage Cutters

Soft vinyl grips

#### **DIN ISO 5749**

#### 326 High Leverage Cutters

Semi-circular. Low wear lap joint, riveted and able to withstand high levels of load. Low force action, clean cutting. Long life is achieved through additional induction hardening of cutting edge to 64HRC. C70 special tool steel hardened & tempered.

Item	$\leftrightarrow$	$\leftrightarrow$	Cutting Capacity	,	
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32646	160	6.3	#6	.42	1
32649	180	7.0	#5	.50	1
32652	200	8.0	#4	.63	1



Item	$ \rightarrow $	$\leftrightarrow$	Cutting Capacity	•••	
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32617	160	6.3	#12	.22	1

# Long Nose Pliers With Cutters

#### 326 Long Nose Pliers With Cutters **DIN ISO 5745**

Long nose pliers. Extra long cutters for flat and round cables. Serrated Jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel forgings. Soft vinyl grips are oil & solvent resistant.

Item	$ \rightarrow $	$\leftrightarrow$	Cutting Capacity		
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32618	160	6.3	#10	.28	1
32621	200	8.0	#8	.86	1



**DIN ISO 5749** 

32620 High Leverage Angle Cutters 26° offset cutting angle. Low wear lap joint, riveted and able to withstand high levels of load. Low force action, clean cutting. Long life is achieved through additional induction hardening of cutting edge to 64HRC. C70 special tool steel hardened & tempered.

Item	$\leftrightarrow$	$\leftrightarrow$	Cutting Capacity	•••	
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32620	200	8.0	#4	.30	1

#### Bent Long Nose Pliers With Cutters

#### Angled 40°



326 Bent Long Nose Pliers With Cutters DIN ISO 5745 Long nose pliers angled 40°. Extra long cutters for flat and round wire. Partially Serrated Jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel forgings. Soft vinyl grips are oil & solvent resistant.

Item			Cutting Capacity	•••	
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32623	160	6.3	#10	.28	1
32625	200	8.0	#8	.96	1



#### 32630 Long Flat Nose Pliers

DIN ISO 5745 Extra long head. Serrated Jaws are induction hardened. Special C70 tool steel forgings. Use for gripping and right-angled bending of wires and sheet metal parts. Soft vinyl grips are oil & solvent resistant.

Item	$\leftrightarrow$	$\leftrightarrow$		• •	
No.	mm	Inch	Pkg.	lbs.	
32630	160	6.3	1	.26	



#### 32633 Long Round Nose Pliers DIN ISO 5745 Extra long head. Serrated Jaws are induction hardened. Special C70 tool steel forgings. Use for gripping and uniform round bending of wires and sheet metal parts. Soft vinyl grips are oil & solvent resistant.

Item	$\leftrightarrow$	↔		•••	
No.	mm	Inch	Pkg.	lbs.	
32633	160	6.3	1	.25	



Toll Free: (800) 494-6104

#### **14** Tools that work for you

#### Wiha Soft Grip Nippers



#### 326 High Leverage End Cutting Nippers

**DIN ISO 5749** Low wear lap joint, riveted and able to withstand high levels of load. Low force action, clean cutting. Long life cutting edges are achieved through additional induction hardening to approx. 60 HRC. Special C70 tool steel forgings hardened and tempered. Soft vinyl grips are oil & solvent resistant.

Item	$\leftrightarrow$		Cutting Capacity	/ <b></b>	
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32657	160	6.3	#6	.41	1
32658	180	7.0	#6	.61	1
32659	200	8.0	#6	.75	1

NOTES:



#### 326 Mason Nippers DIN ISO 9243

High cutting performance and reduced effort achieved through the precise formation of the cutting blade after assembly. Long life induction hardened cutting edges. Special C70 tool steel, hardened & tempered. Soft vinyl Grips are oil & solvent resistant.

Item	$\leftrightarrow$	$\leftrightarrow$	Cutting Capacity	•••	—
No.	mm	Inch	Hard Wire AWG	lbs.	Pkg.
32674	220	8.75	#12	.76	1
32676	250	10.0	#12	.98	1
32678	280	11.0	#12	1.0	1
32680	300	12.0	#12	1.1	1

#### Auto Grip Pliers



#### 32637 Auto Grip Pliers

Just squeeze and pliers automatically adjust to diameter. Induction hardened jaws. Heavy duty box steel joints. Made from high quality CV special tool steel. Soft vinyl grips are oil and solvent resistant.

Item	$\leftrightarrow$		Capa	cities	<b>.</b>
No.	mm	Inch	Round	Hex	lbs.
32637	250	10.0	1.5	1 9/16	.86

#### **Pliers Wrench**



#### **32635 Soft Vinyl Grip Pliers Wrench** Smooth jaws for damage free turning on parallel surfaces. Fully adjustable jaws from 1-3/4" round/ 46mm Hex. Easy & quick adjustment just slide & close directly on the workpiece. Narrower profile with no button to interfere with turning clearance. Ideal for all applications; gripping, holding, pressing, bending & precise turning. Chrome-vanadium steel, hot forged, hardened and tempered.

Item	$\leftrightarrow$	$\leftrightarrow$	•••		
No.	mm	Inch	lbs.	pkg.	
32635	260	10.25	1.26	1	

#### Pliers Wrench & Auto Grip Pliers Combo Pack



326192 Pc. Combo Pack Pliers Wrench& Auto Pliers Set Drop-forged from highquality CV special tool steel, individually highfrequency induction hardened. Soft vinyl grips,oil & solvent resistant.

Item# 32619Set Includes: Ibs.10.0" Auto Pliers10.25" Pliers Wrench 2.23



326 Crimping Pliers DIN ISO 5743 Semi-circular profiles for secure connection between end sleeve and conductor. Long life is achieved through additional induction hardening to 64HRC. C70 special tool steel hardened & tempered. Soft vinyl grips.

Item					•••	
No.	mm	Inch	mm2	AWG	lbs.	Pkg.
32604	145	5.75	0.25-2.5	14-32	.29	1
32605	180	7.0	0.25-16	6-32	.57	1

GS



15

#### Standard Adjustable Pliers



#### 326 Adjustable Pliers - Box Type

DIN ISO 5745 10 different opening sizes provide optimal adjustment to objects being gripped. Long durability achieved through additional induction hardening of jaws to approx. 58-60 HRC. Chrome-vanadium tool steel, hardened and tempered. Soft vinyl grips are oil and solvent resistant.

Item	$ \rightarrow $	$\leftrightarrow$	Capad	cities	€	
No.	mm	Inch	Round	Hex	lbs.	Pkg.
32660	180	7.0	1.25	1 1/2	.35	1
32661	250	10.0	1.75	2.0	.67	1
32663	300	12.0	2.0	2 1/4	1.2	1



32670	3 Piece A	djustable Pli	ers Set
Drop-forg	ed from sp	ecial tool stee	el, individually
high frequ	ency indu	ction hardene	d. Precision
formed. S	oft vinyl gr	ips, oil & solv	ent resistant.
Item# 326	570 Set l	ncludes: 🚽	👈 lbs. 2.52
Adjustable	Pliers, Bo	x Type - 7.0"	
Adjustable	Pliers, Bo	x Type - 10.0	)"
Adjustable	Pliers, Bo	x Type - 12.0	)"

#### **Rapid Adjustable - Push Button Pliers**



· Fast push button jaw release • Finger jam protection in all settings

326 Push Button Adjustable Water Pump Pliers - DIN ISO 8976 Extra narrow head for working in restricted spaces. Rapid and simple push button setting and locking. Long durability achieved by additional inductive hardening of gripper jaws to approx. 58-60 HRC. Finger jam protection in all settings ensures safe operation. Chrome-vanadium tool steel, hardened and tempered. Soft vinyl grips. For gripping and holding pipes and angular profiles such as hex nuts in the installation area.

Item	$\leftrightarrow$		Capad	cities		
No.	mm	Inch	Round	Hex	lbs.	Pkg.
32664	180	7.0	1.25	1 1/2	.35	1
32665	250	10.0	1.75	2.0	.80	1
32667	300	12.0	2.0	2 1/4	1.2	1



Pliers/Cutters & Drivers Set

32641 5 Piece Pliers/Cutters & Cushion Grip Screwdriver Set Drop-forged from special tool steel, individually high frequency induction hardened. Precision formed. Soft vinyl grips, oil & solvent resistant. Screwdriver blades CVM tool steel, hardened, hard chromed. SoftFinish cushion grip drivers.

Item	Set Includes:	₅⁺∙
No.	8.0" Long Nose Pliers	lbs. 1.4
32641	6.3" Diagonal Cutters	
	Screwdrivers: Phillips: #2	

Slotted: 4.5, 5.5mm

32669 3 Piece Push Button Set Item# 32669 Set Includes: ✓ Ibs. 2.5 Push Button Adj. Water Pump Pliers - 7.0" Push Button Adj. Water Pump Pliers - 10.0" Push Button Adj. Water Pump Pliers - 12.0"



Set Cutters additionally induction hardened. Anti-slip soft dual material handles for safe gripping, ergo shape for maximum user comfort. June 1 - Ju Item# 32651 Set Includes: 9.5" NE Style Lineman's Pliers 1.92 8.0" BiCut SuperCut Pliers



32675 2 Piece Soft Grip Pliers & Cutters Set Maximum comfort in daily use, smooth operation and optimum force transmission without uncomfortable pressure points. Cutters additionally induction hardened. Anti-slip soft dual material handles for safe gripping, ergo shape for maximum user comfort. In Pouch

Item# 32675 Set Includes: 9.5" NE Style Lineman's Pliers 8.0" High Leverage Cutters

€ Ibs. 1.92



pouch

ĞS

32601	4 Pc	. Pliers 8	k Cutter	rs Set	Drop	-		
forged fr	forged from C70 special tool steel, individually							
high free	quency	inductio	n harde	ned. P	recis	ion		
formed.	Soft vi	nyl grips,	oil & se	olvent	resist	tant.		
Item# 3	2601	Set Incl	udes:	••	lbs.	3.2		
8.0" Combination Pliers			10.0" Water Pump Pliers					
6.3" Long	Nose F	Pliers	6.3" Diagonal Cutters					
6.3" Long	j Nose F	Pliers	6.3" L	Diagonal	Cutte	rs		

# کی

32647 4 Pc. Pliers & Cutters Set Dropforged from C70 special tool steel, individually high frequency induction hardened. Precision formed. Soft vinyl grips, oil & solvent resistant. Item# 32647 Set Includes:

#### 8.0" Combination Pliers 10.0" Water Pump Pliers 8.0" Long Nose Pliers 6.3" Diagonal Cutters

**4 Piece Pliers & cutters Sets** 



# () Toll Free: (800) 494-6104

#### Wiha Pliers & Cutters Sets



32648 2 Piece Pliers & Cutters Set Drop-forged from special tool steel, individually high frequency induction hardened. Precision formed. Soft vinyl grips, oil & solvent resistant. Item# 32648 Set Includes: • lbs. .78 32621 - Long Nose Pliers With Cutters - 8.0" 32642 - Diagonal Cutters - 6.3"



32698 3 Piece Pliers & Cutters Set Drop-forged from special tool steel, individually high frequency induction hardened. Precision formed. Soft vinyl grips, oil & solvent resistant.

Item# 32698 Set Includes: **↓** lbs. 1.4 32606 - Combination Pliers 32642 - Diagonal Cutters 32618 - Long Nose Pliers



Double the power at the press of a button BiCut does the job of two pairs of pliers



Crimping Jaw

#### 32640 2 Piece Soft Grip Pliers & Cutters

Set Maximum comfort in daily use, smooth operation and optimum force transmission without uncomfortable pressure points. Cutters additionally induction hardened.

Item# 32640 Set Includes:	ur ur bes.
32616 Lineman's Pliers - 9.0"	1.60
32636 BiCut SuperCut - 8.0"	

#### Soft Grip BiCut SuperCut & Screwdriver Set



32644 7 Pc. Soft Grip BiCut SuperCut & 🖵 lbs. 1.78 Screwdriver Set Item No. **BiCut SuperCut:** 32644 8.0"/200mm BiCut SuperCut Screwdrivers: Phillips: #0, #1, #2 Slotted: 3.0, 4.0, 6.5mm

#### Combo Pliers & Bit Set

#### BiCut SuperCut & Ultra Driver

#### Tradesman



77786 15 Pc. Ultra Driver & Pliers Set With BiCut SuperCut & Ultra Driver Bit Set Item No. 77786 +++ lbs. 1.17 8.0" Soft Grip Vinyl BiCut SuperCut For cutting various materials from soft to extremely hard. Double the power at the press of a button. Ultra Driver Double End Bits: Slotted: 3.0+4.5, 5.5+6.5mm Phillips: #1+2, #0+3 Pozidriv[®]: #1+2 Square: #1+2. #0+3 Torx®: T10+T15, T20+T25 Hex Inch: 1/8+9/64, 5/32+3/16" Hex MM: 3.0+4.0, 5.0+6.0mm

#### Wiha Soft Grip Belt Pack Pouch Sets

Durable Canvas Belt Pack Pouch

GS



32653 3 Pc. Pliers/Cutters In Belt Pack Pouch Pliers precision formed. Jaws & cutters induction hardened. Soft vinyl grips are oil & solvent resistant.

Item No.	Pliers & Cutters
32653	8.0"/200mm High Leverage Cutters
	8.0"/200mm Combo Pliers
	8.0"/200mm Long Nose Pliers
<del>ب</del>	lbs. 2.02



#### 32655 5 Pc. Pliers/Cutters & Screwdrivers In Belt Pack Pouch Pliers precision formed. Jaws & cutters induction hardened. Soft vinyl grips are oil & solvent resistant. Screwdriver blades CVM tool steel, hardened, hard chromed. SoftFinish cushion grip drivers. Item No. Pliers & Cutters Ubs. 1.62 32655 6.3"/160mm Diagonal Cutters 8.0"/200mm Long Nose Pliers **Cushion Grip Screwdrivers:** Slotted: 3.0, 4.5mm Phillips: 2

#### **Pliers & Cuters Pouch Set**




32608 8 Pc. Pliers/Cutters Jaws & cutters induction hardened. Long life edge is achieved through additional induction hardening to approx. 60 HRC.

Item No.	Set Includes:
32608	6.3"/160mm Combination Pliers
<u>.</u>	6.3"/160mm & 8.0"/200mm Long Nose Pliers
lbs.	6.3" / 160mm Diagonal Cutters
4.42	6.3" / 160mm Long Flat Nose Pliers
	6.3" / 160mm Long Round Nose Pliers
	8.0" / 200mm High Leverage Cutters
	9.0" / 225mm High Leverage Combo Pliers








No.	mm	Inch	Inch	mm	Inch/mm	lbs.	Pkg.
32681	139	5.5	5/16-1/2	8-13	.035/.9	.27	1
32682	140	5.5	1/2-1	12-25	.050/1.3	.27	1
32683	180	7.0	3/4-2 3/8	19-60	.070/1.5	.42	1
32684	225	8.9	1 1/2-4	40-100	.090/2.3	.63	1
32654	310	12.2	3.5-5.5	85-140	.126/3.2	1.1	1



326Straight External Retaining RingPliersDIN ISO 5254Shape A, straight tips.Die forged cylindrical precision formed. Forfitting & removing external retaining rings.

Item			- Ů	Ů	•Tip •	<u> </u>	P
No.	mm	Inch	Inch	mm	Inch/mm	lbs.	Pkg.
32689	139	5.5	1/8-3/8	3-10	.035/.9	.28	1
32690	140	5.5	3/8-1	10-25	.050/1.3	.28	1
32691	180	7.0	3/4-2 3/8	19-60	.070/1.5	.45	1
32692	225	8.9	1 1/2-4	40-100	.090/2.3	.62	1
32662	310	12.2	3.5-5.5	85-140	.126/3.2	1.1	1



**Pliers Set** Shape A, straight tips. Die forged cylindrical precision formed. CV special tool steel. For fitting & removing external retaining rings. Soft vinyl grips.

Item# 32628 Set Incl	udes: 🚽 🚽 lbs. 1.52
32689 3-10mm / tip .035	32692 40-100mm / tip .090
32690 10-25mm / tip .050	32662 85-140mm / tip .126
32691 19-60mm / tip .070	



32690° Angle Internal Retaining RingPliersDIN ISO 5254Shape D, 90° angledtips. Die forged cylindrical precision formed.CV Special tool steel. For inserting & removinginternal retaining rings. Soft vinyl grips.

		0	0	,	01		
Item			- ಲ	$\mathbb{O}$	•Tip ,	<u> </u>	-
No.	mm	Inch	Inch	mm	Inch/mm	lbs.	Pkg.
32685	139	5.5	5/16-1/2	8-13	.035/.9	.27	1
32686	140	5.5	1/2-1	12-25	.050/1.3	.27	1
32687	180	7.0	3/4-2 3/8	19-60	.070/1.5	.42	1
32688	225	8.9	1 1/2-4	40-100	.090/2.3	.62	1
32656	310	12.2	3.5-5.5	85-140	.126/3.2	1.1	1



32690° Angled External Retaining RingPliersDIN ISO 5254 Shape B, 90° angledtips. Die forged cylindrical precision formed.For fitting & removing external retaining rings.

	•		•		0	``	-
Item	$\leftrightarrow$	-	- Ů	Ů	●Tip 🚽		-
No.	mm	Inch	Inch	mm	Inch/mm	lbs.	Pkg.
32694	139	5.5	1/8-3/8	3-10	.035/.9	.28	1
32695	140	5.5	3/8-1	10-25	.050/1.3	.28	1
32696	180	7.0	3/4-2 3/8	19-60	.070/1.5	.44	1
32697	225	8.9	1 1/2-4	40-100	.090/2.3	.63	1
32666	310	12.2	3.5-5.5	85-140	.126/3.2	1.2	1

#### **Forged Retaining Ring Pliers**



32693	8 Pc. Straigh	nt Retaining Ring					
Pliers Set Straight tips. For inserting &							
removing	removing internal and external retaining rings.						
Item# 326	693 Set Inc	ludes: 🕂 Ibs. 3.65					
Internal-Sh	ape C	External-Shape A					
32681 8-13r	mm/tip .035	32689 3-10mm/tip .035					
32682 12-25	32682 12-25mm/tip .050 32690 10-25mm/tip .050						
<b>32683</b> 19-60mm/tip .070 <b>32691</b> 19-60mm/tip .070							
32684 40-10	00mm/tip .090	32692 40-100mm/tip .090					



326265 Piece Straight Internal RingPliers SetShape C, straight tips. Die forgedcylindrical precision formed. For inserting &<br/>removing internal retaining rings.


Item# 32626 Set Inclu	ides: 🗲 🖬 lbs. 1.60
32681 8-13mm / tip .035	32684 40-100mm / tip .090
32682 12-25mm / tip .050	32654 85-140mm / tip .126
32683 19-60mm / tip .070	



**32627 5 Piece 90° Angle Internal Ring Pliers Set** Shape D, 90° angled tips. Die forged cylindrical precision formed. CV Special tool steel. For inserting & removing internal retaining rings. Soft vinyl grips.

Item# 32627 Set Incl	udes: 🚽 lbs. 1.56
32685 8-13mm / tip .035	32688 40-100mm / tip .090
32686 12-25mm / tip .050	32656 85-140mm / tip .126
32687 19-60mm / tip .070	







MagicTip 90° Angle Safety Ring Pliers - Internal

346	Magic	Tip 9	0° Ang	le Inte	rnal Sa	afety	,
Ring F	Pliers [	DIN IS	SO 5254	4 Sha	be D,		
90° an	gled tip	os. Pr	recision	machi	ned tip	s of	
Chrom	ie-vana	ldium	Specia	l tool s	teel. F	or	
insertii	0		ng inter			rings	
Item	$ \rightarrow $		C C	ಲಿ	●Tip		-
No.	mm	Inch	Inch	mm	Inch/mr	n Ibs.	Pkg.
34616	220	8.7	1 1/2-4	40-100	.090/2.	3 .54	1
34617	305	12.0	3.5-5.5	85-140	.126/3.	2 .94	1



NOTES:



#### Wiha Pipe Wrenches Narrow Style

All Steel Narrow Profile Pipe Wrenches

Easy access 20% Narrower profile heads	
	Comfortable handle profile
12	Rapid adjusting nut with acme thread
	vy duty hardened CV uction hardened jaws

Safe & secure grip with back raked serrated jaws



32995 3 Piece Pipe Wrench Sets Hardened chrome-vanadium steel, induction

hardened jaws. Safe and secure grip on pipes, flat work-pieces and nuts.

Item# 32995 Set Inclu	udes: 🚽 🕁 Ibs. 5.60
	32978 - 12.20" 90º Jaws
32974 - 12.36" 45º Jaws	



**32996 3 Piece Narrow Style 90° Pipe Wrench Sets** Narrow shape angled 90°. Safe and secure grip angled jaw teeth. Comfortable handle profile. Rapid adjusting nut.

Item# 32996	Set Includes:	<b>↓ ↓</b> lbs.
32978 - 12.20"	Narrow Style 90°	10.80
32979 - 16.54"	Narrow Style 90°	
32980 - 22.05"	Narrow Style 90°	

Pipe Wrenches Narrow Style / S-Jaw



329 Pipe Wrenches Narrow Style / S-Jaw S-Jaw shape angled 45°. Self clamping gripping of pipes and hex nuts at 3 points. Comfortable handle profile. Rapid adjusting nut. Hardened CV steel, induction hardened jaws. Safe & secure grip on pipes & hex nuts. Item Inch Max. grip maximum ____ No OAL pipe dia. jaw opening lbs. Pkg. 32970 12.60 2.5 1 1 40mm(1.5") 32971 16.38 1.5 55mm(2.1") 2.5 1 32972 21.06 2 67mm(2.6") 3.9 1

# Pipe Wrenches Narrow Style - 45°

**329 Pipe Wrenches Narrow Style - 45**° Narrow shape angled 45°. Safe and secure grip angled jaw teeth. Comfortable handle profile. Rapid adjusting nut. Hardened CV steel, induction hardened jaws. Safe & secure grip on pipes, flat work-pieces & nuts.

Item	Inch	Max. grip	maximum	
No.	OAL	pipe dia.	jaw opening	lbs. Pkg.
32974	12.36	1	40mm(1.5")	1.8 1
32975	16.77	1.5	55mm(2.1")	2.1 1
32976	22.44	2	67mm(2.6")	6.3 1



329 Pipe Wrenches Narrow Style - 90° Narrow shape angled 90°. Safe and secure grip angled jaw teeth. Comfortable handle profile. Rapid adjusting nut. Hardened CV steel, induction hardened jaws. Safe and secure grip on pipes, flat work-pieces & nuts. Item Inch Max. grip maximum ويدعي No. OAL pipe dia. jaw opening lbs. Pkg. 32978 12.20 1 40mm(1.5") 2.2 1 32979 16.54 1.5 55mm(2.1") 3.2 1 32980 22.05 2 67mm(2.6") 6.0 1

W	iha Ratchet Crimpers
	atchet End Sleeve Crimper
	5 die nests side entry crimp
Factory	
auto rele at end	
crimp cy	
43612	Ratchet End Sleeve Crimper
	Insulated & non-insulated end sleeves.
	positions range AWG 26-18, 18-16,
14, 12, Item	10, 8. Soft grip non-slip handles.
No.	Length Range Ibs. Pkg.
43612	220mm/8.6" 26-8 1.18 1
Hatche	t Crimper For Standard Connectors Crimp Factory set auto release
	Crimp Factory set auto release Profile at end of crimp cycle
7	
-	Soft grip non-slip
-	
43618	Ratchet Crimper For Standard
	tors Crimps Insulated & non-insulated
	ors. 3 crimp positions range AWG
	d, 16-14 blue, 12-10 yellow.
Item	Inch AWG 🖵 🛲
Na	
No.	Length Range Ibs. Pkg.
NO. 43618	Length         Range         lbs.         Pkg.           220mm/8.6"         20-10         1.06         1
43618	220mm/8.6" 20-10 1.06 1 et Crimper Push On Terminals
43618	220mm/8.6" 20-10 1.06 1
43618	220mm/8.6" 20-10 1.06 1 et Crimper Push On Terminals Crimp Profile "F"/"B" Factory set auto release at end of crimp cycle
43618	220mm/8.6" 20-10 1.06 1 et Crimper Push On Terminals Crimp Profile Factory set auto "F"/"B" Factory set auto of
43618	220mm/8.6" 20-10 1.06 1 et Crimper Push On Terminals Crimp Profile "F"/"B" Factory set auto release at end of crimp cycle
43618 Ratch	220mm/8.6" 20-10 1.06 1 et Crimper Push On Terminals Crimp Profile "F"/"B" Factory set auto release at end of crimp cycle Soft grip non-slip Ratchet Crimper Push On Terminals
43618 Ratch	220mm/8.6" 20-10 1.06 1 et Crimper Push On Terminals Crimp Profile "F"/"B" Soft grip non-slip Ratchet Crimper Push On Terminals non-insulated terminals.
43618 Ratch	220mm/8.6" 20-10 1.06 1 et Crimper Push On Terminals Crimp Profile "F"/"B" Factory set auto release at end of crimp cycle Soft grip non-slip Ratchet Crimper Push On Terminals non-insulated terminals. positions range AWG 24-20, 20-18,
43618 Ratch	220mm/8.6" 20-10 1.06 1 et Crimper Push On Terminals Crimp Profile "F"/"B" Soft grip non-slip Ratchet Crimper Push On Terminals non-insulated terminals. positions range AWG 24-20, 20-18, 2-10. Soft grip non-slip handles.
43618 Ratch	220mm/8.6"       20-10       1.06       1         et Crimper Push On Terminals       Factory set auto release at end of crimp cycle         "F"/"B"       Soft grip non-slip         Ratchet Crimper Push On Terminals       soft grip non-slip         positions range AWG 24-20, 20-18, 12-10. Soft grip non-slip handles.       Inch         Inch       AWG - =       =
43618 Ratch	220mm/8.6"       20-10       1.06       1         et Crimper Push On Terminals       Factory set auto release at end of crimp cycle         "F"/"B"       Soft grip non-slip         Ratchet Crimper Push On Terminals       soft grip non-slip         positions range AWG 24-20, 20-18, 12-10. Soft grip non-slip handles.       Inch         AWG
43618 Ratch	220mm/8.6" 20-10 1.06 1 et Crimper Push On Terminals Factory set auto release at end of crimp cycle Soft grip non-slip Ratchet Crimper Push On Terminals non-insulated terminals. positions range AWG 24-20, 20-18, 12-10. Soft grip non-slip handles. Inch AWG - Empirical Structure Length Range Ibs. Pkg. 220mm/8.6" 24-10 1.06 1
43618 Ratch	220mm/8.6" 20-10 1.06 1 et Crimper Push On Terminals Crimp Profile "F"/"B" Factory set auto release at end of crimp cycle Soft grip non-slip Ratchet Crimper Push On Terminals non-insulated terminals. positions range AWG 24-20, 20-18, 2-10. Soft grip non-slip handles. Inch AWG Length Range Ibs. Pkg. 220mm/8.6" 24-10 1.06 1 Tet Crimper For Eye Terminals
43618 Ratch	220mm/8.6" 20-10 1.06 1 et Crimper Push On Terminals Factory set auto release at end of crimp cycle Soft grip non-slip Ratchet Crimper Push On Terminals non-insulated terminals. positions range AWG 24-20, 20-18, 2-10. Soft grip non-slip handles. Inch AWG Length Range lbs. Pkg. 220mm/8.6" 24-10 1.06 1 Thet Crimper For Eye Terminals Self Factory set auto
43618 Ratch	220mm/8.6"       20-10       1.06       1         et Crimper Push On Terminals       Factory set auto release at end of crimp cycle         "F"/"B"       Soft grip non-slip         Ratchet Crimper Push On Terminals       Soft grip non-slip         non-insulated terminals.       positions range AWG 24-20, 20-18, 12-10. Soft grip non-slip handles.         Inch       AWG       Image Ibs. Pkg. 12-10         220mm/8.6"       24-10       1.06       1         ength       Range Ibs. Pkg. 10-10       1       1         et Crimper For Eye Terminals       Factory set auto release at end of crimp cycle
43618 Ratch	220mm/8.6" 20-10 1.06 1 et Crimper Push On Terminals Factory set auto release at end of crimp cycle Soft grip non-slip Ratchet Crimper Push On Terminals non-insulated terminals. positions range AWG 24-20, 20-18, 2-10. Soft grip non-slip handles. Inch AWG Length Range lbs. Pkg. 220mm/8.6" 24-10 1.06 1 Thet Crimper For Eye Terminals Self adjusting Factory set auto release at end of
43618 Ratch	220mm/8.6"       20-10       1.06       1         et Crimper Push On Terminals       Factory set auto release at end of crimp cycle         "F"/"B"       Soft grip non-slip         Ratchet Crimper Push On Terminals       Soft grip non-slip         non-insulated terminals.       positions range AWG 24-20, 20-18, 12-10. Soft grip non-slip handles.         Inch       AWG       Image Ibs. Pkg. 12-10         220mm/8.6"       24-10       1.06       1         ength       Range Ibs. Pkg. 10-10       1       1         et Crimper For Eye Terminals       Factory set auto release at end of crimp cycle
43618 Ratch	220mm/8.6"       20-10       1.06       1         et Crimper Push On Terminals       Factory set auto release at end of crimp cycle         "F"/"B"       Soft grip non-slip         Ratchet Crimper Push On Terminals       Soft grip non-slip         non-insulated terminals.       positions range AWG 24-20, 20-18, 12-10. Soft grip non-slip handles.         Inch       AWG       Image Ibs. Pkg. 12-10         220mm/8.6"       24-10       1.06       1         ength       Range Ibs. Pkg. 10-10       1       1         et Crimper For Eye Terminals       Factory set auto release at end of crimp cycle
43618 Ratch	220mm/8.6" 20-10 1.06 1 et Crimper Push On Terminals Factory set auto release at end of crimp cycle Soft grip non-slip Ratchet Crimper Push On Terminals non-insulated terminals. positions range AWG 24-20, 20-18, 2-10. Soft grip non-slip handles. Inch AWG Length Range lbs. Pkg. 220mm/8.6" 24-10 1.06 1 Tet Crimper For Eye Terminals Self adjusting side entry crimp
43618 Ratch Crimps 4 crimps 4 crimp 16-14, - Item No. 43624 Ratch	220mm/8.6" 20-10 1.06 1 et Crimper Push On Terminals Factory set auto release at end of crimp cycle Soft grip non-slip Ratchet Crimper Push On Terminals non-insulated terminals. positions range AWG 24-20, 20-18, 2-10. Soft grip non-slip handles. Inch AWG Length Range lbs. Pkg. 220mm/8.6" 24-10 1.06 1 Tet Crimper For Eye Terminals Self adjusting side entry crimp
43618 Ratch 6 43624 Crimps 4 crimp 16-14, - Item No. 43624 Ratch 6 6 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7	220mm/8.6" 20-10 1.06 1 et Crimper Push On Terminals Factory set auto release at end of crimp cycle Soft grip non-slip Ratchet Crimper Push On Terminals non-insulated terminals. positions range AWG 24-20, 20-18, 2-10. Soft grip non-slip handles. Inch AWG Length Range lbs. Pkg. 220mm/8.6" 24-10 1.06 1 Tet Crimper For Eye Terminals Self adjusting side entry crimp

4 crimp positions range AWG 26-22, 20-18,

12-10, 0-	0.				
Item	Inch	AWG	<u>ب</u>		
No.	Length	Range	lbs.	Pkg.	
43643	220mm/8.6"	26-6	1.02	1	




Toll Free: (800) 494-6104



Item	$\leftrightarrow$	$\leftrightarrow$	Cutting Cap.	•••		
No.	mm	Inch	AWG	lbs.	Pkg.	
30901	160	6.3	#10	.52	1	
30903	180	7.0	#9	.67	1	
30905	200	8.0	#8	.83	1	



Item	$\checkmark$		Cutting Cap.		
No.	mm	Inch	Copper AWG	lbs.	Pkg.
30907	200	8.0	#7	.81	1
30909	225	9.0	#6	1.0	1



Cutting Cap.

Ğ\$



ergo handles.

Item

Double the power at the press of a button BiCut does the job of two pairs of pliers Up to 50% less hand strength required for cutting Cutting force doubled for extremely hard materials Switch between 2 strengths in one-handed operation

30936 Industrial SoftGrip BiCut SuperCut For cutting various materials from soft to

extremely hard, such as nails, screws, bolts, wire cables, spring wires, chains, etc.

Item	$\leftrightarrow$	$\leftrightarrow$		• •	
No.	mm	Inch	Pkg.	lbs.	
30936	200	8.0	1	.78	

#### Industrial SoftGrip Cable Cutters ĞS 309 Industrial Cable Cutters DIN ISO 5749 Energy saving & clean cutting cable cutters with specially ground precision cutting edges. Long life cutting edges are achieved through additional induction hardening to approx. 64HRC. C70 special CV tool steel. Item Cutting Capacity No. Inch Copper/Aluminum lbs. Pkg. mm .56 30926 160 6.3 16mm 1 .87 30928 200 8.0 20mm 1 Industrial SoftGrip Diagonal Cutters

309Industrial Diagonal Cutters DIN ISO5749Low wear lap joint, riveted & able towithstand high levels of load. Low force action,clean cutting. Long life cutting edge is achievedwith additional induction hardening to approx.64HRC. Special C70 tool steel forgings hardened& tempered. For soft & medium hard wire.ItemItemNo.mmNo.mmInchCopper AWG309231405.5#6.451

ĞŞ

110.		mon	o oppor / int di	100.	i ng.
30923	140	5.5	#6	.45	1
30925	160	6.3	#6	.57	1
30927	180	7.0	#6	.69	1

#### Industrial SoftGrip High Leverage Diagonal Cutters



309 Industrial High Leverage Diagonal Cutters DIN ISO 5749 Semi-circular. Low wear lap joint, riveted and able to withstand high levels of load. Low force action, clean cutting. Long life cutting edges are achieved through additional induction hardening to approx. 64HRC. C70 tool steel hardened and tempered.

ltem	$\leftrightarrow$	$\leftrightarrow$	Cutting Capacity	<u>.</u>	
No.	mm	Inch	Copper AWG	lbs.	Pkg.
30929	160	6.3	#6	.57	1
30931	180	7.0	#5	.68	1
30933	200	8.0	#4	.89	1





Pliers Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened & tempered. Extra long cutting edge for flat and round cables. Two component SoftGrip handle. Item ÷. No. mm Inch Pkg. wt. 30940 245 9.5 1.18

#### Industrial SoftGrip Long Nose Pliers



309 Industrial Long Nose Pliers With Cutting Edge DIN ISO 5745 Long nose pliers. Extra long cutters for flat and round wires. Gripping surfaces serrated in parts. Cutting edges additionally induction hardened to approx. 64HRC. C70 Special tool steel. Two component SoftGrip handle.

Item	$\leftrightarrow$	$\leftrightarrow$	Cutting Cap.	€	
No.	mm	Inch	AWG	lbs.	Pkg.
30911	160	6.3	#10	.41	1
30913	200	8.0	#8	.56	1



309 Industrial Bent Nose Pliers With Cutters DIN ISO 5745 Long nose pliers angled approx. 40°. Extra long cutting edge for flat & round wires. Gripping surfaces serrated in parts. Cutting edges additionally induction hardened to approx. 64HRC. C70 Special tool steel. Two component SoftGrip handle.

Item	$\leftrightarrow$	$\leftrightarrow$	Cutting Capacity		
No.	mm	Inch	Copper AWG	lbs.	Pkg.
30915	160	6.3	#10	.42	1
30917	200	8.0	#8	.57	1



30919 Industrial Long Flat Nose Pliers DIN ISO 5745 Extra long head. Gripping surfaces serrated and induction hardened. C70 Special tool steel. Two component SoftGrip handle. Gripping and right-angled bending of wires and sheet metal parts. ....

Item		$\rightarrow$		* *	
No.	mm	Inch	Pkg.	lbs.	
30919	160	6.3	1	.43	



30921 Industrial Long Round Nose Pliers DIN ISO 5745 Extra long head. Gripping surfaces serrated and induction hardened. C70 Special tool steel. Two component SoftGrip handle. Gripping and bending of wires and sheet metal parts.

Item	$\leftrightarrow$	$\leftrightarrow$	-	•••	
No.	mm	Inch	Pkg.	lbs.	
30921	160	6.3	1	.39	

#### Industrial SoftGrip Heavv Dutv End



30939 Industrial Heavy Duty End Cutting Nippers Induction hardened cutting edges. Special tool steel. Gripping and right-angled bending of wires and sheet metal parts. Two component SoftGrip handle.

•		•			
Item	$ \rightarrow $	$\leftrightarrow$		• •	
No.	mm	Inch	Pkg.	lbs.	
30939	200	8.0	1	.74	



For stripping up to #8 AWG

30947 Industrial Stripping Pliers DIN ISO 5743 Heavy duty forged with induction hardened cutting edges for even stripping of insulation. Easy to use adjustment screw allows stripping diameter to be quickly changed. Return spring for effortless use. Special C70 tool steel edges. Stripping Diameter: .019" to .393".

Item	$\leftrightarrow$		Stripping Capacity	/ <b></b>	
No.	mm	Inch	Copper AWG	lbs.	Pkg.
30947	160	6.3	#8 - #28	.48	1

#### Strippina Pliers



56871 Stripping Pliers Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. With opening spring and locking mechanism.

Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10. Item No. mm Inch Ø AWG lbs. Pkg. 56871 180 7.0 0.81-2.59 20-10 .15 5

#### Industrial BiCut SuperCut & Screwdriver Set



Slotted: 3.0, 4.0, 6.5mm



Toll Free: (800) 494-6104

22 Tools that work for you



#### 30937 Industrial Adjustable Pliers

DIN ISO 8976 10 opening settings provides optimal adjustment to objects being gripped. Long life achieved through additional induction hardening of jaws to approx. 64HRC. Chromevanadium tool steel forgings, hardened and tempered. Two component SoftGrip ergonomic handle. Black finish.

Item	+		Capac	ities		
No.	mm	Inch	Round	Hex	lbs.	Pkg.
30937	250	10.0	1 3/4"	2"	.94	1

#### Industrial SoftGrip Push Button Adj. Pliers



309Industrial Slide Lock AdjustablePliers - Box Joint - With Push ButtonSetting. DIN ISO 8976Extra narrow head forworking small spaces. Rapid and simple pushbutton setting and locking. Long life achievedthrough additional induction hardening of jawsto approx. 64HRC. Finger jam protection forsafe operation at all settings. CVM tool steelforgings, hardened and tempered.

Item	$\leftrightarrow$	$\leftrightarrow$	Capad	cities	<b>.</b>	
No.	mm	Inch	Round	Hex	lbs.	Pkg.
30943	250	10.0	1 3/4"	2"	.95	1
30944	300	12.0	2 1/2	2 9/16	1.5	1

#### Industrial SoftGrip Pliers & Cutters 2 Piece Set



#### 30941 2 Piece Industrial SoftGrip Pliers & Cutters Set Maximum comfort in daily use, smooth operation and optimum force transmission without uncomfortable pressure points. Cutters additionally induction hardened. Anti-slip soft dual material handles for safe gripping, ergonomic shape for

for care gripping, orgenerine end	
maximum user comfort.	
Item# 30941 Set Includes:	ur u
30912 Lineman's Pliers - 9.0"	1.88
30936 BiCut SuperCut - 8.0"	

# 

30993 3 Piece Industrial SoftGrip Pliers & Cutters Set Maximum comfort in daily use, smooth operation and optimum force transmission without uncomfortable pressure points. Cutters additionally induction hardened. Anti-slip soft dual material handles for safe gripping, ergonomic shape for maximum user comfort.

Item# 30993 Set Includes:	➡ Ibs.
30905 Combination Pliers - 8.0"	1.76
30925 Diagonal Cutters - 6.3"	
30911 Long Nose Pliers - 6.3"	



30998 8 Pc. Industrial SoftGrip Pliers & Cutters Set Maximum comfort in daily use, smooth operation & optimum force transmission without uncomfortable pressure points. Cutters additionally induction hardened. Anti-slip soft dual material handles for safe gripping, ergonomic shape for maximum user comfort. <u>ب ب</u> Item# 30998 Set Includes: 6.3" - Combination Pliers lbs. 9.0" - Heavy Duty Combination Pliers 4.91 6.3" - Long Nose Pliers 8.0" - Long Nose Pliers 5.5" - Diagonal Cutters 8.0" - High Leverage Diagonal Cutters 10.0" - Adjustable Pliers 20-10 AWG - Stripping Pliers



**30990 4 Pc. Industrial SoftGrip Pliers & Cutters Set** Maximum comfort in daily use, smooth operation & optimum force transmission without uncomfortable pressure points. Cutters additionally induction hardened. Anti-slip soft dual material handles for safe gripping, ergonomic shape for maximum user comfort. **Item# 30990** Set Includes:

item# 30990 Set includes:	* *
9.0" - Heavy Duty Combination Pliers	lbs.
8.0" - Long Nose Pliers	2.81
8.0" - High Leverage Diagonal Cutters	
20-10 AWG - Stripping Pliers	



30991	18 Pc. Indus	trial SoftGrip Pl	iers/
Cutters,	Screwdrivers	& Wrenches S	et
Maximur	n comfort in da	aily use, smooth	
operation	ו & optimum fo	rce transmission	
without u	uncomfortable	pressure points.	Cutters
additiona	ally induction h	ardened. Anti-sli	р
soft dual	material hand	les for safe gripp	oing,
ergonom	ic shape for m	aximum user co	mfort.
Item# 3	0991 Set Incl	ludes:	÷.
8.0" - Co	ombination Plie	ers	lbs.
6.3" - Lo	ong Nose Pliers	6	6.76
6.3" - Di	agonal Cutters		
10.0" - A	Adjustable Plier	'S	
Slotted:	5/32, 1/4"	Phillips: 1, 2	
Torx: T1	5, T20, T25	Square: 1, 2	
Wrenche	es: 1/4"x5/16", 3	8/8"x7/16", 1/2"x9/	16",
5/8"x11/1	6", 3/4"x7/8"		

#### Soft Grip Electrician's shears




32611 SoftGrip Electrician's And Craftsman Shears High alloy carbon steel, hardened, burnished surface. Sturdy model, straight, very robust, micro-toothed cutting.

Item				<del>ر ا</del>
No.	mm	Inch	Pkg.	lbs.
32611	145	5.75	1	.05

# Industrial SoftGrip Pliers & Cutters Sets







steel. For holding small components as well as for holding and angling wires.

Item No.	mm	Inch	Pkg.	lbs.
56801	138	5.5	1	.23

# Electronic Diagonal Cutters Full Flush Wire Holding Spring

56813 Precision Electronic Diagonal Full Flush Cutters With Wire Trapping Spring Extra narrow, short head for working in particularly restricted spaces. Cutting edge full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations. Item No. mm Inch Cut Capacity lbs. Pkg. 56813 128 5.0 1.0mm/16AWG .19 1



56833 Electronic Oblique 48° Cutter Wide pointed head. Cutting edge - full flush. With cutting edge at 48° for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

56833	138	5.5	1.3mm/16AWG	.22	1
Item No.	mm	Inch	Cut Capacity	IDS.	Pkg.

Narrow Front Cutter/Long Nose Pliers




56830 Electronic Narrow 30° Front Cutter / Long Nose Pliers Extremely narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. Edge at 30° to face end of pliers for cutting obliquely from above or form the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations. Item No. mm Inch Cut Capacity Ibs. Pkg. 118 4.5 0.6mm/16AWG .19 56830 1




(Witha) Toll Free: (800) 494-6104

#### Wiha ESD Safe Pliers & Cutters



Flush Cutter




Ultra Full Flush



Hardened & annealed high carbon tool steel, induction hardened cutting edges







32702 Precision Cutters, Small Tapered Head With Hollow Ground Back, Semi Flush Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. Item No. mm Inch Copper Head Wdth 32702 115 4.5 1.0 9.5mm



32708 Precision Cutters, Wide Tapered Head, Flush Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. Item No. mm Inch Copper Head Wdth 32708 11.0mm 115 4.5 1.2



32705 Precision Cutters, Small Tapered Head, Flush Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. Item No. mm Inch Copper Head Wdth 32705 115 4.5 1.0 9.5mm



32704 Precision Cutters, Small Tapered Head With Hollow Ground Back, Flush Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. ESD Safe Dissipative. Item No. mm Inch Copper Head Wdth 32704 115 4.5 1.0 9.5mm



32710 Precision Cutters, Wide Tapered Head, Full Flush Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. Item No. mm Inch Copper Head Wdth 115 4.5 32710 1.0 11.0mm






32712Precision Cutters, Slim Oval Head,Flush Cutters drop-forged for an ideal materialstructure. Precise aligned cutting edges areadditionally induction hardened at a hardnessof Approx. 64°HRC. Two component non-slipsoft grip handle, ESD Safe Dissipative.Item No.Item No.mm Inch Copper Head Wdth32712115 4.51.010.5mm



32724Oblique Angled Cutters, 29°,Full Flush Oblique Cutters drop-forged for an<br/>ideal material structure. Precise aligned cutting<br/>edges are additionally induction hardened at a<br/>hardness of Approx. 64°HRC. Two component<br/>non-slip soft grip handle, ESD Safe Dissipative.Item No.mm Inch Copper Head Wdth327241154.51.012.0mm



6.0mm



9.5mm



32716Precision Cutters, Wide OvalHead, BevelCutters drop-forged for an idealmaterial structure.Precise aligned cuttingedges are additionally induction hardened at ahardness of Approx.64°HRC.ron-slip soft grip handle, ESD Safe Dissipative.Item No.mmInch CopperHead Wdth327161154.51.411.0mm



32734End Cutters, Wide Head, FlushEnd Cutters drop-forged for an ideal materialstructure. Precise aligned cutting edges areadditionally induction hardened at a hardnessof Approx. 64°HRC. ESD Safe Dissipative.Item No.mmInch CopperHead Wdth327341154.51.411.0mm



32742 ESD Safe Pliers, Short Snipe Nose (Chain Nose) Straight, Serrated Jaws Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Head Wdth
32742	120	4 3/4	9.5mm



32744ESD Safe Pliers, Snipe Nose(Chain Nose) Bent 45°, Smooth JawsPliers drop-forged for an ideal materialstructure. Precisely aligned, jaws, hardened.ESD Safe Dissipative.Item No.mmInchHead Wdth327441204 3/49.5mm



32746ESD Safe Pliers, Long NeedleNose Pliers, Straight, Serrated JawsPliers drop-forged for an ideal materialstructure. Precisely aligned, jaws, hardened.ESD Safe Dissipative.Item No.mmInchHead Wdth3274614553/412.0mm

ESD Safe Pliers

32748ESD Safe Pliers, Needle NosePliers, Bent 90°, Smooth Jaws Pliers drop-<br/>forged for an ideal material structure. Precisely<br/>aligned, jaws, hardened. Two component<br/>non-slip soft grip handle, ESD Safe Dissipative.Item No.mmInchHead Wdth327481455 3/412.0mm



#### **ESD Safe Pliers**



32750ESD Safe Pliers, Short RoundNose Pliers, Smooth Jaws Pliers drop-<br/>forged for an ideal material structure. Precisely<br/>aligned, jaws, hardened. Two component non-<br/>slip soft grip handle, ESD Safe Dissipative.Item No.mmInchHead Wdth327501204 3/49.5mm


#### ESD Safe Diagonal Cutters



**32760 ESD Safe Precision Flush Cutting Diagonal Cutters** Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Head Wdth
32760	133	5.25	.5"





32752ESD Safe Pliers, Short Flat NosePliers, Smooth Jaws Pliers drop-forged for<br/>an ideal material structure. Precisely aligned,<br/>jaws, hardened. Two component non-slip soft<br/>grip handle, ESD Safe Dissipative.Item No.mmInchHead Wdth327521204 3/49.5mm

#### NOTES

#### ESD Long Nose Pliers



32762ESD Safe Long Nose Pliers WithReturn SpringExtra long cutters for flatand round cables.Serrated jaws. Long lifeedge is achieved through additional inductionhardening to approx.64HRC.Special C70 toolsteel forgings.Two component non-slip softgrip handle,ESD Safe Dissipative.Item No.mmInch327621656.5.625"





27398Set 7 Pcs. Slotted & PhillipsPrecision ESD Safe Dissipative HandleBlade high alloy CVM steel, hardened,<br/>hard chrome. Handle manufactured from<br/>impact resistant, dissipative material.ESD standard IEC 61340-5-1

Item	Slotted:	<b>•</b> •
No.	1.5, 2.0, 2.5, 3.5mm	lbs.
27398	Phillips: #00, 0, 1	.60
	6.5" Long Nose Pliers W/Cut	ters





Surface resistance of handles is 10° - 10° Ohms

45892 26-Piece Precision PicoFinish[®] Screwdrivers, Pliers, Precision Micro Bit Set & ESD Safe Tweezers ESD Proturn Pliers glare free, black finish, ESD Safe nonslip soft grips. ESD Safe Precision Slotted & Phillips screwdrivers, CVM tool steel blades. Precision ESD Safe Micro Bit handle holds Micro Bit extension and 4mm Micro bits. Anti-static Tweezer conductive, ESD Safe Hypo allergenic, anti-magnetic stainless.

45892 26 Piece ESD Safe Pliers, Precision Screwdrivers, Micro Bit Set & ESD Tweezer Set in Canvas Pouch

ESD Safe Proturn Strippers, Pliers & Cutters 5.25" Diagonal Cutters 4.5" Full Flush Tapered Cutters 4.75" Short Snipe Nose Pliers 5.75" Long Needle Nose Pliers ESD Safe Slotted & Phillips Precision Drivers Slotted: 2.0, 2.5, 3.0, 3.5mm & Phillips: 00, 0, 1 ESD Micro Bit Handle, Micro Bit Extension & 14 Micro Bits 4mm Hex: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0mm Torx[®]: T4, T5, T6, T7, T9, T10 ESD Safe Tweezer: 00 SA ESD -120mm Heavy Duty Strong, Tapered To Strong Point

**↓** lbs. 1.74





32794 11-Piece ESD Safe Precision PicoFinish[®] Screwdrivers, Pliers Set Pliers drop-forged for an ideal material structure. Two component non-slip soft grip handle. Blade CVM steel, hardened, hard chromed. 32794 11 pc. ESD Safe PicoFinish[®] Screwdrivers, Pliers & Cutters 5.25" Diagonal Cutters 4.5" Full Flush Tapered Cutters 4.75" Short Snipe Nose Pliers 5.75" Long Needle Nose Pliers PicoFinish Precision[®] Screwdrivers Slotted: 2.0, 2.5, 3.0 & 3.5mm Phillips: #00, 0 & 1 July 1.32

#### NOTES




27











С = 3mm 45812 Proturn ESD Safe Flat Nose Smooth Jaws Pliers C70 special tool steel. Glare free, black finish. ESD Safe handle with

B = 32mm

non-slip grips.

Item No.	mm	Inch	Pkg.	lbs.	
45812	160	6.3	1	.18	



Pliers ESD standard IEC 61340-5-1.					
C70 special tool steel. Glare free, black finish.					
ESD Safe handle with non-slip grips.					
Item No.	mm	Inch	Pkg.	lbs.	
45814	152	6.0	1	.17	



Pliers, Serrated Jaws C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips.

Item No.	mm	Inch	Pkg.	lbs.	
45811	160	6.3	1	.18	

### ESD Safe Bent Nose Pliers



45813 Proturn ESD Safe Bent Nose Pliers, Serrated Jaws ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips.

45813	152	6.0	1	.18	
Item No.	mm	Inch	Pkg.	lbs.	



45820 Proturn ESD Safe 21° Precision Cutters/Flush Cut ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips.

Item No.	mm	Inch	AWG	Pkg.	lbs.
45820	127	5.0	18/1mm	1	.16



#### Wiha ESD Safe Proturn Pliers & Cutters

Surface resistance of handles is 10⁶ - 10⁹ Ohms



45821 Proturn ESD Safe 45° Precision Cutters/Flush Cut ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips. Item No. mm Inch AWG Pkg. lbs. 45821 127 5.0 18/1mm 1 .14



45823 Proturn ESD Safe 21° Precision Cutters/Flush Cut ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips. Item No. mm Inch AWG Pkg. lbs. 133 5.25 14/1.6mm 1 .14 45823



Cutters/Flush Cut ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips. Item No. mm Inch AWG Pkg. lbs. 45822 140 5.5 16/1.3mm 1 .15



Cutters/Flush Cut ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips. Item No. mm Inch AWG Pkg. lbs. 45824 140 5.5 14/1.6mm 1 .16

#### Wiha ESD Safe Proturn Pliers/Cutters. Precison **Drivers & MicroBits Set**

proturn ESD standard IEC 61340-5-1



Surface resistance of handles is 106 - 109 Ohms

45890 26 Pc. Set, Proturn ESD Safe Pliers, Precision Slotted & Phillips Screwdrivers, Precision Micro Bit Set & ESD Safe Tweezers ESD Proturn Pliers glare free, black finish, ESD Safe non-slip soft grips. ESD Safe Precision Slotted & Phillips screwdrivers, CVM tool steel blades. Precision ESD Safe Micro Bit handle holds Micro Bit extension and 4mm Micro bits. Anti-static Tweezer conductive, ESD Safe Hypo allergenic, anti-magnetic stainless. **#45890** 26 Piece ESD Safe Pliers, Precision Screwdrivers, Micro Bit Set & ESD Tweezer Set in Canvas Pouch ESD Safe Proturn Strippers, Pliers & Cutters 45810 - 6.5" Wire Stripper 45811 - 6.3" Long Nose Pliers 45813 - 6.0" Bent Nose Pliers 45823 - 5.25" 21° Precision Cutters **ESD Safe Slotted & Phillips Precision Drivers** Slotted: 2.0, 2.5, 3.0mm & Phillips: 0, 1 ESD Micro Bit Handle, Micro Bit Extension & 14 Micro Bits 4mm Hex: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0 Torx: T4, T5, T6, T7, T8, T9, T10 ESD Safe Tweezer: 00 SA ESD -120mm Heavy Duty Strong, Tapered To Strong Point ✓ Ibs. 1.74

29



#### Wire Strippers & Cutters Holes Opening stop to in the Crimps insulated & prevent spring jaw for non-insulated from becoming looping disengaged wire Scissors action cutting With return spring



#### 57810 Wire Stripping Pliers

Pliers nose	for wo	rking small nuts & pulling
wire. Precis	ion gro	ound stripping stations for
both solid 8	Stran	ded wire. Long, curved cutter
requires les	s force	e to cut. Holes in the jaw for
looping wire	e. Retu	rn spring & opening stop to
prevent spr	ing fror	m becoming disengaged.
Wire strippi	ng stat	ions 10 - 18 Solid & 12 - 20
Stranded. S	Screw C	Cutter 6-32 / 8-32
Item No.	mm	Inch
57810	184	7.25

### Wire Strippers & Cutters



57816Wire Strippers & CuttersSerrated pliers nose for pulling andworking wire. Precision ground strippingstations. Scissors action cutter. Holes in jawfor looping wire. With return spring. Wirestripping stations 10 - 20 / 0.8 - 2.6mm.Item No.mmInchStrips578161526.010-20

# 578303-piece Wire Strippers & CuttersWith return spring. Wire stripping stations10 - 20 / 0.8 - 2.6mm. In PouchItem8.25" Wire 5-in-1 Combo StrippersNo.& Crimpers AWG 10-22578306.0" Wire Strippers & Cutters<br/>Strips 10-20 / 0.8-2.6mm7.75" Wire Strippers Dual NM-B Cable<br/>AWG 12-14



57812 Upfront Cutters/Crimper/Strippers Curved cutter reduces force required to cut, longer blade length capable of cutting NM-B cable in a single stroke. Hardened tool steel, non-glare black finish. Screw cutter/sizing holes are moved closer to the pivot for more leverage, making it easier to shear screw. Wire stripping stations AWG 10-22. Screw Cutter 4-40 / 6-32 / 8-32 / 10-32 / 10-24 Item No. mm Inch Strips 57812 216 8.5 10-22

#### Wire Strippers & Cutters




57818Wire Strippers & CuttersPliers nose for working small nuts & pulling<br/>wire. Precision ground stripping stations for<br/>both solid & Stranded wire. Long, curved cutter<br/>requires less force to cut. Holes in the jaw for<br/>looping wire. Return spring & opening stop to<br/>prevent spring from becoming disengaged.<br/>Wire stripping stations 20 - 30 Solid & 22 - 32<br/>Stranded. Screw Cutter 6-32 / 8-32<br/>Item No. mm Inch<br/>57818



#### Wire 5-in-1 Combination Strippers & Crimpers



57814 Wire 5-in-1 Combo Strippers & Crimpers Long head with cushion gripping surface, shears blade and firm wire stripping stations. Hardened tool steel, non-glare black finish. Serrated pliers nose for pulling and looping wire. Curved cutter for improved cutting action, requires less force. Wire stripping stations AWG 10-22. Screw Cutter 4-40 / 5-40 / 6-32 / 8-32 / 10-32 / 10-24. Item No. mm Inch Strips 57814 210 8.25 10-22



**57820** Wire Strippers Dual NM-B Cable Dual cable stripper features serrated pliers nose, wire looping holes, spring return and lock. Staggered cutting blade produces clean, sure cut with 30-50% less effort. Strippers Size 12-2 / 14-2 NM-B. 12-14 AWG. Screw Cutter 6-32 / 8-32.

Item No.	mm	Inch	Strips	
57820	197	7.75	12-14	



Tools that work for you

10250       8       32617       13       32686       17       32881       5       34627       16         11610       8       32618       13       32686       17       32883       6       43612       19         11975       8       32620       13       32680       17       32867       7       43841       19         27389       26       32621       13       32680       17       32875       6       45611       28         30901       20       32625       13       32696       17       32875       6       45611       28         30905       20       32626       13       32696       17       32897       6       45613       28         30907       20       32620       13       32696       17       32897       7       45613       28         30907       20       32623       13       32697       17       32891       7       45613       28         30912       21       32633       13       32702       24       322829       9       45622       29         30912       21       32633       12       32708	Item No.	Page	Item No.	Page	Item No. Page						
11610       8       32818       13       32867       17       32864       6       43615       34         11975       8       33820       13       32669       17       32867       7       43618       19         17975       8       33821       13       32690       17       32867       7       43844       19         27398       6       33821       13       32691       17       32877       6       45811       28         28250       6       33825       17       32869       17       32875       6       45811       28         390805       20       32822       17       32869       17       32891       7       45813       28         390807       20       32822       17       32869       17       32891       7       45813       28         300907       20       32823       13       32702       24       32928       9       45822       29         30911       21       32835       14       32703       24       32928       9       45880       28       29         30911       21       32835       12       327	10250	8	32617	13	32686	17	32861	5	34627	18	
11980       8       32801       14       32868       17       32867       7       43616       19         11988       8       32821       13       32690       17       32687       7       43618       19         2738       26       32821       13       32690       17       32872       6       45610       28         2738       26       32821       13       32693       17       32872       6       45611       28         30901       20       32827       17       32895       6       45812       28       1       33995       17       32898       7       45814       28       1       33995       17       32898       7       45814       28       1       1       33991       1       32333       13       32702       24       32928       9       45822       29       1       1       3391       3       32702       24       32928       9       45882       29       1       3091       21       32333       12       32710       24       32928       9       45812       23       39       56811       23       3       1       33712       32712 <td></td>											
11975       8       33820       13       32889       17       32867       7       43818       18         27388       26       32823       13       32891       17       32867       5       43844       19         27388       26       32823       13       32891       17       32873       6       45811       28         30901       20       32827       17       32893       6       45812       28         30905       20       32827       17       32895       6       45812       28         30907       20       32828       17       32896       16       32923       9       45821       28         30907       20       32837       13       32702       24       32928       9       45821       28         30911       21       32837       14       32705       24       32928       9       45882       29         30911       21       32837       14       32705       24       32939       9       66813       23         30925       20       32841       15       32714       25       32939       9       66813											
27388       2862       13       32601       17       3287       6       43843       19         30001       20       32825       13       32693       17       32875       6       45811       28         30005       20       32825       17       32695       17       32695       7       45813       28         30005       20       32827       17       32696       17       32897       9       45821       28         30001       20       32837       13       3667       17       32896       16       32828       9       45821       28         30011       21       32835       14       32703       24       32927       9       45822       29         30011       21       32835       14       32703       24       32928       9       45882       27         30017       21       32837       14       32703       24       32935       10       45882       27         30021       21       32838       12       32716       25       32938       9       56801       23       11         30025       20       32844		8									
929250       8       326624       12       326826       17       32877       6       45811       28         90901       20       326267       17       32686       17       32875       6       45811       28         90905       20       326267       17       32686       17       32897       7       45813       28         90907       20       326267       17       32696       17       32917       9       45820       28         90911       21       32633       12       32697       17       32917       9       45821       29         90912       21       32635       14       32702       24       32926       9       45823       29         90915       21       32636       12       32702       24       32928       9       45820       29         90915       21       32639       16       32712       2       32930       9       45812       23         90921       21       32639       16       32712       2       32930       9       56811       23         90921       21       32643       16       32712	11980	8	32621	13	32690	17	32868	7	43624	19	
90001       20       32625       13       32693       17       32873       6       45811       28         90030       20       32627       17       32686       17       32898       7       45813       28         90007       20       32627       17       32687       17       32891       7       45814       28         90007       20       32633       13       32270       24       32929       9       45821       29         90011       20       32635       14       32702       24       32929       9       45824       29         90015       21       32636       12       32702       24       32928       9       45892       29         90015       21       32638       12       32700       24       32930       9       45892       27         90025       20       32644       15       32714       25       32936       9       56815       23         9025       20       32644       16       32742       25       32949       56815       23         90262       20       32644       16       32742       25 <t< td=""><td>27398</td><td>26</td><td>32623</td><td>13</td><td>32691</td><td>17</td><td>32870</td><td>5</td><td>43643</td><td>19</td><td></td></t<>	27398	26	32623	13	32691	17	32870	5	43643	19	
90003         20         32626         17         32696         17         32696         17         32698         7         45813         28           30907         20         32628         17         32696         17         32691         7         45813         28           30907         20         32630         13         32697         17         32917         9         45620         29           30911         21         32635         12         32702         24         32926         9         45621         29           30912         21         32635         14         32702         24         32927         9         45623         29           30917         21         32636         12         32705         24         32930         9         45681         23           30921         21         32639         12         32705         24         32930         9         56811         23           30922         20         32644         16         3274         25         32943         10         56812         23           30922         20         32644         16         32744         25 <td>29250</td> <td>8</td> <td>32624</td> <td>12</td> <td>32692</td> <td>17</td> <td>32872</td> <td>6</td> <td>45810</td> <td>28</td> <td></td>	29250	8	32624	12	32692	17	32872	6	45810	28	
90000         20         32827         17         32896         17         32891         7         45814         28           90007         20         32830         13         32697         17         32811         9         45814         28           90011         21         32831         13         32702         24         32822         9         45821         29           30011         21         32833         13         32702         24         32822         9         45822         29           30015         21         32838         12         32702         24         32822         10         45824         29           30015         21         32838         12         32702         24         32833         9         56610         23           30921         21         32838         12         32714         25         32933         9         56615         23           30922         20         32844         16         32742         25         32939         9         56815         23           30922         20         32844         16         32742         25         32944         10 <td>30901</td> <td>20</td> <td>32625</td> <td>13</td> <td>32693</td> <td>17</td> <td>32873</td> <td>6</td> <td>45811</td> <td>28</td> <td></td>	30901	20	32625	13	32693	17	32873	6	45811	28	
90007         20         32828         17         32891         7         4581         28           30900         20         32630         13         32697         17         32917         9         45820         28           30911         21         32633         13         32702         24         32925         9         45822         29           30911         21         32635         14         32702         24         32927         9         45822         29           30915         21         32636         12         32702         24         32929         9         45890         29           30917         21         32638         12         32710         24         32930         9         56611         23           30922         326440         16         32712         25         32939         9         56611         23           30922         20         32644         16         32744         25         32941         10         56828         23           30928         20         32647         15         32742         25         32941         10         56839         23 <tr< td=""><td>30903</td><td>20</td><td>32626</td><td>17</td><td>32694</td><td>17</td><td>32875</td><td>6</td><td>45812</td><td>28</td><td></td></tr<>	30903	20	32626	17	32694	17	32875	6	45812	28	
30909       20       32830       13       32971       7       2217       9       45821       28         30911       21       32831       13       32702       24       32928       9       45822       29         30913       21       32838       14       32702       24       32927       9       45892       29         30915       21       32838       14       32702       24       32928       9       45892       29         30917       21       32838       12       32708       24       32930       9       45892       27         30917       21       32838       12       32710       24       32930       9       56811       23         30922       20       32841       15       32714       25       32939       9       56815       23         30925       20       32644       16       32724       25       32941       10       56815       23         30927       20       32644       13       32744       25       32942       10       56815       23         30932       20       32644       15       32746 <t< td=""><td></td><td></td><td></td><td></td><td>32695</td><td>17</td><td>32889</td><td>7</td><td></td><td></td><td></td></t<>					32695	17	32889	7			
90011       21       32831       12       32828       16       32925       9       45821       29         30912       20       32633       13       32702       24       32927       9       45822       29         30915       21       32635       14       32702       24       32928       9       45822       29         30915       21       32636       12       32702       24       32929       9       45822       27         30917       21       32639       12       32710       24       32933       9       56611       23         30926       20       32641       15       32712       25       32939       9       56615       23         30926       20       32644       16       32742       25       32941       10       56815       23         30927       20       32647       15       32742       25       32944       10       56830       23         30931       20       32641       15       32742       25       32944       10       56833       23         30932       21       32651       15       32742											
30913       21       32635       14       32702       24       32927       9       45823       29         30913       21       32635       14       32703       24       32928       10       45824       29         30917       21       32636       12       32704       24       32930       9       45892       27         30917       21       32639       12       32706       24       32930       9       45892       27         30921       21       32639       12       32706       24       32938       9       56811       23         30925       20       32641       16       32714       25       32938       9       56815       23         30925       20       32644       16       32724       25       32942       10       56815       23         30928       20       32646       13       3274       25       32942       10       56833       23         30932       20       32641       15       3274       25       32947       10       56818       23         30933       20       32661       15       32760       <											
90013       21       32635       14       32703       24       32827       9       45823       29         30015       21       32636       12       32705       24       32929       9       45800       29         30011       21       32638       12       32705       24       32930       9       45800       29         30021       21       32639       12       32700       24       32930       9       45801       23         30022       32640       16       32712       25       32936       10       56812       23         30022       32644       16       32724       25       32939       9       56815       23         30928       20       32647       15       3274       25       32944       10       56818       23         30931       20       32647       15       3274       25       32945       9       56817       21         30933       20       32641       15       32748       25       32945       9       57810       30         30933       20       32651       16       32752       26       32951											
30915       21       32637       14       32705       24       32929       9       45890       29         30917       21       32637       14       32705       24       32930       9       45892       27         30921       21       32630       12       32706       24       32930       9       56812       23         30921       20       32640       16       32712       25       32936       9       56812       23         30925       20       32641       15       32714       25       32938       9       56813       23         30925       20       32644       16       32724       25       32942       10       56830       23         30925       20       32644       16       32744       25       32945       9       56833       23         30931       20       32649       13       32760       26       32945       9       56833       23         30933       20       32651       15       32746       25       32945       9       57810       30         30933       20       32651       15       32762 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>											
30917       21       32637       14       32705       24       32909       9       45890       29         30919       21       32638       12       32708       24       32930       9       56801       23         30921       21       32639       12       32712       25       32938       9       56801       23         30925       20       32644       16       32714       25       32939       9       56815       23         30927       20       32644       16       32724       25       32941       10       5683       23         30928       20       32647       15       3274       25       32944       10       56837       23         30931       20       32649       16       32744       25       32947       10       56871       21         30933       20       32651       15       32748       25       32947       10       56871       21         30937       22       32653       16       32752       26       32954       10       57816       30         30934       22       32655       16       32752											
30919       21       32638       12       3270       24       32933       9       5681       23         30922       20       32640       15       32714       25       32938       9       56813       23         30925       20       32641       15       32714       25       32939       9       56813       23         30926       20       32644       16       32724       25       32941       10       56815       23         30927       20       32644       16       32724       25       32944       10       5683       23         30928       20       32649       13       32746       25       32944       10       5683       23         30938       20       32649       13       32750       26       32948       10       57810       30         30937       22       32651       16       32752       26       32951       8       57812       30         30940       21       32656       17       32794       27       32971       19       57818       30         30944       22       32656       16       32762       <											
30921       21       32639       12       32710       24       32933       9       56801       23         30922       20       32640       16       32712       25       32938       9       56813       23         30925       20       32641       15       32714       25       32938       9       56813       23         30927       20       32646       16       32724       25       32941       10       56825       23         30928       20       32646       13       32734       25       32947       10       56833       23         30931       20       32649       13       32746       25       32947       10       56833       23         30933       20       32649       13       32746       25       32947       10       56871       21         30933       20       32651       15       32748       26       32958       8       57810       30         30940       21       32655       16       32752       26       32970       19       57818       30         30941       22       32655       17       32760											
30923       20       32640       16       32712       25       32936       10       56812       23         30925       20       32641       15       32714       25       32939       9       56815       23         30926       20       32644       16       32724       25       32941       10       56815       23         30928       20       32647       13       32734       25       32944       10       56830       23         30928       20       32647       15       32742       25       32947       10       56830       23         30933       20       32647       15       32742       25       32947       10       56833       23         30933       20       32649       13       32760       26       32947       10       57810       30         30939       21       32655       16       32752       26       32946       10       57816       30         30940       21       32656       17       32760       26       32970       19       57830       30         30941       22       32657       14       32806											
30925       20       32641       15       32714       25       32938       9       56813       23         30926       20       32642       12       32716       25       32939       9       56815       23         30927       20       32644       16       32734       25       32941       10       56830       23         30928       20       32646       13       3274       25       32942       10       56830       23         30931       20       32649       13       32746       25       32947       10       56830       23         30933       20       32649       13       3276       25       32947       10       56837       21         30939       21       32653       16       32752       26       32951       8       57810       30         30942       21       32655       16       32752       26       32971       19       57820       30         30944       22       32655       16       32762       26       32975       19       57820       30         30944       22       32665       15       32807											
30926       20       32642       12       32716       25       32939       9       56815       23         30927       20       32644       16       32724       25       32941       10       56825       23         30928       20       32647       15       32742       25       32944       10       56830       23         30931       20       32647       15       32742       25       32945       9       56833       23         30931       20       32649       13       32746       25       32948       9       57810       30         30937       22       32652       13       32750       26       32951       8       57812       30         30937       21       32653       16       32752       26       32951       8       57812       30         30940       21       32656       17       32769       26       32970       19       57818       30         30944       22       32657       14       32807       5       32972       19       57830       30         30944       22       32656       15       32807											
30927       20       32644       16       32724       25       32941       10       56818       23         30928       20       32646       13       32734       25       32942       10       56825       23         30929       20       32648       16       32734       25       32945       9       56833       23         30931       20       32649       15       32746       25       32947       10       56871       21         30933       20       32651       15       32746       25       32947       10       56871       21         30936       20       32652       13       32750       26       32951       8       57812       30         30940       21       32653       16       32752       26       32954       10       57818       30         30941       22       32655       16       32762       26       32971       19       57820       30         30944       22       32655       14       32804       5       32975       19       76210       8         30947       21       32655       14       32804											
30928       20       32646       13       32734       25       32942       10       56825       23         30929       20       32647       15       32742       25       32944       10       56830       23         30931       20       32649       13       32746       25       32947       10       56871       21         30933       20       32652       13       32746       25       32948       9       57810       30         30937       22       32652       13       32750       26       32956       10       57814       30         30939       21       32655       16       32752       26       32970       19       57816       30       30         30941       22       32656       17       32764       27       32971       19       57820       30       30         30942       21       32656       17       32794       27       32975       19       76210       8         30947       21       32661       15       32806       5       32976       19       76210       8         30947       21       32661											
30929       20       32647       15       32742       25       32944       10       56830       23         30931       20       32648       16       32744       25       32945       9       56833       23         30933       20       32651       15       32748       25       32948       9       57810       30         30937       22       32652       13       32750       26       32954       10       57812       30         30939       21       32655       16       32752       26       32956       10       57814       30         30940       21       32656       17       32762       26       32970       19       57816       30         30941       22       32656       17       32740       27       32971       19       57820       30         30942       21       32656       17       32740       5       32977       19       76208       8         30947       21       32660       15       32806       5       32976       19       76212       8         30990       22       32660       15       32806											
30931       20       32648       16       32744       25       32945       9       56833       23         30933       20       32649       13       32746       25       32947       10       56871       21         30936       20       32651       15       32748       25       32948       9       57810       30         30937       22       32652       13       32750       26       32951       8       57812       30         30939       21       32653       16       32752       26       32954       10       57814       30         30940       21       32655       16       32752       26       32970       19       57818       30         30941       22       32655       16       32762       26       32971       19       57820       30         30942       21       32658       14       32804       5       32975       19       76208       8         30947       21       32660       15       32800       5       32976       19       76210       8         30991       22       326615       32816       4											
30933       20       32649       13       32746       25       32947       10       56871       21         30936       20       32651       15       32748       25       32948       9       57810       30         30937       22       32652       13       32750       26       32951       8       57812       30         30939       21       32653       16       32752       26       32956       10       57814       30         30940       21       32656       17       32760       26       32970       19       57816       30         30942       21       32656       17       32794       27       32971       19       57820       30         30942       22       32657       14       32806       5       32972       19       57820       30         30944       22       32650       15       32907       5       32975       19       76210       8         30991       22       32661       15       32816       4       32991       19       76210       8         30993       22       32662       17       32814											
30936       20       32651       15       32750       26       32951       8       57812       30         30937       22       32652       13       32750       26       32951       8       57812       30         30939       21       32654       17       32750       26       32956       10       57816       30         30940       21       32654       17       32760       26       32970       19       57818       30         30941       22       32657       16       32762       26       32971       19       57820       30         30944       22       32657       14       32804       5       32972       19       57820       30         30944       22       32657       14       32804       5       32975       19       76210       8         30990       22       32661       15       32810       5       32976       19       76212       8         30990       22       32661       15       32810       4       32980       19       77786       16         32601       15       328204       4       32983       <											
30939       21       32653       16       32752       26       32954       10       57814       30         30940       21       32654       17       32760       26       32956       10       57816       30         30941       22       32655       16       32762       26       32971       19       57830       30         30942       21       32656       17       32794       27       32971       19       57830       30         30943       22       32657       14       32804       5       32972       19       57830       30         30944       22       32668       14       32806       5       32975       19       76210       8         30990       22       32660       15       32808       5       32976       19       76215       8         30991       22       32661       15       32810       5       32979       19       76215       8         30993       22       32663       15       32814       4       32980       19       77786       16         32600       13       32666       15       32824       <		20									
30940       21       32654       17       32760       26       32956       10       57816       30         30941       22       32655       16       32762       26       32970       19       57818       30         30942       21       32656       17       32794       27       32971       19       57820       30         30943       22       32657       14       32804       5       32972       19       57820       30         30944       22       32658       14       32806       5       32974       19       76208       8         30947       21       32659       14       32807       5       32976       19       76210       8         30990       22       32660       15       32810       5       32976       19       76215       8         30991       22       32661       15       32816       4       32981       11	30937	22	32652		32750	26		8	57812	30	
30941       22       32655       16       32762       26       32970       19       57818       30         30942       21       32656       17       32794       27       32971       19       57820       30         30943       22       32657       14       32806       5       32972       19       57830       30         30944       22       32658       14       32806       5       32975       19       76208       8         30947       21       32650       15       32808       5       32975       19       76210       8         30990       22       32661       15       32808       5       32977       19       76210       8         30991       22       32661       15       32810       5       32977       19       76210       8         30993       22       32661       15       32810       5       32987       19       7786       16         32600       13       32664       15       32828       11       32601       15       32826       4       32981       11       14       32605       14       32830       5 </td <td>30939</td> <td>21</td> <td>32653</td> <td>16</td> <td>32752</td> <td>26</td> <td>32954</td> <td>10</td> <td>57814</td> <td>30</td> <td></td>	30939	21	32653	16	32752	26	32954	10	57814	30	
30942       21       32656       17       32794       27       32971       19       57820       30         30943       22       32657       14       32804       5       32972       19       57830       30         30944       22       32658       14       32806       5       32974       19       76210       8         30947       21       32659       14       32807       5       32975       19       76210       8         30947       21       32660       15       32808       5       32976       19       76210       8         30991       22       32661       15       32810       5       32978       19       76215       8         30993       22       32662       17       32814       4       32980       19       77786       16         32600       13       32664       15       32828       11       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1<	30940	21	32654	17	32760	26	32956	10	57816	30	
30943       22       32657       14       32804       5       32972       19       57830       30         30944       22       32658       14       32806       5       32974       19       76208       8         30947       21       32659       14       32807       5       32975       19       76210       8         30990       22       32660       15       32808       5       32976       19       76212       8         30991       22       32661       15       32810       5       32978       19       76215       8         30993       22       32663       15       32816       4       32979       19       76215       8         30998       22       32663       15       32816       4       32981       11       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -	30941	22	32655	16	32762	26	32970	19	57818	30	
30944       22       32658       14       32806       5       32974       19       76208       8         30947       21       32659       14       32807       5       32975       19       76210       8         30990       22       32660       15       32808       5       32976       19       76212       8         30991       22       32661       15       32814       4       32979       19       76215       8         30993       22       32663       15       32816       4       32980       19       77786       16         32600       13       32664       15       32820       4       32981       11       1       1       14       14       32981       11       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1	30942	21	32656		32794	27	32971	19	57820	30	
30947       21       32659       14       32807       5       32975       19       76210       8         30990       22       32660       15       32808       5       32976       19       76212       8         30991       22       32661       15       32810       5       32978       19       76215       8         30993       22       32662       17       32814       4       32979       19       76280       8         30993       22       32663       15       32816       4       32980       19       77786       16         32600       13       32664       15       32820       4       32981       11       1       1       14       32801       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1	30943	22	32657	14	32804	5	32972	19	57830	30	
30990       22       32660       15       32808       5       32976       19       76212       8         30991       22       32661       15       32810       5       32978       19       76215       8         30993       22       32662       17       32814       4       32979       19       76290       8         30998       22       32663       15       32816       4       32980       19       77786       16         32600       13       32664       15       32820       4       32983       11	30944	22	32658	14	32806	5	32974	19	76208	8	
30991       22       32661       15       32810       5       32978       19       76215       8         30993       22       32662       17       32814       4       32979       19       76215       8         30998       22       32663       15       32814       4       32980       19       77786       16         32600       13       32664       15       32818       4       32981       11       1         32601       15       32665       15       32820       4       32983       11       1         32602       13       32666       17       32820       4       32984       11       1       1         32603       12       32667       15       32826       4       32985       11       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1       1 <td></td> <td></td> <td>32659</td> <td></td> <td>32807</td> <td>5</td> <td>32975</td> <td></td> <td></td> <td>-</td> <td></td>			32659		32807	5	32975			-	
30993       22       32662       17       32814       4       32979       19       76290       8         30998       22       32663       15       32816       4       32980       19       7786       16         32600       13       32664       15       32818       4       32981       11       7786       16         32601       15       32865       15       32820       4       32983       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11       11											
3098       22       32663       15       32816       4       32980       19       77786       16         32600       13       32664       15       32818       4       32983       11         32601       15       32665       15       32820       4       32983       11         32602       13       32666       17       32821       4       32984       11         32603       12       32667       15       32826       4       32985       11         32604       14,34       32669       15       32828       4       32986       11         32605       14,34       32670       15       32830       5       32987       11         32606       12       32674       14       32831       6       32998       11         32607       13       32675       15       32832       5       32995       19         32608       16       32676       14       32835       5       32996       19         32611       22       32680       14       32835       5       34612       18         32612       12       32681       <						-					
32600       13       32664       15       32818       4       32981       11         32601       15       32665       15       32820       4       32983       11         32602       13       32666       17       32821       4       32984       11         32602       13       32666       17       32821       4       32985       11         32603       12       32667       15       32826       4       32985       11         32604       14,34       32669       15       32828       4       32986       11         32605       14,34       32670       15       32830       5       32987       11         32606       12       32674       14       32831       6       32988       11         32607       13       32675       15       32832       5       32995       19         32608       16       32676       14       32833       6       32999       11         32611       22       32680       14       32835       5       34612       18         32612       12       32681       17       32837											
32601       15       32665       15       32820       4       32983       11         32602       13       32666       17       32821       4       32984       11         32603       12       32667       15       32826       4       32985       11         32604       14,34       32669       15       32828       4       32986       11         32605       14,34       32670       15       32830       5       32987       11         32606       12       32674       14       32831       6       32995       19         32607       13       32675       15       32832       5       32996       19         32608       16       32676       14       32833       6       32996       19         32609       12       32678       14       32835       5       34612       18         32611       22       32681       17       32836       5       34616       18         32613       12       32682       17       32837       6       34617       18         32614       13       32683       17       32838									///86	16	
32602       13       32666       17       32821       4       32984       11         32603       12       32667       15       32826       4       32985       11         32604       14,34       32669       15       32828       4       32986       11         32605       14,34       32670       15       32830       5       32987       11         32606       12       32674       14       32831       6       32988       11         32607       13       32675       15       32832       5       32995       19         32608       16       32676       14       32833       6       32996       19         32609       12       32678       14       32835       5       32999       11         32611       22       32680       14       32835       5       34612       18         32613       12       32682       17       32837       6       34616       18         32614       13       32683       17       32838       5       34622       18       Prop65 WARNING: This product can expose you to chemicals including Dilisononyl Phthalate, Vinyl Chloride, themical											
32603       12       32667       15       32826       4       32985       11         32604       14,34       32669       15       32828       4       32986       11         32605       14,34       32670       15       32830       5       32987       11         32606       12       32674       14       32831       6       32988       11         32607       13       32675       15       32832       5       32995       19         32608       16       32676       14       32833       6       32996       19         32609       12       32678       14       32835       5       32999       11         32611       22       32680       14       32835       5       34612       18         32612       12       32681       17       32836       5       34616       18         32613       12       32682       17       32837       6       34617       18         32614       13       32683       17       32838       5       34622       18       Prop65 WARNING: This product can expose you to chemicals including Dilsononyl Phthatate, Vinyl Chloride, Nothoride											
32604 14,34       32669 15       32828 4       32986 11         32605 14,34       32670 15       32830 5       32987 11         32606 12       32674 14       32831 6       32988 11         32607 13       32675 15       32832 5       32995 19         32608 16       32676 14       32833 6       32996 19         32609 12       32678 14       32834 5       32999 11         32611 22       32680 14       32835 5       34612 18         32612 12       32681 17       32836 5       34616 18         32613 12       32682 17       32837 6       34617 18         32614 13       32683 17       32838 5       34622 18											
32605 14,34       32670 15       32830 5       32987 11         32606 12       32674 14       32831 6       32988 11         32607 13       32675 15       32832 5       32995 19         32608 16       32676 14       32833 6       32996 19         32609 12       32678 14       32835 5       32999 11         32611 22       32680 14       32835 5       34612 18         32612 12       32681 17       32836 5       34616 18         32613 12       32682 17       32837 6       34617 18         32614 13       32683 17       32838 5       34622 18											
32606       12       32674       14       32831       6       32988       11         32607       13       32675       15       32832       5       32995       19         32608       16       32676       14       32833       6       32996       19         32609       12       32678       14       32834       5       32999       11         32611       22       32680       14       32835       5       34612       18         32612       12       32681       17       32836       5       34616       18         32613       12       32683       17       32837       6       34617       18         32614       13       32683       17       32838       5       34622       18											
32607       13       32675       15       32832       5       32995       19         32608       16       32676       14       32833       6       32996       19         32609       12       32678       14       32834       5       32999       11         32611       22       32680       14       32835       5       34612       18         32612       12       32681       17       32836       5       34616       18         32613       12       32682       17       32837       6       34617       18         32614       13       32683       17       32838       5       34622       18       Prop65 WARNING: This product can expose you to chemicals including Dilsononyl Phthalate, Vinyl Chloride,											
32608       16       32676       14       32833       6       32996       19         32609       12       32678       14       32834       5       32999       11         32611       22       32680       14       32835       5       34612       18         32612       12       32681       17       32836       5       34616       18         32613       12       32682       17       32837       6       34617       18         32614       13       32683       17       32838       5       34622       18       Prop65 WARNING: This product can expose you to chemicals including Dilsononyl Phthalate, Vinyl Chloride,											
32609       12       32678       14       32834       5       32999       11         32611       22       32680       14       32835       5       34612       18         32612       12       32681       17       32836       5       34616       18         32613       12       32682       17       32837       6       34617       18         32614       13       32683       17       32838       5       34622       18       Prop65 WARNING: This product can expose you to chemicals including Diisononyl Phthalate, Vinyl Chloride,											
32612       12       32681       17       32836       5       34616       18         32613       12       32682       17       32837       6       34617       18         32614       13       32683       17       32838       5       34622       18       Prop65 WARNING: This product can expose you to chemicals including Dilsononyl Phthalate, Vinyl Chloride,											
32612       12       32681       17       32836       5       34616       18         32613       12       32682       17       32837       6       34617       18         32614       13       32683       17       32838       5       34622       18       Prop65 WARNING: This product can expose you to chemicals including Dilsononyl Phthalate, Vinyl Chloride,											
32614 13 32683 17 32838 5 34622 18 Dependencies of the second sec		12									
32014 13 32003 17 32030 5 34022 10 to chemicals including Diisononyl Phthalate, Vinyl Chloride,	32613	12	32682	17	32837	6	34617	18	A .		
	32614	13	32683	17	32838	5	34622	18	to chemic	p65 WARNING: Th als including Diison	nis product can expose you
32615 12 32684 17 32841 4 34625 18 Ethylene Glycol, Ni or CrVI, which is known to the State of	32615	12	32684	17	32841	4	34625	18	Ethylene (	Glycol, Ni or CrVI, wh	ich is known to the State of
32616       12       32685       17       32860       4       34626       18       California to cause cancer or reproductive harm. For more information, go to www.P65Warnings.ca.gov.	32616	12	32685	17	32860	4	34626	18			





# **PROFESSIONAL PLIERS & CUTTERS**



(800) 494-6104 fax: (800) 494-7456 cservice@wihatools.com www.wihatools.com

Catalog Item No. 99977 version - 7/1/20

Subject to change without notice

©2020 Willi Hahn Corporation



wiha

WIHA – WINNER OF THE

GERMANYS BEST SME.

MX AWARD 2014.

#### Wiha Quality Tools 1348 Dundas Circle

Monticello, MN 55362 tel: 763.295.6591 fax: 763.295.6598

Wiha Tools Canada Ltd. www.wihatools.ca Brampton, ONT L6T 4X4 tel: 866.494.0096 or 763.295.6591 fax: 763.295.6598

To:



99001 - TorqueControl Catalog

2020

PROFESSIONAL ESD SAFE TOOLS

COMPLETE ESD

99945 - ESD Catalog



2020

PROFESSIONAL

QUALITY BITS

COMPLETE BITS PROGRA

99007 - Merchandise Catalog





99919 - Insulated Catalog



99934 - Hex Tools Catalog



99002 - Screwdrivers Catalog



99914 - TORX Catalog



Like Us On

99004 - Shop Tools Catalog

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Tool Kits & Cases category:

Click to view products by Wiha manufacturer:

Other Similar products are found below :

217434-1 4263 1055420-1 11-18-3023 63860-8170 856600-2 690372163 11-40-3247 63883-2870 63885-0270 63866-1070 63863-5070 63892-7370 11-18-3209 63860-4070 63881-0970 A0403641 11-18-3040 63865-2070 63910-1470 63861-5070 63850-7470 11-18-3201 63910-7570 FM 0501 146 63883-0670 63830-0070 63902-9170 11-18-3147 11-18-3079 63883-2670 63900-1770 11-18-3190 63851-1070 63912-4770 63911-5270 63895-1070 63860-1470 63850-6070 1-69411-3 63852-9270 63802-6270 63902-4870 11-18-3202 63852-9170 63850-1070 63830-0170 63910-2870 11-18-3010 63820-7070