



CATALOGUE2020

wiha 
Tools that work for you

TOOL TOOL S







Wiha – our goal: your success

- **Your guarantee for quality**
Winner of the Manufacturing Excellence Awards 2014 as the best SME in Germany.
- **Reliable and dependable**
German family-owned company with more than 80 years of experience.
- **Your advantage**
Customised problem-solving for professionals.
- **Cutting-edge technology**
Award-winning innovations valued by professionals throughout the world.


What makes your work easier? Tools that increase your efficiency, reduce costs and preserve your health. This is why Wiha develops, designs and manufactures products that meet the highest functionality, durability and ergonomic demands.

Founded over 80 years ago as a small family-owned business for standard parts and screws, Wiha has grown to become a global company with factories all over Europe, Asia and the United States and are still owner-operated by the Hahn family.

Wiha offers the professional a wide range of high-quality premium tools, characterized by their use of the latest manufacturing technologies, application-oriented innovations, ergonomic superiority, top quality, absolute reliability and long service life. In short, tools that make your work noticeably easier - tools that work for you.

Learn more about Wiha on our website:
www.wiha.com





Wiha visions and values

With responsibility and innovation, Wiha is set for a successful future.

What makes a company successful? Providing excellent products and having a good company culture are key. The high quality of Wiha tools in their form and functionality is confirmed by the many international awards they have received. As an owner-operated family-owned company, we foster a culture of togetherness. From employee development to active customer management, Wiha does everything they can to create optimum working and business conditions and a foundation for sustainable success.

As a member of the BME Compliance Initiative, Wiha complies with a code of conduct which obligates the company to follow business conduct rules, principles of social responsibility and the obligation to promote suppliers, ensuring the lawful behaviour of the company and its employees.

In 2016, Wiha was crowned one of the TOP 100 most innovative mid-sized companies in Germany. Thanks to their practised culture of innovation, Wiha was able to succeed at the competition held as part of the "German Mid-Sized Company Summit." We took this as encouraging confirmation of our company philosophy, which focusses on progress and vision.

Wiha – our visions

- **A financially successful family-owned company**
For more than 80 years, Wiha has been a successful owner-operated company in the market.
 - **Premium international brand**
Wiha supplies an international market from factories in Europe, Asia and the USA.
 - **Highly motivated first-class team:**
Wiha employees are competent, committed and motivated thanks to their optimum working conditions.
 - **User- and application-focused:**
Wiha products enable the user to work in an efficient and health-friendly way.
-

Wiha design awards

Ergonomics, highly prized by all.

To us, positive feedback from people for whom we make our tools is the most rewarding confirmation of our work. All the same, we can also be more than a little proud when the high ergonomic quality of our products is confirmed at the "highest" level, as many of them have been distinguished with coveted design awards. In addition to this, our company and production quality were also honoured with awards. With this praise and confirmation from every direction, it's no wonder that Wiha are on the right track with ergonomic tool concepts and a future-oriented philosophy.

26one®
2015 / 2017 / 2018



**GERMAN
DESIGN
AWARD
WINNER
2018**



reddot design award
winner 2017



Focus Open 2017
Silver

speedE®
2018 / 2019



**GERMAN
INNO
VATION
AWARD '19
GOLD**



**GERMAN
DESIGN
AWARD
GOLD
2019**



Focus Open 2018
Special Mention



slimBit electric bit set
2019



Torque QuickCheck
2020



Wiha tools with AGR approval

The world's first tools awarded the seal of approval for efficient and health-preserving work.



Geprüft und empfohlen vom Forum: Gesunder Rücken - besser leben e.V. und dem Bundesverband deutscher Rückenschulen (BdR) e.V. Weitere Infos bei: AGR e.V., Stader Str. 6, 27432 Bremervörde, Tel. 04761/92 63 580, www.agr-ev.de

Ergonomic excellence!

Wiha is the world's first hand tool manufacturer to receive the AGR seal for its Inomic® pliers and ergonomic handle design on screwdrivers. This distinction enjoys broad acceptance by medical professionals


Ergonomic excellence - The Wiha screwdriver handle size concept and Wiha Inomic® pliers handle concept. When you are the first hand tool manufacturer in the world to have products distinguished with the renowned AGR quality seal, it's a sensation. Very few everyday objects are able to pass the stringent tests of the AGR, whose seal enjoys broad acceptance by medical professionals for very good reason.

For years, the AGR have been dedicated to promoting and researching the prevention of back pain and they offer recommendations on products which help to prevent musculoskeletal disorders and back pain.



Wiha have now been officially recognised for their ergonomic screwdriver handle size concept and Inomic® pliers handle concept. To us, this distinction is confirmation of our philosophy: To develop tools enabling the professional to not only work efficiently, but also in a health-preserving way. Wiha's screwdriver handle size concept features four handle sizes and lengths, each optimally suited to its respective fastening or work task to ensure healthy work. The angled "pistol handle" of the Wiha Inomic® pliers handle concept relieves the user's wrist while working.

Both handle concepts help users to reduce, or even fully prevent, discomfort in their musculoskeletal system and pain in their joints and muscles. The result? With Wiha, your work is easier, you don't get fatigued as quickly, you work more efficiently and you simply feel better at the end of the working day. As our campaign logo motto goes: "I feel Wiha!"



Wiha SoftFinish® handle sizes

Every Wiha handle optimally balances guidance, speed and torque for the respective fastening task.

Quick-turning - Motor skills are consistently taken into consideration.

Maximum power transmission, comfortable to use and without loss.

VDE-insulated tools from Wiha

To work safer, more efficiently and with less strain on the body.

Certified safety – from our own safety testing procedure according to IEC standards.

Voltage testing: All Wiha VDE-tools, which have special markings, are individually tested at 10,000 V AC and are approved for 1,000 V AC and 1,500 V DC.

Cold shock test: Cooling down to -25° C. The skinning material must retain its toughness, so that it doesn't break when subjected to shock and knocks.

Test of electrical skinning properties: 24 hours storage in water, then 3 minutes test at 10,000 V AC. There must neither be flashover nor disruptive discharge.

Test of the adhesion of the skinning material coating: 168 hours storage at 70° C, then test of adhesion at 500 N.

Pressure tests: Test at 20 N pressure load, 70° C temperature and 5,000 V AC test voltage. No disruptive discharge may occur.

Test of combustion behaviour: The tools are subjected to a flame for 10 seconds. The skinning material must then extinguish and not continue to burn.

Safety note

The following equipment is required for all work on or around live components and should be appropriate for the specific task

- insulating personal protective equipment
- insulated tools
- insulating safety mechanisms

Before starting work, you must disconnect all active, live components of electrical machines and equipment and ensure that they remain disconnected while you carry out the work.

This is achieved by complying with the five safety rules:

- disconnect
- ensure power is switched off
- cover or block off adjacent live components
- secure against reconnection
- earth and short-circuit



As an internationally recognized institute, the VDE is responsible for the testing and certification of electrotechnical products. Wiha provides the professional with a broad range of VDE products, developed and continuously optimized specifically for electricians, which also provide application-oriented solutions for everyday use.

The Wiha quality-management system according to ISO 9001:2015 ensures that only first-class products are manufactured – and that you can work with products of excellent quality. To ensure maximum safety for the user, the entire Wiha VDE range must undergo the most stringent inspections and individual tests. All Wiha VDE-tools hold multiple certifications: The VDE-GSmark stands for safety with regard to any risk, from electrical right up to radiological. Products labelled with a double triangle and a voltage range are suitable for work with live parts.

The international standard IEC 60900 defines the construction, safety as well as single, series, and random testing of insulated tools. But with Wiha you don't just work safer, but also healthier and more efficiently. Specially developed ergonomic geometries ensure comfortable handling that protects the body from strain. The result: easier work, less signs of fatigue, more efficiency.



83 professionals. One system.

ElectricVario family by Wiha.

There has never been a team with so many exceptional players: the ElectricVario Family by Wiha unites all fastening tools that electricians need for all the challenges in their job. These include many new members to complete the team. The best thing about them: Thanks to the countless combination possibilities, the tools can be used flexibly and thus save valuable time and space. Combinable with one another, the tools also ensure safe screw-fastening on live parts thanks to their insulation. The ergonomically shaped screwdriver handles also help to protect the user's muscles. Professional users play in the Premier League when they use ElectricVario Family products. They can always be identified via the ElectricVario Family logo.

- **Increases your efficiency**



Various usage options for all fastening procedures and application fields.

- **Offers you full protection**

Internationally award-winning VDE-insulated tools, each individually tested at 10,000 V AC and approved for use at 1,000 V AC.

- **Increases your safety**

Wiha slimBits ensure unrestricted and fully insulated access to low-lying screws.





Content

**Competence XXL II
electrician's tool set**
Page 138



Tool set service technician
Page 142



Tool set slimVario® electric
Page 143



Tool set electrician
Page 143



E-screwdriver, set 2, speedE®
Page 156



**speedE® Industrial
e-screwdriver set**
Page 159



**Flashlight with LED, laser and
UV light**
Page 160



**Single-pole, non-contact volt
detector, 12–1,000 V AC**
Page 160



**Screwdriver and bit set
slimVario® screwdriver**
Page 164



slimBit electric bit set
Page 168



**Screwdriver SoftFinish® elec-
tric slimFix**
Page 172



Screwdriver SoftFinish®
Page 178



**LiftUp 26one® skruetrækker
med bitmagasin**
Page 194



**Torque screwdriver
TorqueVario®-S electric**
Page 195



**Torque screwdriver with
T-handle TorqueVario®-S T
electric**
Page 200



Torque screwdriver iTorque®
Page 201



**Screwdriver with bit magazine
LiftUp electric**
Page 214



**Screwdriver with bit magazine,
LiftUp 26one®**
Page 214



Multitool PocketStar
Page 217



Nut driver insert set gripper,
Page 220



L-key set in ErgoStar holder
Page 230



L-key set in ProStar holder
Page 232



**L-key set in ProStar
holdera**
Page 232



L-key set in ErgoStar holder
Page 235



BitBuddy® TY bit set, 29 mm
Page 257



XLSelector T bit set, 50 mm
Page 258



TY bit set 29 mm
Page 258



T bit set, 25 mm
Page 260



**Installation pliers TriCut
Professional electric**
Page 287



**Combination pliers
Professional electric with
DynamicJoint® and OptiGrip**
Page 290



Stripping tool automatic
Page 295



**Automatic crimp tool, for wire-
end sleeves hex crimping**
Page 298



Soft-faced hammer set Safety
Page 328



**Soft-faced hammer Safety
soft/medium hard**
Page 329



**Soft-faced hammer dead-blow,
medium hard**
Page 332



Electrician's hammer
Page 334



Ratchet wrench set insulated 3/8"
Page 147



Tool set mechanic
Page 151



Tool set ESD
Page 153



Ranges
From page 136

Torque QuickCheck torque testing device
Page 161



Electro
From page 154

Fine screwdriver PicoFinish
Page 184



Screwdriver MicroFinish®
Page 187



Screwdriver SoftFinish® ESD
Page 189



Screwdrivers
From page 162

Torque screwdriver TorqueVario®-S
Page 202



Torque screwdriver with T-handle TorqueVario®-S T
Page 206



Torque screwdriver TorqueVario®-S ESD
Page 209



Torque tools
From page 192

Screwdriver with interchangeable blade set SYSTEM 6
Page 221



Screwdriver with interchangeable blade set SYSTEM 6
Page 221



Screwdriver with interchangeable blade set SYSTEM 4 ESD
Page 223



Multitools
From page 212

L-key set in ProStar holder
Page 237



L-key with T-handle ComfortGrip
Page 247



L-key with key handle
Page 251



L-keys
From page 228

Y bit set, 25 mm
Page 261



Bit Professional 1/4"
Page 270



Bit holder CentroFix Force mechanically lockable 1/4", magnetic
Page 280



Bits
From page 254

Professional BiCut® high-performance diagonal cutters with DynamicJoint®, Switchable
Page 301



Pliers wrench Classic
Page 308



Classic circlip pliers with MagicTips®, straight
Page 312



Pliers
From page 284

SoftFinish® dowel racket set with dowels
Page 334



Electrician's spirit level 40 cm
Page 335



Electrician's Longlife® folding ruler, 2 m metric, 10 segments
Page 336



Impact tools / Measurement tools
From page 326

Information
From page 338





Meets your requirements: Case: robust, large, stable and secure with lid brake. **Lowers your costs:** The correct torque protects material from damage and ensures no additional follow-up work. **Increases your safety:** Internationally award-winning VDE-insulated tools, each individually tested at 10,000 V AC and approved for use at 1,000 V AC. Gas-filled shock absorbers hold the lid in all positions and reduce the risk of injury when closing. **Protect your health:** Wiha pliers require less force and reduce pressure on wrists. Ergonomic handle design makes work easier and prevents occupational illnesses. Trolley with stable in-line rollers allow easy and stress-free transportation of tools to the work area. **Increases your efficiency:** A comprehensive tool assortment, always providing you with the right tool when it is needed. The design and function of the tool trays guarantee quick and easy access to tools. **Increases your flexibility:** Ample space for additional tools and lots of storage for small parts and machines.





Meets your requirements: Case: robust, large, stable and secure with lid brake.
Lowers your costs: The correct torque protects material from damage and ensures no additional follow-up work. **Increases your safety:** Internationally award-winning VDE-insulated tools, each individually tested at 10,000 V AC and approved for use at 1,000 V AC. Gas-filled shock absorbers hold the lid in all positions and reduce the risk of injury when closing. **Protect your health:** Wiha pliers require less force and reduce pressure on wrists. Ergonomic handle design makes work easier and prevents occupational illnesses. Trolley with stable in-line rollers allow easy and stress-free transportation of tools to the work area. **Increases your efficiency:** A comprehensive tool assortment, always providing you with the right tool when it is needed. The design and function of the tool trays guarantee quick and easy access to tools. **Increases your flexibility:** Ample space for additional tools and lots of storage for small parts and machines.

Competence XXL II electrician's tool set assorted in case 115-pcs.

Order-No. 42069
 More information: Page 138



Further information:

The perfect complement:



E-screwdriver, set 2, speedE®

Order-No. 41912
 More information: Page 156



VDE-certified tools

Insulated tools are essential for all work on or around live components.

Wiha VDE-tested tools are subject to stringent safety test procedures.

All tools with the special marking have been tested at 10,000 V AC and are therefore approved for use at 1,000 V AC and 1,500 V DC.

Certified by the VDE Testing and Certification Institute and individually tested according to the international standard IEC 60900.

The following equipment is required for all work on or around live components and should be appropriate for the specific task

- insulating personal protective equipment
- insulating safety mechanisms
- insulated tools

Before starting work, you must disconnect all active, live components of electrical machines and equipment and ensure that they remain disconnected while you carry out the work.

This is achieved by complying with the five safety rules:

- disconnect
- secure against reconnection
- ensure power is switched off
- earth and short-circuit
- cover or block off adjacent live components



Meets your requirements: Case: robust, large, stable and secure with lid brake.
Lowers your costs: The right tool protects you from damaging materials and avoids subsequent work. **Increases your safety:** Internationally award-winning VDE-insulated tools, each individually tested at 10,000 V AC and approved for use at 1,000 V AC. Gas-filled shock absorbers hold the lid in all positions and reduce the risk of injury when closing. **Protect your health:** Wiha pliers require less force and reduce pressure on wrists. Ergonomic handle design makes work easier and prevents occupational illnesses. Carry belt enables the simple transport of the tool case and keeps hands free for other materials. **Increases your efficiency:** A comprehensive tool assortment, always having the right tool at hand when needed. The design and function of the tool trays guarantee quick and easy access to tools. **Increases your flexibility:** Ample space for additional tools and lots of storage for small parts and machines.

**Tool set electrician Competence XL
 assorted 80-pcs. in case**

Order-No. 40523
 More information: Page 140

The perfect complement:



**Torque screwdriver set TorqueVario®-S
 electric**

Order-No. 36791
 More information: Page 194



Simplifies your work: All tools securely arranged in a robust, orderly bag. **Increases your safety:** Wiha slimBits ensure good, protected access to deep-set screws. **Increases your efficiency:** Space saved thanks to extensive interchangeable bit system and nut driver inserts. **Offers you full protection:** Each tool individually tested at 10,000 V AC and approved for 1,000 V AC. **Protects your material:** Fully insulated nut driver reduces the risk of short circuits.

Tool set slimVario® electric mixed, 31-pcs. in functional bag
 Order-No. 43465
 More information: Page 143





Protect your health: Recommended by doctors and therapists at Fixing by hand with a deft touch. **Offers you full protection:** slimBits **speed:** Work twice as fast thanks to three-step process. **Protects** prevent damage to materials (max. 0.4 Nm).



German Campaign for Healthier Backs. **Increases your control:** tested at 10,000 V AC and approved for 1,000 V AC. **Increases your your material:** Electric screw fastening with protection function to



Protect your health: Recommended by doctors and therapists at German Campaign for Healthier Backs. **Increases your control:** Fixing by hand with a deft touch. **Offers you full protection:** slimBits tested at 10,000 V AC and approved for 1,000 V AC. **Increases your speed:** Work twice as fast thanks to three-step process. **Protects your material:** Electric screw fastening with protection function to prevent damage to materials (max. 0.4 Nm).

E-screwdriver, set 3, speedE®
Mixed 25 pcs in L Boxx Mini with slimBits, easyTorque adapters, batteries and EU charger

Order-No. 41913
 More information: Page 157




More information:

The perfect complement:



Screwdriver with bit magazine LiftUp electric

Order-No. 41234
 More information: Page 214





Wiha speedE®

E-screwdriver speedE®

Increases your speed

Power-assisted screw-driving halves working time.

Protects your material

Thanks to the integrated material protection function, the electric assistance stops automatically at 0.4 Nm.

Increases your control

Final screw tightening can then be carried out by hand.

Recommended by doctors and therapists.

slimBits tested at 10,000 V AC and approved for 1,000 V AC.





Simplifies your work: Retaining clip and magnetic positioner on the lid allows you to keep hands free for other tasks. Integrated laser makes it easier to fix position more precisely and project measurements for ceiling installations, for example. Perfect light positioning thanks to lamp head swivelling in an L shape. **Increases your safety:** Power-on time of 2 seconds prevents the laser being activated by accident. **Increases your efficiency:** Very strong LED lamp – two light intensities to adjust to light conditions as required. Includes laser and UV light.





Simplifies your work: Retaining clip and magnetic positioner on the lid allows you to keep hands free for other tasks. Integrated laser makes it easier to fix position more precisely and project measurements for ceiling installations, for example. Perfect light positioning thanks to lamp head swivelling in an L shape. **Increases your safety:** Power-on time of 2 seconds prevents the laser being activated by accident. **Increases your efficiency:** Very strong LED lamp – two light intensities to adjust to light conditions as required. Includes laser and UV light.


Flashlight with LED, laser and UV light in blister pack, including 3 AAA batteries

Order-No. 41286

More information: Page 160



More information:



Flashlight with LED, laser and UV light

Universal work tool with integrated laser, UV light and LED light.

Optimum positioning and variable light direction thanks to the magnetic base and swivel head.

The installation position can be projected directly from the middle of a table when fitting lights to the ceiling.

The integrated UV light is ideal for finding misplaced coloured fluorescent Wiha tools and for technical inspections.





Increases your safety: Checking your torque tool regularly guarantees safe, precise work with the correct torque. **Saves time:** LED traffic light system displays results in a way which is quick and easy to understand. **Increases your efficiency:** Fast, easy checking of your torque tool thanks to mobile, compact shape.





Increases your safety: Checking your torque tool regularly guarantees safe, precise work with the correct torque. **Saves time:** LED traffic light system displays results in a way which is quick and easy to understand. **Increases your efficiency:** Fast, easy checking of your torque tool thanks to mobile, compact shape.

Torque QuickCheck torque testing device with adapter blades and batteries in box

Order-No. 42086

More information: Page 161

More information:





Wiha Torque QuickCheck

The Wiha torque screwdriver can quickly and easily test torque screwdrivers to check the precision of the configured torque value before each use.

Checking tools regularly ensures reliable, precise work.

The device offers user-friendly operation, clear test readings and easy to understand LED traffic light signals.

Thanks to a compact, handy shape, it is the ideal companion when out on jobs.

Suitable for all Torque Vario®-S and iTorque® torque screwdrivers whose torque range included 2.8 Nm.





Simplifies your work: All tools securely arranged in a robust, good, protected access to deep-set screws. **Increases your space.** **Offers you full protection:** Each tool individually tested



orderly bag. **Increases your safety:** Wiha slimBits ensure **efficiency:** Extensive interchangeable blade system saves you at 10,000 V AC and approved for 1,000 V AC.



Simplifies your work: All tools securely arranged in a robust, orderly bag. **Increases your safety:** Wiha slimBits ensure good, protected access to deep-set screws. **Increases your efficiency:** Extensive interchangeable blade system saves you space. **Offers you full protection:** Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Screwdriver and bit set slimVario® screwdriver

Mixed, 18-pcs. in folding bag

Order-No. 41231

More information: Page 164



Product video:

The perfect complement:



Screwdriver with bit holder set electric slimVario®

Order-No. 41230

More information: Page 167



Saves time: Rapid voltage test thanks to contactless measuring. **Increases your efficiency:** Compatible for use in all sockets worldwide thanks to measurement tip suited to international usage. Integrated high-luminescence LED flashlight. **Increases your flexibility:** Voltage tester covers a wide voltage range between 12 and 1,000 V AC.

**Single-pole, non-contact volt detector,
12–1,000 V AC
Includes two AAA batteries**

Order-No. 43797

More information: Page 174



Volt Detector

**Single-pole, non-contact volt detector,
12–1,000 V AC**

Rapid voltage test thanks to contactless measuring.

Compatible for use in all sockets worldwide thanks to measurement tip suited to international usage.


Voltage tester covers a wide voltage range between 12 and 1,000 V AC.



Increases your safety: Wiha slim blades ensure unlimited, the patented SoftFinish® handle design, ensuring work is kind to German Campaign for Healthier Backs. **Increases your efficiency:** and control. **Offers you full protection:** Each tool individually



protected access to deep-set screws. **Protect your health:** With hands and muscles. Recommended by doctors and therapists at Unique Wiha handle-length concept for optimum balance of torque tested at 10,000 V AC and approved for 1,000 V AC.



Increases your safety: Wiha slim blades ensure unlimited, protected access to deep-set screws. **Protect your health:** With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. **Increases your efficiency:** Unique Wiha handle-length concept for optimum balance of torque and control. **Offers you full protection:** Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.


Screwdriver set SoftFinish® electric slimFix assorted 12-pcs.

Order-No. 41003

More information: Page 165



Product video:



slimTECHNOLOGY

Wiha SoftFinish® electric slimFix

Unlimited access.

Blades up to 33 % narrower due to integrated insulation.

Tool for spring clips (wedge-profiled output geometry).



Increases your safety: Wiha slim blades ensure unlimited, protected access to deep-set screws. **Protect your health:** With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. **Increases your efficiency:** Unique Wiha handle-length concept for optimum balance of torque and control. **Offers you full protection:** Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

**Screwdriver set SoftFinish®
electric slimFix
Slotted, Phillips, PlusMinus/
Pozi driv 6-pcs.**

Order-No. 38362

More information: Page 166



Product video:

The perfect complement:



Pliers set Professional electric

Order-No. 26852

More information: Page 286

Wiha SoftFinish® handle sizes

Every Wiha handle optimally balances guidance, speed and torque for the respective fastening task.

Quick-turning - Motor skills are consistently taken into consideration.

Maximum power transmission: comfortable and loss-free transmission of physical strength, even during intensive fastening.

The power-turning and quick-turning zones vary significantly over the four handle sizes in various forms.

The Wiha SoftFinish screwdrivers enable work that is kind on the hands and muscles and is therefore recommended by doctors and therapists from the AGR.





Simplifies your work: Compact handle – maximum power. **Increases your safety:** Wiha slimBits ensure good, protected access to deep-set screws. Protected work in constricted spaces. **Increases your efficiency:** Fully compatible with the Wiha slimBit system. **Offers you full protection:** Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Screwdriver with bit holder set electric slimVario®

Stubby, 4 pieces with slimBits

Order-No. 41230

More information: Page 167



Product video:

The perfect complement:



Screwdriver with bit magazine LiftUp electric

Order-No. 41234

More information: Page 214



Increases your safety: Wiha slimBits ensure good, protected access to deep-set screws. **Increases your efficiency:** Fully compatible with the Wiha slimBit system. **Offers you full protection:** Each tool individually tested at 10,000 V AC and approved for 1,000 V AC. **Increases your efficiency:** Careful workmanship and controlled power transmission thanks to the slim handle with soft grip. Particularly suitable for use with slimBit profiles.





Increases your safety: Wiha slimBits ensure good, protected access to deep-set screws. **Increases your efficiency:** Fully compatible with the Wiha slimBit system. **Offers you full protection:** Each tool individually tested at 10,000 V AC and approved for 1,000 V AC. **Increases your efficiency:** Careful workmanship and controlled power transmission thanks to the slim handle with soft grip. Particularly suitable for use with slimBit profiles.

**Fine screwdriver set PicoFinish®
slimVario® electric**

4-pcs. with slimBits

Order-No. 43167

More information: Page 167



Combination profiles

PlusMinus.

The special PlusMinus/Pozidriv profile is ideal for PlusMinus terminal screws.

The combination profile reduces slipping out and guarantees a higher torque transmission.



Simplifies your work: Sensitive working due to slim handle and rotating cap. With a practical plastic holder to hang up or stand on a surface. **Increases your efficiency:** Screwdriver handle size concept for optimal balance between precision and control. **Offers you full protection:** Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

**Fine screwdriver set PicoFinish electric
Slotted, Phillips, 6 pcs. with holder**

Order-No. 42989
More information: Page 168



Product video:

The perfect complement:



**Screwdriver with interchangeable
blade set SYSTEM 4**

Order-No. 00610
More information: Page 225




PicoFinish electric

**Wiha PicoFinish electric: The
VDE-GS tested precision
screwdriver.**

The smooth-running turn-cap enables fast turning.

Imprint with the screw symbol and sizes eases recognition.



Protect your health: With the patented SoftFinish® handle design, doctors and therapists at German Campaign for Healthier Backs. for optimum balance of torque and control.



ensuring work is kind to hands and muscles. Recommended by
Increases your efficiency: Unique Wiha handle-length concept



Protect your health: With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. **Increases your efficiency:** Unique Wiha handle-length concept for optimum balance of torque and control.

Screwdriver set SoftFinish® assorted 12-pcs.

Order-No. 41002

More information: Page 175



Product video:

The perfect complement:



Magnetiser

Order-No. 01508

More information: Page 186

Wiha SoftFinish® screwdriver

The convenient expert for dry applications.

The SoftFinish handle provides optimal grip for dry applications in trade and industry.

The position of the soft and hard zones on the handle also supports the perfect grip for quick and powerful turning.



Increases your safety: Wiha slimBits ensure good, protected access to deep-set screws. **Makes handling easier:** Compact slimBit box with easy access and an optimal view of profiles. Convenient safe storage of 12 slimBits – easily taken directly from the belt. **Offers you full protection:** Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

**slimBit electric bit set
TORX®, TORX PLUS®, 12-pcs.
in SlimBit box**

Order-No. 43161

More information: Page 198





Increases your safety: Wiha slimBits ensure good, protected access to deep-set screws. **Makes handling easier:** Compact slimBit box with easy access and an optimal view of profiles. Convenient safe storage of 12 slimBits – easily taken directly from the belt. **Offers you full protection:** Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.





Meets your requirements: Standard drives and dimensions neatly stored away in a kit.
Protect your health: With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs.
Increases your efficiency: Unique Wiha handle-length concept for optimum balance of torque and control.

Screwdriver set SoftFinish® Slotted, Phillips 6-pcs.

Order-No. 07152

More information: Page 175



Product video:

The perfect complement:



Magnetiser

Order-No. 01508

More information: Page 186



Simplifies your work: Striking cap integrated into the handle allows you to strike and lift with the screwdriver. **Makes handling easier:** Easy loosening of tight screws thanks to hex bolster for spanners. **Protect your health:** With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. **Increases your efficiency:** Unique Wiha handle-length concept for optimum balance of torque and control.

**Screwdriver set SoftFinish®
Slotted, Phillips hexagonal blade and
solid steel cap, 6-pcs.**

Order-No. 21250

More information: Page 176



Product video:

The perfect complement:



Electrician's hammer

Order-No. 42071

More information: Page 334



**Solid steel cap and hexagon
head**

The solid steel cap at the end of the screwdriver handle enables targeted hammering, e.g. to loosen jammed screws.

The direct connection of the solid steel cap to the blade means that the impact energy is transmitted without any loss.

Blade includes a hexagon bolster for using a set of spanners for additional torque.



Simplifies your work: Striking cap integrated into the handle allows you to strike and lift with the screwdriver. **Increases your safety:** Anti-slip handle simplifies work in oily and wet application areas. **Makes handling easier:** Easy loosening of tight screws thanks to hex bolster for spanners. **Protect your health:** With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. **Increases your efficiency:** Unique Wiha handle-length concept for optimum balance of torque and control.

Screwdriver set MicroFinish®
Slotted, Phillips with one-piece hexagonal blade and solid steel cap,
5-pcs.

Order-No. 29138

More information: Page 187



Product video:

The perfect complement:



Pliers set Professional

Order-No. 26854

More information: Page 300

Wiha MicroFinish screwdriver

The specialist for wet and oily applications.

Due to the micro-fine surface structure of the screwdriver handle, the user can gain an optimal hold, even with oily or wet hands.

The position of the soft and hard zones on the handle also supports the perfect grip for quick and powerful turning.





Lowers your costs: Electrostatically conductive tools protect electronic components from damage. **Protect your health:** With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. **Increases your efficiency:** Screwdriver handle size concept for optimal balance between precision and control.

Screwdriver set SoftFinish® ESD Slotted, Phillips 5-pcs.

Order-No. 27252

More information: Page 188



Product video:

The perfect complement:



Pliers set Professional ESD

Order-No. 33507

More information: Page 316



PicoFinish

Wiha PicoFinish precision screwdriver

The comfortable precision screwdriver for fine and delicate fastenings.

The smooth-running turn-cap enables fast turning.

Imprint with the screw symbol and sizes eases recognition.



Simplifies your work: With a practical plastic holder to hang up or stand on a surface.
Lowers your costs: Electrostatically conductive tools protect electronic components from damage.
Makes handling easier: Extra-long rotating cap ensures optimum feed.
Increases your efficiency: Screwdriver handle size concept for optimal balance between precision and control. Careful workmanship and controlled power transmission thanks to the slim handle with soft grip.

**Fine screwdriver set PicoFinish® ESD
 Slotted, Phillips, 6 pcs. with holder**

Order-No. 43707

More information: Page 189



Electrostatic conductive ESD tools

Sensitive, electronic components can be damaged even at a very low voltage.

Dissipative tools by Wiha discharge the electrostatic energy in a controlled, safe manner.

ESD tools meet the ESD Standard IEC 61340-5-1.

ESD tool handles have a surface resistance of $10^6 - 10^9$ Ohm.



Meets your requirements: A variably settable torque covers a large application area. **Simplifies your work:** All tools securely arranged in a robust, orderly bag. **Lowers your costs:** The correct torque protects you from warranty claims. **Increases your safety:** Wiha slimBits ensure good, protected access to deep-set screws. **Protect your health:** With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. **Increases your efficiency:** The correct torque avoids damaging material and no follow-up work is necessary. **Offers you full protection:** Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Torque screwdriver set TorqueVario®-S electric

Mixed, variably adjustable torque limit, 18 pcs. in folding bag

Order-No. 36791

More information: Page 194



slimTECHNOLOGY

Wiha SoftFinish® electric slimFix

Unlimited access.

Blades up to 33 % narrower due to integrated insulation.

Tool for spring clips (wedge-profiled output geometry).



Meets your requirements: A variably settable torque covers a arranged in a robust, orderly bag. **Lowers your costs:** The correct Wiha slimBits ensure good, protected access to deep-set screws. ensuring work is kind to hands and muscles. Recommended by **Increases your efficiency:** The correct torque avoids damaging **protection:** Each tool individually tested at 10,000 V AC and



large application area. **Simplifies your work:** All tools securely torque protects you from warranty claims. **Increases your safety:** **Protect your health:** With the patented SoftFinish® handle design, doctors and therapists at German Campaign for Healthier Backs. material and no follow-up work is necessary. **Offers you full** approved for 1,000 V AC.



Meets your requirements: A variably settable torque covers a large application area. **Lowers your costs:** The correct torque protects you from warranty claims. **Makes handling easier:** Effortless and comfortable transmission of high torques thanks to T-handle with ComfortGrip. **Increases your efficiency:** The correct torque avoids damaging material and no follow-up work is necessary. **Offers you full protection:** Torque blades tested at 10,000 V AC and approved for 1,000 V AC.

Torque screwdriver with T-handle TorqueVario®-S T electric Variable torque limit settings

Order-No. 43177

More information: Page 200




Meets your requirements: A variably settable torque covers a large application area. **Lowers your costs:** The correct torque protects you from warranty claims. **Makes handling easier:** Effortless and comfortable transmission of high torques thanks to T-handle with ComfortGrip. **Increases your efficiency:** The correct torque avoids damaging material and no follow-up work is necessary. **Offers you full protection:** Torque blades tested at 10,000 V AC and approved for 1,000 V AC.





Meets your requirements: A variably settable torque covers a protects you from warranty claims. **Increases your efficiency:** work is necessary. **Increases your productivity:** Utmost process calibration alarm.



large application area. **Lowers your costs:** The correct torque
The correct torque avoids damaging material and no follow-up
safety thanks to integrated ClickControl counting function and



Meets your requirements: A variably settable torque covers a large application area. **Lowers your costs:** The correct torque protects you from warranty claims. **Increases your efficiency:** The correct torque avoids damaging material and no follow-up work is necessary. **Increases your productivity:** Utmost process safety thanks to integrated ClickControl counting function and calibration alarm.

Torque screwdriver iTorque® with digital scale

Order-No. 36886

More information: Page 201



Product video:

The perfect complement:



L-key set in ErgoStar holder

Order-No. 37351

More information: Page 231



iTorque

The intelligent torque tool.

Required torque can be adjusted and set on the handle without the need for a separate tool.

Large numerical display simplifies reading.

ClickControl records every use and optimises the monitoring of measuring instruments.

Calibration alarm after 5,000 applications for absolute process safety.

Certified individual item testing directly after on-site production.

Broad selection of interchangeable blades and adapter blades.

Units can be switched (Nm » in.lb/ cNm » in.oz)

Can be recalibrated



Meets your requirements: A variably settable torque covers a large application area. **Simplifies your work:** All tools securely arranged in a robust and clearly laid out box. **Lowers your costs:** The correct torque protects you from warranty claims. **Protect your health:** With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. **Increases your efficiency:** The correct torque avoids damaging material and no follow-up work is necessary.



Torque screwdriver set TorqueVario®-S mixed, 13 pcs., variably adjustable torque limit, 0.8–5.0 Nm in box

Order-No. 26893

More information: Page 202



Product video:

The perfect complement:



Torque QuickCheck torque testing device

Order-No. 42086

More information: Page 161





Meets your requirements: A variably settable torque covers a large application area. **Simplifies your work:** All tools securely arranged in a robust, orderly bag. **Lowers your costs:** The correct torque protects you from warranty claims. **Makes handling easier:** Effortless and comfortable transmission of high torques thanks to T-handle with ComfortGrip. **Increases your efficiency:** The correct torque avoids damaging material and no follow-up work is necessary.

Torque screwdriver with T-handle set TorqueVario®-S T mixed, 11 pcs., variably adjustable torque limit, 5–14 Nm in box

Order-No. 29234

More information: Page 206

The perfect complement:



XLSelector T bit set, 25 mm

Order-No. 41830

More information: Page 258

TorqueVario®-S

Variably settable torque tools.

For controlled fastening in a large range of applications.

Torque value is continuously adjustable thanks to the torque setter adjusting tool.

Distinctly audible and perceptible click signal when set torque is reached.

Each Wiha screwdriver handle provides a perfectly correlated ratio of guidance, speed and torque for any fastening task.

Certified individual item testing directly after on-site production.

Broad selection of interchangeable blades and adapter blades.





Meets your requirements: A variably settable torque covers a large application area. **Simplifies your work:** All tools securely arranged in a robust, orderly bag. **Lowers your costs:** Electrostatically conductive tools protect electronic components from damage. **Protect your health:** With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. **Increases your efficiency:** The correct torque avoids damaging material and no follow-up work is necessary.

Torque screwdriver set TorqueVario®-S ESD

mixed, 13 pcs., variably adjustable torque limit, 0,4-1,0 Nm in box

Order-No. 43898

More information: Page 209

The perfect complement:



Pliers set Professional ESD

Order-No. 33507

More information: Page 316


Electrostatic conductive ESD tools


Sensitive, electronic components can be damaged even at a very low voltage.

Dissipative tools by Wiha discharge the electrostatic energy in a controlled, safe manner.

ESD tools meet the ESD Standard IEC 61340-5-1.

ESD tool handles have a surface resistance of 10^6 - 10^9 Ohm.





Increases your safety: Wiha slimBits ensure good, protected injury, all blades stowed safely inside the handle. **Increases your weight for 100 % efficiency.** **Offers you full protection:** Each tool



access to deep-set screws. **Protect your health:** No risk of
efficiency: Wiha LiftUp electric saves 75% volume and 50% less
individually tested at 10,000 V AC and approved for 1,000 V AC.



Increases your safety: Wiha slimBits ensure good, protected access to deep-set screws. **Protect your health:** No risk of injury, all blades stowed safely inside the handle. **Increases your efficiency:** Wiha LiftUp electric saves 75% volume and 50% less weight for 100 % efficiency. **Offers you full protection:** Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Screwdriver with bit magazine LiftUp electric

Pozidriv, PlusMinus/Pozidriv, slotted with 6 slimBits

Order-No. 41234

More information: Page 214



Product video:



slimTECHNOLOGY

Wiha SoftFinish® electric slimFix

Unlimited access.

Blades up to 33 % narrower due to integrated insulation.

Tool for spring clips (wedge-profiled output geometry).



Simplifies your work: Larger handle – maximum power. **Lowers your costs:** 26 tools in one. **Saves time:** Searching? Never again - the most common bits in one tool. **Increases your efficiency:** 90% less volume, 85% less weight - 100% efficiency!

Screwdriver with bit magazine, LiftUp 26one®
Mixed with 13 double bits in blister pack
1/4"

Order-No. 43895

More information: Page 214



Product video:

The perfect complement:



Professional BiCut® high-performance diagonal cutters with DynamicJoint®

Order-No. 38190


More information: Page 301



Simplifies your work: Larger handle – maximum power. **Lowers**
- the most common bits in one tool. **Increases your efficiency:**



your costs: 26 tools in one. **Saves time:** Searching? Never again
90% less volume, 85% less weight - 100% efficiency!





Saves space: Six tools in one. **Increases your efficiency:** Good access to confined spaces due to extremely short screwdriver handle.

Screwdriver with bit magazine magnetic

Slotted, Phillips with 6 bits, Stubby, 1/4"

Order-No. 33736

More information: Page 216



Product video:

The perfect complement:



Screwdriver with bit holder set electric slimVario®

Order-No. 41230

More information: Page 167





Simplifies your work: The variable handle position guarantees power fastenings as well as fast fastenings. **Saves time:** Thanks to its simple operation, the desired drive can be used quickly. **Increases your efficiency:** The most common drives cleverly organized in one tool.

**Multitool PocketStar
assorted 9-pcs.**

Order-No. 25293

More information: Page 217



Product video:

The perfect complement:



L-key set in ErgoStar holder

Order-No. 37351

More information: Page 231



PocketStar

The Multitool that fits in your pocket

Simple and easy selection of the desired key size at the touch of a button.

Can be used as a screwdriver long handle and T-handle.

270° limit for safe work prevents trapped fingers.

Covered ends on both pivot axes prevent clothing from being caught.



Saves space: The gripper is the ideal space- and weight-saving alternative to a nut driver insert in mobile use. **Increases your efficiency:** The multifunctional gripper adapts to fit every bolt or screw with outer profile.

**Nut driver insert gripper
3/8" in blister pack**

Order-No. 20554

More information: Page 220



Product video:

The perfect complement:



Pliers set Professional

Order-No. 26854

More information: Page 300





Simplifies your work: Blade length is adjustable from 42-114 mm. **Makes handling easier:** Easy operation of the locking and unlocking button. **Protect your health:** With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. **Increases your efficiency:** Compact fastening tool System 6 with comprehensive, interchangeable blade selection.

Screwdriver with interchangeable blade set SYSTEM 6
Mixed 11-pcs. in roll-up bag
 Order-No. 03591
 More information: Page 221



Product video:

The perfect complement:



Screwdriver with interchangeable blade set SYSTEM 6

Order-No. 27713

More information: Page 222



SYSTEM 6

Screwdriver with interchangeable blades

Flexible, versatile interchangeable blade system in industrial quality.

Suitable for all applications: the blades can be quickly combined, extended and exchanged.

Press sleeve: Blade lock is released

Desired blade length can be set (42 – 114 mm)

Release sleeve: Blade is held in place



Simplifies your work: Blade length is adjustable from 18-90 mm. **Lowers your costs:** Electrostatically conductive tools protect electronic components from damage. **Makes handling easier:** Easy operation of the locking and unlocking button. **Protect your health:** With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. **Increases your efficiency:** Compact precision fastening tool System 4 with comprehensive, interchangeable blade selection.

Screwdriver with interchangeable blade set SYSTEM 4 ESD

Mixed 11-pcs. in roll-up bag

Order-No. 31499

More information: Page 227


The perfect complement:



Pliers set Professional ESD

Order-No. 33507

More information: Page 316



SYSTEM 4

Screwdriver with interchangeable blades

Flexible, versatile precision interchangeable blade system for delicate fastening tasks.

Suitable for all applications: the blades can be quickly combined, extended and exchanged.

Press sleeve: Blade lock is released

Press and hold sleeve: Desired blade length can be set (18 – 90 mm)

Release sleeve: Blade is held in place





Electrostatic conductive ESD tools

Sensitive, electronic components can be damaged even at a very low voltage.

Dissipative tools by Wiha discharge the electrostatic energy in a controlled, safe manner.

ESD tools meet the ESD Standard IEC 61340-5-1.

ESD tool handles have a surface resistance of 10^6 - 10^9 Ohm.






Simplifies your work: The ball end facilitates access to screws
costs: Reduces the risk of forgetting and leaving keys inside a
the right key in the right place with the ErgoStar holder. **Saves**
is child's play. **Increases your efficiency:** Coloured L-keys quick
paint visible in UV light. The required key width can be quickly
holds all hex screws in place without a magnet.



and allows you to work at an angle of up to 25°. **Lowers your** machine and causing damage. **Makes handling easier:** Always **time:** Ensures order: removing and targeted insertion in the holder and easy to find – also in dark environments thanks to fluorescent found thanks to colour coding. Wiha MagicRing® holding feature



Simplifies your work: The ball end facilitates access to screws and allows you to work at an angle of up to 25°. **Lowers your costs:** Reduces the risk of forgetting and leaving keys inside a machine and causing damage. **Makes handling easier:** Always the right key in the right place with the ErgoStar holder. **Saves time:** Ensures order: removing and targeted insertion in the holder is child's play. **Increases your efficiency:** Coloured L-keys quick and easy to find – also in dark environments thanks to fluorescent paint visible in UV light. The required key width can be quickly found thanks to colour coding. Wiha MagicRing® holding feature holds all hex screws in place without a magnet.

L-key set in ErgoStar holder hexagonal ball end, 9-pcs. in fluorescent colour in blister pack

Order-No. 43851

More information: Page 230



Product video:





Simplifies your work: The ball end facilitates access to screws and allows you to work at an angle of up to 25°. **Lowers your costs:** Highly durable thanks to high-quality, chrome-plated L-key surface to prevent corrosion. **Makes handling easier:** Always the correct key when you need it. **Saves time:** Ensures order: removing and targeted insertion in the holder is child's play. **Increases your efficiency:** Wiha MagicRing® holding feature holds all hex screws in place without a magnet.

**L-key set in ErgoStar holder
Hexagonal ball end MagicRing®,
9-pcs., matt chrome-plated in blister
pack**

Order-No. 43850

More information: Page 231



Product video:

The perfect complement:



Torque screwdriver set TorqueVario®-S

Order-No. 26893

More information: Page 202





Simplifies your work: The ball end facilitates access to screws and allows you to work at an angle of up to 25°. **Makes handling easier:** Sliding function for one-handed opening of the holder and simple, quick removal. **Protect your health:** Reduction of the risk of injury by increasing the hand working space. **Increases your efficiency:** Improved accessibility thanks to its short side.

L-key set in ProStar holder Matt chrome-plated hexagonal ball end with short shaft, 9-pcs. in blister pack

Order-No. 35481

More information: Page 232



Product video:

The perfect complement:



Screwdriver set SoftFinish®

Order-No. 41002

More information: Page 175



L-key with short shaft

Especially for hard-to-reach screws and confined spaces

Improved accessibility thanks to a 60% reduction in length of the short L-key side.

Increase in the hand working space of over 30% and thus a reduction of the risk of injury to the knuckles and fingertips thanks to a 95° bend of the L-key.

Ball end geometry enables fastening at an angle of up to 25°.



Makes handling easier: Always the correct key when you need it. **Saves time:** Ensures order: removing and targeted insertion in the holder is child's play. **Increases your efficiency:** Wiha MagicSpring® holding feature holds all Torx® screws in place without a magnet.

**L-key set in ErgoStar holder
TORX® MagicSpring®, 13-pcs. in blister
pack, black oxidised**

Order-No. 43848

More information: Page 235



Product video:

The perfect complement:



Pliers set Classic with MagicTips®

Order-No. 34708

More information: Page 301



ErgoStar

The right L-key after just one turn.

One turn of any L-key and all L-keys are ready for removal.

Solid stopping point for fixing L-keys in the holder.

Innovative clamping ensures L-keys are held firmly in both a closed and open position.

Compact design saves space on the work bench or in the toolbox.

Simplifies your work: Effortless and comfortable transmission
your costs: Highly durable thanks to high-quality, chrome-plated
Integrated side drive for effortless fastening and unfastening of



of high torques thanks to T-handle with ComfortGrip. **Lowers** L-key surface to prevent corrosion. **Increases your efficiency:** rusted or stubborn screws.





Simplifies your work: Effortless and comfortable transmission of high torques thanks to T-handle with ComfortGrip. **Lowers your costs:** Highly durable thanks to high-quality, chrome-plated L-key surface to prevent corrosion. **Increases your efficiency:** Integrated side drive for effortless fastening and unfastening of rusted or stubborn screws.

**L-key with T-handle set ComfortGrip
Hexagon with side drive, matt chrome-plated 6-pcs.**

Order-No. 26247

More information: Page 239



Product video:



Simplifies your work: Effortless and comfortable transmission of high torques thanks to T-handle with ComfortGrip. **Lowers your costs:** Highly durable thanks to high-quality, chrome-plated L-key surface to prevent corrosion. **Increases your efficiency:** Integrated side drive for effortless fastening and unfastening of rusted or stubborn screws.

L-key with T-handle set ComfortGrip TORX® with side drive, matt chrome-plated 6-pcs.

Order-No. 26248

More information: Page 239

The perfect complement:



Pliers set Classic

Order-No. 26850

More information: Page 300





Lowers your costs: Bit quick and easy to find thanks to yellow
time: No long searches thanks to fluorescent bit, infrequent bit
thanks to clear organisation and automatic opening at the push
120x greater lifespan* thanks to optimised bit for Y-shaped



marking – even in dark environments by using an UV light. **Saves** replacement thanks to long lifespan. Simple and rapid bit removal of a button. **Increases your efficiency:** The specialist with screws(*compared to Wiha standard bit)



Lowers your costs: Bit quick and easy to find thanks to yellow marking – even in dark environments by using an UV light. **Saves time:** No long searches thanks to fluorescent bit, infrequent bit replacement thanks to long lifespan. Simple and rapid bit removal thanks to clear organisation and automatic opening at the push of a button. **Increases your efficiency:** The specialist with 120x greater lifespan* thanks to optimised bit for Y-shaped screws(*compared to Wiha standard bit)

**FlipSelector Y bit set, 25 mm
Phillips, Pozidriv, TORX®, 13-pcs.,
1/4"**

Order-No. 41827

More information: Page 261



More information:

The perfect complement:




XLSelector T bit set, 50 mm

Order-No. 41831

More information: Page 258

BITFINDER





Lowers your costs: Bit quick and easy to find thanks to yellow marking – even in dark environments by using an UV light. **Saves time:** No long searches thanks to fluorescent bit, infrequent bit replacement thanks to long lifespan. **Increases your efficiency:** The specialist with 120x greater lifespan* thanks to optimised bit for Y-shaped screws(*compared to Wiha standard bit)

XLSelector Y bit set, 50 mm
Phillips, Pozidriv, TORX®, 13-pcs., 1/4"
 Order-No. 41834
 More information: Page 260



More information:

The perfect complement:



Bit holder CentroFix Super Slim mechanically lockable

Order-No. 39134
 More information: Page 280

Wiha TY bit concept

Bits quickly and easily selected thanks to the screw head shape.

The T bit is ideal for fastening T-shaped screws with an angle of 90°.

The Y bit is ideal for fastening Y-shaped screws with an angle not equal to 90°.

Universal in its use, the TY bit is suitable for all types of screws, no matter whether they feature a Y-shaped or T-shaped screw head.





Lowers your costs: Bit quick and easy to find thanks to blue marking – even in dark environments by using an UV light. **Saves time:** No long searches thanks to fluorescent bit, infrequent bit replacement thanks to long lifespan. Simple and rapid bit removal thanks to clear organisation and automatic opening at the push of a button. **Increases your efficiency:** The specialist with 120x greater lifespan* thanks to optimised bit for T-shaped screws(*compared to Wiha standard bit)

**FlipSelector T bit set, 25 mm
Phillips, Pozidriv, TORX®, 13-pcs.,
1/4"**

Order-No. 41824

More information: Page 259



More information:

The perfect complement:



Flashlight with LED, laser and UV light

Order-No. 41286

More information: Page 160





Lowers your costs: Bit quick and easy to find thanks to blue marking – even in dark environments by using an UV light. **Saves time:** No long searches thanks to fluorescent bit, infrequent bit replacement thanks to long lifespan. **Increases your efficiency:** The specialist with 120x greater lifespan* thanks to optimised bit for T-shaped screws(*compared to Wiha standard bit)

XLSelector T bit set, 50 mm
Phillips, TORX®, hex 13-pcs. 1/4"
 Order-No. 41831
 More information: Page 258



More information:

The perfect complement:



Screwdriver with LiftUp 25 magnetic bit magazine

Order-No. 38606
 More information: Page 216





Lowers your costs: Bit quick and easy to find thanks to red marking – even in dark environments by using an UV light. **Saves time:** No long searches thanks to fluorescent bit, infrequent bit replacement thanks to long lifespan. Automatic opening at the push of a button and simple bit change directly in the holder. **Increases your efficiency:** The all-rounder with 120x greater lifespan* thanks to patented bit technology, suitable for all screws. (*compared to Wiha standard bit)

BitBuddy® TY bit set, 29 mm
Phillips, Pozidriv, TORX®, 8-pcs., 1/4"
 Order-No. 42137
 More information: Page 257



More information:

The perfect complement:



Bit holder CentroFix Force mechanically lockable

Order-No. 39133
 More information: Page 280



BitBuddy 29

Easy, single-hand operation.

Attaching:

Bits are directly picked up with the machine from the BitBuddy.

Work:

Gets your fastenings done.

Storing

Bits are easily returned to the BitBuddy, by pressing on the red bit strip.

With magnetic bit holder for a rapid bit change.

BitBuddy is always at hand - easily fits into trouser pockets or onto the belt clip.



Lowers your costs: Bit quick and easy to find thanks to red marking – even in dark environments by using an UV light. **Saves time:** No long searches thanks to fluorescent bit, infrequent bit replacement thanks to long lifespan. Automatic opening at the push of a button and simple bit change directly in the holder. **Increases your efficiency:** The all-rounder with 120x greater lifespan* thanks to patented bit technology, suitable for all screws. (*compared to Wiha standard bit)

**BitBuddy® TY bit set, 49 mm
TORX® 1/4" 7-pcs.**

Order-No. 42115
More information: Page 256



More information:

The perfect complement:



L-key set in ErgoStar holder

Order-No. 43851
More information: Page 230



Wiha TY bit concept

Bits quickly and easily selected thanks to the screw head shape.

The T bit is ideal for fastening T-shaped screws with an angle of 90°.


The Y bit is ideal for fastening Y-shaped screws with an angle not equal to 90°.

Universal in its use, the TY bit is suitable for all types of screws, no matter whether they feature a Y-shaped or T-shaped screw head.

Simplifies your work: Actuating sleeve recoils to indicate flush magnet, even heavy screws are held securely in place.



fastening. **Increases your safety:** Thanks to the strong ring





Simplifies your work: Actuating sleeve recoils to indicate flush fastening. **Increases your safety:** Thanks to the strong ring magnet, even heavy screws are held securely in place.

Bit holder MagicFlip Force magnetic with ring magnet, 1/4"

Order-No. 36800

More information: Page 280



Product video:

The perfect complement:



Bit holder CentroFix Force mechanically lockable

Order-No. 39133

More information: Page 280



MagicFlip Force

Facilitates the fastening of long wood screws.

Optimal holding force thanks to extremely powerful Neodym ring magnet.

FlipBack: The actuating sleeve automatically springs back during recessing.

Magnet On/Off: The ring magnet can be "deactivated" by pushing the actuating sleeve back.



Saves time: Rapid bit change due to easy-to-operate locking and unlocking of the holder. **Increases your efficiency:** No wobbling and an extremely secure hold thanks to the play-free guidance of bits.

Bit holder CentroFix Force mechanically lockable

1/4", magnetic

Order-No. 39133

More information: Page 280



Product video:



CentroFix Force

Suitable for all bits with 1/4" hex drive style C6.3 and E6.3.

SelfLock: The bit is locked mechanically and held securely when inserted.

EasyOut: When unlocked, the bit moves into the ideal removal position.



Saves time: Automatic bit locking mechanism upon insertion. **Increases your efficiency:** Unlimited access to deep-set screws thanks to extreme slimline design.

**Bit holder CentroFix Super Slim mechanically lockable
1/4", magnetic**

Order-No. 39134

More information: Page 280



Product video:



CentroFix SuperSlim

Up to 30% reduced outer diameter compared to "conventional" quick release holders.

Improved screw accessibility in confined holes.

SelfLock: The bit is locked mechanically and held securely when inserted.


EasyOut: When unlocked, the bit moves into the ideal removal position.

Drive systems and matching bits

| Bit holder | suitable for |
|---------------------|------------------------------|
| CentroFix Force | C 6.3, E 6.3 und 1/4" drives |
| CentroFix SuperSlim | C 6.3 |
| MagicFlip Force | C 6,3 |



Simplifies your work: The angled head allows you to work in
costs: Durable thanks to high-quality, chrome-plated plier surface
for three tasks: cutting to length, stripping and skinning. **Increases**
less weight for 100% efficiency. **Offers you full protection:**
1,000 V AC.



hard-to-reach places such as installation sockets. **Lowers your**
to prevent corrosion. **Saves money:** Now you only need one tool
your efficiency: Three tools in one. Saves 60% volume and 50%
Each tool individually tested at 10,000 V AC and approved for





Simplifies your work: The angled head allows you to work in hard-to-reach places such as installation sockets. **Lowers your costs:** Durable thanks to high-quality, chrome-plated plier surface to prevent corrosion. **Saves money:** Now you only need one tool for three tasks: cutting to length, stripping and skinning. **Increases your efficiency:** Three tools in one. Saves 60% volume and 50% less weight for 100% efficiency. **Offers you full protection:** Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Installation pliers TriCut Professional electric

Order-No. 38552
More information: Page 287




Product video:

The perfect complement:



Professional BiCut® high-performance diagonal cutters with DynamicJoint®

Order-No. 38191
More information: Page 288





Lowers your costs: Durable thanks to high-quality, chrome-plated plier surface to prevent corrosion. **Protect your health:** Requires less force and reduces pressure on the wrists. **Increases your efficiency:** Two pliers in one - 200 % power at the touch of a button, available at any time. **Offers you full protection:** Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

BiCut® Professional electric high-performance diagonal cutters with DynamicJoint® Switchable

Order-No. 38191
More information: Page 288



Product video:

The perfect complement:



Screwdriver and bit set slimVario® screwdriver

Order-No. 41231
More information: Page 164

VDE-certified tools

Insulated tools are essential for all work on or around live components.

Wiha VDE-tested tools are subject to stringent safety test procedures.

All tools with the special marking have been tested at 10,000 V AC and are therefore approved for use at 1,000 V AC and 1,500 V DC.

Certified by the VDE Testing and Certification Institute and individually tested according to the international standard IEC 60900.

The following equipment is required for all work on or around live components and should be appropriate for the specific task


- insulating personal protective equipment
- insulating safety mechanisms
- insulated tools

Before starting work, you must disconnect all active, live components of electrical machines and equipment and ensure that they remain disconnected while you carry out the work.

This is achieved by complying with the five safety rules:

- disconnect
- secure against reconnection
- ensure power is switched off
- earth and short-circuit
- cover or block off adjacent live components







Lowers your costs: Durable thanks to high-quality, chrome-plated plier surface to prevent corrosion. **Increases your safety:** Wiha combination pliers enable safe, non-slip gripping in all work situations. **Protect your health:** Special DynamicJoint® design reduces effort required for cutting. **Increases your efficiency:** Wiha needle nose pliers with extra-long plier head for inserting low-lying components. **Offers you full protection:** Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

**Pliers set Professional electric
Combination pliers, needle nose pliers,
diagonal cutters 3-pcs.**

Order-No. 26852

More information: Page 286

The perfect complement:



**Screwdriver set SoftFinish® electric
slimFix**

Order-No. 41003

More information: Page 165





Lowers your costs: An integrated lever enables users to interrupt
your safety: Safe work through feed aid prevents crimping the
Thanks to hexagonal crimping, small wire-end sleeves no longer
of wire-end sleeve size with suitable crimping force for a large



the crimping process at any time to protect the pliers. **Increases** plastic cover of wire-end sleeves. **Makes handling easier:** get caught. **Increases your efficiency:** Automatic adjustment coverage area of 0.08-16mm².



Lowers your costs: Long-lasting and robust thanks to metal blade insert. **Protect your health:** Damper enclosed for large cable cross-sections to reduce recoil and protect wrists. **Saves time:** Blades quickly exchanged by immediately available replacement blades in the handle. **Increases your efficiency:** Automatic stripping pliers for a wide range of cables between 0.03 and 16 mm².

Stripping tool automatic up to 16 mm² in blister pack

Order-No. 42062

More information: Page 295



Product video:

The perfect complement:



Torque screwdriver set TorqueVario®-S electric

Order-No. 36791

More information: Page 194



Stripping tool, automatic up to 16mm²

These pliers can handle a wide range of cables, thus combining two pairs of pliers in one.

The supplied damper can be used to lessen recoil caused by larger cable gauges, such as those greater than 6 mm², thus helping to protect wrists.

Precise cutting to length thanks to adjustable longitudinal stop.

Integrated hand protection along the cutting edge guards against injury.



Lowers your costs: An integrated lever enables users to interrupt the crimping process at any time to protect the pliers. **Increases your safety:** Safe work through feed aid prevents crimping the plastic cover of wire-end sleeves. **Makes handling easier:** Thanks to hexagonal crimping, small wire-end sleeves no longer get caught. **Increases your efficiency:** Automatic adjustment of wire-end sleeve size with suitable crimping force for a large coverage area of 0.08-16mm².

Automatic crimp tool for wire-end sleeves hex crimping

Order-No. 41246

More information: Page 298



Product video:

The perfect complement:



Stripping tool automatic

Order-No. 42062

More information: Page 295




Automatic crimp tool

Process-safe hexagonal crimping prevents smaller wire-end sleeves from snagging.


These crimping pliers can handle all standard applications with a crimping range between 0.08 and 16 mm².

Suitable for both single wire-end sleeves and twin wire-end sleeves thanks to automatic crimping.





Simplifies your work: Self-locking at AF 17 and above. Also
Lowers your costs: Minimises wear and prevents damage to
free handling. **Saves space:** Replaces a set of metric and imperial
bending tasks take minimum effort thanks to manual force increased
with no need to press any buttons. Ratchet function allows users
Slender design thanks to button-free setting enables it to be used



suitable for left-handed users as operated without side push button. sensitive surfaces thanks to smooth, parallel jaws and backlash-open-ended spanners. **Protect your health:** Compaction and tenfold. **Saves time:** Safe, rapid setting directly on the work piece to fasten screws instantly with a simple glide. **Improved access:** in confined working environments, minimising the risk of damage.



Simplifies your work: Self-locking at AF 17 and above. Also suitable for left-handed users as operated without side push button. **Lowers your costs:** Minimises wear and prevents damage to sensitive surfaces thanks to smooth, parallel jaws and backlash-free handling. **Saves space:** Replaces a set of metric and imperial open-ended spanners. **Protect your health:** Compaction and bending tasks take minimum effort thanks to manual force increased tenfold. **Saves time:** Safe, rapid setting directly on the work piece with no need to press any buttons. Ratchet function allows users to fasten screws instantly with a simple glide. **Improved access:** Slender design thanks to button-free setting enables it to be used in confined working environments, minimising the risk of damage.

Pliers wrench Classic

Order-No. 40923

More information: Page 308



Product video:



Lowers your costs: Durable thanks to high-quality, chrome-plated plier surface to prevent corrosion. **Increases your safety:** Wiha combination pliers enable safe, non-slip gripping in all work situations. **Makes handling easier:** Wiha QuickFix water pump pliers with simple and rapid opening width setting, especially during constantly changing applications. **Protect your health:** Special DynamicJoint® design reduces effort required for cutting.

Pliers set Professional
High-leverage combination pliers, water pump pliers, heavy-duty diagonal cutters, 3-pcs.

Order-No. 26854

More information: Page 300


The perfect complement:



Screwdriver set MicroFinish®

Order-No. 29138

More information: Page 187



OptiGrip

Wiha OptiGrip – optimal grip due to newly designed gripping surfaces

A firm hold: The „triple-point support“ protects the workpiece from twisting or slipping.

Highly effective: Optimum grip even with large jaw opening – and at the same time significantly less force needed.

A wide selection: Now in standard Wiha combination pliers and high leverage combination pliers.





Lowers your costs: Prevents damage caused by lost circlips in the work area. **Saves time:** Safe and sturdy grip on circlips.

**Pliers set Classic with MagicTips®
Circlip pliers 4-pcs.**

Order-No. 34708

More information: Page 301



Product video:

The perfect complement:



**Screwdriver with interchangeable
blade set SYSTEM 6**

Order-No. 00623

More information: Page 221



MagicTips®

Wiha MagicTips® – Top of their class.

Maximum grip: The special latching function preventing jumping away of the safety rings makes the Wiha circlip pliers truly unique.

Hard as steel: Additional hardening of tips means high wear resistance and therefore excellent durability.

Precise: Precision tips of high performance steel for maximum grip and high stability.



Lowers your costs: Durable thanks to high-quality, chrome-plated plier surface to prevent corrosion. **Protect your health:** Requires less force and reduces pressure on the wrists. **Increases your efficiency:** Two pliers in one - 200 % power at the touch of a button, available at any time.

Professional BiCut® high-performance diagonal cutters with DynamicJoint® Switchable

Order-No. 38190

More information: Page 301



Product video:

The perfect complement:



Screwdriver set SoftFinish®

Order-No. 41002

More information: Page 175



DynamicJoint®


Wiha DynamicJoint® – A new dimension in strength and durability

Innovative: Optimised joint construction.

Effective: Minimal power loss means less force needed for cutting.

Permanent: Optimal performance even after thousands of cuts.





SYS
BRD

intel®
2801HB



Meets your requirements: Universal set for various cutting applications, secure hold and feeding in the electronics sector. **Lowers your costs:** Electrostatically conductive tools protect electronic components from damage.

Pliers set Professional ESD
Diagonal cutters, oblique end cutting nippers, needle nose pliers, 4-pcs. in tool pouch

Order-No. 33507

More information: Page 316

The perfect complement:




Screwdriver handle SoftFinish®-telescopic ESD

Order-No. 31498

More information: Page 227





Simplifies your work: Flat claws allow you to remove nails and nail clamps easily. **Increases your efficiency:** Perfect balance thanks to optimum weight distribution for effective handling. **Improved access:** Perfectly suited for use in confined working environments thanks to the combination of a square and round head shape. **Increases the quality of your work:** The flat surface on the hammer handle ensures cables and dowels are fitted into position without causing any damage.





Simplifies your work: Flat claws allow you to remove nails and nail clamps easily. **Increases your efficiency:** Perfect balance thanks to optimum weight distribution for effective handling. **Improved access:** Perfectly suited for use in confined working environments thanks to the combination of a square and round head shape. **Increases the quality of your work:** The flat surface on the hammer handle ensures cables and dowels are fitted into position without causing any damage.

Electrician's hammer with 300 g hammer head, in blister pack

Order-No. 42071

More information: Page 334



Product video:

The perfect complement:



SoftFinish® dowel racket set with dowels

Order-No. 41289

More information: Page 334



Electrician's hammer

With its optimally uniform weight distribution, this hammer ensures perfect balance, delivering impact and fatigue-free work.

Its flat claws make it easier to remove fastening components such as nail clamps, even from difficult-to-access spots.

Optimum access into corners and confined spaces thanks to U-shaped striking surface.

The flat hammer handle lower surface acts as a soft-faced hammer, ensuring components such as cables and dowels are fixed into position without causing damage.



Simplifies your work: Dirt- and dust-free work compared to when machines are used. **Increases your safety:** Galvanic separation in the handle prevents a discharge between the striking cap and the blade. **Protect your health:** Dowel hole can be made anywhere using a hammer at any time, even near power sockets. **Saves time:** Hammer dowel holes anywhere at any time without worrying how near you are to wall sockets. **Increases your efficiency:** Scaled impact screwdriver blade provides more detailed depth measurement. Perfectly dimensioned dowel hole thanks to blade adjusted to required size.

SoftFinish® dowel racket set with dowels
Phillips with 6 mm round blade in blister pack, 5-pcs.

Order-No. 41289

More information: Page 334



Product video:

The perfect complement:



Electrician's spirit level

Order-No. 42074

More information: Page 335



SoftFinish® dowel racket set with dowels

Makes it easier to insert dowels and saves valuable working time.


Ensures dirt- and dust-free work compared to machines.

Galvanic separation between the blade and solid steel cap protects against electric shock.

Perfect for portable use since you can make dowel holes anywhere at any time at the strike of a hammer.



Simplifies your work: Dirt- and dust-free work compared to when the handle prevents a discharge between the striking cap and the using a hammer at any time, even near power sockets. **Saves** how near you are to wall sockets. **Increases your efficiency:** measurement. Perfectly dimensioned dowel hole thanks to blade



machines are used. **Increases your safety:** Galvanic separation in blade. **Protect your health:** Dowel hole can be made anywhere **time:** Hammer dowel holes anywhere at any time without worrying Scaled impact screwdriver blade provides more detailed depth adjusted to required size.





Meets your requirements: Hammer components in a practical Wiha safety set with replaceable hammer heads of various degrees of hardness for all applications. **Simplifies your work:** Makes work easier, optimum impact effect and less effort needed. **Lowers your costs:** Each hammer component is available individually as a spare part.

**Soft-faced hammer set Safety
with assorted hammer faces, 8-pcs. in
box**

Order-No. 44008

More information: Page 328

The perfect complement:



Electrician's spirit level

Order-No. 42074

More information: Page 335



Meets your requirements: Yellow hammer head / medium-hard: e.g. for tool and machine engineering, car repairs, sheet metal and assembly work. **Simplifies your work:** Makes work easier, optimum impact effect and less effort needed. **Protect your health:** Deadblow Hammering without recoil minimises loads on joints, tendons and muscles.

Soft-faced hammer dead-blow, medium hard
With steel tube handle, round hammer face

Order-No. 02122

More information: Page 332

The perfect complement:



L-key set in ErgoStar holder

Order-No. 43851

More information: Page 230



No-recoil soft-faced hammer

The special metal filling in the hammer head prevents recoil.

Approx. 25% more hammer head mass provides additional power.

Preserves delicate surfaces and edges through high-impact effect.



Simplifies your work: Comfortable measurement in different when viewed from above. **Saves space:** Perfectly portable; fits 4 flush boxes. **Increases your efficiency:** Both bubbles can be



work positions thanks to the ingeniously positioned scales, even into Wiha cases. **Saves time:** Variable distance marks for up to seen easily even from an acute angle.





Simplifies your work: Comfortable measurement in different work positions thanks to the ingeniously positioned scales, even when viewed from above. **Saves space:** Perfectly portable; fits into Wiha cases. **Saves time:** Variable distance marks for up to 4 flush boxes. **Increases your efficiency:** Both bubbles can be seen easily even from an acute angle.

Electrician's spirit level

40 cm

Order-No. 42074

More information: Page 335



Product video:



Electrician's spirit level, 40 cm

Quick, easy marking of positions for up to four flush boxes in just one simple work step thanks to the integrated marking points.

The continuous housing allows users to mark lines without interruption.

An additional scale on the upper surface ensure precise measurement even when viewing from above.

The bubbles are clearly visible, even from a sharp angle.

The level is perfectly suitable for portable use thanks to its compact design.



Content

**Competence XXL II
electrician's tool set**
Page 138



Tool set service technician
Page 142



Tool set slimVario® electric
Page 143



Tool set electrician
Page 143



E-screwdriver, set 2, speedE®
Page 156



**speedE® Industrial
e-screwdriver set**
Page 159



**Flashlight with LED, laser and
UV light**
Page 160



**Single-pole, non-contact volt
detector, 12–1,000 V AC**
Page 160



**Screwdriver and bit set
slimVario® screwdriver**
Page 164



slimBit electric bit set
Page 168



**Screwdriver SoftFinish® elec-
tric slimFix**
Page 172



Screwdriver SoftFinish®
Page 178



**LiftUp 26one® skruetrækker
med bitmagasin**
Page 194



**Torque screwdriver
TorqueVario®-S electric**
Page 195



**Torque screwdriver with
T-handle TorqueVario®-S T
electric**
Page 200



Torque screwdriver iTorque®
Page 201



**Screwdriver with bit magazine
LiftUp electric**
Page 214



**Screwdriver with bit magazine,
LiftUp 26one®**
Page 214



Multitool PocketStar
Page 217



Nut driver insert set gripper,
Page 220



L-key set in ErgoStar holder
Page 230



L-key set in ProStar holder
Page 232



**L-key set in ProStar
holders**
Page 232



L-key set in ErgoStar holder
Page 235



BitBuddy® TY bit set, 29 mm
Page 257



XLSelector T bit set, 50 mm
Page 258



TY bit set 29 mm
Page 258



T bit set, 25 mm
Page 260



**Installation pliers TriCut
Professional electric**
Page 287



**Combination pliers
Professional electric with
DynamicJoint® and OptiGrip**
Page 290



Stripping tool automatic
Page 295



**Automatic crimp tool, for wire-
end sleeves hex crimping**
Page 298



Soft-faced hammer set Safety
Page 328



**Soft-faced hammer Safety
soft/medium hard**
Page 329



**Soft-faced hammer dead-blow,
medium hard**
Page 332



Electrician's hammer
Page 334



Ratchet wrench set insulated 3/8"
Page 147



Tool set mechanic
Page 151



Tool set ESD
Page 153



Ranges
From page 136

Torque QuickCheck torque testing device
Page 161



Electro
From page 154

Fine screwdriver PicoFinish
Page 184



Screwdriver MicroFinish®
Page 187



Screwdriver SoftFinish® ESD
Page 189



Screwdrivers
From page 162

Torque screwdriver TorqueVario®-S
Page 202



Torque screwdriver with T-handle TorqueVario®-S T
Page 206



Torque screwdriver TorqueVario®-S ESD
Page 209



Torque tools
From page 192

Screwdriver with interchangeable blade set SYSTEM 6
Page 221



Screwdriver with interchangeable blade set SYSTEM 6
Page 221



Screwdriver with interchangeable blade set SYSTEM 4 ESD
Page 223



Multitools
From page 212

L-key set in ProStar holder
Page 237



L-key with T-handle ComfortGrip
Page 247



L-key with key handle
Page 251



L-keys
From page 228

Y bit set, 25 mm
Page 261



Bit Professional 1/4"
Page 270



Bit holder CentroFix Force mechanically lockable 1/4", magnetic
Page 280



Bits
From page 254

Professional BiCut® high-performance diagonal cutters with DynamicJoint®, Switchable
Page 301



Pliers wrench Classic
Page 308



Classic circlip pliers with MagicTips®, straight
Page 312



Pliers
From page 284

SoftFinish® dowel racket set with dowels
Page 334



Electrician's spirit level 40 cm
Page 335



Electrician's Longlife® folding ruler, 2 m metric, 10 segments
Page 336



Impact tools / Measurement tools
From page 326

Information
From page 338





Ranges




















Designed for those who work with it.

The experiences of the user are taken into account right from the product development stage at Wiha tools. This ensures high-quality tool sets are designed for mechanics, electricians and electronics technicians which have been specifically compiled for their particular requirements and applications. Neatly stored and clearly organised in robust, compact tool bags, tools are ready at hand, ensuring work is completed easily and efficiently.

Wiha tools prove to be very handy, essential companions stored in a Wiha tool case, where the limitations of conventional tool cases have been eliminated: thanks to its practical tool pockets and extra storage space for small parts, the Wiha tool case provides simple, strain-free transport of your tools, offering greater convenience to make your work easier in every respect.

Application

Ranges

| | | | | |
|---|---|--|--|---|
| <p>For applications in electrics</p>  | <p>Competence XXL II electrician's tool set assorted in case 115-pcs. Page 138</p>  | <p>Tool set electrician Competence XL assorted 80-pcs. in case Page 140</p>  | <p>Tool set service technician assorted 29-pcs. in bag Page 142</p>  | <p>Tool set slimVario® electric, mixed, 31-pcs. in functional bag Page 143</p>  |
|  | <p>Tool set slimVario® electric Mixed, 12-pcs. in tool pouch Page 144</p>  | <p>Tool set electrician Screwdriver, diagonal cutters, 6-pcs. in tool pouch Page 144</p>  | <p>Tool set electrician assorted slotted, Phillips, 10-pcs. in belt pouch Page 146</p>  | <p>Tool set electrician 19-pcs. in roll-up bag Page 145</p>  |
|  | <p>Tool set electrician 20-pcs. in case Page 147</p>  | <p>Ratchet wrench set insulated 3/8" 20-pcs. in case Page 147</p>  | <p>Single open-end spanner set, insulated 6-32 mm 20-pcs. in case Page 148</p>  | |
| <p>For applications in mechanics</p>  | <p>Tool set mechanic Mixed, 31-pcs. in tool pouch Page 151</p>  | <p>Tool set mechanic Screwdriver, combination pliers, 6-pcs. in tool pouch Page 152</p>  | | |
| <p>For applications in electronics</p>  | <p>Tool set ESD Pliers, screwdriver, tweezers, 9-pcs. in bag Page 153</p>  | | | |





assorted in case 115-pcs.

9500-704

Order-No.



42069

1



Fastening / jamming

- ⊖ ⊕ ⊕ ⊕ Torque screwdriver set TorqueVario®-S electric (36791) 0,8-5,0 Nm
 1 x Torque screwdriver TorqueVario®-S electric Variable torque limit settings / 1 x Adjusting tool for torque screwdriver with long handle /
 1 x Adapter TorqueVario-S electric for slimBits 1 x 2,5 / 1 x 3,5 / 1 x 5,5 / 1 x 6,5 / 1 x PH1 / 1 x PH2 / 1 x PZ1 / 1 x PZ2 / 1 x SL/PZ1 /
 1 x SL/PZ2 / 1 x T9 / 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25
- ⊖ ⊕ ⊕ Screwdriver with bit magazine LiftUp electric (41234)
 1 x 2,5 / 1 x 3,5 / 1 x 5,5 / 1 x PZ1 / 1 x PZ2 / 1 x SL/PZ2
- Screwdriver with bit holder SoftFinish® electric slimVario Stubby for slimBits, VDE and GS tested (41229)
- ⊕ slimBit electric bit Pozidriv, VDE and GS tested / PZ2 x 75 (34586)
- ⊖ Screwdriver SoftFinish® electric slimFix Slotted, VDE and GS tested / 3,5 x 100 (35446) / 5,5 x 125 (35391) / 6,5 x 150 (35392)
- ⊕ Screwdriver SoftFinish® electric slimFix Phillips, VDE and GS tested / PH1 x 80 (35393) / PH2 x 100 (35394)
- ⊕ Screwdriver SoftFinish® electric slimFix Pozidriv, VDE and GS tested / PZ1 x 80 (35395) / PZ2 x 100 (35396)
- ⊕ Screwdriver SoftFinish® electric slimFix PlusMinus/Pozidriv, VDE and GS tested / SL/PZ1 x 80 (36329) / SL/PZ2 x 100 (36330)
- ⊕ Screwdriver SoftFinish® electric slimFix TORX® Tamper Resistant (with hole), VDE and GS tested / T10H x 100 (41141) / T15H x 100 (41142) /
 T20H x 100 (41143) / T25H x 125 (41144)
- Screwdriver SoftFinish® electric Hex nut driver, VDE and GS tested / 5,5 x 125 (00856) / 7 x 125 (00858) / 8 x 125 (00859) / 10 x 125 (00861) /
 13 x 125 (00864)
- ⊕ Fine screwdriver PicoFinish electric Phillips, VDE and GS tested / PH0 x 60 (38880)
- ⊖ Fine screwdriver PicoFinish electric Slotted, VDE and GS tested / 2,5 x 60 (38876)
- ⊖ ⊕ ⊖ ⊕ ⊖ Switch cabinet key pen shape 1/4" in blister pack 5-8 x 9 (39076)
- ⊖ Screwdriver SoftFinish® Slotted with one-piece hexagonal blade and solid steel cap 3,5 x 75 (03223) / 12,0 x 200 (03231)
- XLSelector Y bit set, 25 mm (41832)
- ⊕ ⊕ ⊕ 1 x PH1 / 4 x PH2 / 1 x PH3 / 2 x PZ1 / 4 x PZ2 / 2 x PZ3 / 2 x T10 / 3 x T15 / 3 x T20 / 3 x T25 / 3 x T30 / 2 x T40 / 1 x Bit holder
 magnetic extra strong magnet, 1/4"
- L-key set in ErgoStar holder (41979)
 1,5 / 2 / 2,5 / 3 / 4 / 5 / 6 / 8 / 10




Trimming / cutting

-  Professional BiCut® high-performance diagonal cutters with DynamicJoint® Switchable, VDE and GS tested / 200mm, 8" (38191)
-  Professional electric diagonal cutters with DynamicJoint® 160 x 6 1/2" (43335)
-  Cable cutter Professional electric, VDE and GS tested / 200mm, 8" (34744)
-  Precision mechanic's diagonal cutters Classic with opening spring 125mm, 5" (36189)



Supplying / holding

- Combination pliers Professional electric with DynamicJoint® and OptiGrip with extra long cutting edge, VDE and GS tested / 180mm, 7" (26708)
-  Needle nose pliers Professional electric with cutting edge curved shape, approx. 40°, VDE and GS tested / 200mm, 8" (26729)
-  Needle nose pliers Professional electric with cutting edge straight shape, VDE and GS tested / 200mm, 8" (26727)
- Water pump pliers Professional electric with push button adjustment, VDE and GS tested / 250mm, 10" (37450)

Stripping/ insulating / crimping

-  Installation pliers TriCut Professional electric 170mm, 7" (38552)
- Stripping tool with self-rotating trailing blade 165mm, 6½" (35969)
- Stripping tool automatic up to 16 mm² in blister pack 200mm, 8" (42062)
-  Automatic crimp tool for wire-end sleeves hex crimping 210mm, 0,08-16mm² (41246)
-  Crimp tool for insulated cable eyes and contacts 220mm, 0,5-6mm² (33841)
-  Shear for electricians with crimp function in blister pack 160mm, 50mm² (41923)

Surveying/marketing/measuring/checking

- Single-pole, non-contact volt detector, 90–1,000 VAC Includes two AAA batteries (43798)
-  Voltage tester SoftFinish® single-pole, 110-250 volts Slotted transparent, with push-on clip (34745)
- Flashlight with LED, laser and UV light in blister pack, including 3 AAA batteries 100 / 310 lm x 390 - 400 nm (41286)
- Electrician's spirit level 40 cm (42074)
- Electrician's Longlife® folding ruler, 2 m metric, 10 segments (42068)
-  SoftFinish® dowel racket set with dowels (41289)
- 1 x Dowel racket Phillips / 2 x 30 / 2 x 40

Striking/ chiselling

- Electrician's hammer with 300 g hammer head, in blister pack 23,9 x 283 (42071)





assorted 80-pcs. in case

9300-702

Order-No.

40523



1

Fastening / jamming

- Screwdriver SoftFinish® electric Hex nut driver, VDE and GS tested / 5,5 x 125 (00856) / 7 x 125 (00858) / 8 x 125 (00859) / 10 x 125 (00861)
- ⊖ Screwdriver SoftFinish® electric slimFix Slotted, VDE and GS tested / 3,5 x 100 (35446) / 4,0 x 100 (35390) / 5,5 x 125 (35391) / 6,5 x 150 (35392)
- ⊕ Screwdriver SoftFinish® electric slimFix electric PlusMinus/Phillips, VDE and GS tested / SL/PH1 x 80 (35502) / SL/PH2 x 100 (35503)
- ⊕ Screwdriver SoftFinish® electric slimFix PlusMinus/Pozidriv, VDE and GS tested / SL/PZ1 x 80 (36329) / SL/PZ2 x 100 (36330)
- ⊕ Screwdriver SoftFinish® electric slimFix Phillips, VDE and GS tested / PH1 x 80 (35393) / PH2 x 100 (35394)
- ⊕ Screwdriver SoftFinish® electric slimFix Pozidriv, VDE and GS tested / PZ1 x 80 (35395) / PZ2 x 100 (35396)
- ⊖ Screwdriver SoftFinish® Slotted with one-piece hexagonal blade and solid steel cap 12,0 x 200 (03231)
- ⊕ ⊖ ⊕ ⊖ ⊕ ⊖ Switch cabinet key cross shape (36114)
- ⊕ ⊕ ⊕ Screwdriver with bit magazine LiftUp electric (38611)
1 x 3,0 / 1 x 4,0 / 1 x 5,5 / 1 x PH1 / 1 x PH2 / 1 x SL/PZ2
- L-key set in Compact holder (01418)
1,5 / 2 / 2,5 / 3 / 4 / 5 / 6 / 8 / 10
- Bit set XLSelector Standard 25 mm (29417)
- ⊕ ⊕ ⊕ ⊕ 1 x 4,5 / 1 x 5,5 / 1 x 6,5 / 2 x PH1 / 4 x PH2 / 1 x PH3 / 2 x PZ1 / 5 x PZ2 / 1 x PZ3 / 2 x T10 / 2 x T15 / 2 x T20 / 3 x T25 / 2 x T30 / 1 x T40 / 1 x Bit holder magnetic, 58 mm 1/4"

Trimming / cutting

- ⚡ Professional BiCut® high-performance diagonal cutters with DynamicJoint® Switchable, VDE and GS tested / 200mm, 8" (38191)
- ⚡ Precision mechanic's diagonal cutters Classic with opening spring 125mm, 5" (36189)

Supplying / holding

- Water pump pliers Professional electric with push button adjustment, VDE and GS tested / 250mm, 10" (37450)
- Needle nose pliers Professional electric with cutting edge curved shape, approx. 40°, VDE and GS tested / 200mm, 8" (26729)
- Combination pliers Professional electric with DynamicJoint® and OptiGrip with extra long cutting edge, VDE and GS tested / 180mm, 7" (26708)

- Needle nose pliers Professional electric with cutting edge straight shape, VDE and GS tested / 200mm, 8" (26727)

Stripping/ insulating / crimping

- ✂ Installation pliers TriCut Professional electric 170mm, 7" (38552)
- Stripping tool automatic up to 6 mm² in blister pack 190mm, 7 1/2" (36050)
- Stripping tool with self-rotating trailing blade 165mm, 6 1/2" (35969)
- Crimp tool for wire-end sleeves 220mm, 0,14-16mm² (33844)

Surveying/marketing/measuring/checking

- Single-pole, non-contact volt detector, 90–1,000 VAC Includes two AAA batteries (43798)
- ⊖ Voltage tester SoftFinish® single-pole, 110-250 volts Slotted transparent, with push-on clip (34745)
- Folding ruler Longlife 2 m metric, 10 segments (27057)
- Switch cabinet spirit level 20 cm (36859)



INFOBOX: VDE-certified tools



Wiha VDE-tested tools are subject to stringent safety test procedures.

All tools with the special marking have been tested at 10,000 V AC and are therefore approved for use at 1,000 V AC and 1,500 V DC.

The following equipment is required for all work on or around live components and should be appropriate for the specific task

- insulating personal protective equipment
- insulating safety mechanisms
- insulated tools

Before starting work, you must disconnect all active, live components of electrical machines and equipment and ensure that they remain disconnected while you carry out the work. This is achieved by complying with the five safety rules:

- disconnect
- secure against reconnection
- ensure power is switched off
- earth and short-circuit
- cover or block off adjacent live components

Certified by the VDE Testing and Certification Institute and individually tested according to the international standard IEC 60900.



assorted 29-pcs. in bag

9300-040

| | |
|-----------|---|
| Order-No. |  |
| 43879 | 1 |

Fastening / jamming

- ⊖ Screwdriver SoftFinish® electric slimFix Slotted, VDE and GS tested / 3,5 x 100 (35446) / 5,5 x 125 (35391)
- ⊕ Screwdriver SoftFinish® electric slimFix Phillips, VDE and GS tested / PH1 x 80 (35393) / PH2 x 100 (35394)
- ⊕ Screwdriver SoftFinish® electric slimFix Pozidriv, VDE and GS tested / PZ1 x 80 (35395) / PZ2 x 100 (35396)
- ⊖ PicoFinish® fine screwdriver Slotted 1,5 x 40 (42384) / 2,0 x 40 (42388) / 2,5 x 50 (42391) / 3,0 x 50 (42394)
- ⊕ PicoFinish® fine screwdriver Phillips PH00 x 40 (42402) / PH0 x 50 (42401)
- ⊖ ⊕ ⊖ ⊕ ⊖ Switch cabinet key cross shape (36114)
- L-key set in Compact holder (01418)
1,5 / 2 / 2,5 / 3 / 4 / 5 / 6 / 8 / 10

Trimming / cutting

- ⌘ Diagonal cutters Electronic wide, pointed head without bevelled edge 130mm, 5 1/2" (26818)

Supplying / holding

- Needle nose pliers Professional electric with cutting edge straight shape, VDE and GS tested / 200mm, 8" (26727)
- Needle nose pliers Electronic narrow, short head straight form 150mm, 6" (26801)


Stripping/ insulating / crimping

- Stripping tool with self-rotating trailing blade 165mm, 6 1/2" (35969)
- Stripping tool automatic up to 6 mm² in blister pack 190mm, 7 1/2" (36050)

Surveying/marketing/measuring/checking

- ⊖ Voltage tester SoftFinish® single-pole, 110-250 volts Slotted transparent, with push-on clip (34745)

Tool set slimVario® electric



Tool set electrician



mixed, 31-pcs. in functional bag

7209N

| Order-No. | Quantity |
|-----------|--|
| 43465 | 1 |
| ⊖ | 2,0 x 75 / 3,5 x 75 / 5,5 x 75 / 6,5 x 75 |
| ⊕ | PH0 x 75 / PH1 x 75 / PH2 x 75 |
| ⊗ | SL/PZ1 x 75 / SL/PZ2 x 75 |
| ⊕ | PZ1 x 75 / PZ2 x 75 |
| ○ | 5 x 42 / 5,5 x 42 / 6 x 42 / 7 x 42 / 8 x 42 / 10 x 42 / 11 x 42 / 13 x 42 |
| ● | 3 x 75 / 4 x 75 / 5 x 75 |
| ⊗ | T10 x 75 / T15 x 75 / T20 x 75 / T25 x 75 |
| | slimVario® electric adapter for 1/4" nut driver |
| | Extension slimVario® electric for slimBits |
| | Screwdriver with bit holder SoftFinish® slimVario® electric / Fine screwdriver PicoFinish® slimVario® electric |
| ○ | Screwdriver with bit holder SoftFinish® electric slimVario Stubby for slimBits, VDE and GS tested |

Manufactured acc. to IEC 60900.

Mixed, 31-pcs. in tool pouch

9300-035

| Order-No. | Quantity |
|--|--|
| 41241 | 1 |
| Fastening / jamming | |
| ⊖ | Screwdriver SoftFinish® electric slimFix Slotted, VDE and GS tested / 3,5 x 100 (35446) / 5,5 x 125 (35391) |
| ⊕ | Screwdriver SoftFinish® electric slimFix Phillips, VDE and GS tested / PH1 x 80 (35393) / PH2 x 100 (35394) |
| | Screwdriver with bit magazine magnetic (32901) |
| ⊖ ⊕ ⊗ ⊕ | 1 x 6,5 / 1 x PH1 / 1 x PH2 / 1 x PH3 / 1 x PZ2 / 1 x T15 / 1 x T20 / 1 x T25 |
| | Bit set FlipSelector Standard 25 mm (39040) |
| ⊕ ⊗ ⊕ | 1 x PH2 / 1 x PZ1 / 1 x PZ2 / 1 x PZ3 / 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40 / 1 x Bit holder magnetic, 58 mm 1/4" |
| Supplying / holding | |
| | Combination pliers Professional electric with DynamicJoint® and OptiGrip with extra long cutting edge, VDE and GS tested / 180mm, 7" (26708) |
| Stripping/ insulating / crimping | |
| | Stripping tool automatic up to 6 mm² in blister pack 190mm, 7 1/2" (36050) |
| Surveying/markings/measuring/checking | |
| ⊖ | Voltage tester SoftFinish® single-pole, 110-250 volts Slotted transparent, with push-on clip (34745) |
| | Folding ruler Longlife 2 m metric, 10 segments (27057) |



Mixed, 12-pcs. in tool pouch

9300-025

Order-No.  36389 1

Fastening / jamming

- ⊖ Screwdriver SoftFinish® electric slimFix Slotted, VDE and GS tested / 3,5 x 100 (35446) / 4,5 x 125 (35501) / 5,5 x 125 (35391)
- ⊕ Screwdriver SoftFinish® electric slimFix Pozidriv, VDE and GS tested / PZ1 x 80 (35395) / PZ2 x 100 (35396)

Trimming / cutting

- ✂ Cable cutter Professional electric, VDE and GS tested / 200mm, 8" (34744)

Supplying / holding

- Needle nose pliers Professional electric with cutting edge straight shape, VDE and GS tested / 200mm, 8" (26727)
- ⚡ Heavy-duty diagonal cutters Professional electric with DynamicJoint® with switchable opening spring 180mm, 7" (41274)

Stripping/ insulating / crimping

- Stripping tool automatic up to 6 mm² in blister pack 190mm, 7 1/2" (36050)
- Stripping tool with self-rotating trailing blade 165mm, 6 1/2" (35969)

Surveying/markings/measuring/checking

- ⊖ Voltage tester SoftFinish® single-pole, 110-250 volts Slotted transparent, with push-on clip (34745)
- Folding ruler Longlife 2 m metric, 10 segments (27057)



Screwdriver, heavy-duty diagonal cutters, 7-pcs. in tool pouch

9300-031

Order-No.  38020 1

Fastening / jamming

- ⊖ Screwdriver SoftFinish® electric slimFix Slotted, VDE and GS tested / 3,5 x 100 (35446) / 4,0 x 100 (35390) / 5,5 x 125 (35391)
- ⊕ Screwdriver SoftFinish® electric slimFix Phillips, VDE and GS tested / PH2 x 100 (35394)
- ⊕ Screwdriver SoftFinish® electric slimFix Pozidriv, VDE and GS tested / PZ2 x 100 (35396)
- ⊕ Screwdriver SoftFinish® electric slimFix PlusMinus/Pozidriv, VDE and GS tested / SL/PZ2 x 100 (36330)

Supplying / holding

- ⚡ Heavy-duty diagonal cutters Professional electric with DynamicJoint® with switchable opening spring 160mm, 6,5" (40921)

INFOBOX: DynamicJoint®



Wiha DynamicJoint® – A new dimension in strength and durability

- Innovative: Optimised joint construction.
- Effective: Minimal power loss means less force needed for cutting.
- Permanent: Optimal performance even after thousands of cuts.

Tool set electrician



Screwdriver, diagonal cutters, 6-pcs. in tool pouch

9300-018

Order-No.  33969  1

Fastening / jamming

- ⊖ Screwdriver SoftFinish® electric Slotted, VDE and GS tested / 3,5 x 100 (00822) / 4,5 x 125 (00824) / 5,5 x 125 (00826)
- ⊕ Screwdriver SoftFinish® electric Phillips, VDE and GS tested / PH1 x 80 (00847) / PH2 x 100 (00848)

Tool set electrician



Screwdriver, needle nose pliers, diagonal cutters, 5-pcs. in tool pouch

9300

Order-No.  26755  1

Fastening / jamming

- ⊖ Screwdriver SoftFinish® electric Slotted, VDE and GS tested / 3,5 x 100 (00822) / 5,5 x 125 (00826)
- ⊕ Screwdriver SoftFinish® electric Phillips, VDE and GS tested / PH2 x 100 (00848)

Supplying / holding

- Needle nose pliers Professional electric with cutting edge straight shape, VDE and GS tested / 200mm, 8" (26727)

Bit set for mounting



19-pcs. in roll-up bag

79187 T04

Order-No.  41223  1

- ⊕ 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40
- ⊕ 1 x PH0 / 1 x PH1 / 1 x PH2
- ⊕ 1 x SL/PZ1 / 1 x SL/PZ2
- ⊖ 1 x 3,5 / 1 x 4,0 / 1 x 5,5
- 1 x 4,0 / 1 x 5,0 / 1 x 6,0
- 1 x Bit holder magnetic, 74 mm 1/4"
- 1 x Screwdriver handle SoftFinish®-telescopic for SYSTEM 6 interchangeable blade
- 1 x Bit holder SYSTEM 6 clamping with ball

Tool set electrician



assorted slotted, Phillips, 10-pcs. in belt pouch

9300-012-01

| | |
|-----------|---|
| Order-No. | |
| 40948 | 1 |

Fastening / jamming

- ⊖ Screwdriver SoftFinish® electric slimFix Slotted, VDE and GS tested / 3,5 x 100 (35446) / 4,0 x 100 (35390) / 5,5 x 125 (35391)
- ⊕ Screwdriver SoftFinish® electric slimFix Phillips, VDE and GS tested / PH1 x 80 (35393) / PH2 x 100 (35394)

Stripping/ insulating / crimping

- ⊠ Stripping pliers Professional electric 160mm, 6 1/2" (26847)
- Stripping tool with self-rotating trailing blade 165mm, 6 1/2" (35969)

Supplying / holding

- Needle nose pliers Professional electric with cutting edge straight shape, VDE and GS tested / 200mm, 8" (26727)

Surveying/markings/measuring/checking

- ⊖ Voltage tester SoftFinish® single-pole, 110-250 volts Slotted transparent, with push-on clip (34745)
- Measuring tape 5 m (33251)

Tool set electrician



assorted slotted, Pozidriv, 10-pcs. in belt pouch

9300-013-02

| | |
|-----------|---|
| Order-No. | |
| 40282 | 1 |

Fastening / jamming

- ⊖ Screwdriver SoftFinish® electric slimFix Slotted, VDE and GS tested / 3,5 x 100 (35446) / 4,0 x 100 (35390) / 5,5 x 125 (35391)
- ⊕ Screwdriver SoftFinish® electric slimFix Pozidriv, VDE and GS tested / PZ1 x 80 (35395) / PZ2 x 100 (35396)

Stripping/ insulating / crimping

- ⊠ Stripping pliers Professional electric 160mm, 6 1/2" (26847)
- Stripping tool with self-rotating trailing blade 165mm, 6 1/2" (35969)


Supplying / holding

- Needle nose pliers Professional electric with cutting edge straight shape, VDE and GS tested / 200mm, 8" (26727)

Surveying/markings/measuring/checking

- ⊖ Voltage tester SoftFinish® single-pole, 110-250 volts Slotted transparent, with push-on clip (34745)
- Measuring tape 5 m (33251)

INFOBOX:
slimTECHNOLOGY



Wiha SoftFinish® electric slimFix


- Unlimited access.
- Blades up to 33 % narrower due to integrated insulation.
- Tool for spring clips (wedge-profiled output geometry).

Ratchet wrench set insulated 1/2"



20-pcs. in case

7208N

| Order-No. |  |
|---|---|
| 43024 | 1 |
| T-handle insulated for nut driver (43063) | |
| Ratchet wrench insulated for nut drivers Switchable 1/2" x 250 mm (43053) | |
| ○ | Insulated extension 1/2" square adapter for nut driver inserts, insulated 1/2" x 250 mm (43056) / 1/2" x 125 mm (43055) |
| ○ | Insulated nut driver insert 1/2" hexagon head 10 / 11 / 12 / 13 / 14 / 17 / 19 / 22 / 24 / 27 / 32 |
| ● | Insulated nut driver insert 1/2" internal hexagon 4 x 120 mm (43100) / 5 x 120 mm (43101) / 6 x 120 mm (43102) / 8 x 120 mm (43103) / 10 x 120 mm (43104) |


Manufactured according to EN/IEC 60900.

Ratchet wrench set insulated 3/8"



20-pcs. in case

7207NK2001

| Order-No. |  |
|---|---|
| 43023 | 1 |
| T-handle insulated for nut driver (43062) | |
| Ratchet wrench insulated for nut drivers Switchable 3/8" x 200 mm (43052) | |
| ○ | Insulated extension 3/8" square adapter for nut driver inserts, insulated 3/8" x 125 mm (43057) / 3/8" x 250 mm (43058) |
| ○ | Insulated nut driver insert 3/8" hexagon head 8 / 10 / 11 / 12 / 13 / 14 / 16 / 17 / 18 / 19 / 21 / 22 |
| ● | Insulated nut driver insert 3/8" internal hexagon 4 x 75 mm (43105) / 5 x 75 mm (43106) / 6 x 75 mm (43107) / 8 x 75 mm (43108) |

Manufactured according to EN/IEC 60900.



Single open-end spanner set, insulated 6-32 mm



20-pcs. in case

5590N T20

| Order-No. | | | |
|-----------|--|---|--|
| 43022 | | 1 | |
| ○ | Single, insulated open-end spanner | | |
| ○ | 6 / 7 / 8 / 9 / 10 / 11 / 12 / 13 / 14 / 15 / 16 / 17 / 18 / 19 / 22 / 24 / 27 / 30 / 32 | | |
| ○ | Adjustable spanner electric Adjustable between 0-30 mm 0 - 30 x 250 mm (43061) | | |

Manufactured according to EN/IEC 60900.

Single, insulated open-end spanner



| Order-No. | ○ | mm | | 5590N |
|-----------|----|-----|--|-------|
| 43026 | 6 | 90 | | 1 |
| 43027 | 7 | 90 | | 1 |
| 43028 | 8 | 100 | | 1 |
| 43029 | 9 | 100 | | 1 |
| 43030 | 10 | 110 | | 1 |
| 43031 | 11 | 110 | | 1 |
| 43032 | 12 | 130 | | 1 |
| 43033 | 13 | 135 | | 1 |
| 43034 | 14 | 145 | | 1 |
| 43035 | 15 | 150 | | 1 |
| 43036 | 16 | 160 | | 1 |
| 43037 | 17 | 160 | | 1 |
| 43038 | 18 | 175 | | 1 |
| 43039 | 19 | 175 | | 1 |
| 43040 | 22 | 195 | | 1 |
| 43041 | 24 | 225 | | 1 |
| 43042 | 27 | 250 | | 1 |
| 43043 | 30 | 290 | | 1 |
| 43044 | 32 | 310 | | 1 |

Manufactured according to EN/IEC 60900.

Adjustable spanner electric



| Order-No. | ○ | mm | | 5590NA |
|-----------|--------|-----|--|--------|
| 43061 | 0 - 30 | 250 | | 1 |

Manufactured according to EN/IEC 60900.

T-handle insulated for nut driver



24618T

| Order-No. | ■ | ↑ | mm | 🔌 |
|-----------|------|-----|----|----|
| 43063 | 1/2" | 200 | | 10 |
| 43062 | 3/8" | 200 | | 10 |

Manufactured according to EN/IEC 60900.

Insulated nut driver insert



○ 1/4" hexagon head

7209NS

| Order-No. | ○ | ← | mm | 🔌 |
|-----------|-----|----|----|---|
| 43088 | 4 | 42 | | 1 |
| 43089 | 5 | 42 | | 1 |
| 43090 | 5,5 | 42 | | 1 |
| 43091 | 6 | 42 | | 1 |
| 43092 | 7 | 42 | | 1 |
| 43093 | 8 | 42 | | 1 |
| 43094 | 9 | 42 | | 1 |
| 43095 | 10 | 42 | | 1 |
| 43096 | 11 | 42 | | 1 |
| 43097 | 12 | 42 | | 1 |
| 43098 | 13 | 42 | | 1 |
| 43099 | 14 | 42 | | 1 |

Manufactured according to EN/IEC 60900.

Insulated nut driver insert



○ 3/8" hexagon head

7207NS

| Order-No. | ○ | ← | mm | 🔌 |
|-----------|----|----|----|---|
| 43065 | 8 | 45 | | 1 |
| 43066 | 10 | 45 | | 1 |
| 43067 | 11 | 45 | | 1 |
| 43068 | 12 | 45 | | 1 |
| 43069 | 13 | 45 | | 1 |
| 43070 | 14 | 45 | | 1 |
| 43071 | 16 | 45 | | 1 |
| 43072 | 17 | 45 | | 1 |
| 43073 | 18 | 45 | | 1 |
| 43074 | 19 | 47 | | 1 |
| 43075 | 21 | 47 | | 1 |
| 43076 | 22 | 47 | | 1 |

Manufactured according to EN/IEC 60900.

Insulated nut driver insert



○ 1/2" hexagon head

7208NS

| Order-No. | ○ | ← | mm | 🔌 |
|-----------|----|----|----|---|
| 43077 | 10 | 55 | | 1 |
| 43078 | 11 | 55 | | 1 |
| 43079 | 12 | 55 | | 1 |
| 43080 | 13 | 55 | | 1 |
| 43081 | 14 | 55 | | 1 |
| 43082 | 17 | 55 | | 1 |
| 43083 | 19 | 55 | | 1 |
| 43084 | 22 | 55 | | 1 |
| 43085 | 24 | 55 | | 1 |
| 43086 | 27 | 55 | | 1 |
| 43087 | 32 | 55 | | 1 |

Manufactured according to EN/IEC 60900.

Insulated extension



○ 1/2" square adapter for nut driver inserts, insulated

7208NEX

| Order-No. | □ | mm | 📦 |
|-----------|------|-----|---|
| 43055 | 1/2" | 125 | 1 |
| 43056 | 1/2" | 250 | 1 |

Manufactured according to EN/IEC 60900.

○ 3/8" square adapter for nut driver inserts, insulated

7207NEX

| Order-No. | □ | mm | 📦 |
|-----------|------|-----|---|
| 43057 | 3/8" | 125 | 1 |
| 43058 | 3/8" | 250 | 1 |

Manufactured according to EN/IEC 60900.

Insulated nut driver insert



● 1/2" internal hexagon

7208NHS

| Order-No. | ● | mm | 📦 |
|-----------|----|-----|---|
| 43100 | 4 | 120 | 1 |
| 43101 | 5 | 120 | 1 |
| 43102 | 6 | 120 | 1 |
| 43103 | 8 | 120 | 1 |
| 43104 | 10 | 120 | 1 |

Manufactured according to EN/IEC 60900.

Insulated nut driver insert



● 3/8" internal hexagon

7207NHS

| Order-No. | ● | mm | 📦 |
|-----------|---|----|---|
| 43105 | 4 | 75 | 1 |
| 43106 | 5 | 75 | 1 |
| 43107 | 6 | 75 | 1 |
| 43108 | 8 | 75 | 1 |

Manufactured according to EN/IEC 60900.

Ratchet wrench insulated for nut drivers



Switchable

7207NRW

| Order-No. | □ | mm | 📦 |
|-----------|------|-----|---|
| 43052 | 3/8" | 200 | 1 |
| 43053 | 1/2" | 250 | 1 |

Manufactured according to EN/IEC 60900.



Mixed, 31-pcs. in tool pouch

9300-026

| Order-No. | Icon | Quantity |
|-----------|--|----------|
| 36390 | ☒ | 1 |
| ⊖ | Screwdriver SoftFinish® Slotted with round blade and lasered mm scale 4,0 x 100 (36085) / 5,5 x 125 (35397) | |
| ⊕ | Screwdriver SoftFinish® Phillips with round blade and lasered mm scale PH1 x 80 (36072) / PH2 x 100 (35398) | |
| ○ | Screwdriver with T-handle and two bit holders ComfortGrip magnetic 1/4" 1/4 x 150 (26179) | |
| | High-leverage combination pliers Professional with DynamicJoint® and OptiGrip with extra long cutting edge 200mm, 8" (26713) | |
| ⚡ | Heavy-duty diagonal cutters Professional with DynamicJoint® with switchable opening spring 180mm, 7" (41273) | |
| | Water pump pliers Classic with push button 250mm, 10" (26765) | |
| | Folding ruler Longlife 2 m metric, 10 segments (27057) | |
| ⊕ ⊕ ⊕ | Bit set FlipSelector Standard 25 mm (39040) 2 x PH2 / 1 x PZ1 / 2 x PZ2 / 1 x PZ3 / 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40 / 1 x Bit holder magnetic, 58 mm 1/4" | |
| ● | L-key set in ErgoStar holder (37351) 1,5 / 2 / 2,5 / 3 / 4 / 5 / 6 / 8 / 10 | |




assorti 30-delig in gereedschapetui

9300-024

| Order-No. | Icon | Quantity |
|-----------|--|----------|
| 36388 | ☒ | 1 |
| ⊖ | Screwdriver SoftFinish® Slotted with round blade for low-lying screws 3,0 x 100 (00687) / 5,5 x 125 (00698) | |
| ⊕ | Screwdriver SoftFinish® Phillips with round blade PH1 x 80 (00756) / PH2 x 100 (00759) | |
| ○ | Screwdriver with T-handle and bit holder magnetic 1/4" 1/4 x 150 (01481) | |
| | Water pump pliers Classic box type 250mm, 10" (26761) | |
| | Folding ruler Longlife 2 m metric, 10 segments (27057) | |
| ⊕ ⊕ ⊕ | Bit set FlipSelector Standard 25 mm (39040) 2 x PH2 / 1 x PZ1 / 2 x PZ2 / 1 x PZ3 / 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40 / 1 x Bit holder magnetic, 58 mm 1/4" | |
| ● | L-key set in Compact holder (01222) 1,5 / 2 / 2,5 / 3 / 4 / 5 / 6 / 8 / 10 | |

INFOBOX:

OptiGrip



Wiha OptiGrip – optimal grip due to newly designed gripping surfaces

- A firm hold: The „triple-point support“ protects the workpiece from twisting or slipping.
- Highly effective: Optimum grip even with large jaw opening – and at the same time significantly less force needed.
- A wide selection: Now in standard Wiha combination pliers and high leverage combination pliers.



Screwdriver, combination pliers, 6-pcs. in tool pouch

9300-019

| Order-No. | |
|-----------|--|
| 33970 | 1 |
| ⊖ | Screwdriver SoftFinish® Slotted with round blade for low-lying screws 3,5 x 100 (00691) / 4,5 x 125 (00697) |
| ⊖ | Screwdriver SoftFinish® Slotted with round blade 6,5 x 150 (00703) |
| ⊕ | Screwdriver SoftFinish® Phillips with round blade PH1 x 80 (00756) / PH2 x 100 (00759) |
| | Combination pliers Professional with DynamicJoint® and OptiGrip with extra long cutting edge 180mm, 7" (26707) |



Screwdriver, diagonal cutters, 6-pcs. in tool pouch

9300-020

| Order-No. | |
|-----------|---|
| 33971 | 1 |
| ⊖ | Screwdriver SoftFinish® Slotted with round blade for low-lying screws 3,5 x 100 (00691) / 4,5 x 125 (00697) |
| ⊖ | Screwdriver SoftFinish® Slotted with round blade 6,5 x 150 (00703) |
| ⊕ | Screwdriver SoftFinish® Phillips with round blade PH1 x 80 (00756) / PH2 x 100 (00759) |



Screwdriver, diagonal cutters, combination pliers, 5-pcs. in tool pouch

Z99000602

| | |
|-----------|--|
| Order-No. | |
| 30824 | 1 |
| ⊖ | Screwdriver SoftFinish® Slotted with round blade for low-lying screws 3,5 x 100 (00691) / 5,5 x 125 (00698) |
| ⊕ | Screwdriver SoftFinish® Phillips with round blade PH2 x 100 (00759) |
| | Combination pliers Industrial with DynamicJoint® and OptiGrip with extra long cutting edge 180mm, 7" (30826) |



Pliers, screwdriver, tweezers, 9-pcs. in bag

9300-041

| | |
|-----------|--|
| Order-No. | |
| 43994 | 1 |
| ⊖ | Needle nose pliers Professional ESD straight 120 mm, 4 3/4" (26799) |
| ⌘ | Diagonal cutters Professional ESD wide, pointed head without bevelled edge 115mm, 4 1/2" (26821) |
| | Universal tweezers Professional ESD Type AA 130mm, AA (32318) |
| ⊖ | Fine screwdriver PicoFinish® ESD Slotted 2,0 x 0,4 (43670) / 2,5 x 0,4 (43671) |
| ⊕ | Fine screwdriver PicoFinish® ESD Phillips PH 0 x 50 (43677) / PH 00 x 40 (43676) |
| ⊛ | Fine screwdriver PicoFinish® ESD TORX® 5 x 40 (43698) / 6 x 40 (43699) |

INFOBOX: Electrostatic conductive ESD tools



Sensitive, electronic components can be damaged even at a very low voltage.

- Dissipative tools by Wiha discharge the electrostatic energy in a controlled, safe manner.
- ESD tools meet the ESD Standard IEC 61340-5-1.
- ESD tool handles have a surface resistance of 10⁶ -10⁹ Ohm.



Electro

Safety for professionals.

With the speedE® e-screwdriver, Wiha is revolutionising the screwdriver market. Whether handling delicate fastenings, long screws or very many screws, professionals have no trouble working with the e-screwdriver. The material protection function in particular makes the speedE® unique: At 0.4 Nm the electrical assistance stops automatically and allows the user to finish tightening the screw carefully by hand. In combination with the VDE certified slimBits the speedE® offers electricians full protection during their daily work.

The swivelling Wiha flashlight features an integrated laser, UV light and LED light with two lighting levels.

With Torque QuickCheck, Wiha is bringing the first portable quick tester for regular checks on torque tools onto the market, thus guaranteeing safe and precise work.

Application **Electro**

Fastening

E-screwdriver, set 2, speedE®
Page 156



speedE® Industrial e-screwdriver set
Page 159



Surveying / marking

Flashlight with LED, laser and UV light
Page 160



Testing

Single-pole, explosion-protected, non-contact volt detector, 12–1,000 V AC
Page 160




Torque QuickCheck torque testing device
Page 161



E-screwdriver, set 1, speedE®



E-screwdriver, set 2, speedE®



Slotted, Phillips, PlusMinus/Pozidriv, 10 pcs in L Boxx Mini with slimBits, batteries and EU charger

590


| Order-No. | | |
|--|--|---|
| 41911 | with USB and Europlug | 1 |
| 42266 | with USB and UK plug | 1 |
| E-screwdriver handle speedE® | | |
| ⊖ | slimBit electric bit Slotted, VDE and GS tested / 3,5 x 75 (41159) / 5,5 x 75 (34581) | |
| ⊕ | slimBit electric bit Phillips, VDE and GS tested / PH1 x 75 (34583) / PH2 x 75 (34584) | |
| ⊕ | slimBit electric bit PlusMinus/Pozidriv, VDE and GS tested / SL/PZ1 x 75 (34589) / SL/PZ2 x 75 (34590) | |
| Battery set, 18500 Li-ion 2 units in box (41914) | | |
| Charger for 18500 Li-ion batteries (41915) | | |

Mixed 13 pcs in L Boxx Mini with slimBits, easyTorque adapter, batteries and EU charger

590

| Order-No. | | |
|---|--|---|
| 41912 | with USB and Europlug | 1 |
| 42267 | with USB and UK plug | 1 |
| E-screwdriver handle speedE® | | |
| ⊖ | slimBit electric bit Slotted, VDE and GS tested / 3,5 x 75 (41159) / 5,5 x 75 (34581) | |
| ⊕ | slimBit electric bit Phillips, VDE and GS tested / PH1 x 75 (34583) / PH2 x 75 (34584) | |
| ⊕ | slimBit electric bit Pozidriv, VDE and GS tested / PZ1 x 75 (34585) / PZ2 x 75 (34586) | |
| ⊕ | slimBit electric bit PlusMinus/Pozidriv, VDE and GS tested / SL/PZ1 x 75 (34589) / SL/PZ2 x 75 (34590) | |
| Torque adapter easyTorque electric for slimBits and slimVario® holder in blister 2,8 ± 10 % (41344) | | |
| Battery set, 18500 Li-ion 2 units in box (41914) | | |
| Charger for 18500 Li-ion batteries (41915) | | |

E-screwdriver, set 3, speedE®



Mixed 25 pcs in L Boxx Mini with slimBits, easyTorque adapters, batteries and EU charger

590

| Order-No. | | |
|--|---|---|
| 41913 | with USB and Europlug | 1 |
| 42268 | with USB and UK plug | 1 |
| E-screwdriver handle speedE® | | |
| ⊖ | slimBit electric bit Slotted, VDE and GS tested / 3,5 x 75 (41159) / 5,5 x 75 (34581) | |
| ⊕ | slimBit electric bit Phillips, VDE and GS tested / PH1 x 75 (34583) / PH2 x 75 (34584) | |
| ⊕ | slimBit electric bit Pozidriv, VDE and GS tested / PZ1 x 75 (34585) / PZ2 x 75 (34586) | |
| ⊕ | slimBit electric bit PlusMinus/Pozidriv, VDE and GS tested / SL/PZ1 x 75 (34589) / SL/PZ2 x 75 (34590) | |
| ⊗ | slimBit electric bit TORX®, VDE and GS tested / T10 x 75 (35507) / T15 x 75 (35508) / T20 x 75 (35509) / T25 x 75 (36071) | |
| ● | slimBit electric bit Hex, VDE and GS tested / 3 x 75 (37147) / 4 x 75 (37225) / 5 x 75 (37226) / 6 x 75 (37227) | |
| Torque adapter easyTorque electric for slimBits and slimVario® holder in blister | | |
| 0,8 ± 10 % (41341) / 2,0 ± 10 % (41342) / 2,5 ± 10 % (41343) / 2,8 ± 10 % (41344) / 4,0 ± 10 % (41345) | | |
| Battery set, 18500 Li-ion 2 units in box (41914) | | |
| Charger for 18500 Li-ion batteries (41915) | | |

INFOBOX:
Wiha speedE®



E-screwdriver speedE®

- Power-assisted screw-driving halves working time.
- Thanks to the integrated material protection function, the electric assistance stops automatically at 0.4 Nm.
- Final screw tightening can then be carried out by hand.
- Recommended by doctors and therapists.
- slimBits tested at 10,000 V AC and approved for 1,000 V AC.



Charger for 18500 Li-ion batteries



with USB and Europlug

5992

Order-No.  1

41915

Charger for 18500 Li-ion batteries



with USB and UK plug

5992

Order-No.  1

42766

Battery set, 18500 Li-ion



2 units in box

5991


Order-No.  6

41914



TORX®, 5-pcs. with bit, battery and USB charger

590

| Order-No. | | |
|-----------|--|---|
| 43631 | |  1 |
| | E-screwdriver handle, speedE® Industrial | |
| | Bit holder with 50 mm bit T20 | |
| | 18500 Li-Ion battery | |
| | USB charger for 18500 Li-ion batteries | |

INFOBOX:
**Wiha speedE®
Industrial**



E-screwdriver speedE®

- Recommended by doctors and therapists.
- Electric screw fastening with protection function to prevent damage to materials (max. 0.4 Nm).
- Fixing by hand with a deft touch.
- Work twice as fast thanks to three-step process.

Flashlight with LED, laser and UV light



in blister pack, including 3 AAA batteries

24670

| Order-No. | LED | ☼ | UV | 🔋 | SB | 📦 |
|-----------|--------------|---------|--------------|-------------------|----|---|
| 41286 | 100 / 310 lm | Class 2 | 390 - 400 nm | 3 x AAA batteries | x | 5 |

Single-pole, non-contact volt detector, 12–1,000 V AC

Single-pole, non-contact volt detector, 90–1,000 VAC



Includes two AAA batteries

25513

| Order-No. | ●I | —⚡ | mm | 📦 |
|-----------|----|------|-----|---|
| 43797 | 2 | 28,5 | 150 | |

Includes two AAA batteries

25514

| Order-No. | ●I | —⚡ | mm | 📦 |
|-----------|----|------|-----|---|
| 43798 | 2 | 28,5 | 150 | 5 |

INFOBOX:
Volt Detector



Single-pole, non-contact volt detector, 12–1,000 V AC

- Rapid voltage test thanks to contactless measuring.
- Compatible for use in all sockets worldwide thanks to measurement tip suited to international usage.
- Voltage tester covers a wide voltage range between 12 and 1,000 V AC.



with adapter blades and batteries in box

2909

| Order-No. | Nm | 7/4% | SB | |
|-----------|-----|------|----|---|
| 42086 | 2,8 | 2 | x | 1 |

INFOBOX: Flashlight with LED, laser and UV light



- Universal work tool with integrated laser, UV light and LED light.
- Optimum positioning and variable light direction thanks to the magnetic base and swivel head.
- The installation position can be projected directly from the middle of a table when fitting lights to the ceiling.
- The integrated UV light is ideal for finding misplaced coloured fluorescent Wiha tools and for technical inspections.

INFOBOX: Torque QuickCheck



Wiha Torque QuickCheck

- The Wiha torque screwdriver can quickly and easily test torque screwdrivers to check the precision of the configured torque value before each use.
- Checking tools regularly ensures reliable, precise work.
- The device offers user-friendly operation, clear test readings and easy to understand LED traffic light signals.
- Thanks to a compact, handy shape, it is the ideal companion when out on jobs.
- Suitable for all Torque Vario®-S and iTorque® torque screwdrivers whose torque range included 2.8 Nm.



Screwdrivers

We have the know-how at the tip of our fingers.

Unlike many standard tools available on the market, Wiha screwdrivers are optimally designed for users' requirements. Thanks to Wiha's screwdriver handle size concept, four handle sizes and lengths, optimally adapted to their specific fastening or work task, ensure health-friendly work practices. With SoftFinish, Wiha became the world's first and only hand tool manufacturer to have products honoured with the renowned AGR quality seal - a seal of approval accepted by medical professionals and officially recommended by doctors and therapists. Wiha screwdrivers featuring SoftFinish are available for dry applications, damp and oily applications and as VDE-certified, insulated screwdrivers for use when working on live parts..

Wiha is the world's first hand tool manufacturer to receive AGR (Association for healthy backs) certification for its Inomic pliers and ergonomic screwdriver handle size concept, a seal of approval accepted by medical professionals and officially recommended by doctors and physiotherapists.

Application

Screwdrivers


For applications
in electrics



**Screwdriver and bit set
slimVario® screwdriver
Mixed, 18-pcs. in folding
bag**
Page 164



**Screwdriver set
SoftFinish® electric
slimFix
assorted 12-pcs.**
Page 165



**Screwdriver set
SoftFinish® electric
slimFix**
Page 166



**Screwdriver with bit
holder set electric
slimVario®, Stubby, 4
pieces with slimBits**
Page 167



slimBit electric bit set
Page 168



**Screwdriver SoftFinish®
electric slimFix**
Page 172



**Screwdriver SoftFinish®
electric**
Page 173



**Fine screwdriver
PicoFinish electric**
Page 174



For applications
in mechanics



**Screwdriver set
SoftFinish®
assorted 12-pcs.**
Page 175



**Screwdriver set
SoftFinish®**
Page 175



**Screwdriver set
SoftFinish®**
Page 176



**Fine screwdriver set
PicoFinish**
Page 177



Screwdriver SoftFinish®
Page 178



Screwdriver SoftFinish®
Page 182



**Fine screwdriver
PicoFinish**
Page 184



Screwdriver SoftFinish®
Page 183



Screwdriver MicroFinish®
Page 187



Screwdriver MicroFinish®
Page 187



Screwdriver MicroFinish®
Page 187



**Screw extractor set
Hex, 8-pcs. with spiral
drill bit in box**
Page 188



For applications
in electronics



**Screwdriver set
SoftFinish® ESD**
Page 188



**Fine screwdriver set
PicoFinish® ESD**
Page 189



**Screwdriver SoftFinish®
ESD**
Page 189



Screwdriver and bit set slimVario® screwdriver



Mixed, 18-pcs. in folding bag

2831

| Order-No. | |
|-----------|--|
| 41231 | 1 |
| ○ | Screwdriver with bit holder SoftFinish® electric slimVario Stubby for slimBits VDE and GS tested |
| ○ | Screwdriver with bit holder SoftFinish® electric slimVario for slimBits VDE and GS tested |
| ⊖ | 2,5 x 75 / 3,5 x 75 / 5,5 x 75 |
| ⊕ | PH1 x 75 / PH2 x 75 |
| ⊗ | PZ1 x 75 / PZ2 x 75 |
| ⊗ | SL/PZ1 x 75 / SL/PZ2 x 75 |
| ⊗ | T9 x 75 / T10 x 75 / T15 x 75 / T20 x 75 |
| ● | 3 x 75 / 4 x 75 / 5 x 75 |

Manufactured acc. to IEC 60900.

Screwdriver and bit set slimVario® screwdriver



Slotted, Phillips, Pozidriv, 9-pcs. in folding bag

2831

| Best.-Nr. | |
|-----------|--|
| 41232 | 1 |
| ○ | Screwdriver with bit holder SoftFinish® electric slimVario Stubby for slimBits VDE and GS tested |
| ○ | Screwdriver with bit holder SoftFinish® electric slimVario for slimBits VDE and GS tested |
| ⊖ | 2,5 x 75 / 3,5 x 75 / 5,5 x 75 |
| ⊕ | PH1 x 75 / PH2 x 75 |
| ⊗ | PZ1 x 75 / PZ2 x 75 |

Manufactured acc. to IEC 60900.


Slotted, Pozidriv, PlusMinus/Pozidriv, 9-pcs. in folding bag

2831

| Best.-Nr. | |
|-----------|--|
| 41233 | 1 |
| ○ | Screwdriver with bit holder SoftFinish® electric slimVario Stubby for slimBits VDE and GS tested |
| ○ | Screwdriver with bit holder SoftFinish® electric slimVario for slimBits VDE and GS tested |
| ⊖ | 2,5 x 75 / 3,5 x 75 / 5,5 x 75 |
| ⊗ | PZ1 x 75 / PZ2 x 75 |
| ⊗ | SL/PZ1 x 75 / SL/PZ2 x 75 |

Manufactured acc. to IEC 60900.


INFOBOX:
slimTECHNOLOGY



Wiha SoftFinish® electric slimFix

- Unlimited access.
- Blades up to 33 % narrower due to integrated insulation.
- Tool for spring clips (wedge-profiled output geometry).

Screwdriver set SoftFinish® electric slimFix



assorted 12-pcs.

3201

| | |
|-----------|---|
| Order-No. | |
| 41003 | 1 |
| | 3,5 x 100 / 4,0 x 100 / 5,5 x 125 / 6,5 x 150 |
| | PH1 x 80 / PH2 x 100 |
| | PZ1 x 80 / PZ2 x 100 |
| | SL/PZ2 x 100 |
| | T15 x 100 / T20 x 100 / T25 x 125 |

INFOBOX:
Handle size concept



Wiha SoftFinish® handle sizes

- Every Wiha handle optimally balances guidance, speed and torque for the respective fastening task.
- Quick-turning - Motor skills are consistently taken into consideration.
- Maximum power transmission: comfortable and loss-free transmission of physical strength, even during intensive fastening.
- The power-turning and quick-turning zones vary significantly over the four handle sizes in various forms.
- The Wiha SoftFinish screwdrivers enable work that is kind on the hands and muscles and is therefore recommended by doctors and therapists from the AGR.



INFOBOX:
VDE-certified tools



Wiha VDE-tested tools are subject to stringent safety test procedures.

All tools with the special marking have been tested at 10,000 V AC and are therefore approved for use at 1,000 V AC and 1,500 V DC.

The following equipment is required for all work on or around live components and should be appropriate for the specific task

- insulating personal protective equipment
- insulating safety mechanisms
- insulated tools

Before starting work, you must disconnect all active, live components of electrical machines and equipment and ensure that they remain disconnected while you carry out the work.

This is achieved by complying with the five safety rules:

- disconnect
- secure against reconnection
- ensure power is switched off
- earth and short-circuit
- cover or block off adjacent live components

Certified by the VDE Testing and Certification Institute and individually tested according to the international standard IEC 60900.

Screwdriver set SoftFinish® electric slimFix



Slotted, Phillips 6-pcs. 3201

| | |
|---------------------------------|---|
| Best.-Nr. | |
| 35389 | 1 |
| ⊖ | 3,5 x 100 / 4,0 x 100 / 5,5 x 125 / 6,5 x 150 |
| ⊕ | PH1 x 80 / PH2 x 100 |
| Manufactured acc. to IEC 60900. | |

Slotted, Phillips, PlusMinus/Pozidriv 6-pcs. 3201

| | |
|---------------------------------|-----------------------------------|
| Best.-Nr. | |
| 38362 | 1 |
| ⊖ | 3,5 x 100 / 4,0 x 100 / 5,5 x 125 |
| ⊕ | PH1 x 80 / PH2 x 100 |
| ⊗ | SL/PZ2 x 100 |
| Manufactured acc. to IEC 60900. | |

Slotted, Pozidriv 6-pcs. 3201

| | |
|---------------------------------|---|
| Best.-Nr. | |
| 36455 | 1 |
| ⊖ | 3,5 x 100 / 4,0 x 100 / 5,5 x 125 / 6,5 x 150 |
| ⊕ | PZ1 x 80 / PZ2 x 100 |
| Manufactured acc. to IEC 60900. | |

TORX® Tamper Resistant (with hole) 6-pcs. 3251TR

| | |
|---------------------------------|---|
| Best.-Nr. | |
| 41245 | 1 |
| ⊗ | T10H x 100 / T15H x 100 / T20H x 100 / T25H x 125 / T30H x 125 / T40H x 150 |
| Manufactured acc. to IEC 60900. | |

TORX® 6-pcs. 3251

| | |
|--|---|
| Best.-Nr. | |
| 36558 | 1 |
| ⊗ | T8 x 60 / T9 x 60 |
| ⊗ | T10 x 100 / T15 x 100 / T20 x 100 / T25 x 125 |
| • no slim version Manufactured acc. to IEC 60900. | |

Screwdriver set SoftFinish® electric slimFix



Slotted, PlusMinus/Pozidriv, 2-pcs. in blister pack 3201

| | |
|---------------------------------|--------------|
| Best.-Nr. | |
| 36333 | 1 |
| ⊖ | 3,5 x 100 |
| ⊕ | SL/PZ2 x 100 |
| Manufactured acc. to IEC 60900. | |

Screwdriver set SoftFinish® electric



Slotted, Phillips 7-pcs. 320N

| | |
|---------------------------------|--|
| Best.-Nr. | |
| 00834 | 1 |
| ⊖ | 2,5 x 75 / 4,0 x 100 / 5,5 x 125 / 6,5 x 150 |
| ⊕ | PH1 x 80 / PH2 x 100 |
| ⊖ | Voltage tester SoftFinish® single-pole, 110-250 volts Slotted transparent, with push-on clip |
| Manufactured acc. to IEC 60900. | |

Slotted, Phillips 6-pcs. 320N

| | |
|---------------------------------|---|
| Best.-Nr. | |
| 00833 | 10 |
| ⊖ | 3,0 x 100 / 4,0 x 100 / 5,5 x 125 / 6,5 x 150 |
| ⊕ | PH1 x 80 / PH2 x 100 |
| Manufactured acc. to IEC 60900. | |

Slotted, Pozidriv 6-pcs. 320N

| | |
|---------------------------------|--|
| Best.-Nr. | |
| 25477 | 1 |
| ⊖ | 2,5 x 75 / 3,5 x 100 / 4,5 x 125 / 5,5 x 125 |
| ⊕ | PZ1 x 80 / PZ2 x 100 |
| Manufactured acc. to IEC 60900. | |

Screwdriver set SoftFinish® electric




PlusMinus/Phillips in blister pack 2-pcs.

327

Best.-Nr.  1

32281

 SL/PH1 x 80 / SL/PH2 x 100


Manufactured acc. to IEC 60900.

PlusMinus/Pozidriv, 2-pcs. in blister pack

328

Best.-Nr.  1

32282

 SL/PZ1 x 80 / SL/PZ2 x 100

Manufactured acc. to IEC 60900.

Screwdriver set SoftFinish® electric



Hexagon nut driver 5-pcs.

322 K5

Order-No.  1

29466

 5,5 x 125 / 7 x 125 / 8 x 125 / 10 x 125 / 13 x 125

Manufactured acc. to IEC 60900.

INFOBOX:
Combination
profiles



PlusMinus.

- The special PlusMinus/Pozidriv profile is ideal for PlusMinus terminal screws.
- The combination profile reduces slipping out and guarantees a higher torque transmission.

Screwdriver with bit holder set electric slimVario®




Stubby, 4 pieces with slimBits

2831


Order-No.  1

41230

 Screwdriver with bit holder SoftFinish® electric slimVario Stubby for slimBitsVDE and GS tested

 3,5 x 75

 PH2 x 75

 SL/PZ2 x 75

Manufactured acc. to IEC 60900.

Fine screwdriver set PicoFinish® slimVario® electric



4-pcs. with slimBits

2831

Order-No.  5

43167

1 x Fine screwdriver PicoFinish® slimVario® electric /

 1 x 2,0

 1 x PH0

 1 x PZ0

Manufactured acc. to IEC 60900.

Fine screwdriver set PicoFinish® electric



Slotted, Phillips, 6 pcs. with holder

2270P

| | |
|-----------|---|
| Order-No. | |
| 42989 | 1 |
| | 1,5 x 50 / 2,0 x 50 / 2,5 x 65 / 3 x 65 |
| | PH00 x 50 / PH0 x 65 |

INFOBOX:
PicoFinish electric



Wiha PicoFinish electric: The VDE-GS tested precision screwdriver.

- The smooth-running turn-cap enables fast turning.
- Imprint with the screw symbol and sizes eases recognition.

Screwdriver with bit holder SoftFinish® electric slimVario®



for slimBits

283100

| | | | | | | |
|-----------|---|----|----|-----|----|---|
| Order-No. | | | | mm | | |
| 34577 | 6 | 30 | 50 | 160 | 13 | 5 |

Manufactured acc. to IEC 60900.

slimBit electric bit set



TORX®, TORX PLUS®, 12-pcs. in SlimBit box


2831

| | |
|-----------|---|
| Best.-Nr. | |
| 43161 | 6 |
| | 6IP x 75 / 7IP x 75 / 8IP x 75 / 9IP x 75 / 10IP x 75 / 15IP x 75 |
| | T6 x 75 / T7 x 75 / T8 x 75 / T9 x 75 / T10 x 75 / T15 x 75 |
| | slimBit box empty, 2-pcs. with belt clip |
| | Manufactured acc. to IEC 60900. |

Slotted, Phillips, Pozidriv, PlusMinus/Pozidriv, TORX® 12-pcs. in SlimBit box

2831

| | |
|-----------|---|
| Best.-Nr. | |
| 43162 | 6 |
| | 3,5 x 75 / 5,5 x 75 |
| | PH1 x 75 / PH2 x 75 |
| | PZ1 x 75 / PZ2 x 75 |
| | SL/PZ1 x 75 / SL/PZ2 x 75 |
| | T10 x 75 / T15 x 75 / T20 x 75 / T25 x 75 |
| | slimBit box empty, 2-pcs. with belt clip |
| | Manufactured acc. to IEC 60900. |



Slotted, 6-pcs. in SlimBit box

2831

| | |
|---------------------------------|---|
| Best.-Nr. | |
| 43152 | 6 |
| | 2,0 x 75 / 2,5 x 75 / 3,5 x 75 / 4,0 x 75 / 5,5 x 75 / 6,5 x 75 |
| Manufactured acc. to IEC 60900. | |

Slotted, Pozidriv 6-pcs. in SlimBit box

2831

| | |
|---------------------------------|---|
| Best.-Nr. | |
| 43157 | 6 |
| | 2,5 x 75 / 3,5 x 75 / 5,5 x 75 / 6,5 x 75 |
| | PZ1 x 75 / PZ2 x 75 |
| Manufactured acc. to IEC 60900. | |

TORX®, 6-pcs. in SlimBit box

2831

| | |
|---------------------------------|---|
| Best.-Nr. | |
| 43153 | 6 |
| | T8 x 75 / T9 x 75 / T10 x 75 / T15 x 75 / T20 x 75 / T25 x 75 |
| Manufactured acc. to IEC 60900. | |

Slotted, PlusMinus/Pozidriv 6-pcs. in SlimBit box

2831

| | |
|---------------------------------|---|
| Best.-Nr. | |
| 43158 | 6 |
| | 2,5 x 75 / 3,5 x 75 / 5,5 x 75 / 6,5 x 75 |
| | SL/PZ1 x 75 / SL/PZ2 x 75 |
| Manufactured acc. to IEC 60900. | |

TORX®, 6-pcs. in SlimBit box

2831

| | |
|---------------------------------|---|
| Best.-Nr. | |
| 43154 | 6 |
| | T6 x 75 / T7 x 75 / T8 x 75 / T9 x 75 / T10 x 75 / T15 x 75 |
| Manufactured acc. to IEC 60900. | |

Slotted, Phillips 6-pcs. in SlimBit box

2831

| | |
|---------------------------------|---|
| Best.-Nr. | |
| 43159 | 6 |
| | 2,5 x 75 / 3,5 x 75 / 5,5 x 75 / 6,5 x 75 |
| | PH1 x 75 / PH2 x 75 |
| Manufactured acc. to IEC 60900. | |

TORX PLUS®, 6-pcs. in SlimBit box

2831

| | |
|---------------------------------|---|
| Best.-Nr. | |
| 43155 | 6 |
| | 6IP x 75 / 7IP x 75 / 8IP x 75 / 9IP x 75 / 10IP x 75 / 15IP x 75 |
| Manufactured acc. to IEC 60900. | |

Slotted, Phillips, Pozidriv 6-pcs. in SlimBit box

2831

| | |
|---------------------------------|---------------------|
| Best.-Nr. | |
| 43160 | 6 |
| | 2,0 x 75 / 2,5 x 75 |
| | PH0 x 75 / PH1 x 75 |
| | PZ0 x 75 / PZ1 x 75 |
| Manufactured acc. to IEC 60900. | |

Hex, 6-pcs. in SlimBit box

2831

| | |
|---------------------------------|---|
| Best.-Nr. | |
| 43156 | 6 |
| | 2 x 75 / 2,5 x 75 / 3 x 75 / 4 x 75 / 5 x 75 / 6 x 75 |
| Manufactured acc. to IEC 60900. | |

slimBit electric bit



1000 V
IEC 60900

Slotted

283110

| Order-No. | ⊖ | mm | ⊖ | ⊙ | max. Nm | 📦 |
|-----------|------|----|-----|-----|---------|---|
| 43114 | 1,5• | 75 | 0,4 | 6,0 | 0,4 | 5 |
| 43115 | 2,0• | 75 | 0,4 | 6,0 | 0,4 | 5 |
| 34578 | 2,5• | 75 | 0,4 | 6,0 | 0,4 | 5 |
| 34579 | 3,0• | 75 | 0,5 | 6,0 | 0,6 | 5 |
| 41159 | 3,5 | 75 | 0,6 | 6,0 | 1,4 | 5 |
| 34580 | 4,0 | 75 | 0,8 | 6,0 | 2,5 | 5 |
| 34581 | 5,5 | 75 | 1,0 | 6,0 | 3,8 | 5 |
| 34582 | 6,5 | 75 | 1,2 | 6,0 | 5,5 | 5 |

• no slim version
Manufactured acc. to IEC 60900.

Phillips

283111

| Order-No. | ⊕ | mm | ⊙ | max. Nm | 📦 |
|-----------|------|----|-----|---------|---|
| 43116 | PH0• | 75 | 6,0 | 0,4 | 5 |
| 34583 | PH1 | 75 | 6,0 | 3,8 | 5 |
| 34584 | PH2 | 75 | 6,0 | 5,5 | 5 |

Manufactured acc. to IEC 60900.

Pozidriv

283112

| Order-No. | ⊕ | mm | ⊙ | max. Nm | 📦 |
|-----------|------|----|-----|---------|---|
| 43117 | PZO• | 75 | 6,0 | 0,5 | 5 |
| 34585 | PZ1 | 75 | 6,0 | 3,8 | 5 |
| 34586 | PZ2 | 75 | 6,0 | 5,5 | 5 |

Manufactured acc. to IEC 60900.

PlusMinus/Phillips

283113

| Order-No. | ⊕ | mm | ⊙ | max. Nm | 📦 |
|-----------|--------|----|-----|---------|---|
| 34587 | SL/PH1 | 75 | 6,0 | 3,8 | 5 |
| 34588 | SL/PH2 | 75 | 6,0 | 5,5 | 5 |

Manufactured acc. to IEC 60900.

PlusMinus/Pozidriv

283114

| Order-No. | ⊕ | mm | ⊙ | max. Nm | 📦 |
|-----------|--------|----|-----|---------|---|
| 34589 | SL/PZ1 | 75 | 6,0 | 3,8 | 5 |
| 34590 | SL/PZ2 | 75 | 6,0 | 5,5 | 5 |

Manufactured acc. to IEC 60900.

TORX®

283115

| Order-No. | ⊙ | mm | ⊙ | max. Nm | 📦 |
|-----------|------|----|-----|---------|---|
| 43140 | T5• | 75 | 6,0 | 0,4 | 5 |
| 43141 | T6• | 75 | 6,0 | 0,4 | 5 |
| 43142 | T7• | 75 | 6,0 | 0,4 | 5 |
| 35506 | T8• | 75 | 6,0 | 1,3 | 5 |
| 41160 | T9• | 75 | 6,0 | 1,3 | 5 |
| 35507 | T10• | 75 | 6,0 | 3,8 | 5 |
| 35508 | T15 | 75 | 6,0 | 5,0 | 5 |
| 35509 | T20 | 75 | 6,0 | 5,5 | 5 |
| 36071 | T25 | 75 | 6,0 | 5,5 | 5 |

• no slim version
Manufactured acc. to IEC 60900.

TORX PLUS®

283116

| Order-No. | ⊙ | mm | ⊙ | max. Nm | 📦 |
|-----------|-------|----|---|---------|---|
| 43143 | 5IP• | 75 | 6 | 0,5 | 5 |
| 43144 | 6IP• | 75 | 6 | 0,8 | 5 |
| 43145 | 7IP• | 75 | 6 | 1,3 | 5 |
| 43146 | 8IP• | 75 | 6 | 2,0 | 5 |
| 43147 | 9IP• | 75 | 6 | 3,0 | 5 |
| 43148 | 10IP• | 75 | 6 | 4,5 | 5 |
| 43149 | 15IP | 75 | 6 | 5,5 | 5 |
| 43150 | 20IP | 75 | 6 | 5,5 | 5 |
| 43151 | 25IP | 75 | 6 | 5,5 | 5 |

• no slim version
Manufactured acc. to IEC 60900.

Hex

283118

| Order-No. | ⊙ | mm | ⊙ | max. Nm | 📦 |
|-----------|------|----|-----|---------|---|
| 37222 | 1,5• | 75 | 6,0 | 0,9 | 5 |
| 37223 | 2• | 75 | 6,0 | 1,8 | 5 |
| 37224 | 2,5 | 75 | 6,0 | 3,8 | 5 |
| 37147 | 3 | 75 | 6,0 | 5,5 | 5 |
| 37225 | 4 | 75 | 6,0 | 5,5 | 5 |
| 37226 | 5 | 75 | 6,0 | 5,5 | 5 |
| 37227 | 6 | 75 | 6,0 | 5,5 | 5 |

• no slim version
Manufactured acc. to IEC 60900.

Square

283117

| Order-No. | ⊙ | mm | ⊙ | max. Nm | 📦 | |
|-----------|----|-----|----|---------|-----|---|
| 35510 | #1 | 2,3 | 75 | 6,0 | 5,5 | 5 |
| 35511 | #2 | 2,8 | 75 | 6,0 | 5,5 | 5 |

Manufactured acc. to IEC 60900.



empty, 2-pcs. with belt clip

2831-B992

Order-No.



43164

6,00

2x slimBit box Empty

1x Belt holster for slimBit box, empty



Empty

Order-No.




43163

6



**INFOBOX:
slimTECHNOLOGY**



Wiha SoftFinish® electric slimFix

- Unlimited access.
- Blades up to 33 % narrower due to integrated insulation.
- Tool for spring clips (wedge-profiled output geometry).



Slotted

| Order-No. | ⊖ | mm | mm | mm | mm | mm | mm |
|-----------|-----|-----|-----|-----|----|----|----|
| 35446 | 3,5 | 100 | 0,6 | 204 | 23 | | 10 |
| 35390 | 4,0 | 100 | 0,8 | 211 | 30 | | 10 |
| 35501 | 4,5 | 125 | 1,0 | 236 | 30 | | 10 |
| 35391 | 5,5 | 125 | 1,0 | 243 | 36 | | 10 |
| 35392 | 6,5 | 150 | 1,2 | 268 | 36 | | 10 |

DIN ISO 2380. Manufactured acc. to IEC 60900.

Phillips

| Order-No. | ⊕ | mm | mm | mm | mm | mm | mm |
|-----------|-----|-----|-----|----|----|----|----|
| 35393 | PH1 | 80 | 191 | 30 | | | 10 |
| 35394 | PH2 | 100 | 218 | 36 | | | 10 |

DIN ISO 8764-PH. Manufactured acc. to IEC 60900.

Pozidriv

| Order-No. | ⊕ | mm | mm | mm | mm | mm | mm |
|-----------|-----|-----|-----|----|----|----|----|
| 35395 | PZ1 | 80 | 191 | 30 | | | 10 |
| 35396 | PZ2 | 100 | 218 | 36 | | | 10 |

DIN ISO 8764-PZ. Manufactured acc. to IEC 60900.

PlusMinus/Phillips

| Order-No. | ⊕ | mm | mm | mm | mm | mm | mm |
|-----------|--------|-----|-----|----|----|----|----|
| 35502 | SL/PH1 | 80 | 191 | 30 | | | 10 |
| 35503 | SL/PH2 | 100 | 218 | 36 | | | 10 |

Manufactured acc. to IEC 60900.

PlusMinus/Pozidriv

| Order-No. | ⊕ | mm | mm | mm | mm | mm | mm |
|-----------|--------|-----|-----|----|----|----|----|
| 36329 | SL/PZ1 | 80 | 191 | 30 | | | 10 |
| 36330 | SL/PZ2 | 100 | 218 | 36 | | | 10 |

Manufactured acc. to IEC 60900.

TORX® Tamper Resistant (with hole)

| Order-No. | ⊕ | mm | mm | mm | mm | mm | mm |
|-----------|------|-----|-----|----|----|----|----|
| 41141 | T10H | 100 | 204 | 23 | | | 10 |
| 41142 | T15H | 100 | 211 | 30 | | | 10 |
| 41143 | T20H | 100 | 211 | 30 | | | 10 |
| 41144 | T25H | 125 | 243 | 36 | | | 10 |
| 41145 | T27H | 125 | 243 | 36 | | | 10 |
| 41146 | T30H | 125 | 243 | 36 | | | 10 |
| 41147 | T40H | 150 | 268 | 36 | | | 10 |

Manufactured acc. to IEC 60900.

TORX®

| Order-No. | ⊕ | mm | mm | mm | mm | mm | mm |
|-----------|-----|-----|-----|----|----|----|----|
| 36536 | T10 | 100 | 204 | 23 | | | 10 |
| 36537 | T15 | 100 | 211 | 30 | | | 10 |
| 36538 | T20 | 100 | 211 | 30 | | | 10 |
| 36539 | T25 | 125 | 243 | 36 | | | 10 |
| 36540 | T27 | 125 | 243 | 36 | | | 10 |
| 36541 | T30 | 125 | 243 | 36 | | | 10 |
| 36542 | T40 | 150 | 268 | 36 | | | 10 |

DIN ISO 8764-PH. Manufactured acc. to IEC 60900.

Square

| Order-No. | ⊕ | mm | mm | mm | mm | mm | mm |
|-----------|----|-----|-----|-----|----|----|----|
| 35504 | #1 | 2,3 | 100 | 211 | 30 | | 10 |
| 35505 | #2 | 2,8 | 125 | 243 | 36 | | 10 |

Manufactured acc. to IEC 60900.



⊖ Slotted

320N

| Order-No. | ⊖ | mm | mm | mm | mm | mm |
|-----------|-------|-----|-----|-----|----|----|
| 00819 | 2,0 | 60 | 0,4 | 164 | 23 | 10 |
| 00820 | 2,5 | 75 | 0,4 | 179 | 23 | 10 |
| 00821 | 3,0 | 100 | 0,5 | 204 | 23 | 10 |
| 00822 | 3,5 | 100 | 0,6 | 204 | 23 | 10 |
| 00823 | 4,0 | 100 | 0,8 | 211 | 30 | 10 |
| 00824 | 4,5• | 125 | 1,0 | 236 | 30 | 10 |
| 00825 | 4,5• | 175 | 1,0 | 286 | 30 | 5 |
| 31863 | 4,5 | 200 | 1,0 | 311 | 30 | 5 |
| 00826 | 5,5 | 125 | 1,0 | 243 | 36 | 10 |
| 00827 | 5,5• | 175 | 1,0 | 293 | 36 | 5 |
| 00828 | 6,0• | 150 | 1,2 | 268 | 36 | 10 |
| 00829 | 6,5 | 150 | 1,2 | 268 | 36 | 10 |
| 00830 | 8,0 | 175 | 1,2 | 299 | 41 | 10 |
| 00831 | 8,0 | 175 | 1,6 | 299 | 41 | 10 |
| 00832 | 10,0• | 200 | 1,6 | 324 | 41 | 5 |

• Additional dimension. Non-DIN size.
Manufactured acc. to IEC 60900.

⊕ Phillips

321N

| Order-No. | ⊕ | mm | mm | mm |
|-----------|-----|-----|-----|----|
| 00846 | PH0 | 60 | 164 | 23 |
| 00847 | PH1 | 80 | 191 | 30 |
| 00848 | PH2 | 100 | 218 | 36 |
| 00849 | PH3 | 150 | 268 | 41 |
| 00850 | PH4 | 200 | 318 | 41 |

Manufactured acc. to IEC 60900.

⊕ Pozidriv

324

| Order-No. | ⊕ | mm | mm | mm |
|-----------|-----|-----|-----|----|
| 00877 | PZ0 | 60 | 164 | 23 |
| 00878 | PZ1 | 80 | 191 | 30 |
| 00879 | PZ2 | 100 | 218 | 36 |
| 00880 | PZ3 | 150 | 324 | 41 |

Manufactured acc. to IEC 60900.

⊕ PlusMinus/Phillips

327

| Order-No. | ⊕ | mm | mm | mm | mm |
|-----------|--------|-----|-----|----|----|
| 30716 | SL/PH1 | 80 | 191 | 30 | 10 |
| 30715 | SL/PH2 | 100 | 218 | 36 | 10 |

Manufactured acc. to IEC 60900.

⊕ PlusMinus/Pozidriv

328

| Order-No. | ⊕ | mm | mm | mm | mm |
|-----------|--------|-----|-----|----|----|
| 30700 | SL/PZ1 | 80 | 191 | 30 | 10 |
| 30701 | SL/PZ2 | 100 | 218 | 36 | 10 |

Manufactured acc. to IEC 60900.

⊕ TORX®

325

| Order-No. | ⊕ | mm | mm | mm | mm |
|-----------|----|----|-----|----|----|
| 03760 | T5 | 60 | 164 | 23 | 10 |
| 03761 | T6 | 60 | 164 | 23 | 10 |
| 03762 | T7 | 60 | 164 | 23 | 10 |
| 00881 | T8 | 60 | 164 | 23 | 10 |
| 00882 | T9 | 60 | 164 | 23 | 10 |

Manufactured acc. to IEC 60900.

⊕ Hex

323N

| Order-No. | ⊕ | mm | mm | mm | mm |
|-----------|-----|-----|-----|----|----|
| 30361 | 2,5 | 75 | 179 | 23 | 10 |
| 30362 | 3,0 | 75 | 179 | 23 | 10 |
| 30363 | 4,0 | 75 | 186 | 30 | 10 |
| 30364 | 5,0 | 75 | 186 | 30 | 10 |
| 30365 | 6,0 | 100 | 218 | 36 | 10 |
| 30366 | 8,0 | 100 | 218 | 36 | 10 |

Manufactured acc. to IEC 60900.

⊕ Square

358N

| Order-No. | ⊕ | mm | mm | mm | mm |
|-----------|----|-----|-----|-----|----|
| 32396 | #1 | 2,3 | 100 | 211 | 30 |
| 32397 | #2 | 2,8 | 150 | 268 | 36 |

Manufactured acc. to IEC 60900.

Screwdriver SoftFinish® electric



Hex nut driver

322

| Order-No. | Hex | mm | mm | mm | mm | mm |
|-----------|-----|-----|-----|----|------|----|
| 00853 | 4 | 125 | 236 | 30 | 10,2 | 10 |
| 00855 | 5 | 125 | 236 | 30 | 11,2 | 10 |
| 00856 | 5,5 | 125 | 236 | 30 | 11,2 | 10 |
| 00857 | 6 | 125 | 236 | 30 | 12,2 | 10 |
| 00858 | 7 | 125 | 243 | 36 | 14,5 | 10 |
| 00859 | 8 | 125 | 243 | 36 | 15,2 | 10 |
| 00860 | 9 | 125 | 243 | 36 | 16,0 | 10 |
| 00861 | 10 | 125 | 243 | 36 | 17,2 | 10 |
| 00862 | 11 | 125 | 243 | 41 | 19,2 | 10 |
| 00863 | 12 | 125 | 243 | 41 | 20,2 | 10 |
| 00864 | 13 | 125 | 243 | 41 | 22,2 | 10 |
| 00865 | 14 | 125 | 243 | 41 | 23,2 | 10 |
| 00866 | 15 | 125 | 243 | 41 | 25,2 | 10 |
| 00867 | 16 | 125 | 243 | 41 | 25,2 | 10 |
| 00868 | 17 | 125 | 243 | 41 | 27,2 | 10 |

Manufactured acc. to IEC 60900.

Fine screwdriver PicoFinish electric



Slotted

2270P

| Order-No. | Slotted | mm | mm | mm | mm | mm |
|-----------|---------|----|-----|-----|----|----|
| 42374 | 1,5 | 50 | 2,0 | 152 | 18 | 10 |
| 42375 | 2,0 | 50 | 2,0 | 152 | 18 | 10 |
| 42376 | 2,5 | 65 | 2,5 | 167 | 18 | 10 |
| 42377 | 3 | 65 | 3 | 167 | 18 | 10 |
| 42471 | 3,5 | 65 | 3,5 | 167 | 18 | 10 |

Phillips

2271P

| Order-No. | Phillips | mm | mm | mm | mm | mm |
|-----------|----------|----|----|-----|----|----|
| 42379 | PH00 | 50 | 2 | 152 | 18 | 10 |
| 42378 | PH0 | 65 | 3 | 167 | 18 | 10 |
| 42380 | PH1 | 65 | 4 | 167 | 18 | 10 |

Voltage tester SoftFinish® single-pole, 110-250 volts



Slotted transparent, with push-on clip

255-11

| Order-No. | Slotted | mm | mm | mm | mm | mm | mm |
|-----------|---------|----|-----|-----|----|----|----|
| 34745 | 3,0 | 60 | 0,5 | 140 | 19 | | 10 |
| 35378 | 3,0 | 60 | 0,5 | 140 | 19 | x | 5 |

Tested according to DIN 57680-6, GS, CE compliant.

Single-pole, explosion-protected, non-contact volt detector, 12-1,000 V AC



Includes two AAA batteries

25513

| Order-No. | Slotted | mm | mm | mm |
|-----------|---------|------|-----|----|
| 43797 | 2 | 28,5 | 150 | |

Single-pole, non-contact volt detector, 90-1,000 VAC



Includes two AAA batteries

25514

| Order-No. | Slotted | mm | mm | mm |
|-----------|---------|------|-----|----|
| 43798 | 2 | 28,5 | 150 | 5 |

Voltage tester 220-250 volts



Slotted transparent, with push-on clip

255-3

| Order-No. | Slotted | mm | mm | mm | mm | mm | mm |
|-----------|---------|----|-----|----|----|----|----|
| 05271 | 3,0 | 60 | 140 | 15 | | | 10 |
| 32201 | 3,0 | 60 | 140 | 15 | x | | 5 |

Voltage tester 150-250 volts



Slotted black, with push-on clip

255-7

| Order-No. | Slotted | mm | mm | mm | mm | mm | mm |
|-----------|---------|----|-----|----|----|----|----|
| 00456 | 3,0 | 60 | 160 | 17 | | | 10 |
| 31771 | 3,0 | 60 | 160 | 17 | x | | 1 |

Screwdriver set SoftFinish®



assorted 12-pcs.

302

| | |
|-----------|--|
| Order-No. | |
| 41002 | 1 |
| ⊖ | 4,0 x 100 / 3,5 x 100 |
| ⊖ | 6,5 x 150 |
| ⊕ | PH1 x 80 / PH2 x 100 / PH3 x 150 |
| ⊕ | PZ1 x 80 / PZ2 x 100 |
| ⊕ | T15 x 80 / T20 x 100 / T25 x 100 / T30 x 115 |

Screwdriver set SoftFinish®



Slotted, Phillips 6-pcs.

302

| | |
|-----------|---|
| Best.-Nr. | |
| 07152 | 1 |
| ⊖ | 3,5 x 100 / 4,5 x 125 / 5,5 x 150 / 6,5 x 150 |
| ⊕ | PH1 x 80 / PH2 x 100 |

Phillips, Pozidriv 6-pcs.

302

| | |
|-----------|-----------------------------------|
| Best.-Nr. | |
| 26113 | 1 |
| ⊖ | 4,0 x 100 / 5,5 x 125 / 6,5 x 150 |
| ⊕ | PH1 x 80 / PH2 x 100 |
| ⊕ | PZ2 x 100 |

Slotted, Pozidriv 6-pcs.

302

| | |
|-----------|---|
| Best.-Nr. | |
| 07153 | 1 |
| ⊖ | 3,5 x 100 / 4,5 x 125 / 5,5 x 150 / 6,5 x 150 |
| ⊕ | PZ1 x 80 / PZ2 x 100 |

TORX® MagicSpring® 6-pcs.

362R

| | |
|-----------|---|
| Best.-Nr. | |
| 27746 | 1 |
| ⊕ | T10 x 80 / T15 x 80 / T20 x 100 / T25 x 100 / T30 x 115 / T40 x 130 |

TORX® 7-pcs.

362

| | |
|-----------|---|
| Best.-Nr. | |
| 01299 | 1 |
| ⊕ | T8 x 60 / T9 x 60 / T10 x 80 / T15 x 80 / T20 x 100 / T25 x 100 / T30 x 115 |

TORX® 6-pcs.

362

| | |
|-----------|---|
| Best.-Nr. | |
| 07155 | 1 |
| ⊕ | T10 x 80 / T15 x 80 / T20 x 100 / T25 x 100 / T30 x 115 / T40 x 130 |

TORX® Tamper Resistant (with hole) 6-pcs.

362TR

| | |
|-----------|---|
| Best.-Nr. | |
| 24506 | 1 |
| ⊕ | T10H x 80 / T15H x 80 / T20H x 100 / T25H x 100 / T30H x 115 / T40H x 130 |

INFOBOX:
Wiha SoftFinish®
screwdriver



The convenient expert for dry applications.

- The SoftFinish handle provides optimal grip for dry applications in trade and industry.
- The position of the soft and hard zones on the handle also supports the perfect grip for quick and powerful turning.

Screwdriver set SoftFinish®



Hexagon nut driver 5-pcs.

341

Order-No.



01034

1

○ 5,5 x 125 / 7 x 125 / 8 x 125 / 10 x 125 / 13 x 125

Screwdriver set SoftFinish®



Slotted, Phillips with hexagon head 6-pcs.

308

Best.-Nr.



21248

1

⊖ 3,5 x 75 / 4,5 x 90 / 5,5 x 100 / 7,0 x 125

⊕ PH1 x 80 / PH2 x 100

Slotted, Pozidriv with hexagon head, 6-pcs.

308

Best.-Nr.



21249

1

⊖ 3,5 x 75 / 4,5 x 90 / 5,5 x 100 / 7,0 x 125

⊕ PZ1 x 80 / PZ2 x 100

Screwdriver set SoftFinish®



Slotted, Phillips hexagonal blade and solid steel cap, 6-pcs.

530

Best.-Nr.



21250

1

⊖ 3,5 x 75 / 4,5 x 90 / 5,5 x 100 / 6,5 x 125

⊕ PH1 x 80 / PH2 x 100

Slotted, Pozidriv hexagonal blade and solid steel cap, 6-pcs.

530

Best.-Nr.



21251

1

⊖ 3,5 x 75 / 4,5 x 90 / 5,5 x 100 / 6,5 x 125

⊕ PZ1 x 80 / PZ2 x 100

INFOBOX:
Solid steel cap and hexagon head



- The solid steel cap at the end of the screwdriver handle enables targeted hammering, e.g. to loosen jammed screws.
- The direct connection of the solid steel cap to the blade means that the impact energy is transmitted without any loss.
- Blade includes a hexagon bolster for using a set of spanners for additional torque.



Slotted, Phillips 7-pcs.

260P

| | |
|-----------|---|
| Best.-Nr. | |
| 42991 | 1 |
| | 1,5 x 40 / 2,0 x 40 / 2,5 x 50 / 3,0 x 50 |
| | PH00 x 40 / PH0 x 50 / PH1 x 60 |

Slotted, Phillips, 6 pcs. with holder

260P

| | |
|-----------|---|
| Best.-Nr. | |
| 42990 | 1 |
| | 1,5 x 40 / 2,0 x 40 / 2,5 x 50 / 3,0 x 50 |
| | PH00 x 40 / PH0 x 50 |

TORX® MagicSpring®, 6 pcs. with holder

267PR

| | |
|-----------|---|
| Best.-Nr. | |
| 42998 | 1 |
| | T6 x 40 / T7 x 40 / T8 x 40 / T9 x 50 / T10 x 50 / T15 x 60 |

TORX®, 6 pcs. with holder

267P

| | |
|-----------|--|
| Best.-Nr. | |
| 42996 | 1 |
| | T9 x 50 / T20 x 60 / T8 x 40 / T7 x 40 / T15 x 60 / T10 x 50 |

TORX®, 6 pcs. with holder

267P

| | |
|-----------|---|
| Best.-Nr. | |
| 42997 | 1 |
| | T4 x 40 / T5 x 40 / T6 x 40 / T7 x 40 / T8 x 40 / T9 x 50 |

Hexagonal ball end, 6 pcs. with holder

264P

| | |
|-----------|--|
| Best.-Nr. | |
| 42993 | 1 |
| | 0,9 x 0,035 |
| | 1,3 (0,05") x 40 / 1,5 x 50 / 2,0 x 50 / 2,5 x 60 / 3,0 x 60 |
| | Ball end from AF 1.3 upwards |

Hex, 6 pcs. with holder

263P

| | |
|-----------|--|
| Best.-Nr. | |
| 42992 | 1 |
| | 0,9 x 0,035 / 1,3 x 0,05 / 1,5 x 50 / 2,0 x 5/64 / 2,5 x 60 / 3 x 60 |

Hex nut driver, 6 pcs. with holder

265P

| | |
|-----------|---|
| Best.-Nr. | |
| 42994 | 1 |
| | 2,5 x 60 / 3,0 x 60 / 3,5 x 60 / 4,0 x 60 / 5 x 60 / 5,5 x 60 |

**INFOBOX:
MagicSpring®**



Wiha TORX® MagicSpring®

- TORX® and TORX PLUS® screws are held securely in place.
- An innovation, which will benefit each user.

**INFOBOX:
PicoFinish**



Wiha PicoFinish precision screwdriver

- The comfortable precision screwdriver for fine and delicate fastenings.
- The smooth-running turn-cap enables fast turning.
- Imprint with the screw symbol and sizes eases recognition.



Screwdriver SoftFinish®



With round blade for low-lying screws



With round blade



⊖ Slotted with round blade for low-lying screws

302

| Order-No. | ⊖ | ↔ | ⊖ | ● | mm | ↔ | 📦 |
|-----------|------|-----|-----|-----|-----|----|----|
| 00684 | 2,0• | 65 | 0,4 | 2,0 | 169 | 23 | 10 |
| 00685 | 2,5 | 75 | 0,4 | 2,5 | 179 | 23 | 10 |
| 00686 | 3,0• | 80 | 0,5 | 3,0 | 184 | 23 | 10 |
| 00687 | 3,0 | 100 | 0,5 | 3,0 | 204 | 23 | 10 |
| 00689 | 3,0• | 150 | 0,5 | 3,0 | 254 | 23 | 10 |
| 00690 | 3,0• | 200 | 0,5 | 3,0 | 304 | 23 | 10 |
| 32383 | 3,0 | 300 | 0,5 | 3,0 | 404 | 23 | 5 |
| 00691 | 3,5 | 100 | 0,6 | 3,5 | 204 | 23 | 10 |
| 26931 | 3,5• | 200 | 0,6 | 3,5 | 304 | 23 | 10 |
| 00692 | 4,0 | 100 | 0,8 | 4,0 | 211 | 30 | 10 |
| 00694 | 4,0• | 150 | 0,8 | 4,0 | 261 | 30 | 10 |
| 00695 | 4,0• | 200 | 0,8 | 4,0 | 311 | 30 | 10 |
| 00696 | 4,0• | 300 | 0,8 | 4,0 | 411 | 30 | 10 |
| 27753 | 4,5• | 80 | 0,8 | 4,5 | 191 | 30 | 10 |
| 00697 | 4,5• | 125 | 0,8 | 4,5 | 236 | 30 | 10 |
| 00698 | 5,5 | 125 | 1,0 | 5,5 | 236 | 30 | 10 |
| 00700 | 5,5 | 150 | 1,0 | 5,5 | 261 | 30 | 10 |
| 00701 | 5,5• | 200 | 1,0 | 5,5 | 311 | 30 | 10 |
| 00702 | 5,5• | 300 | 1,0 | 5,5 | 411 | 30 | 5 |
| 32384 | 6,0• | 300 | 1,0 | 6,0 | 418 | 36 | 5 |
| 39591 | 2,5 | 75 | 0,4 | 2,5 | 179 | 23 | 10 |

• Additional dimension. Non-DIN size.

⊖ Slotted with round blade

3022

| Order-No. | ⊖ | ↔ | ⊖ | ● | mm | ↔ | 📦 |
|-----------|-------|-----|-----|------|-----|----|----|
| 27754 | 6,0 | 100 | 1,0 | 5,5 | 218 | 36 | 10 |
| 27755 | 6,0 | 150 | 1,0 | 5,5 | 268 | 36 | 10 |
| 00704 | 6,5 | 100 | 1,2 | 6,0 | 218 | 36 | 10 |
| 00703 | 6,5 | 150 | 1,2 | 6,0 | 268 | 36 | 10 |
| 00706 | 6,5• | 200 | 1,2 | 6,0 | 318 | 36 | 10 |
| 00708 | 8,0 | 150 | 1,2 | 7,0 | 274 | 41 | 10 |
| 00707 | 8,0 | 175 | 1,2 | 7,0 | 299 | 41 | 10 |
| 00709 | 8,0 | 175 | 1,6 | 7,0 | 299 | 41 | 5 |
| 32399 | 8,0 | 300 | 1,2 | 7,0 | 424 | 41 | 5 |
| 00711 | 10,0 | 200 | 1,6 | 8,0 | 324 | 41 | 10 |
| 32400 | 10,0 | 300 | 1,6 | 8,0 | 424 | 41 | 5 |
| 00712 | 12,0 | 250 | 2,0 | 8,0 | 374 | 41 | 10 |
| 00713 | 14,0• | 250 | 2,5 | 11,0 | 374 | 41 | 10 |

• Additional dimension. Non-DIN size.
DIN ISO 2380.

⊕ Phillips with round blade

311

| Order-No. | ⊕ | ↔ | ● | mm | ↔ | 📦 |
|-----------|------|-----|------|-----|----|----|
| 00754 | PH0 | 60 | 3,0 | 164 | 23 | 10 |
| 27756 | PH0 | 100 | 3,0 | 204 | 23 | 10 |
| 00756 | PH1 | 80 | 4,5 | 191 | 30 | 10 |
| 27757 | PH1 | 100 | 4,5 | 211 | 30 | 10 |
| 00757 | PH1• | 200 | 4,5 | 311 | 30 | 10 |
| 03738 | PH1• | 300 | 4,5 | 411 | 30 | 5 |
| 00759 | PH2 | 100 | 6,0 | 218 | 36 | 10 |
| 27758 | PH2 | 150 | 6,0 | 268 | 36 | 10 |
| 00760 | PH2• | 200 | 6,0 | 318 | 36 | 10 |
| 03739 | PH2• | 300 | 6,0 | 418 | 36 | 5 |
| 00762 | PH3 | 150 | 8,0 | 274 | 41 | 10 |
| 00763 | PH4• | 200 | 10,0 | 324 | 41 | 10 |

• Additional dimension. Non-DIN size.
DIN ISO 8764-PH.

⊕ Pozidriv with round blade

313

| Order-No. | ⊕ | ↔ | ● | mm | ↔ | 📦 |
|-----------|-----|-----|-----|-----|----|----|
| 00768 | PZ0 | 60 | 3,0 | 164 | 23 | 10 |
| 00770 | PZ1 | 80 | 4,5 | 191 | 30 | 10 |
| 26454 | PZ1 | 300 | 4,5 | 411 | 30 | 5 |
| 00772 | PZ2 | 100 | 6,0 | 218 | 36 | 10 |
| 26455 | PZ2 | 300 | 6,0 | 418 | 36 | 5 |
| 00774 | PZ3 | 150 | 8,0 | 274 | 41 | 10 |

⊕ TORX® ball end with hexagonal blade

362BE

| Order-No. | ⊕ | ↔ | ● | mm | ↔ | 📦 | |
|-----------|-----|-----|------|-----|-----|----|----|
| 32250 | T9 | 60 | 7/64 | 2,8 | 164 | 23 | 10 |
| 32251 | T10 | 60 | 1/8 | 3,2 | 184 | 23 | 10 |
| 32252 | T15 | 80 | 9/64 | 3,6 | 191 | 30 | 10 |
| 32253 | T20 | 80 | 5/32 | 4,0 | 211 | 30 | 10 |
| 32254 | T25 | 100 | 3/16 | 4,8 | 218 | 36 | 10 |
| 32255 | T27 | 115 | 7/32 | 5,6 | 233 | 36 | 10 |
| 32256 | T30 | 115 | 1/4 | 6,4 | 233 | 36 | 10 |

⊕ TORX® MagicSpring® with round blade

362R

| Order-No. | ⊕ | ↔ | ● | mm | ↔ | 📦 |
|-----------|-----|-----|-----|-----|----|----|
| 27736 | T6 | 60 | 3,5 | 164 | 23 | 10 |
| 27737 | T7 | 60 | 3,5 | 164 | 23 | 10 |
| 27738 | T8 | 60 | 3,5 | 164 | 23 | 10 |
| 27739 | T9 | 60 | 4,0 | 171 | 30 | 10 |
| 27740 | T10 | 80 | 4,0 | 191 | 30 | 10 |
| 27741 | T15 | 80 | 4,0 | 191 | 30 | 10 |
| 27742 | T20 | 100 | 4,0 | 218 | 36 | 10 |
| 27743 | T25 | 100 | 4,5 | 218 | 36 | 10 |
| 27811 | T27 | 115 | 5,5 | 233 | 36 | 10 |
| 27744 | T30 | 115 | 6,0 | 233 | 36 | 10 |
| 27745 | T40 | 130 | 7,0 | 254 | 41 | 10 |

TORX® with round blade

362

| Order-No. | | | | | | | |
|-----------|-----|-----|-----|-----|----|--|----|
| 26259 | T3 | 60 | 2,5 | 164 | 23 | | 10 |
| 26260 | T4 | 60 | 2,5 | 164 | 23 | | 10 |
| 01285 | T5 | 60 | 2,5 | 164 | 23 | | 10 |
| 01286 | T6 | 60 | 3,5 | 164 | 23 | | 10 |
| 01287 | T7 | 60 | 3,5 | 164 | 23 | | 10 |
| 01288 | T8 | 60 | 3,5 | 164 | 23 | | 10 |
| 01289 | T9 | 60 | 4,0 | 171 | 30 | | 10 |
| 01290 | T10 | 80 | 4,0 | 191 | 30 | | 10 |
| 01291 | T15 | 80 | 4,0 | 191 | 30 | | 10 |
| 01292 | T20 | 100 | 4,0 | 218 | 36 | | 10 |
| 01293 | T25 | 100 | 4,5 | 218 | 36 | | 10 |
| 01294 | T27 | 115 | 5,5 | 233 | 36 | | 10 |
| 01295 | T30 | 115 | 6,0 | 233 | 36 | | 10 |
| 01296 | T40 | 130 | 7,0 | 254 | 41 | | 10 |
| 01297 | T45 | 130 | 8,0 | 254 | 41 | | 5 |

TORX® Tamper Resistant (with hole) with round blade

362TR

| Order-No. | | | | | | | |
|-----------|------|-----|-----|-----|----|--|----|
| 03106 | T7H | 60 | 3,5 | 164 | 23 | | 10 |
| 03107 | T8H | 60 | 3,5 | 164 | 23 | | 10 |
| 03108 | T9H | 60 | 4,0 | 171 | 30 | | 10 |
| 01300 | T10H | 80 | 4,0 | 191 | 30 | | 10 |
| 26457 | T10H | 300 | 4,0 | 411 | 30 | | 5 |
| 01301 | T15H | 80 | 4,0 | 191 | 30 | | 10 |
| 26458 | T15H | 300 | 5,0 | 411 | 30 | | 5 |
| 01302 | T20H | 100 | 4,0 | 211 | 30 | | 10 |
| 28005 | T20H | 300 | 5,0 | 411 | 30 | | 5 |
| 01303 | T25H | 100 | 4,5 | 211 | 30 | | 10 |
| 01304 | T27H | 115 | 5,5 | 233 | 36 | | 10 |
| 01305 | T30H | 115 | 6,0 | 233 | 36 | | 10 |
| 01306 | T40H | 130 | 7,0 | 254 | 41 | | 10 |

TORX PLUS® MagicSpring® with round blade

362RIP

| Order-No. | | | | | | | |
|-----------|------|-----|-----|-----|----|--|----|
| 28760 | 6IP | 60 | 3,5 | 164 | 23 | | 10 |
| 28761 | 7IP | 60 | 3,5 | 164 | 23 | | 10 |
| 28762 | 8IP | 60 | 3,5 | 164 | 23 | | 10 |
| 28763 | 9IP | 60 | 4,0 | 171 | 30 | | 10 |
| 28764 | 10IP | 80 | 4,0 | 191 | 30 | | 10 |
| 28765 | 15IP | 80 | 4,0 | 191 | 30 | | 10 |
| 28766 | 20IP | 100 | 4,0 | 218 | 36 | | 10 |
| 28767 | 25IP | 100 | 4,5 | 218 | 36 | | 10 |
| 28769 | 30IP | 115 | 6,0 | 233 | 36 | | 10 |

TORX PLUS® with round blade

362IP

| Order-No. | | | | | | | |
|-----------|------|-----|-----|-----|----|--|----|
| 26091 | 6IP | 60 | 3,5 | 164 | 23 | | 10 |
| 26093 | 7IP | 60 | 3,5 | 164 | 23 | | 10 |
| 26095 | 8IP | 60 | 3,5 | 164 | 23 | | 10 |
| 26097 | 9IP | 60 | 4,0 | 171 | 30 | | 10 |
| 26099 | 10IP | 80 | 4,0 | 191 | 30 | | 10 |
| 26101 | 15IP | 80 | 4,0 | 191 | 30 | | 10 |
| 26103 | 20IP | 100 | 4,0 | 218 | 36 | | 10 |
| 26105 | 25IP | 100 | 4,5 | 218 | 36 | | 10 |
| 26107 | 27IP | 115 | 5,5 | 233 | 36 | | 10 |
| 26109 | 30IP | 115 | 6,0 | 233 | 36 | | 10 |
| 26111 | 40IP | 130 | 7,0 | 254 | 41 | | 10 |

MagicRing® hexagonal ball end with hexagonal blade

367R

| Order-No. | | | | | | | |
|-----------|----|-----|-----|----|--|--|----|
| 26077 | 3 | 100 | 204 | 23 | | | 10 |
| 26079 | 4 | 100 | 211 | 30 | | | 10 |
| 26081 | 5 | 100 | 211 | 30 | | | 10 |
| 26083 | 6 | 125 | 243 | 36 | | | 10 |
| 26085 | 8 | 150 | 268 | 36 | | | 10 |
| 26087 | 10 | 150 | 271 | 41 | | | 5 |

Hexagonal ball end with hexagonal blade

367

| Order-No. | | | | | | | |
|-----------|-----|-----|-----|----|--|--|----|
| 26303 | 1,5 | 75 | 179 | 23 | | | 10 |
| 26304 | 2 | 100 | 204 | 23 | | | 10 |
| 26305 | 2,5 | 100 | 204 | 23 | | | 10 |
| 26328 | 3 | 100 | 204 | 23 | | | 10 |
| 26329 | 4 | 100 | 211 | 30 | | | 10 |
| 26330 | 5 | 100 | 211 | 30 | | | 10 |
| 26331 | 6 | 125 | 243 | 36 | | | 10 |
| 26332 | 8 | 150 | 268 | 36 | | | 10 |
| 26333 | 10 | 150 | 271 | 41 | | | 5 |
| 26307 | 12 | 150 | 271 | 41 | | | 5 |

Hexagon with hexagonal blade

356

| Order-No. | | | | | | | |
|-----------|-----|-----|-----|----|--|--|----|
| 32264 | 1,5 | 60 | 164 | 23 | | | 10 |
| 32265 | 2 | 60 | 164 | 23 | | | 10 |
| 26190 | 2,5 | 75 | 179 | 23 | | | 10 |
| 26191 | 3 | 75 | 179 | 23 | | | 10 |
| 26192 | 4 | 75 | 186 | 30 | | | 10 |
| 26193 | 5 | 75 | 186 | 30 | | | 10 |
| 26194 | 6 | 100 | 218 | 36 | | | 10 |
| 26195 | 8 | 100 | 218 | 36 | | | 10 |

Screwdriver SoftFinish®



Hexagon angled

357

| Order-No. | ● | ↔ | ↕ | ↔ | ↕ | 📦 |
|-----------|---|----|----|-----|----|----|
| 26230 | 3 | 35 | 20 | 139 | 23 | 10 |
| 26231 | 4 | 40 | 25 | 151 | 30 | 10 |
| 26232 | 5 | 45 | 28 | 156 | 30 | 10 |
| 26233 | 6 | 50 | 32 | 168 | 36 | 10 |
| 26234 | 8 | 60 | 36 | 178 | 36 | 10 |

Screwdriver SoftFinish®



Hexagon nut driver with round blade

341

| Order-No. | ○ | ↔ | ↔ mm | ↕ | ↕ | 📦 |
|-----------|-----|-----|---------|----|------|----|
| 01018 | 4 | 125 | 236 | 30 | 6,9 | 10 |
| 01020 | 5 | 125 | 236 | 30 | 7,9 | 10 |
| 01021 | 5,5 | 125 | 236 | 30 | 7,9 | 10 |
| 01022 | 6 | 125 | 236 | 30 | 8,9 | 10 |
| 01023 | 7 | 125 | 243 | 36 | 10,9 | 10 |
| 01024 | 8 | 125 | 243 | 36 | 11,9 | 10 |
| 01025 | 9 | 125 | 243 | 36 | 12,9 | 10 |
| 01026 | 10 | 125 | 243 | 36 | 14,4 | 10 |
| 01027 | 11 | 125 | 249 | 41 | 15,9 | 10 |
| 01028 | 12 | 125 | 249 | 41 | 16,9 | 10 |
| 01029 | 13 | 125 | 249 | 41 | 18,4 | 10 |
| 01030 | 14 | 125 | 249 | 41 | 19,4 | 10 |
| 01031 | 15 | 125 | 249 | 41 | 21,9 | 10 |
| 01032 | 16 | 125 | 249 | 41 | 21,9 | 10 |
| 01033 | 17 | 125 | 249 | 41 | 23,4 | 10 |

Hexagon nut driver with short round blade

343

| Order-No. | ○ | ↔ | ↔ mm | ↕ | ↕ | 📦 |
|-----------|-----|----|---------|----|----|----|
| 01076 | 5,5 | 65 | 176 | 30 | 8 | 10 |
| 01077 | 6 | 65 | 176 | 30 | 9 | 10 |
| 01078 | 7 | 65 | 183 | 36 | 11 | 10 |
| 01079 | 8 | 65 | 183 | 36 | 12 | 10 |
| 01081 | 10 | 65 | 183 | 36 | 14 | 10 |

Screwdriver SoftFinish®



○ Hexagon nut driver, inch design with round blade and hexagon head

347Z

| Order-No. | ○ | ↔ | ○ | mm | mm | mm | 📦 |
|-----------|------|-----|----|-----|----|-------|----|
| 02836 | 3/16 | 125 | 10 | 231 | 30 | 4,76 | 10 |
| 02837 | 1/4 | 125 | 10 | 238 | 36 | 6,35 | 10 |
| 02838 | 5/16 | 125 | 10 | 238 | 36 | 7,94 | 10 |
| 02839 | 3/8 | 125 | 10 | 238 | 36 | 9,53 | 10 |
| 02840 | 7/16 | 125 | 13 | 246 | 41 | 11,11 | 10 |

Screwdriver SoftFinish®



▲ Triangular socket wrench

344

| Order-No. | ▲ | ↔ | ▲ | mm | mm | mm | 📦 |
|-----------|-----|-----|-------|-----|----|----|----|
| 26212 | M4 | 125 | 6,8 | 236 | 30 | 11 | 10 |
| 26213 | M5 | 125 | 8,3 | 236 | 30 | 13 | 10 |
| 26216 | M6 | 125 | 10,05 | 236 | 30 | 16 | 10 |
| 26214 | M8 | 125 | 12,05 | 243 | 36 | 18 | 10 |
| 26217 | M10 | 125 | 15,05 | 243 | 36 | 22 | 10 |

DIN 22416.

Screwdriver SoftFinish®



○ Hexagon nut driver with flexible shaft

372

| Order-No. | ○ | ↔ | mm | mm | mm | 📦 |
|-----------|-----|-----|-----|----|----|----|
| 01435 | 5 | 150 | 261 | 30 | 8 | 10 |
| 01436 | 5,5 | 150 | 261 | 30 | 8 | 10 |
| 01437 | 6 | 150 | 261 | 30 | 9 | 10 |
| 01438 | 7 | 150 | 268 | 36 | 11 | 10 |
| 01439 | 8 | 150 | 268 | 36 | 12 | 10 |
| 01440 | 10 | 175 | 293 | 41 | 14 | 10 |
| 01443 | 13 | 175 | 293 | 41 | 19 | 10 |

Screwdriver SoftFinish®



○ Hexagon nut driver with round blade and hexagon head

347

| Order-No. | ○ | ↔ | ○ | mm | mm | mm | 📦 |
|-----------|----|-----|----|-----|----|------|----|
| 01092 | 7 | 125 | 10 | 238 | 36 | 11,0 | 10 |
| 01093 | 8 | 125 | 10 | 238 | 36 | 12,0 | 10 |
| 01094 | 9 | 125 | 10 | 238 | 36 | 13,0 | 10 |
| 01095 | 10 | 125 | 10 | 238 | 36 | 14,5 | 10 |
| 01096 | 11 | 125 | 13 | 246 | 41 | 16,0 | 10 |
| 01097 | 12 | 125 | 13 | 246 | 41 | 17,0 | 10 |
| 01098 | 13 | 125 | 13 | 246 | 41 | 19,0 | 10 |

Screwdriver SoftFinish®



⊖ Slotted with one-piece hexagonal blade and solid steel cap

530

| Order-No. | ⊖ | ↔ | ⊖ | ⬠ | ⬡ | mm | 📦 |
|-----------|-------|-----|-----|------|----|-----|----|
| 03223 | 3,5 | 75 | 0,6 | 4,0 | - | 186 | 10 |
| 03224 | 4,5• | 90 | 0,8 | 4,0 | - | 201 | 10 |
| 03225 | 5,5 | 100 | 1,0 | 5,0 | 8 | 213 | 10 |
| 03226 | 6,5 | 125 | 1,2 | 6,0 | 10 | 238 | 10 |
| 03228 | 8,0 | 150 | 1,2 | 8,0 | 13 | 271 | 5 |
| 03230 | 10,0 | 175 | 1,6 | 8,0 | 13 | 296 | 5 |
| 03231 | 12,0 | 200 | 2,0 | 10,0 | 16 | 321 | 5 |
| 03232 | 14,0• | 250 | 2,5 | 10,0 | 16 | 371 | 5 |
| 39845 | 4,5• | 90 | 0,8 | 4,0 | - | 201 | 10 |
| 39846 | 5,5 | 100 | 1,0 | 5,0 | 8 | 213 | 10 |
| 39847 | 6,5 | 125 | 1,2 | 6,0 | 10 | 238 | 10 |
| 39848 | 8,0 | 150 | 1,2 | 8,0 | 13 | 271 | 5 |
| 39849 | 10,0 | 175 | 1,6 | 8,0 | 13 | 296 | 5 |
| 39851 | 14,0• | 250 | 2,5 | 10,0 | 16 | 371 | 5 |

• Additional dimension. Non-DIN size.

⊕ Phillips with one-piece hexagonal blade and solid steel cap

531

| Order-No. | ⊕ | ↔ | ⬠ | ⬡ | mm | ↔ | 📦 |
|-----------|-----|-----|-----|----|-----|----|----|
| 03237 | PH1 | 80 | 5,0 | 8 | 186 | 30 | 10 |
| 03238 | PH2 | 100 | 6,0 | 10 | 213 | 36 | 10 |
| 03239 | PH3 | 150 | 8,0 | 13 | 268 | 41 | 10 |
| 39838 | PH1 | 80 | 5,0 | 8 | 186 | 30 | 10 |
| 39839 | PH2 | 100 | 6,0 | 10 | 213 | 36 | 10 |
| 39840 | PH3 | 150 | 8,0 | 13 | 268 | 41 | 10 |

⊕ Pozidriv with one-piece hexagonal blade and solid steel cap

532

| Order-No. | ⊕ | ↔ | ⬠ | ⬡ | mm | ↔ | 📦 |
|-----------|-----|-----|-----|----|-----|----|----|
| 03245 | PZ1 | 80 | 5,0 | 8 | 186 | 30 | 10 |
| 03246 | PZ2 | 100 | 6,0 | 10 | 213 | 36 | 10 |
| 03247 | PZ3 | 150 | 8,0 | 13 | 268 | 41 | 10 |
| 39841 | PZ1 | 80 | 5,0 | 8 | 186 | 30 | 10 |
| 39843 | PZ3 | 150 | 8,0 | 13 | 268 | 41 | 10 |

Screwdriver SoftFinish®



⊖ Slotted with round blade and lasered mm scale

3021

| Order-No. | ⊖ | ↔ | ⊖ | ● | mm | ↔ | 📦 |
|-----------|-----|-----|-----|-----|-----|----|----|
| 36085 | 4,0 | 100 | 0,8 | 4,0 | 211 | 30 | 10 |
| 35397 | 5,5 | 125 | 1,0 | 5,5 | 236 | 30 | 10 |

DIN ISO 2380.

⊕ Phillips with round blade and lasered mm scale

3111

| Order-No. | ⊕ | ↔ | ● | mm | ↔ | Scale | 📦 |
|-----------|-----|-----|-----|-----|----|-------|----|
| 36072 | PH1 | 80 | 4,5 | 191 | 30 | 20-70 | 10 |
| 35398 | PH2 | 100 | 6,0 | 218 | 36 | 20-90 | 10 |

DIN ISO 8764-PH.

Screwdriver SoftFinish®



⊖ Slotted with fixing function

398

| Order-No. | ⊖ | ↔ | ⊖ | mm | ↔ | 📦 |
|-----------|-----|-----|-----|-----|----|---|
| 32867 | 2,5 | 75 | 0,4 | 186 | 30 | 5 |
| 32868 | 3,0 | 100 | 0,5 | 211 | 30 | 5 |
| 32869 | 4,0 | 125 | 0,8 | 243 | 36 | 5 |
| 32870 | 5,0 | 150 | 1,0 | 268 | 36 | 5 |
| 32871 | 6,0 | 175 | 1,2 | 293 | 36 | 5 |

⊕ Phillips with fixing function

397

| Order-No. | ⊕ | ↔ | mm | ↔ | 📦 |
|-----------|-----|-----|-----|----|---|
| 32406 | PH0 | 100 | 211 | 30 | 5 |
| 32404 | PH1 | 125 | 236 | 36 | 5 |
| 32405 | PH2 | 175 | 286 | 36 | 5 |

Screwdriver SoftFinish®



⊖ Slotted with short round blade

302SY

| Order-No. | ⊖ | ↔ | ⊖ | ● | mm | ↔ | 📦 |
|-----------|-----|----|-----|-----|----|----|----|
| 26964 | 4,0 | 25 | 0,8 | 4,0 | 81 | 34 | 10 |
| 26965 | 5,5 | 25 | 1,0 | 5,5 | 81 | 34 | 10 |
| 26966 | 6,5 | 25 | 1,2 | 6,5 | 81 | 34 | 10 |
| 26967 | 8,0 | 25 | 1,2 | 8,0 | 81 | 34 | 10 |

⊕ Phillips with short round blade, Stubby

311SY

| Order-No. | ⊕ | ↔ | ● | mm | ↔ | 📦 |
|-----------|-----|----|-----|----|----|----|
| 26968 | PH1 | 25 | 4,5 | 81 | 34 | 10 |
| 26969 | PH2 | 25 | 6,0 | 81 | 34 | 10 |
| 26970 | PH3 | 25 | 8,0 | 81 | 34 | 10 |

⊕ Pozidriv with short round blade, Stubby

313SY

| Order-No. | ⊕ | ↔ | ● | mm | ↔ | 📦 |
|-----------|-----|----|-----|----|----|----|
| 26971 | PZ1 | 25 | 4,5 | 81 | 34 | 10 |
| 26972 | PZ2 | 25 | 6,0 | 81 | 34 | 10 |
| 26973 | PZ3 | 25 | 8,0 | 81 | 34 | 10 |

Screwdriver SoftFinish®



⊖ Slotted with hexagonal blade and hexagon head

308

| Order-No. | ⊖ | ↔ | ⊖ | ● | ○ | mm | 📦 |
|-----------|-------|-----|-----|------|----|-----|----|
| 00731 | 3,5 | 75 | 0,6 | 4,0 | - | 186 | 10 |
| 00732 | 4,5• | 90 | 0,8 | 4,0 | - | 201 | 10 |
| 00733 | 5,5 | 100 | 1,0 | 5,0 | 8 | 213 | 10 |
| 00734 | 6,5 | 125 | 1,2 | 6,0 | 10 | 238 | 10 |
| 00735 | 7,0• | 125 | 1,1 | 6,0 | 10 | 238 | 10 |
| 00736 | 8,0 | 150 | 1,2 | 8,0 | 13 | 268 | 10 |
| 00737 | 9,0• | 150 | 1,4 | 8,0 | 13 | 268 | 10 |
| 00738 | 10,0 | 175 | 1,6 | 8,0 | 13 | 293 | 10 |
| 00739 | 12,0 | 200 | 2,0 | 10,0 | 16 | 318 | 10 |
| 00740 | 14,0• | 250 | 2,5 | 10,0 | 16 | 368 | 10 |

• Additional dimension. Non-DIN size.

⊕ Phillips with hexagonal blade and hexagon head

312

| Order-No. | ⊕ | ↔ | ● | ○ | mm | ↔ | 📦 |
|-----------|-----|-----|------|----|-----|----|----|
| 00764 | PH1 | 80 | 5,0 | 8 | 186 | 30 | 10 |
| 00765 | PH2 | 100 | 6,0 | 10 | 213 | 36 | 10 |
| 00766 | PH3 | 150 | 8,0 | 13 | 268 | 41 | 10 |
| 00767 | PH4 | 200 | 10,0 | 16 | 318 | 41 | 10 |

⊕ Pozidriv with hexagonal blade and hexagon head

314

| Order-No. | ⊕ | ↔ | ● | ○ | mm | ↔ | 📦 |
|-----------|-----|-----|------|----|-----|----|----|
| 00776 | PZ1 | 80 | 5,0 | 8 | 186 | 30 | 10 |
| 00777 | PZ2 | 100 | 6,0 | 10 | 213 | 36 | 10 |
| 00778 | PZ3 | 150 | 8,0 | 13 | 268 | 41 | 10 |
| 00779 | PZ4 | 200 | 10,0 | 16 | 318 | 41 | 10 |

Square reamer



■ with square tip and plastic handle

300

| Order-No. | ■ | ↔ | mm | ↔ | 📦 |
|-----------|-----|-----|-----|----|----|
| 00679 | 6,0 | 100 | 185 | 34 | 10 |

Awl plastic handle



● with round tip and plastic handle

301

| Order-No. | ● | ↔ | mm | ↔ | 📦 |
|-----------|-----|-----|-----|----|----|
| 00683 | 6,0 | 100 | 185 | 34 | 10 |



⊖ Slotted

260P

| Order-No. | ⊖ | ↔ | ● | mm | ↔ | 📦 |
|-----------|-----|-----|-----|-----|----|----|
| 42381 | 0,8 | 40 | 2 | 134 | 9 | 10 |
| 42382 | 1,0 | 40 | 2 | 134 | 9 | 10 |
| 42383 | 1,2 | 40 | 2 | 134 | 9 | 10 |
| 42384 | 1,5 | 40 | 2 | 134 | 9 | 10 |
| 42385 | 1,5 | 60 | 2 | 154 | 9 | 10 |
| 42386 | 1,8 | 40 | 2 | 134 | 9 | 10 |
| 42387 | 1,8 | 60 | 2 | 154 | 9 | 10 |
| 42388 | 2,0 | 40 | 2 | 140 | 18 | 10 |
| 42389 | 2,0 | 60 | 2 | 160 | 18 | 10 |
| 42390 | 2,0 | 100 | 2 | 200 | 18 | 10 |
| 42391 | 2,5 | 50 | 2,5 | 150 | 18 | 10 |
| 42392 | 2,5 | 75 | 2,5 | 175 | 18 | 10 |
| 42393 | 2,5 | 100 | 2,5 | 200 | 18 | 10 |
| 42394 | 3,0 | 50 | 3 | 150 | 18 | 10 |
| 42395 | 3,0 | 100 | 3 | 200 | 18 | 10 |
| 42397 | 3,5 | 60 | 3,5 | 160 | 18 | 10 |
| 42398 | 4,0 | 60 | 4 | 160 | 18 | 10 |
| 42399 | 4,0 | 100 | 4 | 200 | 18 | 10 |

⊕ Phillips

261P

| Order-No. | ⊕ | ↔ | ● | mm | ↔ | 📦 |
|-----------|-------|----|---|-----|----|----|
| 42403 | PH000 | 40 | 2 | 134 | 9 | 10 |
| 42402 | PH00 | 40 | 2 | 134 | 9 | 10 |
| 42413 | PH00 | 60 | 2 | 154 | 9 | 10 |
| 42401 | PH0 | 50 | 3 | 150 | 18 | 10 |
| 42414 | PH0 | 75 | 3 | 175 | 18 | 10 |
| 42415 | PH1 | 60 | 4 | 160 | 18 | 10 |
| 42416 | PH1 | 80 | 4 | 180 | 18 | 10 |

⊕ Pozidriv

262P

| Order-No. | ⊕ | ↔ | ● | mm | ↔ | 📦 |
|-----------|-----|----|---|-----|----|----|
| 42418 | PZ0 | 50 | 3 | 150 | 18 | 10 |
| 42419 | PZ1 | 60 | 4 | 160 | 18 | 10 |

⊕ TORX® MagicSpring®

267PR

| Order-No. | ⊕ | ↔ | ● | mm | ↔ | 📦 |
|-----------|-----|----|-----|-----|----|----|
| 42501 | T6 | 40 | 2,5 | 140 | 18 | 10 |
| 42502 | T7 | 40 | 2,5 | 140 | 18 | 10 |
| 42503 | T8 | 40 | 2,5 | 140 | 18 | 10 |
| 42504 | T9 | 50 | 3 | 150 | 18 | 10 |
| 42505 | T10 | 50 | 3 | 150 | 18 | 10 |
| 42506 | T15 | 60 | 3,5 | 150 | 18 | 10 |

⊕ TORX®

267P

| Order-No. | ⊕ | ↔ | ● | mm | ↔ | 📦 |
|-----------|-----|----|-----|-----|----|----|
| 42474 | T1 | 40 | 2,5 | 134 | 9 | 10 |
| 42475 | T2 | 40 | 2,5 | 134 | 9 | 10 |
| 42476 | T3 | 40 | 2,5 | 134 | 9 | 10 |
| 42477 | T4 | 40 | 2,5 | 134 | 9 | 10 |
| 42478 | T5 | 40 | 2,5 | 134 | 9 | 10 |
| 42479 | T6 | 40 | 2,5 | 140 | 18 | 10 |
| 42480 | T7 | 40 | 2,5 | 140 | 18 | 10 |
| 42481 | T8 | 40 | 2,5 | 140 | 18 | 10 |
| 42482 | T9 | 50 | 3 | 150 | 18 | 10 |
| 42483 | T10 | 50 | 3 | 150 | 18 | 10 |
| 42484 | T15 | 60 | 3,5 | 160 | 18 | 10 |
| 42485 | T20 | 60 | 4 | 160 | 18 | 10 |

⊕ TORX PLUS®

267PIP

| Order-No. | ⊕ | ↔ | ● | mm | ↔ | 📦 |
|-----------|------|----|-----|-----|----|----|
| 42486 | 4IP | 40 | 2,5 | 134 | 9 | 10 |
| 42487 | 5IP | 40 | 2,5 | 134 | 9 | 10 |
| 42488 | 6IP | 40 | 2,5 | 140 | 18 | 10 |
| 42489 | 7IP | 40 | 2,5 | 140 | 18 | 10 |
| 42490 | 8IP | 40 | 2,5 | 140 | 18 | 10 |
| 42491 | 9IP | 50 | 3 | 150 | 18 | 10 |
| 42492 | 10IP | 50 | 3 | 150 | 18 | 10 |
| 42493 | 15IP | 60 | 3,5 | 160 | 18 | 10 |
| 42494 | 20IP | 60 | 4 | 160 | 18 | 10 |

⊕ Pentalobe

266P

| Order-No. | ⊕ | ↔ | ● | mm | ↔ | 📦 |
|-----------|-----|----|-----|-----|----|----|
| 42464 | PL1 | 40 | 2,5 | 134 | 9 | 10 |
| 42465 | PL2 | 40 | 2,5 | 134 | 9 | 10 |
| 42466 | PL3 | 40 | 2,5 | 134 | 9 | 10 |
| 42467 | PL4 | 40 | 2,5 | 134 | 9 | 10 |
| 42468 | PL5 | 40 | 2,5 | 134 | 9 | 10 |
| 42469 | PL6 | 40 | 2,5 | 140 | 18 | 10 |

⊕ Y-type

266PY

| Order-No. | ⊕ | ↔ | ● | mm | ↔ | 📦 |
|-----------|------|----|---|-----|---|----|
| 42470 | Y000 | 40 | 2 | 134 | 9 | 10 |

⊕ PH with pivot

2611P

| Order-No. | ⊕ | ↔ | ● | mm | ↔ | 📦 |
|-----------|------|----|-----|-----|---|----|
| 43882 | PH00 | 40 | 2,5 | 134 | 9 | 10 |

● Ball end hex

264P

| Order-No. | ● | ↔ | mm | ↔ | ↔ | ☰ |
|-----------|-------------|----|-----|----|---|----|
| 42431 | 1,3 (0,05") | 40 | 134 | 9 | | 10 |
| 42432 | 1,5 | 50 | 150 | 18 | | 10 |
| 42433 | 2,0 | 50 | 150 | 18 | | 10 |
| 42434 | 2,5 | 60 | 160 | 18 | | 10 |
| 42435 | 3,0 | 60 | 160 | 18 | | 10 |

● Hex

263P

| Order-No. | ● | ↔ | mm | ↔ | ↔ | ☰ |
|-----------|----------|----|-----|----|---|---|
| 42420 | 0,70,028 | 40 | 134 | 9 | | 1 |
| 42421 | 0,90,035 | 40 | 134 | 9 | | 1 |
| 42422 | 1,30,05 | 40 | 134 | 9 | | 1 |
| 42423 | 1,5 | 50 | 144 | 9 | | 1 |
| 42424 | 2,05/64 | 50 | 150 | 18 | | 1 |
| 42425 | 2,5 | 60 | 160 | 18 | | 1 |
| 42426 | 3 | 60 | 160 | 18 | | 1 |
| 42427 | 1/161/16 | 50 | 144 | 9 | | 1 |
| 42428 | 1/81/8 | 60 | 160 | 18 | | 1 |
| 42429 | 3/323/32 | 60 | 160 | 18 | | 1 |
| 42430 | 7/647/64 | 60 | 160 | 18 | | 1 |

● Hexagonal ball end, inch design

264PZ

| Order-No. | ● | ↔ | mm | ↔ | ↔ | ☰ |
|-----------|-------|----|-----|----|---|----|
| 42436 | 1/16" | 50 | 150 | 18 | | 10 |
| 42440 | 5/64" | 50 | 150 | 18 | | 10 |
| 42438 | 3/32" | 50 | 150 | 18 | | 10 |
| 42441 | 7/64" | 60 | 160 | 18 | | 10 |
| 42437 | 1/8" | 60 | 160 | 18 | | 10 |
| 42442 | 9/64" | 60 | 160 | 18 | | 10 |
| 42439 | 5/32" | 60 | 160 | 18 | | 10 |

PicoFinish® fine screwdriver



○ Hex nut driver

265P

| Order-No. | ○ | ↔ | mm | ↔ | ↔ | ☰ |
|-----------|-----|----|-----|----|---|----|
| 42443 | 1,5 | 60 | 160 | 18 | | 10 |
| 42444 | 1,8 | 60 | 160 | 18 | | 10 |
| 42445 | 2 | 60 | 160 | 18 | | 10 |
| 42446 | 2,5 | 60 | 160 | 18 | | 10 |
| 42447 | 3,0 | 60 | 160 | 18 | | 10 |
| 42448 | 3,2 | 60 | 160 | 18 | | 10 |
| 42449 | 3,5 | 60 | 160 | 18 | | 10 |
| 42450 | 4,0 | 60 | 160 | 18 | | 10 |
| 42451 | 4,5 | 60 | 160 | 18 | | 10 |
| 42452 | 5 | 60 | 160 | 18 | | 10 |
| 42453 | 5,5 | 60 | 160 | 18 | | 10 |
| 42454 | 6 | 60 | 160 | 18 | | 10 |
| 42455 | 7 | 60 | 160 | 18 | | 10 |

○ Hexagon nut driver, inch design

265PZ

| Order-No. | ○ | ↔ | mm | ↔ | ↔ | ☰ |
|-----------|-------|----|-----|----|---|----|
| 42459 | 3/32" | 60 | 160 | 18 | | 10 |
| 42462 | 7/64" | 60 | 160 | 18 | | 10 |
| 42457 | 1/8" | 60 | 160 | 18 | | 10 |
| 42463 | 9/64" | 60 | 160 | 18 | | 10 |
| 42460 | 5/32" | 60 | 160 | 18 | | 10 |
| 42458 | 3/16" | 60 | 160 | 18 | | 10 |
| 42461 | 7/32" | 60 | 160 | 18 | | 10 |
| 42456 | 1/4" | 60 | 160 | 18 | | 10 |

INFOBOX: Pentalobe



The security profile for Apple devices.

- Ideal for repairing Apple smartphones, tablets and notebooks.
- Note: The guarantee and warranty conditions of the device manufacturer must be observed.

Lifter PicoFinish



268P

| Order-No. | ↔ | ● | mm | ↔ | ☰ | ☰ | ☰ |
|-----------|----|-----|-----|----|---|-----|----|
| 42507 | 50 | 3,5 | 150 | 18 | 1 | 3,5 | 10 |

Small screwdriver



⊖ Slotted transparent-red, with push-on clip

500

| Order-No. | ⊖ | → | ● | mm | → | ☰ |
|-----------|-----|----|-----|-----|----|----|
| 01537 | 3,0 | 40 | 3,0 | 100 | 11 | 50 |
| 01538 | 3,0 | 60 | 3,0 | 120 | 11 | 50 |
| 01539 | 3,0 | 80 | 3,0 | 140 | 11 | 50 |



430

SoftFinish® universal scraper



Order-No.



23159

5

Small screwdriver



⊖ Slotted transparent-yellow

509

| Order-No. | ⊖ | → | ● | mm | → | ☰ |
|-----------|-----|----|-----|----|---|----|
| 01548 | 2,0 | 40 | 2,0 | 85 | 8 | 50 |

SoftFinish® universal scraper set



12-pcs. in blister pack

SB 430 4010

Order-No.



26920

1

Magnetiser



400 10

| Order-No. | ☰ | ☰ |
|-----------|---|---|
| 01508 | | 5 |
| 02568 | x | 5 |

Replacement blade set, 13 mm wide



10-pcs. for universal scraper in blister pack

SB 430 40 K10

Order-No.



27606

5

Screwdriver MicroFinish®



Slotted, Phillips with one-piece hexagonal blade and solid steel cap, 5-pcs.

5533

| Best.-Nr. | | |
|-----------|-----------------------------------|---|
| 29138 | | 1 |
| | 5,5 x 100 / 6,5 x 125 / 8,0 x 150 | |
| | PH1 x 80 / PH2 x 100 | |

Slotted, Pozidriv with one-piece hexagonal blade and solid steel cap, 5-pcs.

5533

| Best.-Nr. | | |
|-----------|-----------------------------------|---|
| 29139 | | 1 |
| | 5,5 x 100 / 6,5 x 125 / 8,0 x 150 | |
| | PZ1 x 80 / PZ2 x 100 | |

Screwdriver MicroFinish®



TORX® with round blade

5527

| Order-No. | | | | | | |
|-----------|-----|-----|-----|-----|----|----|
| 29162 | T10 | 80 | 4,0 | 192 | 30 | 10 |
| 29163 | T15 | 80 | 4,0 | 192 | 30 | 10 |
| 29164 | T20 | 100 | 4,0 | 212 | 30 | 10 |
| 29165 | T25 | 100 | 4,5 | 212 | 30 | 10 |

Screwdriver MicroFinish®



Slotted with one-piece hexagonal blade and solid steel cap

5533

| Order-No. | | | | | | | |
|-----------|-------|-----|-----|-----|----|-----|----|
| 29133 | 4,5• | 90 | 0,8 | 4,0 | - | 201 | 10 |
| 29134 | 5,5 | 100 | 1,0 | 5,0 | 8 | 213 | 10 |
| 29135 | 6,5 | 125 | 1,2 | 6,0 | 10 | 238 | 10 |
| 29136 | 8,0 | 150 | 1,2 | 8,0 | 13 | 271 | 10 |
| 29137 | 10,0• | 175 | 1,6 | 8,0 | 13 | 296 | 5 |

• Additional dimension. Non-DIN size.
DIN 5265, ISO 2380.

Phillips with one-piece hexagonal blade and solid steel cap

5534

| Order-No. | | | | | | | |
|-----------|-----|-----|-----|----|-----|----|----|
| 29149 | PH1 | 80 | 5,0 | 8 | 187 | 30 | 10 |
| 29150 | PH2 | 100 | 6,0 | 10 | 214 | 36 | 10 |
| 29151 | PH3 | 150 | 8,0 | 13 | 271 | 41 | 10 |

DIN ISO 8764-PH.

Pozidriv with one-piece hexagonal blade and solid steel cap

5535

| Order-No. | | | | | | | |
|-----------|-----|-----|-----|----|-----|----|----|
| 29158 | PZ1 | 80 | 5,0 | 8 | 187 | 30 | 10 |
| 29159 | PZ2 | 100 | 6,0 | 10 | 214 | 36 | 10 |

DIN ISO 8764-PZ.

INFOBOX: Wiha MicroFinish screwdriver



The specialist for wet and oily applications.

- Due to the micro-fine surface structure of the screwdriver handle, the user can gain an optimal hold, even with oily or wet hands.
- The position of the soft and hard zones on the handle also supports the perfect grip for quick and powerful turning.

Screw extractor set



Hex, 8-pcs. with spiral drill bit in box

405

| Order-No. | |
|--|--------------------------------------|
| 03988 | 10 |
| 2,3 / 2,8 / 3,4 / 4,5 / 5,7 / 6,8 / 9,0 / 11,0 / | |
| | 2,0 / 2,5 / 3,0 / 4 / 5 / 6 / 8 / 10 |

Screw extractor



| Order-No. | | | | |
|-----------|-----|-----|------|----|
| 03847 | 2,0 | 85 | 6,0 | 10 |
| 03848 | 2,5 | 85 | 6,0 | 10 |
| 03849 | 3,0 | 85 | 6,0 | 10 |
| 03850 | 4 | 85 | 6,0 | 10 |
| 03851 | 5 | 85 | 6,0 | 10 |
| 03852 | 6 | 95 | 8,0 | 10 |
| 03853 | 8 | 95 | 10,0 | 10 |
| 03854 | 10 | 110 | 12,0 | 10 |

Twist drill



| Order-No. | | | |
|-----------|------|-----|----|
| 06725 | 2,3 | 53 | 10 |
| 06726 | 2,8 | 51 | 10 |
| 06727 | 3,4 | 70 | 10 |
| 06728 | 4,5 | 80 | 10 |
| 06729 | 5,7 | 93 | 10 |
| 06730 | 6,8 | 109 | 10 |
| 06731 | 9,0 | 117 | 10 |
| 06732 | 11,0 | 142 | 10 |

Screwdriver set SoftFinish® ESD



Slotted, Phillips 5-pcs.

302ESD


| Best.-Nr. | |
|----------------|---------------------------------|
| 27252 | 1 |
| | 3,0 x 100 / 4,0 x 100 |
| | PH0 x 60 / PH1 x 80 / PH2 x 100 |
| IEC 61340-5-1. | |

TORX® 5-pcs.

362ESD

| Best.-Nr. | |
|----------------|---|
| 27253 | 1 |
| | T6 x 60 / T8 x 60 / T9 x 60 / T10 x 80 / T15 x 80 |
| IEC 61340-5-1. | |

INFOBOX: Electrostatic conductive ESD tools



Sensitive, electronic components can be damaged even at a very low voltage.

- Dissipative tools by Wiha discharge the electrostatic energy in a controlled, safe manner.
- ESD tools meet the ESD Standard IEC 61340-5-1.
- ESD tool handles have a surface resistance of 10^6 - 10^9 Ohm.

Screwdriver SoftFinish® ESD



Slotted

302ESD

| Order-No. | ⊖ | ↔ | ⊖ | ● | mm | ↔ | 📦 |
|-----------|-----|-----|-----|-----|-----|----|----|
| 08179 | 2,5 | 75 | 0,4 | 2,5 | 179 | 23 | 10 |
| 27150 | 3,0 | 100 | 0,5 | 3,0 | 204 | 23 | 10 |
| 27151 | 4,0 | 100 | 0,8 | 4,0 | 211 | 30 | 10 |
| 08182 | 5,5 | 125 | 1,0 | 5,5 | 236 | 30 | 10 |
| 08183 | 6,5 | 150 | 1,2 | 6,0 | 268 | 36 | 10 |

IEC 61340-5-1.

Phillips

311ESD

| Order-No. | ⊕ | ↔ | ● | mm | ↔ | 📦 |
|-----------|-----|-----|-----|-----|----|----|
| 08184 | PH0 | 60 | 3,0 | 164 | 23 | 10 |
| 08185 | PH1 | 80 | 4,5 | 191 | 30 | 10 |
| 08186 | PH2 | 100 | 6,0 | 218 | 36 | 10 |

IEC 61340-5-1.

Pozidriv

313ESD

| Order-No. | ⊕ | ↔ | ● | mm | ↔ | 📦 |
|-----------|-----|----|-----|-----|----|----|
| 26928 | PZ0 | 60 | 3,0 | 164 | 23 | 10 |
| 26929 | PZ1 | 80 | 4,5 | 191 | 30 | 10 |

IEC 61340-5-1.

TORX®

362ESD

| Order-No. | ⊕ | ↔ | ● | mm | ↔ | 📦 |
|-----------|-----|-----|-----|-----|----|----|
| 31432 | T3 | 60 | 2,5 | 164 | 23 | 10 |
| 27148 | T4 | 60 | 2,5 | 164 | 23 | 10 |
| 27641 | T5 | 60 | 3,5 | 164 | 23 | 10 |
| 27149 | T6 | 60 | 3,5 | 164 | 23 | 10 |
| 31901 | T7 | 60 | 3,5 | 164 | 23 | 10 |
| 22436 | T8 | 60 | 3,5 | 164 | 23 | 10 |
| 27145 | T9 | 60 | 4,0 | 171 | 30 | 10 |
| 27144 | T10 | 80 | 4,0 | 191 | 30 | 10 |
| 27146 | T15 | 80 | 4,0 | 191 | 30 | 10 |
| 27147 | T20 | 100 | 4,0 | 218 | 36 | 10 |

IEC 61340-5-1.

Fine screwdriver set PicoFinish® ESD



Slotted, Phillips, 6 pcs. with holder

270P

| Best.-Nr. | 📦 |
|-----------|--|
| 43707 | 1 |
| ⊖ | 1,5 x 0,23 / 2,0 x 0,4 / 2,5 x 0,4 / 3 x 0,5 |
| ⊕ | PH 0 x 50 / PH 00 x 40 |

TORX®, 6 pcs. with holder

277P

| Best.-Nr. | 📦 |
|-----------|---|
| 43708 | 1 |
| ⊕ | 5 x 40 / 6 x 40 / 7 x 40 / 8 x 40 / 10 x 50 / 15 x 60 |



Slotted

270P

| Order-No. | ⌀ | ⌀ | ↔ | ● | mm | ↔ | 📦 |
|-----------|-----|------|----|-----|-----|----|----|
| 43669 | 1,5 | 0,23 | 40 | 2 | 134 | 9 | 10 |
| 43670 | 2,0 | 0,4 | 40 | 2 | 140 | 18 | 10 |
| 43671 | 2,5 | 0,4 | 50 | 2,5 | 150 | 18 | 10 |
| 43672 | 3 | 0,5 | 50 | 3 | 150 | 18 | 10 |
| 43673 | 3,5 | 0,6 | 60 | 3,5 | 160 | 18 | 10 |
| 43674 | 4 | 0,8 | 60 | 4 | 160 | 18 | 10 |

Pentalobe

276P

| Order-No. | ● | ↔ | ● | mm | ↔ | 📦 |
|-----------|------|----|-----|-----|---|----|
| 43692 | PL 1 | 40 | 2,5 | 134 | 9 | 10 |

Y-type

276PY

| Order-No. | ⚙ | ↔ | ● | mm | ↔ | 📦 |
|-----------|------|----|---|-----|---|----|
| 43693 | Y000 | 40 | 2 | 134 | 9 | 10 |

Phillips

271P

| Order-No. | ⊕ | ↔ | ● | mm | ↔ | 📦 |
|-----------|--------|----|---|-----|----|----|
| 43675 | PH 000 | 40 | 2 | 134 | 9 | 10 |
| 43676 | PH 00 | 40 | 2 | 134 | 9 | 10 |
| 43677 | PH 0 | 50 | 3 | 150 | 18 | 10 |
| 43678 | PH 1 | 60 | 4 | 160 | 18 | 10 |

TORX®

277P

| Order-No. | ⚙ | ↔ | ● | mm | ↔ | 📦 |
|-----------|----|----|-----|-----|----|----|
| 43694 | 1 | 40 | 2,5 | 134 | 9 | 10 |
| 43695 | 2 | 40 | 2,5 | 134 | 9 | 10 |
| 43696 | 3 | 40 | 2,5 | 134 | 9 | 10 |
| 43697 | 4 | 40 | 2,5 | 134 | 9 | 10 |
| 43698 | 5 | 40 | 2,5 | 134 | 9 | 10 |
| 43699 | 6 | 40 | 2,5 | 140 | 18 | 10 |
| 43700 | 7 | 40 | 2,5 | 140 | 18 | 10 |
| 43701 | 8 | 40 | 2,5 | 140 | 18 | 10 |
| 43702 | 9 | 50 | 3 | 150 | 18 | 10 |
| 43703 | 10 | 50 | 3 | 150 | 18 | 10 |
| 43704 | 15 | 60 | 3,5 | 150 | 18 | 10 |
| 43705 | 20 | 60 | 4 | 150 | 18 | 10 |

Hex

273P

| Order-No. | ● | ↔ | ● | mm | 📦 |
|-----------|-----|----|-----|-----|----|
| 43679 | 0,7 | 40 | 2,5 | 134 | 10 |
| 43680 | 0,9 | 40 | 2,5 | 134 | 10 |
| 43681 | 1,3 | 40 | 2,5 | 134 | 10 |
| 43682 | 1,5 | 50 | 2,5 | 144 | 10 |
| 43683 | 2 | 50 | 3 | 150 | 10 |
| 43684 | 2,5 | 60 | 3 | 160 | 10 |
| 43685 | 3 | 60 | 4 | 160 | 10 |

Hex nut driver

275P


| Order-No. | ○ | ↔ | mm | ↔ | 📦 |
|-----------|-----|----|-----|----|----|
| 43686 | 2,5 | 60 | 160 | 18 | 10 |
| 43687 | 3 | 60 | 160 | 18 | 10 |
| 43688 | 3,5 | 60 | 160 | 18 | 10 |
| 43689 | 4 | 60 | 160 | 18 | 10 |
| 43690 | 5 | 60 | 160 | 18 | 10 |
| 43691 | 5,5 | 60 | 160 | 18 | 10 |

Lifter PicoFinish® ESD



278P

| Order-No. | ↔ | ● | mm | ↔ | 📦 |
|-----------|----|-----|-----|----|----|
| 43706 | 50 | 3,5 | 150 | 18 | 10 |





Torque tools

Controlled power for greater security.

The correct torque prevents damage to materials, eliminates the need for retouching and protects against warranty claims. This makes fully certified Wiha torque tools essential for mechanics, electricians and electronics technicians as they combine precision with security: with a release accuracy of $\pm 6\%$ for the pre-set scale value, Wiha torque screwdrivers satisfy standard precision requirements.

Torque tools with fixed settings increase process reliability while tools with variable settings are particularly ideal for mobile use. A special interchangeable blade system offers interchangeable blades with different drives. Guaranteed individual item testing using the manufacturer's inspection process and individual item marking with an identification number attest to the high quality and manufacturing standard of the tools.

Application

Torque tools

For applications
in electrics



**Torque screwdriver set
TorqueVario®-S electric,
Mixed, variably adjustable
torque limit, 18 pcs. in
folding bag**
Page 194



**Torque screwdriver
TorqueVario®-S electric,
Variable torque limit
settings**
Page 195



**Torque adapter
easyTorque electric**
Page 196



**Torque screwdriver with
T-handle TorqueVario®-S
T electric, Variable torque
limit settings**
Page 200



For applications
in mechanics



**Torque screwdriver
iTorque®
with digital scale**
Page 201



**Torque screwdriver set
TorqueVario®-S, mixed, 13
pcs., variably adjustable
torque limit, 0.8–5.0 Nm
in box**
Page 202



**Torque screwdriver
TorqueVario®-S, Variable
torque limit settings**
Page 202



**Torque screwdriver
TorqueFix®, permanently
pre-set torque limit**
Page 203



**Torque screwdriver with
T-handle set
TorqueVario®-S T,
mixed, 11 pcs., variably
adjustable torque limit,
5–14 Nm in box**
Page 206



**Torque screwdriver with
T-handle TorqueVario®-S
T, Variable torque limit
settings**
Page 206



For applications
in electronics




**Torque screwdriver set
TorqueVario®-S ESD,
mixed, 13 pcs., variably
adjustable torque limit,
0,4-1,0 Nm in box**
Page 209



**Torque screwdriver
TorqueVario®-S ESD,
Variable torque limit
settings**
Page 209





Mixed, variably adjustable torque limit, 18 pcs. in folding bag

2872 T18

Order-No.



36791

1

- 1 x Torque screwdriver TorqueVario®-S electric Variable torque limit settings, VDE and GS tested / 0,8-5,0 Nm
1 x Adjusting tool for torque screwdriver with long handle
- 1 x Adapter TorqueVario-S electric for slimBits
- ⊖ 1 x 2,5 / 1 x 3,5 / 1 x 5,5 / 1 x 6,5
- ⊕ 1 x PH1 / 1 x PH2
- ⊗ 1 x PZ1 / 1 x PZ2
- ⊗ 1 x SL/PZ1 / 1 x SL/PZ2
- ⊗ 1 x T9 / 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25

Manufactured acc. to IEC 60900. DIN EN ISO 6789.

**INFOBOX:
VDE-certified tools**



Wiha VDE-tested tools are subject to stringent safety test procedures.

All tools with the special marking have been tested at 10,000 V AC and are therefore approved for use at 1,000 V AC and 1,500 V DC.

The following equipment is required for all work on or around live components and should be appropriate for the specific task

- insulating personal protective equipment
- insulating safety mechanisms
- insulated tools

Before starting work, you must disconnect all active, live components of electrical machines and equipment and ensure that they remain disconnected while you carry out the work.

This is achieved by complying with the five safety rules:

- disconnect
- secure against reconnection
- ensure power is switched off
- earth and short-circuit
- cover or block off adjacent live components

Certified by the VDE Testing and Certification Institute and individually tested according to the international standard IEC 60900.

Torque screwdriver set TorqueVario®-S electric



Mixed, variably adjustable torque limit, 13 pcs. in folding bag

2872 T13

| | | |
|-----------------------|---|---|
| Order-No. | | |
| 40674 | | 1 |
| <input type="radio"/> | 1 x Torque screwdriver TorqueVario®-S electric Variable torque limit settings, VDE and GS tested / 0,8-5,0 Nm | |
| | 1 x Adjusting tool for torque screwdriver with long handle | |
| <input type="radio"/> | 1 x Screwdriver with bit holder SoftFinish® electric slimVario for slimBits, VDE and GS tested | |
| <input type="radio"/> | 1 x Adapter TorqueVario-S electric for slimBits | |
| <input type="radio"/> | 1 x 2,5 / 1 x 3,5 / 1 x 5,5 | |
| <input type="radio"/> | 1 x PH1 / 1 x PH2 | |
| <input type="radio"/> | 1 x PZ1 / 1 x PZ2 | |
| <input type="radio"/> | 1 x SL/PZ1 / 1 x SL/PZ2 | |

Manufactured acc. to IEC 60900. DIN EN ISO 6789.



Torque screwdriver set TorqueVario®-S electric



PlusMinus/Pozidriv variably settable torque limit 5-pcs.

2872 S3

| | | |
|-----------------------|---|---|
| Order-No. | | |
| 38074 | | 1 |
| <input type="radio"/> | 1 x Torque screwdriver TorqueVario®-S electric Variable torque limit settings, VDE and GS tested / 0,8-5,0 Nm | |
| | 1 x Adjusting tool for torque screwdriver with long handle | |
| <input type="radio"/> | 1 x Adapter TorqueVario-S electric for slimBits | |
| <input type="radio"/> | 1 x SL/PZ1 / 1 x SL/PZ2 | |

Manufactured acc. to IEC 60900. DIN EN ISO 6789.

Torque screwdriver TorqueVario®-S electric




Variable torque limit settings

2872

| Order-No. | Nm | ±% | | | | |
|-----------|---------|-----|-----|-----|----|---|
| 26625 | 0,5-2,0 | 6 % | 3,8 | 131 | 30 | 1 |
| 26626 | 0,8-5,0 | 6 % | 3,8 | 138 | 36 | 1 |
| 26627 | 2,0-7,0 | 6 % | 3,8 | 142 | 41 | 1 |

Manufactured acc. to IEC 60900. DIN EN ISO 6789.

Torque set easyTorque adapter electric



with slimVario® holder and SL/PZ slimBits, 4-pcs. in blister pack

29701 080 S4

| | |
|---------------------------------|---|
| Best.-Nr. | |
| 41476 | 1 |
| | 1 x 0,8 Nm |
| | 1 x SL/PZ1 / 1 x SL/PZ2 |
| | 1 x SoftFinish® electric screwdriver handle |
| Manufactured acc. to IEC 60900. | |

with slimVario® holder and SL/PZ slimBits, 4-pcs. in blister pack

29701 200 S4

| | |
|---------------------------------|---|
| Best.-Nr. | |
| 41477 | 1 |
| | 1 x 2,0 Nm |
| | 1 x SL/PZ1 / 1 x SL/PZ2 |
| | 1 x SoftFinish® electric screwdriver handle |
| Manufactured acc. to IEC 60900. | |

with slimVario® holder and SL/PZ slimBits, 4-pcs. in blister pack

29701 280 S4

| | |
|---------------------------------|---|
| Best.-Nr. | |
| 41478 | 1 |
| | 1 x 2,8 Nm |
| | 1 x SL/PZ1 / 1 x SL/PZ2 |
| | 1 x SoftFinish® electric screwdriver handle |
| Manufactured acc. to IEC 60900. | |

Torque set easyTorque adapter electric




for slimBits and slimVario® holder, 5-pcs. in blister pack

29701 S5

| | |
|---------------------------------|--|
| Order-No. | |
| 41479 | 1 |
| | 1 x 0,8 Nm / 1 x 2,0 Nm / 1 x 2,5 Nm / 1 x 2,8 Nm / 1 x 4,0 Nm |
| Manufactured acc. to IEC 60900. | |

Torque adapter easyTorque electric



for slimBits and slimVario® holder in blister

2970

| Order-No. | Nm | ±% | | | |
|---------------------------------|-----|------|----|-----|---|
| 41341 | 0,8 | 10 % | 59 | 5,5 | 1 |
| 41342 | 2,0 | 10 % | 59 | 5,5 | 1 |
| 41343 | 2,5 | 10 % | 59 | 5,5 | 1 |
| 41344 | 2,8 | 10 % | 59 | 5,5 | 1 |
| 41345 | 4,0 | 10 % | 59 | 5,5 | 1 |
| Manufactured acc. to IEC 60900. | | | | | |

slimBit electric bit set



assorted with slimBit holder, 7-pcs.

2879 B7

| | | |
|---------------------------------|---|---|
| Order-No. | | |
| 36079 | | 1 |
| ○ | 1 x Adapter TorqueVario-S electric for slimBits | |
| ⊖ | 1 x 4,0 / 1 x 5,5 | |
| ⊕ | 1 x PH1 / 1 x PH2 | |
| ⊗ | 1 x PZ1 / 1 x PZ2 | |
| Manufactured acc. to IEC 60900. | | |

Adapter TorqueVario-S electric



○ for slimBits

28799

| | | | | |
|---------------------------------|---|-----|-----|----|
| Order-No. | ○ | ⊖ | mm | |
| 35870 | 6 | 3,8 | 170 | 13 |
| Manufactured acc. to IEC 60900. | | | | |

Adapter TorqueVario-S electric



○ for 1/4" nut driver

28799

| | | | | |
|---------------------------------|------|-----|-----|----|
| Order-No. | ○ | ⊖ | mm | |
| 43128 | 1/4" | 3,8 | 178 | 12 |
| Manufactured acc. to IEC 60900. | | | | |

INFOBOX:
slimTECHNOLOGY



Wiha SoftFinish® electric slimFix

- Unlimited access.
- Blades up to 33 % narrower due to integrated insulation.
- Tool for spring clips (wedge-profiled output geometry).

slimBit electric bit set



Slotted, 6-pcs. in SlimBit box

2831

| | |
|---------------------------------|---|
| Best.-Nr. | |
| 43152 | 6 |
| ⊖ | 1 x 2,0 / 1 x 2,5 / 1 x 3,5 / 1 x 4,0 / 1 x 5,5 / 1 x 6,5 |
| Manufactured acc. to IEC 60900. | |

TORX®, 6-pcs. in SlimBit box

2831

| | |
|---------------------------------|---|
| Best.-Nr. | |
| 43153 | 6 |
| ⊗ | 1 x T8 / 1 x T9 / 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 |
| Manufactured acc. to IEC 60900. | |



TORX®, 6-pcs. in SlimBit box

2831

| | |
|---------------------------------|---|
| Best.-Nr. | |
| 43154 | 6 |
| ⊗ | 1 x T6 / 1 x T7 / 1 x T8 / 1 x T9 / 1 x T10 / 1 x T15 |
| Manufactured acc. to IEC 60900. | |



TORX PLUS®, 6-pcs. in SlimBit box

2831

| | |
|---|---|
| Best.-Nr. |  |
| 43155 | 6 |
|  1 x 6IP / 1 x 7IP / 1 x 8IP / 1 x 9IP / 1 x 10IP / 1 x 15IP | |
| Manufactured acc. to IEC 60900. | |




Hex, 6-pcs. in SlimBit box

2831

| | |
|---|---|
| Best.-Nr. |  |
| 43156 | 6 |
|  1 x 2 / 1 x 2,5 / 1 x 3 / 1 x 4 / 1 x 5 / 1 x 6 | |
| Manufactured acc. to IEC 60900. | |




Slotted, Pozidriv 6-pcs. in SlimBit box

2831

| | |
|---|---|
| Best.-Nr. |  |
| 43157 | 6 |
|  1 x 2,5 / 1 x 3,5 / 1 x 5,5 / 1 x 6,5 | |
|  1 x PZ1 / 1 x PZ2 | |
| Manufactured acc. to IEC 60900. | |




Slotted, PlusMinus/Pozidriv 6-pcs. in SlimBit box

2831

| | |
|---|---|
| Best.-Nr. |  |
| 43158 | 6 |
|  1 x 2,5 / 1 x 3,5 / 1 x 5,5 / 1 x 6,5 | |
|  1 x SL/PZ1 / 1 x SL/PZ2 | |
| Manufactured acc. to IEC 60900. | |





Slotted, Phillips 6-pcs. in SlimBit box

2831

| | |
|---|---|
| Best.-Nr. |  |
| 43159 | 6 |
|  1 x 2,5 / 1 x 3,5 / 1 x 5,5 / 1 x 6,5 | |
|  1 x PH1 / 1 x PH2 | |
| Manufactured acc. to IEC 60900. | |




Slotted, Phillips, Pozidriv 6-pcs. in SlimBit box

2831

| | |
|---|---|
| Best.-Nr. |  |
| 43160 | 6 |
|  1 x 2,0 / 1 x 2,5 | |
|  1 x PH0 / 1 x PH1 | |
|  1 x PZ0 / 1 x PZ1 | |
| Manufactured acc. to IEC 60900. | |







slimBit electric bit set**TORX®, TORX PLUS®, 12-pcs. in SlimBit box**

2831

| | |
|---|---|
| Best.-Nr. |  |
| 43161 | 6 |
|  1 x 6IP / 1 x 7IP / 1 x 8IP / 1 x 9IP / 1 x 10IP / 1 x 15IP | |
|  1 x T6 / 1 x T7 / 1 x T8 / 1 x T9 / 1 x T10 / 1 x T15 | |
| 1 x slimBit-Box empty, 2-pcs. with belt clip | |
| Manufactured acc. to IEC 60900. | |

Slotted, Phillips, Pozidriv, PlusMinus/Pozidriv, TORX® 12-pcs. in SlimBit box

2831

| | |
|---|---|
| Best.-Nr. |  |
| 43162 | 6 |
|  1 x 3,5 / 1 x 5,5 | |
|  1 x PH1 / 1 x PH2 | |
|  1 x PZ1 / 1 x PZ2 | |
|  1 x SL/PZ1 / 1 x SL/PZ2 | |
|  1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 | |
| 1 x slimBit-Box empty, 2-pcs. with belt clip | |
| Manufactured acc. to IEC 60900. | |

slimBit electric bit



TORX®

283115

| Order-No. | | mm | | max. Nm | |
|-----------|-----|----|-----|---------|---|
| 43140 | T5 | 75 | 6,0 | 0,4 | 5 |
| 43141 | T6 | 75 | 6,0 | 0,4 | 5 |
| 43142 | T7 | 75 | 6,0 | 0,4 | 5 |
| 35506 | T8 | 75 | 6,0 | 1,3 | 5 |
| 41160 | T9 | 75 | 6,0 | 1,3 | 5 |
| 35507 | T10 | 75 | 6,0 | 3,8 | 5 |
| 35508 | T15 | 75 | 6,0 | 5,0 | 5 |
| 35509 | T20 | 75 | 6,0 | 5,5 | 5 |
| 36071 | T25 | 75 | 6,0 | 5,5 | 5 |

• no slim version
Manufactured acc. to IEC 60900.

Slotted

283110

| Order-No. | | mm | | | max. Nm | |
|-----------|-----|----|-----|-----|---------|---|
| 43114 | 1,5 | 75 | 0,4 | 6,0 | 0,4 | 5 |
| 43115 | 2,0 | 75 | 0,4 | 6,0 | 0,4 | 5 |
| 34578 | 2,5 | 75 | 0,4 | 6,0 | 0,4 | 5 |
| 34579 | 3,0 | 75 | 0,5 | 6,0 | 0,6 | 5 |
| 41159 | 3,5 | 75 | 0,6 | 6,0 | 1,4 | 5 |
| 34580 | 4,0 | 75 | 0,8 | 6,0 | 2,5 | 5 |
| 34581 | 5,5 | 75 | 1,0 | 6,0 | 3,8 | 5 |
| 34582 | 6,5 | 75 | 1,2 | 6,0 | 5,5 | 5 |

• no slim version
Manufactured acc. to IEC 60900.

Hex

283118

| Order-No. | | mm | | max. Nm | |
|-----------|-----|----|-----|---------|---|
| 37222 | 1,5 | 75 | 6,0 | 0,9 | 5 |
| 37223 | 2 | 75 | 6,0 | 1,8 | 5 |
| 37224 | 2,5 | 75 | 6,0 | 3,8 | 5 |
| 37147 | 3 | 75 | 6,0 | 5,5 | 5 |
| 37225 | 4 | 75 | 6,0 | 5,5 | 5 |
| 37226 | 5 | 75 | 6,0 | 5,5 | 5 |
| 37227 | 6 | 75 | 6,0 | 5,5 | 5 |

• no slim version
Manufactured acc. to IEC 60900.

Phillips

283111

| Order-No. | | mm | | max. Nm | |
|-----------|-----|----|-----|---------|---|
| 43116 | PH0 | 75 | 6,0 | 0,4 | 5 |
| 34583 | PH1 | 75 | 6,0 | 3,8 | 5 |
| 34584 | PH2 | 75 | 6,0 | 5,5 | 5 |

Manufactured acc. to IEC 60900.

Square

283117

| Order-No. | | mm | | max. Nm | | |
|-----------|----|-----|----|---------|-----|---|
| 35510 | #1 | 2,3 | 75 | 6,0 | 5,5 | 5 |
| 35511 | #2 | 2,8 | 75 | 6,0 | 5,5 | 5 |

Manufactured acc. to IEC 60900.

Pozidriv

283112

| Order-No. | | mm | | max. Nm | |
|-----------|-----|----|-----|---------|---|
| 43117 | PZ0 | 75 | 6,0 | 0,5 | 5 |
| 34585 | PZ1 | 75 | 6,0 | 3,8 | 5 |
| 34586 | PZ2 | 75 | 6,0 | 5,5 | 5 |

Manufactured acc. to IEC 60900.

PlusMinus/Phillips

283113

| Order-No. | | mm | | max. Nm | |
|-----------|--------|----|-----|---------|---|
| 34587 | SL/PH1 | 75 | 6,0 | 3,8 | 5 |
| 34588 | SL/PH2 | 75 | 6,0 | 5,5 | 5 |

Manufactured acc. to IEC 60900.

PlusMinus/Pozidriv

283114

| Order-No. | | mm | | max. Nm | |
|-----------|--------|----|-----|---------|---|
| 34589 | SL/PZ1 | 75 | 6,0 | 3,8 | 5 |
| 34590 | SL/PZ2 | 75 | 6,0 | 5,5 | 5 |

Manufactured acc. to IEC 60900.



Torque screwdriver with T-handle TorqueVario®-S T electric



Variable torque limit settings

2933

| Order-No. | Nm | 74% | ○ | ↕ | ↕ | 📦 |
|-----------|------|-----|---|----|-----|---|
| 43177 | 5-14 | 6 | 6 | 56 | 120 | 1 |

Manufactured acc. to IEC 60900. DIN EN ISO 6789.

INFOBOX: Torque T-handle TorqueVario®-S T electric



Torque T-handle TorqueVario®-S T electric

- For controlled fastening in a large range of applications.
- Torque value is continuously adjustable thanks to the adjusting tool.
- More fastening power thanks to T-handle design.
- Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.
- Certified individual item testing directly after on-site production.
- Broad selection of interchangeable blades

Interchangeable electric blade



TORX® for torque screwdriver with T-handle electric

283795

| Order-No. | ⚙️ | mm | ↕ | max. Nm | 📦 |
|-----------|-----|-----|----|---------|----|
| 38931 | T15 | 136 | 35 | 5,5 | 10 |
| 38932 | T20 | 136 | 35 | 10 | 10 |
| 38933 | T25 | 136 | 35 | 15 | 10 |
| 38934 | T27 | 136 | 35 | 15 | 10 |
| 38935 | T30 | 136 | 35 | 20 | 10 |
| 38936 | T40 | 136 | 35 | 20 | 10 |

Manufactured acc. to IEC 60900.

Interchangeable electric blade



Hex for torque screwdriver with T-handle electric

283793

| Order-No. | ⚙️ | mm | ↕ | max. Nm | 📦 |
|-----------|-----|-----|----|---------|----|
| 38918 | 3,0 | 136 | 35 | 5,5 | 10 |
| 38919 | 4,0 | 136 | 35 | 15 | 10 |
| 38920 | 5,0 | 136 | 35 | 20 | 10 |
| 38921 | 6,0 | 136 | 35 | 20 | 10 |

Manufactured acc. to IEC 60900.

Interchangeable electric blade



Hex nut driver for torque screwdriver with T-handle electric

283794

| Order-No. | ⚙️ | mm | max. Nm | 📦 |
|-----------|------|-----|---------|----|
| 38925 | 7,0 | 136 | 5 | 10 |
| 38926 | 8,0 | 136 | 10 | 10 |
| 38927 | 9,0 | 136 | 14 | 10 |
| 38928 | 10,0 | 136 | 17 | 10 |
| 38929 | 13,0 | 136 | 20 | 10 |
| 38930 | 17,0 | 136 | 20 | 10 |

Manufactured acc. to IEC 60900.

Adjusting tool



for torque screwdriver with T-handle

2899







| Order-No. |  |  |  |
|-----------|---|---|---|
| 28691 | 90 | 146 | 1 |

Torque screwdriver iTorque®



with digital scale

28352

| Order-No. | Nm |  |  |  |  |  |  |
|-----------|---------|---|---|---|---|---|---|
| 36886 | 0,4-1,5 | 60-210 in.oz | 6% | 4 | 134 | 34 | 1 |
| 36887 | 0,8-3,0 | 7-26 in.lbs | 6% | 4 | 134 | 34 | 1 |
| 36888 | 1,0-5,0 | 9-44 in.lbs | 6% | 4 | 134 | 40 | 1 |

DIN EN ISO 6789.



INFOBOX: iTorque



The intelligent torque tool.

- Required torque can be adjusted and set on the handle without the need for a separate tool.
- Large numerical display simplifies reading.
- ClickControl records every use and optimises the monitoring of measuring instruments.
- Calibration alarm after 5,000 applications for absolute process safety.
- Certified individual item testing directly after on-site production.
- Broad selection of interchangeable blades and adapter blades.
- Units can be switched (Nm » in.lb/ cNm » in.oz)
- Can be recalibrated

Torque screwdriver set TorqueVario®-S



mixed, 13 pcs., variably adjustable torque limit, 0.8–5.0 Nm in box

2852 S10

Best.-Nr.  26893 1

- Torque screwdriver TorqueVario®-S Variable torque limit settings / 0,8-5,0 Nm
- Bit holder clamping with ball for torque screwdriver with long handle
- Adjusting tool for torque screwdriver with long handle
- ⊕ PH1 x 25 / PH2 x 25
- ⊕ PZ1 x 25 / PZ2 x 25
- ⊕ T10 x 25 / T15 x 25 / T20 x 25 / T25 x 25
- 3,0 x 25 / 4,0 x 25

DIN EN ISO 6789.

TORX®, TORX PLUS®, 13 pcs., variably adjustable torque limit, 0.8–5.0 Nm in box

2852 S10-01

Best.-Nr.  34614 1

- Torque screwdriver TorqueVario®-S Variable torque limit settings / 0,8-5,0 Nm
- Bit holder clamping with ball for torque screwdriver with long handle
- Adjusting tool for torque screwdriver with long handle
- ⊕ T7 x 25 / T8 x 25 / T9 x 25 / T10 x 25 / T15 x 25
- ⊕ 7IP x 25 / 8IP x 25 / 9IP x 25 / 10IP x 25 / 15IP x 25




DIN EN ISO 6789.

Torque screwdriver TorqueVario®-S




○ Variable torque limit settings

2852

| Order-No. | Nm | ±6% | ○ |  |  |  |
|-----------|------------|-----|---|---|---|---|
| 36849 | 0,04-0,46• | 10% | 4 | 127 | 23 | 1 |
| 26888 | 0,1-0,6 | 10% | 4 | 127 | 23 | 1 |
| 36850 | 0,1-0,6 | 6% | 4 | 127 | 23 | 1 |
| 26461 | 0,4-1,0 | 6% | 4 | 127 | 23 | 1 |
| 26462 | 0,5-2,0 | 6% | 4 | 131 | 30 | 1 |
| 26463 | 0,8-5,0 | 6% | 4 | 138 | 36 | 1 |
| 26464 | 2,0-7,0 | 6% | 4 | 142 | 41 | 1 |

• Precision in range of 0.1-0.46 Nm.
DIN EN ISO 6789.

INFOBOX:
TorqueVario®-S



Variably settable torque tools.

- For controlled fastening in a large range of applications.
- Torque value is continuously adjustable thanks to the torque setter adjusting tool.
- Distinctly audible and perceptible click signal when set torque is reached.
- Each Wiha screwdriver handle provides a perfectly correlated ratio of guidance, speed and torque for any fastening task.
- Certified individual item testing directly after on-site production.
- Broad selection of interchangeable blades and adapter blades.

Torque screwdriver TorqueFix®



○ permanently pre-set torque limit

2850

| Order-No. | Nm | ±% | ○ | ↔ | ↕ | 📦 |
|-----------|-----|----|---|-----|----|---|
| 26925 | 0,4 | 6% | 4 | 112 | 23 | 1 |
| 26127 | 0,5 | 6% | 4 | 112 | 23 | 1 |
| 26047 | 0,6 | 6% | 4 | 112 | 23 | 1 |
| 26327 | 0,8 | 6% | 4 | 112 | 23 | 1 |
| 26048 | 0,9 | 6% | 4 | 112 | 23 | 1 |
| 26133 | 1,1 | 6% | 4 | 119 | 30 | 1 |
| 26049 | 1,2 | 6% | 4 | 119 | 30 | 1 |
| 26901 | 1,5 | 6% | 4 | 119 | 30 | 1 |
| 26051 | 2,0 | 6% | 4 | 119 | 30 | 1 |
| 26128 | 2,5 | 6% | 4 | 119 | 30 | 1 |
| 26052 | 3,0 | 6% | 4 | 126 | 36 | 1 |
| 26129 | 3,8 | 6% | 4 | 126 | 36 | 1 |
| 26053 | 5,0 | 6% | 4 | 132 | 41 | 1 |
| 26130 | 5,5 | 6% | 4 | 132 | 41 | 1 |
| 34533 | 6,0 | 6% | 4 | 132 | 41 | 1 |
| 26131 | 7,2 | 6% | 4 | 132 | 41 | 1 |

DIN EN ISO 6789.

Torque screwdriver set TorqueFix®



Cable key for circular plug connector permanently pre-set torque limit 2-pcs.

2850

| Order-No. | Nm | ⌒ | ↔ mm | ↔ | ↕ | ↕ | 📦 |
|-----------|-----|----|------|----|-----|----|---|
| 36846 | 0,4 | 9 | 230 | 78 | 112 | 23 | 1 |
| 36847 | 0,6 | 13 | 230 | 78 | 112 | 23 | 1 |

DIN EN ISO 6789.

Torque screwdriver easyTorque



○ permanently pre-set torque limit

2920

| Order-No. | Nm | ±% | ○ | ↔ | ↕ | 📦 |
|-----------|-----|-----|---|-----|----|---|
| 36229 | 0,5 | 10% | 4 | 130 | 34 | 1 |
| 36230 | 0,6 | 10% | 4 | 130 | 34 | 1 |
| 36240 | 0,9 | 10% | 4 | 130 | 34 | 1 |
| 36231 | 1,1 | 10% | 4 | 130 | 34 | 1 |
| 36233 | 1,2 | 10% | 4 | 130 | 34 | 1 |
| 36234 | 1,4 | 10% | 4 | 130 | 34 | 1 |
| 36235 | 2,0 | 10% | 4 | 130 | 34 | 1 |
| 36236 | 2,5 | 10% | 4 | 130 | 34 | 1 |
| 36237 | 3,0 | 10% | 4 | 130 | 34 | 1 |
| 36238 | 3,8 | 10% | 4 | 130 | 34 | 1 |
| 36320 | 4,0 | 10% | 4 | 130 | 34 | 1 |
| 36321 | 4,5 | 10% | 4 | 130 | 34 | 1 |
| 36239 | 5,0 | 10% | 4 | 130 | 34 | 1 |

INFOBOX: TorqueFix®



Permanently pre-set torque tools.

- For controlled fastening, e.g. in series production or repetitive usage.
- Distinctly audible and perceptible click signal when set torque is reached.
- Each Wiha screwdriver handle provides a perfectly correlated ratio of guidance, speed and torque for any fastening task.
- Broad selection of interchangeable blades and adapter blades.

Interchangeable blade



☉ Slotted for torque screwdriver with long handle

28590

| Order-No. | ☉ | ☉ | ● | mm | mm | max. Nm | |
|-----------|------|-----|---|-----|----|---------|----|
| 26227 | 0,25 | 1,5 | 4 | 175 | 42 | 0,15 | 10 |
| 26228 | 0,4 | 2,0 | 4 | 175 | 42 | 0,4 | 10 |
| 26151 | 0,4 | 2,5 | 4 | 175 | 42 | 0,4 | 10 |
| 26277 | 0,5 | 3,0 | 4 | 175 | 42 | 0,6 | 10 |
| 26278 | 0,6 | 3,5 | 4 | 175 | 42 | 1,1 | 10 |
| 26279 | 0,8 | 4,0 | 4 | 175 | 42 | 2,5 | 10 |

Blade tip DIN ISO 2380-1.

⊕ Phillips for torque screwdriver with long handle

28591

| Order-No. | ⊕ | ● | mm | mm | max. Nm | |
|-----------|-------|---|-----|----|---------|----|
| 26199 | PH000 | 4 | 175 | 42 | 0,4 | 10 |
| 26196 | PH00 | 4 | 175 | 42 | 0,4 | 10 |
| 26197 | PH0 | 4 | 175 | 42 | 0,9 | 10 |
| 26058 | PH1 | 4 | 175 | 42 | 3,8 | 10 |
| 27079 | PH2 | 4 | 175 | 42 | 5,5 | 10 |

Blade tip DIN ISO 8764-1.

⊗ Pozidriv for torque screwdriver with long handle

28592

| Order-No. | ⊗ | ● | mm | mm | max. Nm | |
|-----------|-----|---|-----|----|---------|----|
| 26198 | PZ0 | 4 | 175 | 42 | 0,9 | 10 |
| 26148 | PZ1 | 4 | 175 | 42 | 3,8 | 10 |
| 26889 | PZ2 | 4 | 175 | 42 | 5,5 | 10 |

Blade tip DIN ISO 8764-1.

⊗ TORX® MagicSpring® for torque screwdriver with long handle

28595R

| Order-No. | ⊗ | ● | mm | mm | max. Nm | |
|-----------|-----|---|-----|----|---------|----|
| 27818 | T6 | 4 | 175 | 42 | 0,6 | 10 |
| 27812 | T7 | 4 | 175 | 42 | 0,9 | 10 |
| 27813 | T8 | 4 | 175 | 42 | 1,3 | 10 |
| 27814 | T9 | 4 | 175 | 42 | 2,5 | 10 |
| 27815 | T10 | 4 | 175 | 42 | 3,8 | 10 |
| 27816 | T15 | 4 | 175 | 42 | 5,5 | 10 |
| 27817 | T20 | 4 | 175 | 42 | 8,0 | 10 |
| 29467 | T25 | 4 | 175 | 42 | 8,0 | 10 |

⊗ TORX® for torque screwdriver with long handle

28595

| Order-No. | ⊗ | ● | mm | mm | max. Nm | SB | |
|-----------|-----|---|-----|----|---------|----|----|
| 30852 | T4 | 4 | 175 | 42 | 0,25 | | 10 |
| 26158 | T5 | 4 | 175 | 42 | 0,4 | | 10 |
| 26064 | T6 | 4 | 175 | 42 | 0,6 | | 10 |
| 26065 | T7 | 4 | 175 | 42 | 0,9 | | 10 |
| 26066 | T8 | 4 | 175 | 42 | 1,3 | | 10 |
| 26059 | T9 | 4 | 175 | 42 | 2,5 | | 10 |
| 26067 | T10 | 4 | 175 | 42 | 3,8 | | 10 |
| 26068 | T15 | 4 | 175 | 42 | 5,5 | | 10 |
| 26069 | T20 | 4 | 175 | 42 | 8,0 | | 10 |
| 26070 | T25 | 4 | 175 | 42 | 8,0 | | 10 |

⊗ TORX PLUS® MagicSpring® for torque screwdriver with long handle

28596R

| Order-No. | ⊗ | ● | mm | mm | max. Nm | |
|-----------|------|---|-----|----|---------|----|
| 29553 | 6IP | 4 | 175 | 42 | 0,8 | 10 |
| 29554 | 7IP | 4 | 175 | 42 | 1,3 | 10 |
| 29555 | 8IP | 4 | 175 | 42 | 2,0 | 10 |
| 29556 | 9IP | 4 | 175 | 42 | 3,0 | 10 |
| 29557 | 10IP | 4 | 175 | 42 | 4,5 | 10 |
| 29558 | 15IP | 4 | 175 | 42 | 6,6 | 10 |
| 29559 | 20IP | 4 | 175 | 42 | 8,0 | 10 |
| 29560 | 25IP | 4 | 175 | 42 | 8,0 | 10 |

⊗ TORX PLUS® for torque screwdriver with long handle

28596

| Order-No. | ⊗ | ● | mm | mm | max. Nm | SB | |
|-----------|------|---|-----|----|---------|----|----|
| 26159 | 5IP | 4 | 175 | 42 | 0,5 | | 10 |
| 26071 | 6IP | 4 | 175 | 42 | 0,8 | | 10 |
| 26152 | 7IP | 4 | 175 | 42 | 1,3 | | 10 |
| 26072 | 8IP | 4 | 175 | 42 | 2,0 | | 10 |
| 26154 | 9IP | 4 | 175 | 42 | 3,0 | | 10 |
| 26155 | 10IP | 4 | 175 | 42 | 4,5 | | 10 |
| 26073 | 15IP | 4 | 175 | 42 | 6,6 | | 10 |
| 26156 | 20IP | 4 | 175 | 42 | 8,0 | | 10 |
| 26157 | 25IP | 4 | 175 | 42 | 8,0 | | 10 |


⊗ Hexagonal ball end for torque screwdriver with long handle

28597

| Order-No. | ● | ● | mm | mm | max. Nm | |
|-----------|-----|---|-----|----|---------|----|
| 26221 | 1,5 | 4 | 175 | 42 | 0,4 | 10 |
| 26222 | 2,0 | 4 | 175 | 42 | 0,9 | 10 |
| 26223 | 2,5 | 4 | 175 | 42 | 2,0 | 10 |
| 26224 | 3,0 | 4 | 175 | 42 | 3,8 | 10 |
| 26225 | 4,0 | 4 | 175 | 42 | 8,0 | 10 |

Hexagon for torque screwdriver with long handle

28593


| Order-No. | ⌀ | mm | mm | mm | max. Nm |  |
|-----------|-----|----|-----|----|---------|---|
| 26544 | 1,3 | 4 | 175 | 42 | 0,4 | 10 |
| 26200 | 1,5 | 4 | 175 | 42 | 0,9 | 10 |
| 26060 | 2,0 | 4 | 175 | 42 | 1,8 | 10 |
| 26061 | 2,5 | 4 | 175 | 42 | 3,8 | 10 |
| 26062 | 3,0 | 4 | 175 | 42 | 5,5 | 10 |
| 26063 | 4,0 | 4 | 175 | 42 | 8,0 | 10 |

Cable key for circular plug connector



Hexagon head for torque screwdriver with long handle

28594

| Order-No. | mm | mm | mm | mm | max. Nm |  |
|-----------|----|----|----|-----|---------|---|
| 36414 | 8 | 4 | 78 | 218 | 1 | 10 |
| 36415 | 9 | 4 | 78 | 218 | 1 | 10 |
| 36417 | 13 | 4 | 78 | 218 | 1,5 | 10 |
| 36418 | 14 | 4 | 78 | 218 | 1,5 | 10 |
| 36421 | 18 | 4 | 78 | 218 | 1,5 | 5 |

INFOBOX: MagicSpring®



Wiha TORX® MagicSpring®

- TORX® and TORX PLUS® screws are held securely in place.
- An innovation, which will benefit each user.

INFOBOX: Ball end hex



Wiha hexagonal ball end

- The ball end can be rotated by up to 25° in both clockwise and anti-clockwise direction.

Adapter blade



internal square for torque screwdriver with long handle

285992


| Order-No. | mm | mm | mm |  |
|-----------|-----|----|-----|---|
| 26229 | 1/4 | 4 | 155 | 10 |

Bit holder clamping with ball



for torque screwdriver with long handle

285994

| Order-No. | mm | mm | mm | mm |  |
|-----------|-----|----|-----|----|---|
| 27526 | 1/4 | 4 | 162 | 11 | 10 |

Adjusting tool



for torque screwdriver with long handle

2859

| Order-No. | mm | mm |  |
|-----------|-----|----|---|
| 26864 | 146 | 90 | 1 |

Torque screwdriver with T-handle set TorqueVario®-S T



mixed, 11 pcs., variably adjustable torque limit, 5-14 Nm in box

2893 S01

| Order-No. | Icon |
|-------------------------------------|---|
| 29234 | 1 |
| <input type="radio"/> | Torque screwdriver with T-handle TorqueVario®-S T Variable torque limit settings / 5-14 Nm Adjusting tool for torque screwdriver with T-handle |
| <input checked="" type="checkbox"/> | Adapter blade for torque screwdriver with T-handle 1/4" / Adapter blade for torque screwdriver with T-handle 3/8" / |
| <input type="radio"/> | Bit holder for torque screwdriver with T-handle |
| <input checked="" type="checkbox"/> | T25 x 25 / T30 x 25 / T40 x 25 |
| <input checked="" type="checkbox"/> | 4,0 x 25 / 5,0 x 25 / 6,0 x 25 |

DIN EN ISO 6789.

Torque screwdriver with T-handle TorqueVario®-S T



Variable torque limit settings

2893

| Order-No. | Nm | ±% | ⊙ | ↕ | ↔ | 📦 |
|-----------|------|----|---|----|-----|---|
| 29233 | 5-14 | 6% | 6 | 56 | 120 | 1 |

DIN EN ISO 6789.

Torque screwdriver with T-handle TorqueFix® T



permanently pre-set torque limit

2891

| Order-No. | Nm | ±% | ⊙ | ↕ | ↔ | 📦 |
|-----------|------|----|---|----|-----|---|
| 29228 | 6 | 6% | 6 | 56 | 120 | 1 |
| 29229 | 8 | 6% | 6 | 56 | 120 | 1 |
| 29230 | 10 | 6% | 6 | 56 | 120 | 1 |
| 29231 | 12 | 6% | 6 | 56 | 120 | 1 |
| 29236 | 12,5 | 6% | 6 | 56 | 120 | 1 |
| 29232 | 14 | 6% | 6 | 56 | 120 | 1 |

DIN EN ISO 6789.

Interchangeable blade



TORX® for torque screwdriver with T-handle

28995

| Order-No. | | | mm | | max. Nm | max. in.lbs. | |
|-----------|-----|---|-----|----|---------|--------------|----|
| 28734 | T15 | 6 | 130 | 53 | 5,5 | 49 | 10 |
| 28735 | T20 | 6 | 130 | 53 | 10 | 88 | 10 |
| 28736 | T25 | 6 | 130 | 53 | 15 | 132 | 10 |
| 28737 | T27 | 6 | 130 | 53 | 15 | 132 | 10 |
| 28738 | T30 | 6 | 130 | 53 | 15 | 132 | 10 |
| 28739 | T40 | 6 | 130 | 53 | 15 | 132 | 10 |

TORX PLUS® for torque screwdriver with T-handle

28996

| Order-No. | | | mm | | max. Nm | max. in.lbs. | |
|-----------|------|---|-----|----|---------|--------------|----|
| 28740 | 15IP | 6 | 130 | 53 | 6,6 | 59 | 10 |
| 28741 | 20IP | 6 | 130 | 53 | 13 | 115 | 10 |
| 28742 | 25IP | 6 | 130 | 53 | 15 | 132 | 10 |
| 28743 | 27IP | 6 | 130 | 53 | 15 | 132 | 10 |
| 28744 | 30IP | 6 | 130 | 53 | 15 | 132 | 10 |
| 28745 | 40IP | 6 | 130 | 53 | 15 | 132 | 10 |

Hex for torque screwdriver with T-handle

28993

| Order-No. | | | mm | | max. Nm | max. in.lbs. | |
|-----------|---|---|-----|----|---------|--------------|----|
| 28746 | 3 | 6 | 130 | 53 | 5,5 | 49 | 10 |
| 28747 | 4 | 6 | 130 | 53 | 15 | 132 | 10 |
| 28748 | 5 | 6 | 130 | 53 | 15 | 132 | 10 |
| 28749 | 6 | 6 | 130 | 53 | 15 | 132 | 10 |

Adapter blade



for torque screwdriver with T-handle

28999

| Order-No. | | | mm | | |
|-----------|-----|---|-----|----|----|
| 28756 | 1/4 | 6 | 120 | 53 | 10 |
| 28757 | 3/8 | 6 | 120 | 53 | 10 |

Bit holder



for torque screwdriver with T-handle

28999

| Order-No. | | | mm | | |
|-----------|-----|---|-----|----|----|
| 28758 | 1/4 | 6 | 125 | 11 | 10 |

Adjusting tool



for torque screwdriver with T-handle

28999

| Order-No. | | mm | |
|-----------|----|-----|---|
| 28691 | 90 | 146 | 1 |



Torque screwdriver with key handle TorqueFix® Key



○ permanently pre-set torque limit

28360

| Order-No. | Nm | ±6% | ○ | ↕ | ↕ | ☐ |
|-----------|-----|-----|---|----|----|---|
| 38616 | 0,5 | 6% | 4 | 68 | 50 | 1 |
| 38617 | 0,6 | 6% | 4 | 68 | 50 | 1 |
| 38618 | 0,9 | 6% | 4 | 68 | 50 | 1 |
| 38556 | 1,1 | 6% | 4 | 68 | 50 | 1 |
| 38800 | 1,2 | 6% | 4 | 68 | 50 | 1 |
| 38619 | 1,4 | 6% | 4 | 68 | 50 | 1 |
| 38557 | 2,0 | 6% | 4 | 68 | 50 | 1 |
| 38620 | 2,5 | 6% | 4 | 68 | 50 | 1 |
| 38621 | 3,0 | 6% | 4 | 68 | 50 | 1 |
| 38558 | 3,8 | 6% | 4 | 68 | 50 | 1 |
| 38622 | 4,0 | 6% | 4 | 68 | 50 | 1 |

DIN EN ISO 6789.

Interchangeable blade



● Hexagon for torque screwdriver with key handle

283693

| Order-No. | ● | ● | mm | ↕ | max. Nm | ☐ |
|-----------|-----|---|----|----|---------|----|
| 38801 | 1,5 | 4 | 75 | 20 | 0,9 | 10 |
| 38802 | 2,0 | 4 | 75 | 20 | 1,8 | 10 |
| 38803 | 2,5 | 4 | 75 | 20 | 3,8 | 10 |
| 38804 | 3,0 | 4 | 75 | 20 | 5,5 | 10 |
| 38805 | 4,0 | 4 | 75 | 20 | 8,0 | 10 |

Interchangeable blade



● TORX® for torque screwdriver with key handle

283695

| Order-No. | ● | ● | mm | ↕ | max. Nm | ☐ |
|-----------|-----|---|----|----|---------|----|
| 38806 | T6 | 4 | 75 | 20 | 0,6 | 10 |
| 38807 | T7 | 4 | 75 | 20 | 0,9 | 10 |
| 38808 | T8 | 4 | 75 | 20 | 1,3 | 10 |
| 38809 | T9 | 4 | 75 | 20 | 2,5 | 10 |
| 38810 | T10 | 4 | 75 | 20 | 3,8 | 10 |
| 38811 | T15 | 4 | 75 | 20 | 5,5 | 10 |
| 38812 | T20 | 4 | 75 | 20 | 8,0 | 10 |
| 38813 | T25 | 4 | 75 | 20 | 8,0 | 10 |

Interchangeable blade



● TORX PLUS® for torque screwdriver with key handle

283696

| Order-No. | ● | ● | mm | ↕ | max. Nm | ☐ |
|-----------|------|---|----|----|---------|----|
| 38814 | 6IP | 4 | 75 | 20 | 0,8 | 10 |
| 38815 | 7IP | 4 | 75 | 20 | 1,3 | 10 |
| 38816 | 8IP | 4 | 75 | 20 | 2,0 | 10 |
| 38817 | 9IP | 4 | 75 | 20 | 3,0 | 10 |
| 38818 | 10IP | 4 | 75 | 20 | 4,5 | 10 |
| 38819 | 15IP | 4 | 75 | 20 | 6,6 | 10 |
| 38820 | 20IP | 4 | 75 | 20 | 8,0 | 10 |
| 38821 | 25IP | 4 | 75 | 20 | 8,0 | 10 |

Torque screwdriver set TorqueVario®-S ESD



mixed, 13 pcs., variably adjustable torque limit, 0,4-1,0 Nm in box

2882 S10

| Order-No. | Icon | Description |
|-----------|------|---|
| 43898 | ☐ | 1 |
| ○ | | Torque screwdriver TorqueVario®-S ESD Variable torque limit settings / 0,4-1,0 Nm |
| ○ | | Bit holder clamping with ball for torque screwdriver with long handle |
| | | Adjusting tool for torque screwdriver with long handle |
| ⊖ | | 4,0 x 25 / 4,5 x 25 |
| ⊕ | | PH0 x 25 / PH1 x 25 |
| ⊕ | | PZ0 x 25 / PZ1 x 25 |
| ⊕ | | T4 x 25 / T5 x 25 / T6 x 25 / T8 x 25 |

IEC 61340-5-1. DIN EN ISO 6789.

Torque screwdriver TorqueVario®-S ESD



○ Variable torque limit settings

2882

| Order-No. | Nm | ±% | ⊖ | ⊕ | ⊕ | ☐ |
|-----------|-----------|-----|---|-----|----|---|
| 36851 | 0,04-0,46 | 10% | 4 | 127 | 23 | 1 |
| 26865 | 0,1-0,6 | 10% | 4 | 127 | 23 | 1 |
| 36852 | 0,1-0,6 | 6% | 4 | 127 | 23 | 1 |
| 26629 | 0,4-1,0 | 6% | 4 | 127 | 23 | 1 |
| 26866 | 0,5-2,0 | 6% | 4 | 131 | 30 | 1 |
| 30495 | 0,8-5,0 | 6% | 4 | 138 | 36 | 1 |

• Precision in range of 0.1-0.46 Nm.
IEC 61340-5-1. DIN EN ISO 6789.














INFOBOX:
Electrostatic
conductive ESD
tools



Sensitive, electronic components can be damaged even at a very low voltage.

- Dissipative tools by Wiha discharge the electrostatic energy in a controlled, safe manner.
- ESD tools meet the ESD Standard IEC 61340-5-1.
- ESD tool handles have a surface resistance of $10^6 - 10^9$ Ohm.

Overview of torque tools


| Tools | Precision | Setting | Special feature | Nm range | Torque range | | | |
|---|---------------------------------|----------|--|--|--------------|--------|------|-------|
| | | | | | 0,01 Nm | 0,1 Nm | 1 Nm | 10 Nm |
| iTorque  | ± 6 % | variable | Écran digital Click control Calibration alarm Numeric scale | 0,4 – 1,5 0,8 – 3,0 1,0 – 5,0 | | | | |
| TorqueVario®-S  | ± 10 % ± 6 %/± 10 % ± 6 % | variable | Numeric scale | 0,04 – 0,46 0,1 – 0,6 0,4 – 1,0 0,5 – 2,0 0,8 – 5,0 2,0 – 7,0 | | | | |
| TorqueVario®-S ESD  | ± 10 % ± 6 %/± 10 % ± 6 % | variable | ESD-compliant, numeric scale | 0,04 – 0,46 0,1 – 0,6 0,4 – 1,0 0,5 – 2,0 0,8 – 5,0 | | | | |
| TorqueFix®  | ± 6 % | fixed | Permanently preset in factory | 16 Versions 0,4 – 7,2 | | | | |
| easyTorque  | ± 10 % | fixed | Permanently preset in factory | 13 Versions 0,5 – 5,0 | | | | |
| TorqueFix® Key  | ± 6 % | fixed | Permanently preset in factory | 0,5 – 4,0 | | | | |
| easyTorque adapter  | ± 10 % | fixed | VDE certification Permanently preset in factory | 5 Versions 0,8 – 4,0 | | | | |
| TorqueVario®-S VDE  | ± 6 % | variable | VDE certification, numeric scale | 0,8 – 5,0 2,0 – 7,0 | | | | |
| TorqueVario®-S T electric  | | variable | VDE certification, numeric scale | 5 – 14 | | | | |
| TorqueVario®-S T  | ± 6 % | variable | Numeric scale | 5,0 – 14 | | | | |
| TorqueFix®-T  | ± 6 % | fixed | Permanently preset in factory | 6 Versions 6,0 – 14 | | | | |

Interchangeable blades


Series 2859



Series 28369



slimBits
Series 2831



Series 28379



Series 2899





Multitools





Many talents in the minimum space.

Fewer tools mean less load, better handling and efficient work. The more a tool can do, the better: Wiha multitools are compact, versatile tools which save space and reduce overall weight, making them the perfect portable companion.

In the Wiha LiftUp magazine bit holder, the most commonly used bits are neatly stored in the handle, ensuring they are always ready for use and easy to handle. The Wiha reversible blade system offers a variety of interchangeable blades, the lengths of which can be adjusted as required. The small, compact Wiha PocketStars contain the most commonly used L-keys - indispensable helpers for all equipment. The Wiha Stubby magazine combines six drive formats in one, allowing completely unrestricted access to all confined spaces thanks to its extremely short screwdriver handle.

Application

Multitools

| | | | | |
|-----------------------------------|--|--|---|---|
| All-in-one tools | Screwdriver with bit magazine LiftUp electric Page 214 | Screwdriver with bit magazine, LiftUp 26one® Page 214 | Screwdriver with bit magazine Stubby Page 214 | Double bit set Page 215 |
| |  |  |  |  |
| | Multitool PocketStar®, assorted 9-pcs. Page 217 | Multitool PocketStar®, TORX® 8-pcs. Page 217 | Multitool PocketStar®, Hexagonal ball end MagicRing® 7-pcs. Page 219 | Switch cabinet key pen shape Page 220 |
| |  |  |  |  |
| | Nut driver insert gripper, Page 220 | | | |
| |  | | | |
| Interchangeable blade sets | Screwdriver with interchangeable blade set SYSTEM 6, Mixed 11-pcs. in box Page 221 | Screwdriver with interchangeable blade set SYSTEM 6, Mixed 11-pcs. in roll-up bag Page 221 | Screwdriver with interchangeable blade set SYSTEM 6 ESD, Mixed 6-pcs. in roll-up bag Page 223 | |
| |  |  |  | |
| | Screwdriver with interchangeable blade set SYSTEM 4, Mixed 11-pcs. in roll-up bag Page 225 | Screwdriver with interchangeable blade set SYSTEM 4 ESD, Mixed 11-pcs. in roll-up bag Page 227 | | |
| |  |  | | |



Screwdriver with bit magazine LiftUp electric



Slotted, Phillips with 6 slimBits

2831

| Order-No. | SB | Blister |
|---|----|---------|
| 38610 | | 5 |
| 38612 | x | 1 |
| ⊖ 1 x 2,5 / 1 x 3,0 / 1 x 4,0 / 1 x 5,5 ⊕ 1 x PH1 / 1 x PH2 Manufactured acc. to IEC 60900. | | |

Phillips, PlusMinus/Pozidriv, slotted with 6 slimBits

2831

| Order-No. | SB | Blister |
|---|----|---------|
| 38611 | | 5 |
| 38613 | x | 1 |
| ⊖ 1 x 3,0 / 1 x 4,0 / 1 x 5,5 ⊕ 1 x PH1 / 1 x PH2 ⊗ 1 x SL/PZ2 Manufactured acc. to IEC 60900. | | |

Pozidriv, PlusMinus/Pozidriv, slotted with 6 slimBits

2831

| Order-No. | SB | Blister |
|---|----|---------|
| 41234 | | 5 |
| 41235 | x | 1 |
| ⊖ 1 x 2,5 / 1 x 3,5 / 1 x 5,5 ⊗ 1 x PZ1 / 1 x PZ2 ⊗ 1 x SL/PZ2 Manufactured acc. to IEC 60900. | | |

TORX® with 6 slimBits

2831

| Order-No. | SB | Blister |
|--|----|---------|
| 41157 | | 5 |
| 41158 | x | 1 |
| ⊗ 1 x T8 / 1 x T9 / 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 Manufactured acc. to IEC 60900. | | |

Screwdriver with bit magazine, LiftUp 26one®



Mixed with 13 double bits in blister pack

SB 3803 04 020

| Order-No. | SB | Blister |
|--|----|---------|
| 43895 | x | 1 |
| ⊖ ⊖ 4,0 - 6,0 / 5,5 - 6,5 ⊕ ⊕ PH0 - PH3 / PH1 - PH2 ⊗ ⊗ T6 - T8 / T10 - T15 / T20 - T25 / T27 - T30 ⊗ ⊗ PZ1 - PZ2 ⊗ ⊗ #1 - #2 ⊗ ⊗ 3 - 4 / 5 - 6 | | |

Screwdriver with bit magazine Stubby



Mixed with 7 double bits 1/4"

3802

| Order-No. | SB | Blister |
|---|----|---------|
| 43613 | x | 5 |
| ⊖ ⊖ 4,0 x 6,0 ⊕ ⊕ PH1 x PH2 ⊗ ⊗ PZ1 x PZ2 ⊗ ⊗ 3 x 4 / 5 x 6 ⊗ ⊗ T10 x T15 / T20 x T25 | | |

INFOBOX: slimTECHNOLOGY



Wiha SoftFinish® electric slimFix

- Unlimited access.
- Blades up to 33 % narrower due to integrated insulation.
- Tool for spring clips (wedge-profiled output geometry).



Slotted, 10-pcs. in box

7410Z

| | |
|------------|-----------|
| Ordern-No. | |
| 43858 | 1 |
| | 4,0 x 6,0 |

Slotted, 10-pcs. in box

7410Z

| | |
|------------|-----------|
| Ordern-No. | |
| 43859 | 1 |
| | 5,5 x 6,5 |

Phillips, 10-pcs. in box

7411Z

| | |
|------------|-----------|
| Ordern-No. | |
| 43860 | 1 |
| | PH0 x PH3 |

Phillips, 10-pcs. in box

7411Z

| | |
|------------|-----------|
| Ordern-No. | |
| 43861 | 1 |
| | PH1 x PH2 |

Pozidriv, 10-pcs. in box

7412Z

| | |
|------------|-----------|
| Ordern-No. | |
| 43862 | 1 |
| | PZ0 x PZ3 |

Pozidriv, 10-pcs. in box

7412Z

| | |
|------------|-----------|
| Ordern-No. | |
| 43863 | 1 |
| | PZ1 x PZ2 |

Internal hexagon, 10-pcs. in box

7413Z

| | |
|------------|-------|
| Ordern-No. | |
| 43864 | 1 |
| | 3 x 4 |

Internal hexagon, 10-pcs. in box

7413Z

| | |
|------------|-------|
| Ordern-No. | |
| 43865 | 1 |
| | 5 x 6 |

TORX®, 10 pieces in box

7415Z

| | |
|------------|---------|
| Ordern-No. | |
| 43866 | 1 |
| | T6 x T8 |

TORX®, 10 pieces in box

7415Z

| | |
|------------|-----------|
| Ordern-No. | |
| 43867 | 1 |
| | T10 x T15 |

TORX®, 10 pieces in box

7415Z

| | |
|------------|-----------|
| Ordern-No. | |
| 43868 | 1 |
| | T20 x T25 |

TORX®, 10 pieces in box

7415Z

| | |
|------------|-----------|
| Ordern-No. | |
| 43869 | 1 |
| | T27 x T30 |

Internal square, 10-pcs. in box

7419Z

| | |
|------------|---------|
| Ordern-No. | |
| 43870 | 1 |
| | #1 x #2 |



INFOBOX:
LiftUp 26one®

Most of the world's common drives in one tool!

- The LiftUp 26one® has 13 double bits; 12 in the magazine and 1 double bit in the bit holder.
- The bit magazine opens out at the press of a button, enabling the removal of the bits.
- Unlimited access to low-lying screws thanks to the automatically locking SuperSlim bit holder.
- Powerful screw fastening or loosening thanks to the large screwdriver handle.



Screwdriver with LiftUp 25 magnetic bit magazine



Mixed with 12 bits, 1/4"

380302

| Order-No. | SB | Icon |
|-----------|----|---------------------------------------|
| 38600 | | 5 |
| 38605 | x | 5 |
| ⊖ | | 1 x 4,5 / 1 x 6,5 |
| ⊕ | | 1 x PH1 / 1 x PH2 / 1 x PH3 |
| ⊗ | | 1 x PZ1 / 1 x PZ2 / 1 x PZ3 |
| ⊛ | | 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 |

Mixed with 12 bits, 1/4"

380302

| Order-No. | SB | Icon |
|-----------|----|---------------------------------------|
| 38601 | | 5 |
| 38606 | x | 5 |
| ⊖ | | 1 x 5,5 |
| ⊕ | | 1 x PH2 |
| ⊗ | | 1 x PZ1 / 1 x PZ2 / 1 x PZ3 |
| ⊛ | | 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 |
| ● | | 1 x 3,0 / 1 x 4,0 / 1 x 5,0 |

Screwdriver with bit magazine magnetic



assorted with 8 bits, 1/4"

3809

| Order-No. | SB | Icon |
|-----------|----|-----------------------------|
| 32901 | | 5 |
| 33007 | x | 5 |
| ⊖ | | 1 x 6,5 |
| ⊕ | | 1 x PH1 / 1 x PH2 / 1 x PH3 |
| ⊗ | | 1 x PZ2 |
| ⊛ | | 1 x T15 / 1 x T20 / 1 x T25 |

TORX® with 8 bits, 1/4"

3809

| Order-No. | SB | Icon |
|-----------|----|---|
| 32902 | | 5 |
| 33008 | x | 5 |
| ⊛ | | 1 x T6 / 1 x T8 / 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40 |

Slotted, Phillips with 8 bits, 1/4"

3809

| Order-No. | SB | Icon |
|-----------|----|-----------------------------|
| 32903 | | 5 |
| 33009 | x | 5 |
| ⊖ | | 1 x 5,5 / 1 x 6,5 |
| ⊕ | | 1 x PH1 / 3 x PH2 / 2 x PH3 |

Screwdriver with bit magazine magnetic



Slotted, Phillips with 6 bits, Stubby, 1/4"

3801

| Order-No. | SB | Icon |
|-----------|----|-----------------------------|
| 33736 | | 10 |
| 33738 | x | 5 |
| ⊖ | | 1 x 4,5 / 1 x 6,5 / 1 x 8,0 |
| ⊕ | | 1 x PH1 / 1 x PH2 / 1 x PH3 |

Phillips, Pozidriv with 6 bits, Stubby, 1/4"

3801

| Order-No. | SB | Icon |
|-----------|----|-----------------------------|
| 33740 | | 10 |
| 33741 | x | 5 |
| ⊕ | | 1 x PH1 / 1 x PH2 / 1 x PH3 |
| ⊗ | | 1 x PZ1 / 1 x PZ2 / 1 x PZ3 |

TORX® with 6 bits, Stubby, 1/4"

3801

| Order-No. | SB | Icon |
|-----------|----|---|
| 33743 | | 10 |
| 33744 | x | 5 |
| ⊛ | | 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40 |

Slotted, Pozidriv with 6 bits, Stubby, 1/4"

3801

| Order-No. | SB | Icon |
|-----------|----|-----------------------------|
| 33764 | | 10 |
| 33746 | x | 5 |
| ⊖ | | 1 x 4,5 / 1 x 6,5 / 1 x 8,0 |
| ⊗ | | 1 x PZ1 / 1 x PZ2 / 1 x PZ3 |

Multitool PocketStar



assorted 9-pcs.

351P

| Order-No. | SB | Blister |
|-----------|-----------------|---------|
| 25293 | | 5 |
| 25295 | x | 5 |
| ⊖ | 4,5 | |
| ⊕ | PH2 | |
| ⊗ | T10 / T15 / T20 | |
| ● | 3 / 4 / 5 / 6 | |

Multitool PocketStar



TORX® 8-pcs.

363P

| Order-No. | SB | Blister |
|-----------|--|---------|
| 23047 | | 5 |
| 23049 | x | 5 |
| ⊗ | T9 / T10 / T15 / T20 / T25 / T27 / T30 / T40 | |

Multitool Mini PocketStar



Slotted, Phillips internal hexagon, 8-pcs. in blister pack

351P

| Order-No. | SB | Blister |
|-----------|-----------------------------|---------|
| 27936 | x | 5 |
| ● | 0,7 / 0,9 / 1,3 / 1,5 / 2,0 | |
| ⊖ | 1,5 / 2,0 | |
| ⊕ | PH00 | |

INFOBOX: PocketStar



The Multitool that fits in your pocket

- Simple and easy selection of the desired key size at the touch of a button.
- Can be used as a screwdriver long handle and T-handle.
- 270° limit for safe work prevents trapped fingers.
- Covered ends on both pivot axes prevent clothing from being caught.



Multitool PocketStar



TORX® 7-pcs.

363P

| Order-No. | SB | 🏠 |
|--------------------------------------|----|---|
| 23051 | | 5 |
| 23053 | x | 5 |
| T7 / T8 / T9 / T10 / T15 / T20 / T25 | | |

Multitool PocketStar



TORX® Tamper Resistant (with hole) 7-pcs.

363TRP

| Order-No. | SB | 🏠 |
|---|----|---|
| 25128 | | 5 |
| 25164 | x | 5 |
| T7H / T8H / T9H / T10H / T15H / T20H / T25H | | |

Multitool PocketStar



TORX® Tamper Resistant (with hole) 8-pcs.

363TRP

| Order-No. | SB | 🏠 |
|--|----|---|
| 25130 | | 5 |
| 25166 | x | 5 |
| T9H / T10H / T15H / T20H / T25H / T27H / T30H / T40H | | |

INFOBOX:
TORX® tamper-resistant safety profile



- This safety profile is used to hinder unwanted access to equipment such as intercoms, thermostats and night-storage heaters.
- You can fasten the Torx® tamper resistant profile with both Torx® H screws and normal Torx® screws.

Multitool PocketStar



Hexagonal ball end MagicRing® 7-pcs.

369RP

| Order-No. | SB | Grid |
|-----------|-----------------------------|------|
| 23031 | | 5 |
| 23033 | x | 5 |
| ● | 2 / 2,5 / 3 / 4 / 5 / 6 / 8 | |

Multitool PocketStar



Hexagon 7-pcs.

351P

| Order-No. | SB | Grid |
|-----------|-----------------------------|------|
| 23040 | | 5 |
| 23041 | x | 5 |
| ● | 2 / 2,5 / 3 / 4 / 5 / 6 / 8 | |

Multitool PocketStar



Hexagon 7-pcs.

351P

| Order-No. | SB | Grid |
|-----------|-------------------------------|------|
| 23035 | | 5 |
| 23037 | x | 5 |
| ● | 1,5 / 2 / 2,5 / 3 / 4 / 5 / 6 | |



INFOBOX:
Ball end hex



Wiha hexagonal ball end

- The ball end can be rotated by up to 25° in both clockwise and anti-clockwise direction.

INFOBOX:
MagicRing®



Wiha MagicRing®

- Spring steel ring reliably holds hex screws in place
- An innovation, which will benefit each user.

Switch cabinet key pen shape



⊖ 1/4" in blister pack

24681

| Order-No. | ⊖ | ⬆ | ⦶ | ⊖ | ⊕ | ⦿ | 📦 |
|-----------|-----|---|-----|-----|-----|-----|---|
| 39076 | 5-8 | 9 | 3-5 | 7,0 | PH2 | T20 | 1 |

Nut driver insert set gripper




Hexagon with ratchet 3/8" and adapter for screwdriver in blister pack 3-pcs.

24601

| Order-No. | 📦 | 📦 |
|-----------|---|---|
| 20783 | x | 1 |

Switch cabinet key cross shape



⊖

24667

| Order-No. | ⊖ | ⬆ | ⦶ | ⊖ | ⊕ | 📦 |
|-----------|-----|---|-----|-----|-----|---|
| 36114 | 5-8 | 9 | 3-5 | 7,0 | PH2 | 1 |

Nut driver insert gripper



3/8" in blister pack

24601

| Order-No. | ⊖ | ⦿ | ⬆ | mm | 📦 | 📦 |
|-----------|------|-----|------|------|---|---|
| 20554 | 7-19 | 3/8 | 25,4 | 53,5 | x | 1 |

Screwdriver with interchangeable blade set SYSTEM 6



Mixed 11-pcs. in box

284T

| | |
|-----------|--|
| Order-No. | |
| 00623 | 1 |
| | Screwdriver handle SoftFinish®-telescopic for SYSTEM 6 interchangeable blade |
| | 4,0 - 6,0 / 5,5 - 6,5 |
| | PH1 - PH2 |
| | PZ1 - PZ2 |
| | T10 - T15 / T20 - T25 / T30 - T40 |
| | 4 - 4 / 5 - 5 / 6 - 6 |

• With ball end

Screwdriver with interchangeable blade set SYSTEM 6



Mixed 11-pcs. in roll-up bag

284T

| | |
|-----------|--|
| Order-No. | |
| 03591 | 1 |
| | Screwdriver handle SoftFinish®-telescopic for SYSTEM 6 interchangeable blade |
| | 4,0 - 6,0 / 5,5 - 6,5 |
| | PH1 - PH2 |
| | PZ1 - PZ2 |
| | T10 - T15 / T20 - T25 / T30 - T40 |
| | 4 - 4 / 5 - 5 / 6 - 6 |

• With ball end



INFOBOX:
SYSTEM 6



Screwdriver with interchangeable blades

- Flexible, versatile interchangeable blade system in industrial quality.
- Suitable for all applications: the blades can be quickly combined, extended and exchanged.
- Press sleeve: Blade lock is released
- Desired blade length can be set (42 – 114 mm)
- Release sleeve: Blade is held in place

Screwdriver with interchangeable blade set SYSTEM 6



Mixed 6-pcs. in roll-up bag

284T

| | |
|-----------|--|
| Order-No. | |
| 32298 | 1 |
| ○ | Screwdriver handle SoftFinish®-telescopic for SYSTEM 6 interchangeable blade |
| ⊖ ⊖ | 4,0 - 6,0 |
| ⊕ ⊕ | PH1 - PH2 |
| ⊕ ⊕ | PZ1 - PZ2 |
| ⊗ ⊗ | T10 - T15 / T20 - T25 |

Screwdriver with interchangeable blade set SYSTEM 6



Hex nut driver, 12-pcs. in roll-up bag

284T

| | |
|-----------|--|
| Order-No. | |
| 27713 | 1 |
| ○ | Screwdriver handle SoftFinish®-telescopic for SYSTEM 6 interchangeable blade |
| ○ | 4,0 - 150 / 4,5 - 150 / 5,0 - 150 / 5,5 - 150 / 6,0 - 150 / 7,0 - 150 / 8,0 - 150 / 9,0 - 150 / 10,0 - 150 / 11,0 - 150 / 13,0 - 150 |

Screwdriver with interchangeable blade set SYSTEM 6



Hex nut driver, 8-pcs. in roll-up bag

284T

| | |
|-----------|---|
| Order-No. | |
| 27712 | 1 |
| ○ | Screwdriver handle SoftFinish®-telescopic for SYSTEM 6 interchangeable blade |
| ○ | 5,0 - 150 / 5,5 - 150 / 6,0 - 150 / 7,0 - 150 / 8,0 - 150 / 10,0 - 150 / 13,0 - 150 |

Screwdriver with interchangeable blade set SYSTEM 6 ESD



Mixed 6-pcs. in roll-up bag

284ESD

| | | | | | | |
|-----------|--|-----------------------------------|--|--|--|---|
| Order-No. | | | | | | |
| 31497 | | | | | | 1 |
| | Screwdriver handle SoftFinish®-telescopic ESD for SYSTEM 6 interchangeable blade | | | | | |
| | | 3,5 - 4,5 / 4,0 - 6,0 / 5,5 - 6,5 | | | | |
| | | PH1 - PH2 | | | | |
| | | 5 - 5 | | | | |

• With ball end

Screwdriver handle SoftFinish®-telescopic



for SYSTEM 6 interchangeable blade

284

| | | | | | |
|-----------|-----|-----|----|---|---|
| Order-No. | | | | | |
| 30372 | 6,0 | 120 | 36 | | 5 |
| 30404 | 6,0 | 120 | 36 | x | 5 |

Screwdriver handle SoftFinish®-telescopic ESD



for SYSTEM 6 interchangeable blade

284ESD

| | | | | |
|-----------|-----|-----|----|---|
| Order-No. | | | | |
| 31496 | 6,0 | 120 | 36 | 5 |

IEC 61340-5-1.

INFOBOX:
**Electrostatic
conductive ESD
tools**



Sensitive, electronic components can be damaged even at a very low voltage.

- Dissipative tools by Wiha discharge the electrostatic energy in a controlled, safe manner.
- ESD tools meet the ESD Standard IEC 61340-5-1.
- ESD tool handles have a surface resistance of $10^6 - 10^9$ Ohm.



Interchangeable blade SYSTEM 6



Slotted

28400

| Order-No. | ⌀ | ⌀ | ⌀ | ⌀ | mm | mm | mm |
|-----------|-----|-----|-----|-----|-----|-----|----|
| 27627 | 3,5 | 4,5 | 0,6 | 0,8 | 150 | 6,0 | 5 |
| 00629 | 4,0 | 6,0 | 0,8 | 1,0 | 150 | 6,0 | 5 |
| 00630 | 5,5 | 6,5 | 1,0 | 1,2 | 150 | 6,0 | 5 |

Slotted, Phillips

28401

| Order-No. | ⌀ | + | ⌀ | mm | mm | mm |
|-----------|-----|-----|-----|-----|-----|----|
| 00665 | 4,0 | PH1 | 0,8 | 150 | 6,0 | 5 |
| 00666 | 6,0 | PH2 | 1,0 | 150 | 6,0 | 5 |
| 00667 | 6,5 | PH3 | 1,2 | 150 | 6,0 | 5 |

Phillips

28411

| Order-No. | + | + | mm | mm | mm |
|-----------|-----|-----|-----|-----|----|
| 00631 | PH1 | PH2 | 150 | 6,0 | 5 |
| 27628 | PH2 | PH3 | 150 | 6,0 | 5 |

Pozidriv

28422

| Order-No. | + | + | mm | mm | mm |
|-----------|-----|-----|-----|-----|----|
| 00632 | PZ1 | PZ2 | 150 | 6,0 | 5 |
| 27629 | PZ2 | PZ3 | 150 | 6,0 | 5 |

TORX®

28455

| Order-No. | + | + | mm | mm | mm |
|-----------|-----|-----|-----|-----|----|
| 00654 | T6 | T8 | 150 | 6,0 | 5 |
| 00655 | T7 | T9 | 150 | 6,0 | 5 |
| 00656 | T10 | T15 | 150 | 6,0 | 5 |
| 00657 | T20 | T25 | 150 | 6,0 | 5 |
| 00658 | T30 | T40 | 150 | 6,0 | 5 |

TORX® Tamper Resistant (with hole)

284TR

| Order-No. | + | + | mm | mm | mm |
|-----------|------|------|-----|-----|----|
| 27630 | T6H | T8H | 150 | 6,0 | 5 |
| 27631 | T7H | T9H | 150 | 6,0 | 5 |
| 27632 | T10H | T15H | 150 | 6,0 | 5 |
| 27633 | T20H | T25H | 150 | 6,0 | 5 |
| 27634 | T30H | T40H | 150 | 6,0 | 5 |

Ball end hex

28437

| Order-No. | ● | ● | mm | mm | mm |
|-----------|-----|-----|-----|-----|----|
| 00635 | 2,5 | 2,5 | 150 | 6,0 | 5 |
| 00636 | 3 | 3 | 150 | 6,0 | 5 |
| 00637 | 4• | 4 | 150 | 6,0 | 5 |
| 00638 | 5• | 5 | 150 | 6,0 | 5 |
| 00639 | 6• | 6 | 150 | 6,0 | 5 |

Torq-Set®

284TS

| Order-No. | + | + | mm | mm | mm |
|-----------|-----|-----|-----|-----|----|
| 27635 | TS2 | TS4 | 150 | 6,0 | 5 |
| 27636 | TS6 | TS8 | 150 | 6,0 | 5 |

Tri-Wing® 1/4"

284TW

| Order-No. | + | + | mm | mm | mm |
|-----------|-----|-----|-----|-----|----|
| 27637 | TW0 | TW1 | 150 | 6,0 | 5 |
| 27638 | TW2 | TW3 | 150 | 6,0 | 5 |
| 27639 | TW4 | TW5 | 150 | 6,0 | 5 |

Interchangeable blade SYSTEM 6



Hex nut driver

2844

| Order-No. | ○ | mm | mm | mm |
|-----------|------|-----|-----|----|
| 08900 | 4,0 | 150 | 6,0 | 1 |
| 08901 | 4,5 | 150 | 6,0 | 1 |
| 08902 | 5,0 | 150 | 6,0 | 1 |
| 08903 | 5,5 | 150 | 6,0 | 1 |
| 08904 | 6,0 | 150 | 6,0 | 1 |
| 08905 | 7,0 | 150 | 6,0 | 1 |
| 08906 | 8,0 | 150 | 6,0 | 1 |
| 08907 | 9,0 | 150 | 6,0 | 1 |
| 08908 | 10,0 | 150 | 6,0 | 1 |
| 08909 | 11,0 | 150 | 6,0 | 1 |
| 08911 | 13,0 | 150 | 6,0 | 1 |

Bit holder SYSTEM 6 clamping with ball



○

7802

| Order-No. | ○ | mm | mm | mm | mm |
|-----------|-----|-----|-----|----|----|
| 03882 | 1/4 | 150 | 6,0 | 10 | 5 |

Interchangeable blade SYSTEM 6



1/4" square adapter for nut driver inserts

7803

| Order-No. | □ | mm | mm | mm |
|-----------|-----|-----|-----|----|
| 03883 | 1/4 | 150 | 6,0 | 5 |

Screwdriver with interchangeable blade set SYSTEM 4



Mixed 11-pcs. in roll-up bag

269T

| | |
|------------|--|
| Ordern-No. | |
| 00610 | 5 |
| | Screwdriver handle SoftFinish®-telescopic for SYSTEM 4 interchangeable blade |
| | 1,5 - 3,0 / 2,0 - 3,5 / 2,5 - 4,0 |
| | PH000 - PH00 / PH0 - PH1 |
| | 1,3 - 1,3 / 1,5 - 1,5 / 2 - 2 / 2,5 - 2,5 / 3 - 3 |

• With ball end

Mixed 11-pcs. in roll-up bag

269T

| | |
|------------|--|
| Ordern-No. | |
| 27820 | 1 |
| | Screwdriver handle SoftFinish®-telescopic for SYSTEM 4 interchangeable blade |
| | 1,5 - 3,0 / 2,0 - 3,5 / 2,5 - 4,0 |
| | PH000 - PH00 / PH0 - PH1 |
| | T6 - T8 / T7 - T9 |
| | 1,5 - 1,5 / 2 - 2 / 2,5 - 2,5 |

Screwdriver with interchangeable blade set SYSTEM 4



Slotted, Phillips, 4-pcs. in roll-up bag

269T

| | |
|------------|--|
| Ordern-No. | |
| 00613 | 5 |
| | Screwdriver handle SoftFinish®-telescopic for SYSTEM 4 interchangeable blade |
| | 2,0 - PH00 / 3,0 - PH0 / 4,0 - PH1 |

Slotted, Phillips, 6-pcs. in roll-up bag

269T

| | |
|------------|--|
| Ordern-No. | |
| 00616 | 5 |
| | Screwdriver handle SoftFinish®-telescopic for SYSTEM 4 interchangeable blade |
| | 1,5 - 3,0 / 2,0 - 3,5 / 2,5 - 4,0 |
| | PH000 - PH00 / PH0 - PH1 |



INFOBOX:
SYSTEM 4



Screwdriver with interchangeable blades

- Flexible, versatile precision interchangeable blade system for delicate fastening tasks.
- Suitable for all applications: the blades can be quickly combined, extended and exchanged.
- Press sleeve: Blade lock is released
- Press and hold sleeve: Desired blade length can be set (18 – 90 mm)
- Release sleeve: Blade is held in place

Bit set SYSTEM 4 ESD



Mixed 26-pcs. in box

269ESD

| Order-No. | |
|---|--|
| 33848 | 1 |
| ○ | 1 x Screwdriver handle SoftFinish®-telescopic ESD for SYSTEM 4 interchangeable blade |
| ○ | 1 x Bit holder SYSTEM 4 clamping with ball |
| ⊖ | 1 x 1,5 / 1 x 2,0 / 1 x 3,0 / 1 x 4,0 |
| ⊕ | 1 x PH000 / 1 x PH00 / 1 x PH0 / 1 x PH1 |
| ⊗ | 1 x T3 / 1 x T4 / 1 x T5 / 1 x T6 / 1 x T7 / 1 x T8 / 1 x T9 / 1 x T10 |
| ● | 1 x 0,7 / 1 x 0,9 / 1 x 1,3 / 1 x 1,5 / 1 x 2,0 / 1 x 2,5 / 1 x 3,0 / 1 x 4,0 |
| DIN 3126, ISO 1173, style C 4. IEC 61340-5-1. | |

Bit set SYSTEM 4 ESD



Mixed 16-pcs. in box

269ESD

| Order-No. | |
|---|--|
| 33503 | 1 |
| ○ | 1 x Screwdriver handle SoftFinish®-telescopic ESD for SYSTEM 4 interchangeable blade |
| ○ | 1 x Bit holder SYSTEM 4 clamping with ball |
| ⊖ | 1 x 2,0 / 1 x 3,0 |
| ⊕ | 1 x PH000 / 1 x PH00 / 1 x PH0 / 1 x PH1 |
| ⊗ | 1 x T3 / 1 x T4 / 1 x T5 / 1 x T6 / 1 x T8 |
| ● | 1 x 0,9 / 1 x 1,3 / 1 x 1,5 |
| DIN 3126, ISO 1173, style C 4. IEC 61340-5-1. | |

Screwdriver with interchangeable blade set SYSTEM 4 ESD



Mixed 11-pcs. in roll-up bag

269TESD

| Order-No. | Icon | | Quantity |
|-----------|--|--|----------|
| 31499 | [Bag Icon] | | 5 |
| ○ | Screwdriver handle SoftFinish®-telescopic ESD for SYSTEM 4 interchangeable blade | | |
| ⊖ ⊖ | 1,5 - 3,0 / 2,0 - 3,5 / 2,5 - 4,0 | | |
| ⊕ ⊕ | PH000 - PH00 / PH0 - PH1 | | |
| ⊗ ⊗ | T6 - T8 / T7 - T9 | | |
| ● ● | 1,5 - 1,5 / 2 - 2 / 2,5 - 2,5 | | |

Screwdriver handle SoftFinish®-telescopic



○ for SYSTEM 4 interchangeable blade

269

| Order-No. | ● | ■ | ⊕ | Quantity |
|-----------|-----|-----|----|----------|
| 30373 | 4,0 | 105 | 23 | 10 |

Screwdriver handle SoftFinish®-telescopic ESD



○ for SYSTEM 4 interchangeable blade

2691ESD

| Order-No. | ○ | ■ | ⊕ | Quantity |
|-----------|-----|-----|----|----------|
| 31498 | 4,0 | 105 | 23 | 10 |

IEC 61340-5-1.

Interchangeable blade SYSTEM 4



⊖ Slotted

26900

| Order-No. | ⊖ | ⊖ | ⊖ | ⊖ | mm | ⊖ | Quantity |
|-----------|-----|-----|------|-----|-----|-----|----------|
| 00576 | 1,5 | 3,0 | 0,25 | 0,5 | 120 | 4,0 | 5 |
| 00577 | 2,0 | 3,5 | 0,4 | 0,6 | 120 | 4,0 | 5 |
| 00578 | 2,5 | 4,0 | 0,4 | 0,8 | 120 | 4,0 | 5 |

⊖ Slotted/ Phillips

26901

| Order-No. | ⊖ | ⊕ | ⊖ | mm | ⊖ | Quantity |
|-----------|-----|------|-----|-----|-----|----------|
| 00601 | 2,0 | PH00 | 0,4 | 120 | 4,0 | 5 |
| 00602 | 3,0 | PH0 | 0,5 | 120 | 4,0 | 5 |
| 00603 | 4,0 | PH1 | 0,8 | 120 | 4,0 | 5 |

⊕ Phillips

26911

| Order-No. | ⊕ | ⊕ | mm | ⊖ | Quantity |
|-----------|-------|------|-----|-----|----------|
| 00579 | PH000 | PH00 | 120 | 4,0 | 5 |
| 00580 | PH0 | PH1 | 120 | 4,0 | 5 |

⊗ Pozidriv

26922

| Order-No. | ⊗ | ⊗ | mm | ⊖ | Quantity |
|-----------|-----|-----|-----|-----|----------|
| 03186 | PZ0 | PZ1 | 120 | 4,0 | 5 |

⊗ TORX®

26955

| Order-No. | ⊗ | ⊗ | mm | ⊖ | Quantity |
|-----------|-----|-----|-----|-----|----------|
| 26122 | T1 | T2 | 120 | 4,0 | 5 |
| 26123 | T3 | T4 | 120 | 4,0 | 5 |
| 26124 | T5 | T6 | 120 | 4,0 | 5 |
| 00597 | T6 | T8 | 120 | 4,0 | 5 |
| 00598 | T7 | T9 | 120 | 4,0 | 5 |
| 00599 | T10 | T15 | 120 | 4,0 | 5 |
| 00600 | T15 | T20 | 120 | 4,0 | 5 |

● Ball end hex

26937

| Order-No. | ● | ● | mm | ⊖ | Quantity |
|-----------|------|-----|-----|-----|----------|
| 00582 | 1,3• | 1,3 | 120 | 4,0 | 5 |
| 00583 | 1,5• | 1,5 | 120 | 4,0 | 5 |
| 00584 | 2• | 2 | 120 | 4,0 | 5 |
| 00585 | 2,5• | 2,5 | 120 | 4,0 | 5 |
| 00586 | 3• | 3 | 120 | 4,0 | 5 |
| 00587 | 4• | 4 | 120 | 4,0 | 5 |

• With ball end





L-keys

Difficult to access - easily solved.

Wiha L-keys are essential for all users who are faced with a screw fastening task in difficult work conditions. For difficult-to-access screws Wiha L-keys with a shortened L-key arm prove themselves to be ideal. The risk of injury is significantly reduced as the hand-working space is increased by over 30%.


Wiha ball-end tools enable fastening at angles of up to 25° per side. The risk of an accident is reduced since the tool does not slip out of the screw. Screws made of steel and non-magnetic materials are securely held in any position with the Wiha MagicRing and MagicSpring.

Application

L-keys

L-key holders

L-key set in ErgoStar holder hexagonal ball Magicring® 9-pcs. in flourescent colour
Page 230



L-key set in ErgoStar holder Hexagonal ball end MagicRing® matt chrome-plated 9-pcs.
Page 231



L-key set in ProStar holder Matt chrome-plated hexagonal ball end with short shaft, 9-pcs.
Page 232



L-key set in ProStar holder Hexagonal ball end matt chrome-plated 9-pcs.
Page 232



L-key set in Compact holder Hexagonal ball end, 9-pcs., short, matt chrome-plated
Page 233



L-key set in ErgoStar holder TORX® MagicSpring®, 13-pcs., black oxidised
Page 235



L-key set in ProStar holder Stubby TORX® ball end, 13-pcs. in titanium silver
Page 237



L-key set in ProStar holder TORX®, 13-pcs., black oxidised
Page 237




L-key set in Classic holder TORX®, 8-pcs., short, black oxidised
Page 238



L-key with T-handle ComfortGrip Hexagon MagicRing® with side drive, matt chrome-plated
Page 247




L-key with key handle TORX®, black oxidised
Page 251



L-key with flag handle TORX®, black oxidised
Page 252



L-key set in ErgoStar holder




hexagonal ball Magicing® 9-pcs. in flourescent colour

369RF

| Order-No. | SB | Icon | Quantity |
|-----------|----|------------------------|----------|
| 41979 | | | 5 |
| 43851 | x | | 5 |
| ● | | 1,5 / 2 / 2,5 | |
| ● | | 3 / 4 / 5 / 6 / 8 / 10 | |

Magicing® from size 3 mm.
Based on ISO 2936L.

L-key set in ErgoStar holder



hexagonal ball end, 9-pcs. in fluorescent colour

369F

| Order-No. | SB | Icon | Quantity |
|-----------|----|--|----------|
| 41483 | | | 5 |
| 43849 | x | | 5 |
| ● | | 1,5 / 2 / 2,5 / 3 / 4 / 5 / 6 / 8 / 10 | |

INFOBOX:
Tools in fluorescent colour



- Coloured bits and ErgoStar with coloured L-keys light up under a UV light.
- Ensuring misplaced tools are quickly and easily found again.
- The Wiha flashlight with a UV light makes the perfect complement to coloured fluorescent tools.

INFOBOX:
ErgoStar



The right L-key after just one turn.

- One turn of any L-key and all L-keys are ready for removal.
- Solid stopping point for fixing L-keys in the holder.
- Innovative clamping ensures L-keys are held firmly in both a closed and open position.
- Compact design saves space on the work bench or in the toolbox.

L-key set in ErgoStar holder



Hexagonal ball end MagicRing® matt chrome-plated
9-pcs.

369R

| Order-No. | SB | kg |
|--------------------------|----|----|
| 37351 | | 5 |
| 43850 | x | 5 |
| ● 1,5 / 2 / 2,5 | | |
| ● 3 / 4 / 5 / 6 / 8 / 10 | | |

MagicRing® from size 3 mm.
Based on ISO 2936L.

L-key set in ErgoStar holder



Hexagonal ball end MagicRing® matt chrome-plated,
inch design 13-pcs.

369RZ

| Order-No. | SB | kg |
|--|----|----|
| 36521 | | 5 |
| 43852 | x | 5 |
| ● 0.05 / 1/16 / 5/64 / 3/32 / 7/64 | | |
| ● 1/8 / 9/64 / 5/32 / 3/16 / 7/32 / 1/4 / 5/16 / 3/8 | | |

MagicRing® from 1/8"
Based on ASME B18.3.

INFOBOX:
MagicRing®



Wiha MagicRing®

- Spring steel ring reliably holds hex screws in place
- An innovation, which will benefit each user.

INFOBOX:
Ball end hex



Wiha hexagonal ball end

- The ball end can be rotated by up to 25° in both clockwise and anti-clockwise direction.



L-key set in ProStar holder



Matt chrome-plated hexagonal ball end with short shaft, 9-pcs.

369T

| Order-No. | SB | Grid |
|--|----|------|
| 35480 | | 5 |
| 35481 | x | 5 |
| ● 1,5 / 2 / 2,5 / 3 / 4 / 5 / 6 / 8 / 10 | | |

Based on ISO 2936L.

L-key set in ProStar holder



Hexagonal ball end in inch design, 13-pcs., black oxidised

369ZB

| Order-No. | SB | Grid |
|---|----|------|
| 24189 | | 5 |
| 24851 | x | 5 |
| ● 0.05 / 1/16 / 5/64 / 3/32 / 7/64 / 1/8 / 9/64 / 5/32 / 3/16 / 7/32 / 1/4 / 5/16 / 3/8 | | |

Based on ASME B18.3.

L-key set in ProStar holder



Hexagonal ball end matt chrome-plated 9-pcs.

369

| Order-No. | SB | Grid |
|--|----|------|
| 07185 | | 5 |
| 07192 | x | 5 |
| ● 1,5 / 2 / 2,5 / 3 / 4 / 5 / 6 / 8 / 10 | | |

Based on ISO 2936L.

INFOBOX:
L-key with short shaft



Especially for hard-to-reach screws and confined spaces

- Improved accessibility thanks to a 60% reduction in length of the short L-key side.
- Increase in the hand working space of over 30% and thus a reduction of the risk of injury to the knuckles and fingertips thanks to a 95° bend of the L-key.
- Ball end geometry enables fastening at an angle of up to 25°.

L-key set in Compact holder



Hexagonal ball end matt chrome-plated 11-pcs.

369

| Order-No. | SB | Grid |
|-----------|--|------|
| 36453 | | 5 |
| 36454 | x | 5 |
| ● | 1,5 / 2 / 2,5 / 3 / 4 / 5 / 6 / 7 / 8 / 9 / 10 | |

Including 7 mm and 9 mm special sizes.
Based on ISO 2936L.

L-key set in Compact holder



Hexagonal ball end, 9-pcs., short, matt chrome-plated

369K

| Order-No. | SB | Grid |
|-----------|--|------|
| 40410 | | 10 |
| 40411 | x | 5 |
| ● | 1,5 / 2 / 2,5 / 3 / 4 / 5 / 6 / 8 / 10 | |

Based on ISO 2936L.

L-key set in Compact holder




Hexagonal ball end matt chrome-plated 9-pcs.

369

| Order-No. | SB | Grid |
|-----------|--|------|
| 01418 | | 5 |
| 02292 | x | 5 |
| ● | 1,5 / 2 / 2,5 / 3 / 4 / 5 / 6 / 8 / 10 | |

Based on ISO 2936L.

L-key set in Classic holder




Hexagonal ball end matt chrome-plated 7-pcs.

369

| Order-No. | SB | Grid |
|-----------|-------------------------------|------|
| 01416 | | 5 |
| 03723 | x | 10 |
| ● | 1,5 / 2 / 2,5 / 3 / 4 / 5 / 6 | |

Based on ISO 2936L.

L-key set in Classic holder




Hexagonal ball end, 9-pcs., black oxidised

369B

| | | |
|--|---|----|
| Order-No. | | |
| 03879 | | 5 |
| 03992 | x | 10 |
| ● 1,5 / 2 / 2,5 / 3 / 4 / 5 / 6 / 8 / 10 | | |
| Based on ISO 2936L. | | |

L-key set in Classic holder




Hex, 9-pcs., black oxidised

352B

| | | |
|--|---|---|
| Order-No. | | |
| 06386 | x | 5 |
| ● 1,5 / 2 / 2,5 / 3 / 4 / 5 / 6 / 8 / 10 | | |
| Based on ISO 2936L. | | |

L-key set in Classic holder



Hexagonal ball end, 8-pcs. in inch design, black oxidised

369ZB

| | | |
|---|---|----|
| Order-No. | | |
| 01420 | | 5 |
| 02939 | x | 10 |
| ● 5/64 / 3/32 / 1/8 / 5/32 / 3/16 / 7/32 / 1/4 / 5/16 | | |
| Based on ASME B18.3. | | |

L-key set in Classic holder



Hex, 9-pcs., black oxidised

350

| | | |
|--|---|----|
| Order-No. | | |
| 06379 | x | 10 |
| ● 1,5 / 2 / 2,5 / 3 / 4 / 5 / 6 / 8 / 10 | | |
| ISO 2936K. | | |

L-key set in Classic holder



Hex, 7-pcs., black oxidised

350

| | | |
|---------------------------------|---|----|
| Order-No. | | |
| 06378 | x | 10 |
| ● 1,5 / 2 / 2,5 / 3 / 4 / 5 / 6 | | |
| ISO 2936K. | | |

L-key set in Classic holder



Hex, 5-pcs., black oxidised

352B

| | | |
|--|---|----|
| Order-No. | | |
| 06382 | x | 10 |
| 0,7 / 0,9 / 1,3 / 1,5 / 2 Based on ISO 2936L. | | |

L-key set in Classic holder



TORX® MagicSpring®, 8-pcs., black oxidised

366R

| | | |
|--|---|----|
| Order-No. | | |
| 34740 | | 5 |
| 34741 | x | 10 |
| T9 / T10 / T15 / T20 / T25 / T27 / T30 / T40 | | |



L-key set in ErgoStar holder




TORX® MagicSpring®, 13-pcs., black oxidised

366R

| | | |
|---|---|---|
| Order-No. | | |
| 36503 | | 5 |
| 43848 | x | 5 |
| T5 T6 / T7 / T8 / T9 / T10 / T15 / T20 / T25 / T27 / T30 / T40 / T45 MagicSpring® from size T6 | | |



L-key set in Classic holder



TORX® MagicSpring®, 7-pcs., black oxidised

366R

| | | |
|-------------------------------------|---|---|
| Order-No. | | |
| 33753 | | 5 |
| 33754 | x | 5 |
| T6 / T7 / T8 / T9 / T10 / T15 / T20 | | |



INFOBOX:
MagicSpring®



Wiha TORX® MagicSpring®

- TORX® and TORX PLUS® screws are held securely in place.
- An innovation, which will benefit each user.

L-key set in ErgoStar holder



TORX® ball end, 13-pcs., black oxidised

366BE

| Order-No. | SB | Icon | Count |
|--|----|------|-------|
| 36487 | | | 5 |
| 43847 | x | | 5 |
| T5 / T6 / T7 / T8 | | | |
| T9 / T10 / T15 / T20 / T25 / T27 / T30 / T40 / T45 | | | |

TORX® ball end from size T9

L-key set in Classic holder



TORX® ball end, 8-pcs., black oxidised

366BE

| Order-No. | SB | Icon | Count |
|--|----|------|-------|
| 32394 | | | 5 |
| 32395 | x | | 10 |
| T9 / T10 / T15 / T20 / T25 / T27 / T30 / T40 | | | |

L-key set in ProStar holder



Stubby TORX® ball end, 13-pcs. in titanium silver

366BET

| Order-No. | SB | Icon | Count |
|--|----|------|-------|
| 40979 | | | 5 |
| 40980 | x | | 1 |
| T5 / T6 / T7 / T8 / T9 / T10 / T15 / T20 / T25 / T27 / T30 / T40 / T45 | | | |

TORX® ball end from size T9

**INFOBOX:
TORX® ball end**



Wiha TORX® ball end

- With optimised TORX® ball end geometry
- Increased strength thanks to the special cold forming on a system developed by Wiha especially for this purpose.
- Allows fastening and unfastening at angles up to 25°.
- Simple insertion of the tool/bit and fastening/unfastening, especially in hard-to-reach positions.
- Broad product range: As an L-key, as a bit and as a SoftFinish® screwdriver.

L-key set in ProStar holder



TORX® titanium silver 13-pcs.

366TS

| Order-No. | SB | 🏠 |
|-----------|----|---|
| 39104 | | 5 |
| 39105 | x | 5 |

⊕ T5 / T6 / T7 / T8 / T9 / T10 / T15 / T20 /
T25 / T27 / T30 / T40 / T45

L-key set in ProStar holder



TORX®, 13-pcs., black oxidised


366

| Order-No. | SB | 🏠 |
|-----------|----|---|
| 24312 | | 5 |
| 24852 | x | 5 |

⊕ T5 / T6 / T7 / T8 / T9 / T10 / T15 / T20 /
T25 / T27 / T30 / T40 / T50



L-key set in Classic holder



TORX®, 8-pcs., black oxidised

366

| | | |
|-----------|--|----|
| Order-No. | | |
| 34736 | | 5 |
| 34737 | x | 10 |
| | T9 / T10 / T15 / T20 / T25 / T27 / T30 / T40 | |

L-key set in Classic holder



TORX PLUS®, 8-pcs. in black oxidised

361IP

| | | |
|---|---|---|
| Order-No. | | |
| 36459 | x | 5 |
| | 9IP / 10IP / 15IP / 20IP / 25IP / 27IP / 30IP / 40IP | |
| TORX PLUS® keys cannot be used with TORX® screws. | | |

L-key set in Classic holder



TORX®, 8-pcs., short, black oxidised

363

| | | |
|-----------|--|---|
| Order-No. | | |
| 36461 | x | 5 |
| | T9 / T10 / T15 / T20 / T25 / T27 / T30 / T40 | |

L-key set in Classic holder



TORX® Tamper Resistant (with hole), 8-pcs., black oxidised

363TR

| | | |
|-----------|---|----|
| Order-No. | | |
| 36462 | | 5 |
| 36458 | x | 10 |
| | T9H / T10H / T15H / T20H / T25H / T27H / T30H / T40H | |

L-key set



Short TORX® in work bench stand, 9-pcs., black oxidised

363

| | | |
|-----------|--|---|
| Order-No. | | |
| 01326 | x | 1 |
| | T10 / T15 / T20 / T25 / T30 / T40 / T50 / T55 / T60 | |

L-key with T-handle set ComfortGrip



Hexagon with side drive, matt chrome-plated 6-pcs.

334DS

| | | |
|-----------|-------------------------|---|
| Order-No. | | |
| 26247 | x | 1 |
| ● | 2,5 / 3 / 4 / 5 / 6 / 8 | |

L-key with T-handle set ComfortGrip



TORX® with side drive, matt chrome-plated 6-pcs.

364DS

| | | |
|-----------|-----------------------------------|---|
| Order-No. | | |
| 26248 | x | 1 |
| ● | T10 / T15 / T20 / T25 / T30 / T40 | |

L-key with T-handle set



Hexagon MagicRing® brilliant nickel-plated in work bench stand 6-pcs.



334R

| | | |
|-----------|------------------------|---|
| Order-No. | | |
| 22096 | x | 1 |
| ● | 3 / 4 / 5 / 6 / 8 / 10 | |

L-key with T-handle set



Hex in work bench stand, 7-pcs., brilliant nickel-plated

334

| | | |
|-----------|-----------------------------|---|
| Order-No. | | |
| 00953 | x | 1 |
| ● | 2 / 2,5 / 3 / 4 / 5 / 6 / 8 | |

L-key with T-handle set



Short TORX® in work bench stand, 7-pcs., matt chrome-plated

364

| | | |
|-----------|---|---|
| Order-No. | | |
| 01348 | x | 1 |
| | T10 / T15 / T20 / T25 / T30 / T40 / T50 | |

L-key with key handle set



TORX PLUS® in work bench stand, 7-pcs., black oxidised

365IP

| | |
|-----------|---|
| Order-No. | |
| 26261 | x 1 |
| | 6IP x 35 / 7IP x 35 / 8IP x 40 / 9IP x 40 / 10IP x 40 / 15IP x 45 / 20IP x 45 |

L-key with key handle set



TORX® in work bench stand, 7 pcs., black oxidised

365

| | |
|-----------|--|
| Order-No. | |
| 25624 | x 1 |
| | T6 x 35 / T7 x 35 / T8 x 40 / T9 x 40 / T10 x 40 / T15 x 45 / T20 x 45 |

L-key with flag handle set



TORX® in work bench stand, 7 pcs., black oxidised

370

| | |
|-----------|--|
| Order-No. | |
| 25625 | x 1 |
| | T6 x 35 / T7 x 35 / T8 x 40 / T9 x 40 / T10 x 40 / T15 x 45 / T20 x 45 |

L-keys



● hexagonal ball MagicRing® in fluorescent colour

369RF

| Order-No. | ● | ↔ | ┌ | ◀ | ☒ |
|-----------|----|-----|----|------------|----|
| 41973 | 3 | 128 | 23 | orange | 10 |
| 41974 | 4 | 142 | 29 | purple | 10 |
| 41975 | 5 | 163 | 33 | Dark green | 10 |
| 41976 | 6 | 184 | 38 | red | 10 |
| 41977 | 8 | 206 | 44 | Dark blue | 10 |
| 41978 | 10 | 231 | 50 | Anthracite | 10 |

Based on ISO 2936L.

L-keys



● hexagonal ball in fluorescent colour

369F

| Order-No. | ● | ↔ | ┌ | ◀ | ☒ |
|-----------|-----|-----|----|-------------|----|
| 41894 | 1,5 | 91 | 15 | yellow | 10 |
| 41895 | 2 | 101 | 18 | light blue | 10 |
| 41896 | 2,5 | 113 | 20 | Light green | 10 |
| 41897 | 3 | 128 | 23 | orange | 10 |
| 41898 | 4 | 142 | 29 | purple | 10 |
| 41899 | 5 | 163 | 33 | Dark green | 10 |
| 41900 | 6 | 184 | 38 | red | 10 |
| 41901 | 8 | 206 | 44 | Dark blue | 10 |
| 41902 | 10 | 231 | 50 | Anthracite | 5 |

L-keys



● Hexagonal ball end MagicRing® matt chrome-plated

369R

| Order-No. | ● | ↔ | ┌ | ☒ |
|-----------|----|-----|----|----|
| 20549 | 3 | 128 | 23 | 10 |
| 20550 | 4 | 142 | 29 | 10 |
| 20570 | 5 | 163 | 33 | 10 |
| 20551 | 6 | 184 | 38 | 10 |
| 20552 | 8 | 206 | 44 | 10 |
| 20553 | 10 | 231 | 50 | 5 |

Based on ISO 2936L.

L-keys



● Hexagonal ball end MagicRing®, inch design matt chrome-plated

369RZ

| Order-No. | ● | ↔ | ┌ | mm | ☒ |
|-----------|------|-----|----|------|----|
| 24302 | 1/8 | 121 | 23 | 3,17 | 10 |
| 24304 | 9/64 | 136 | 27 | 3,57 | 10 |
| 24303 | 5/32 | 148 | 29 | 3,96 | 10 |
| 24305 | 3/16 | 163 | 33 | 4,76 | 10 |
| 24306 | 7/32 | 176 | 36 | 5,55 | 10 |
| 24307 | 1/4 | 191 | 38 | 6,35 | 10 |
| 24308 | 5/16 | 210 | 43 | 7,93 | 10 |
| 24341 | 3/8 | 232 | 49 | 9,52 | 10 |

Based on ASME B18.3.

L-keys



Hexagonal ball end with short side, matt chrome-plated

369T

| Order-No. | ● | ↔ | └┘ | 📦 |
|-----------|-----|-----|-----|----|
| 35482 | 1,5 | 91 | 5,5 | 10 |
| 35483 | 2 | 101 | 9 | 10 |
| 35484 | 2,5 | 113 | 9,5 | 10 |
| 35485 | 3 | 128 | 11 | 10 |
| 35486 | 4 | 142 | 13 | 10 |
| 35487 | 5 | 163 | 15 | 10 |
| 35488 | 6 | 184 | 18 | 10 |
| 35489 | 8 | 206 | 22 | 10 |
| 35490 | 10 | 231 | 28 | 5 |

Based on ISO 2936L.

L-keys



Hexagonal ball end, short, matt chrome-plated

369K

| Order-No. | ● | ↔ | └┘ | 📦 |
|-----------|-----|-----|----|----|
| 40401 | 1,5 | 46 | 15 | 10 |
| 40402 | 2 | 51 | 18 | 10 |
| 40403 | 2,5 | 57 | 20 | 10 |
| 40404 | 3 | 64 | 23 | 10 |
| 40405 | 4 | 72 | 29 | 10 |
| 40406 | 5 | 83 | 33 | 10 |
| 40407 | 6 | 94 | 38 | 10 |
| 40408 | 8 | 105 | 44 | 10 |
| 40409 | 10 | 119 | 50 | 10 |

As per ISO 2936K.

L-keys



Hexagonal ball end matt chrome-plated

369

| Order-No. | ● | ↔ | └┘ | 📦 |
|-----------|-----|-----|----|----|
| 01392 | 1,5 | 91 | 15 | 10 |
| 01393 | 2 | 101 | 18 | 10 |
| 01395 | 2,5 | 113 | 20 | 10 |
| 01396 | 3 | 128 | 23 | 10 |
| 01398 | 4 | 142 | 29 | 10 |
| 01400 | 5 | 163 | 33 | 10 |
| 01402 | 6 | 184 | 38 | 10 |
| 07922 | 7 | 195 | 39 | 5 |
| 01404 | 8 | 206 | 44 | 10 |
| 36452 | 9 | 217 | 47 | 5 |
| 01406 | 10 | 231 | 50 | 5 |
| 01408 | 12 | 259 | 57 | 5 |

Based on ISO 2936L.

L-keys



Matt chrome-plated hexagonal ball end in inch design

369Z

| Order-No. | ● | ↔ | └┘ | mm | 📦 |
|-----------|------|-----|----|------|----|
| 29471 | 0.05 | 72 | 13 | 1,27 | 10 |
| 29472 | 1/16 | 80 | 15 | 1,59 | 10 |
| 29474 | 5/64 | 88 | 18 | 1,98 | 10 |
| 29473 | 3/32 | 101 | 20 | 2,38 | 10 |
| 29475 | 7/64 | 111 | 21 | 2,78 | 10 |

Based on ASME B18.3.

L-keys



● hexagonal ball end, black oxidised

369B

| Order-No. | ● | ↔ | └┘ | mm | 📦 |
|-----------|-----|-----|----|----|----|
| 01391 | 1,3 | 74 | 14 | | 10 |
| 05638 | 1,5 | 91 | 15 | | 10 |
| 03868 | 2 | 101 | 18 | | 10 |
| 03869 | 2,5 | 113 | 20 | | 10 |
| 03870 | 3 | 128 | 23 | | 10 |
| 03871 | 4 | 142 | 29 | | 10 |
| 03872 | 5 | 163 | 33 | | 10 |
| 03873 | 6 | 184 | 38 | | 10 |
| 03874 | 8 | 206 | 44 | | 10 |
| 03875 | 10 | 231 | 50 | | 10 |
| 03876 | 12 | 259 | 57 | | 10 |

Based on ISO 2936L.

L-keys




● Hex , black oxidised

352B

| Order-No. | ● | ↔ | └┘ | mm | 📦 |
|-----------|-----|-----|----|----|----|
| 06358 | 0,7 | 67 | 6 | | 5 |
| 06359 | 0,9 | 70 | 9 | | 5 |
| 06360 | 1,3 | 73 | 13 | | 5 |
| 06059 | 1,5 | 91 | 15 | | 10 |
| 06361 | 2 | 101 | 18 | | 10 |
| 06362 | 2,5 | 113 | 20 | | 10 |
| 06363 | 3 | 128 | 23 | | 10 |
| 06364 | 4 | 142 | 29 | | 10 |
| 06365 | 5 | 163 | 33 | | 10 |
| 06366 | 6 | 184 | 38 | | 10 |
| 06367 | 7 | 194 | 41 | | 10 |
| 06368 | 8 | 206 | 44 | | 10 |
| 06369 | 10 | 231 | 50 | | 5 |
| 06370 | 12 | 259 | 57 | | 5 |
| 06371 | 14 | 294 | 70 | | 5 |

Based on ISO 2936L.

L-keys



● Hexagonal ball end in inch design, black oxidised

369 Zoll B

| Order-No. | ● | ↔ | └┘ | mm | 📦 |
|-----------|------|-----|----|------|----|
| 01422 | 0.05 | 72 | 13 | 1,27 | 10 |
| 01423 | 1/16 | 80 | 15 | 1,59 | 10 |
| 01431 | 5/64 | 88 | 18 | 1,98 | 10 |
| 01427 | 3/32 | 101 | 20 | 2,38 | 10 |
| 01433 | 7/64 | 111 | 21 | 2,78 | 10 |
| 01425 | 1/8 | 121 | 23 | 3,18 | 10 |
| 01434 | 9/64 | 136 | 27 | 3,57 | 10 |
| 01430 | 5/32 | 148 | 29 | 3,97 | 10 |
| 01426 | 3/16 | 163 | 33 | 4,76 | 10 |
| 01432 | 7/32 | 176 | 36 | 5,56 | 10 |
| 01424 | 1/4 | 191 | 38 | 6,35 | 10 |
| 01429 | 5/16 | 210 | 43 | 7,94 | 10 |
| 01428 | 3/8 | 232 | 49 | 9,53 | 5 |

Based on ASME B18.3.



L-keys



● Hex, short, black oxidised

350

| Order-No. | ● | ↔ | └┘ | ⊞ |
|-----------|-----|-----|-----|----|
| 06218 | 1,3 | 41 | 13 | 10 |
| 01121 | 1,5 | 46 | 15 | 10 |
| 01122 | 2 | 51 | 18 | 10 |
| 01123 | 2,5 | 57 | 20 | 10 |
| 01124 | 3 | 64 | 23 | 10 |
| 01126 | 4 | 72 | 29 | 10 |
| 01128 | 5 | 83 | 33 | 10 |
| 01130 | 6 | 94 | 38 | 10 |
| 01131 | 7 | 99 | 41 | 10 |
| 01132 | 8 | 105 | 44 | 10 |
| 01133 | 9 | 112 | 47 | 5 |
| 01134 | 10 | 119 | 50 | 5 |
| 01135 | 11 | 126 | 53 | 5 |
| 01136 | 12 | 134 | 57 | 5 |
| 01137 | 14 | 151 | 70 | 5 |
| 01138 | 17 | 173 | 80 | 5 |
| 01139 | 19 | 195 | 89 | 5 |
| 01140 | 22 | 217 | 102 | 1 |
| 01141 | 24 | 241 | 114 | 1 |
| 01142 | 27 | 271 | 127 | 1 |
| 01143 | 32 | 339 | 157 | 1 |

ISO 2936K.

L-keys



⊞ TORX® MagicSpring®, black oxidised

366R

| Order-No. | ⊞ | ↔ | └┘ | ⊞ | ⊞ |
|-----------|-----|-----|----|------|----|
| 31233 | T6 | 80 | 15 | 1/16 | 10 |
| 31234 | T7 | 88 | 18 | 5/64 | 10 |
| 31235 | T8 | 101 | 20 | 3/32 | 10 |
| 31236 | T9 | 111 | 21 | 7/64 | 10 |
| 31237 | T10 | 121 | 23 | 1/8 | 10 |
| 31238 | T15 | 136 | 27 | 9/64 | 10 |
| 31239 | T20 | 148 | 29 | 5/32 | 10 |
| 31240 | T25 | 163 | 33 | 3/16 | 10 |
| 31241 | T27 | 176 | 36 | 7/32 | 10 |
| 31242 | T30 | 191 | 38 | 1/4 | 10 |
| 31243 | T40 | 210 | 43 | 5/16 | 10 |
| 31244 | T45 | 232 | 49 | 3/8 | 10 |

L-keys



⊞ TORX® ball end, black oxidised

366BE

| Order-No. | ⊞ | ↔ | └┘ | ⊞ | ⊞ |
|-----------|-----|-----|----|------|----|
| 32386 | T9 | 111 | 21 | 7/64 | 10 |
| 32387 | T10 | 121 | 23 | 1/8 | 10 |
| 32388 | T15 | 136 | 27 | 9/64 | 10 |
| 32389 | T20 | 148 | 29 | 5/32 | 10 |
| 32390 | T25 | 163 | 33 | 3/16 | 10 |
| 32391 | T27 | 176 | 36 | 7/32 | 10 |
| 32392 | T30 | 191 | 38 | 1/4 | 10 |
| 32393 | T40 | 210 | 43 | 5/16 | 10 |
| 33749 | T45 | 232 | 49 | 3/8 | 10 |
| 33750 | T50 | 232 | 49 | 3/8 | 10 |

L-keys



TORX® ball end with short handle, titanium silver

366BET

| Order-No. | | | | | |
|-----------|-----|-------|------|------|----|
| 40966 | T5 | 72 | 6,5 | 0,05 | 10 |
| 40967 | T6 | 80 | 6,9 | 1/16 | 10 |
| 40968 | T7 | 89 | 8,9 | 5/64 | 10 |
| 40969 | T8 | 101 | 10,4 | 3/32 | 10 |
| 40970 | T9 | 111 | 11,8 | 7/64 | 10 |
| 40971 | T10 | 122 | 12,0 | 1/8 | 10 |
| 40972 | T15 | 136 | 12,5 | 9/64 | 10 |
| 40973 | T20 | 149 | 13,3 | 5/32 | 10 |
| 40974 | T25 | 164,5 | 16,2 | 3/16 | 10 |
| 40975 | T27 | 176 | 18,0 | 7/32 | 10 |
| 40976 | T30 | 191 | 19,2 | 1/4 | 10 |
| 40977 | T40 | 210 | 24,1 | 5/16 | 10 |
| 40978 | T45 | 232 | 29,5 | 3/8 | 10 |

TORX® ball end from size T9

L-keys



TORX® titanium silver

366 TS

| Order-No. | | | | | |
|-----------|-----|-----|----|------|----|
| 39106 | T5 | 72 | 13 | 0,05 | 10 |
| 39107 | T6 | 80 | 15 | 1/16 | 10 |
| 39108 | T7 | 88 | 18 | 5/64 | 10 |
| 39109 | T8 | 101 | 20 | 3/32 | 10 |
| 39110 | T9 | 111 | 21 | 7/64 | 10 |
| 39111 | T10 | 121 | 23 | 1/8 | 10 |
| 39112 | T15 | 136 | 27 | 9/64 | 10 |
| 39113 | T20 | 148 | 29 | 5/32 | 10 |
| 39114 | T25 | 163 | 33 | 3/16 | 10 |
| 39115 | T27 | 176 | 36 | 7/32 | 10 |
| 39116 | T30 | 191 | 38 | 1/4 | 10 |
| 39117 | T40 | 210 | 43 | 5/16 | 10 |
| 39118 | T45 | 232 | 49 | 3/8 | 10 |



L-keys



TORX®, black oxidised

366

| Order-No. | | | | | |
|-----------|-----|-----|----|------|----|
| 24313 | T5 | 72 | 13 | 0,05 | 10 |
| 24314 | T6 | 80 | 15 | 1/16 | 10 |
| 24315 | T7 | 88 | 18 | 5/64 | 10 |
| 24316 | T8 | 101 | 20 | 3/32 | 10 |
| 24317 | T9 | 111 | 21 | 7/64 | 10 |
| 24318 | T10 | 121 | 23 | 1/8 | 10 |
| 24319 | T15 | 136 | 27 | 9/64 | 10 |
| 24320 | T20 | 148 | 29 | 5/32 | 10 |
| 24321 | T25 | 163 | 33 | 3/16 | 10 |
| 24322 | T27 | 176 | 36 | 7/32 | 10 |
| 24323 | T30 | 191 | 38 | 1/4 | 10 |
| 24324 | T40 | 210 | 43 | 5/16 | 10 |
| 24325 | T50 | 232 | 49 | 3/8 | 10 |

L-keys



TORX PLUS®, short, black oxidised

3611P

| Order-No. | | | | | |
|-----------|------|----|----|-----|----|
| 24515 | 7IP | 44 | 18 | 2,5 | 10 |
| 24517 | 8IP | 47 | 18 | 2,5 | 10 |
| 24519 | 9IP | 51 | 19 | 3,0 | 10 |
| 24521 | 10IP | 54 | 20 | 3,0 | 10 |
| 24523 | 15IP | 58 | 22 | 3,5 | 10 |
| 24525 | 20IP | 62 | 23 | 4,0 | 10 |
| 24527 | 25IP | 67 | 25 | 4,5 | 10 |
| 24529 | 27IP | 73 | 27 | 5,5 | 10 |
| 24531 | 30IP | 79 | 30 | 6,0 | 10 |
| 24533 | 40IP | 88 | 33 | 7,0 | 10 |

L-keys



TORX®, short, black oxidised

363

| Order-No. | | | | | |
|-----------|-----|-----|----|------|----|
| 03764 | T5 | 39 | 18 | 2,5 | 10 |
| 01310 | T6 | 41 | 18 | 2,5 | 10 |
| 01311 | T7 | 44 | 18 | 2,5 | 10 |
| 01312 | T8 | 47 | 18 | 2,5 | 10 |
| 01313 | T9 | 51 | 19 | 3,0 | 10 |
| 01314 | T10 | 54 | 20 | 3,0 | 10 |
| 01315 | T15 | 57 | 22 | 3,5 | 10 |
| 01316 | T20 | 62 | 23 | 4,0 | 10 |
| 01317 | T25 | 67 | 25 | 4,5 | 10 |
| 01318 | T27 | 72 | 27 | 5,5 | 10 |
| 01319 | T30 | 79 | 30 | 6,0 | 10 |
| 01320 | T40 | 86 | 33 | 7,0 | 10 |
| 01321 | T45 | 90 | 36 | 8,0 | 10 |
| 01322 | T50 | 104 | 41 | 9,0 | 10 |
| 01323 | T55 | 120 | 47 | 12,0 | 10 |
| 01324 | T60 | 134 | 52 | 14,0 | 10 |

L-keys



TORX® Tamper Resistant (with hole), short, black oxidised

363TR

| Order-No. | | | | | |
|-----------|------|----|----|-----|----|
| 24107 | T8H | 47 | 18 | 2,5 | 10 |
| 24109 | T9H | 51 | 19 | 3,0 | 10 |
| 24111 | T10H | 54 | 20 | 3,0 | 10 |
| 24113 | T15H | 57 | 22 | 3,5 | 10 |
| 24115 | T20H | 62 | 23 | 4,0 | 10 |
| 24117 | T25H | 67 | 25 | 4,5 | 10 |
| 24119 | T27H | 72 | 27 | 5,5 | 10 |
| 24121 | T30H | 79 | 30 | 6,0 | 10 |
| 24123 | T40H | 86 | 33 | 7,0 | 10 |

L-key with T-handle ComfortGrip



● Hexagon MagicRing® with side drive, matt chrome-plated

334DSR

| Order-No. | ● | ↔ | ↔ | ↔ | ↔ | 🏠 |
|-----------|----|-----|----|-----|----|----|
| 26135 | 3 | 100 | 13 | 80 | 26 | 10 |
| 26136 | 4 | 150 | 13 | 80 | 26 | 10 |
| 26137 | 5 | 150 | 17 | 100 | 32 | 10 |
| 26138 | 6 | 150 | 17 | 100 | 32 | 10 |
| 26139 | 8 | 200 | 17 | 100 | 32 | 10 |
| 26140 | 10 | 200 | 22 | 120 | 38 | 5 |

L-key with T-handle ComfortGrip



● Hex with side drive, matt chrome-plated

334DS

| Order-No. | ● | ↔ | ↔ | ↔ | ↔ | 🏠 |
|-----------|-----|-----|----|-----|----|----|
| 26164 | 2 | 100 | 13 | 80 | 26 | 10 |
| 26165 | 2,5 | 100 | 13 | 80 | 26 | 10 |
| 26166 | 3 | 100 | 13 | 80 | 26 | 10 |
| 26167 | 4 | 150 | 13 | 80 | 26 | 10 |
| 26168 | 5 | 150 | 17 | 100 | 32 | 10 |
| 26169 | 6 | 150 | 17 | 100 | 32 | 10 |
| 26170 | 8 | 200 | 17 | 100 | 32 | 10 |
| 26171 | 10 | 200 | 22 | 120 | 38 | 5 |

L-key with T-handle ComfortGrip



● Hexagonal ball end with side drive, matt chrome-plated

540DS

| Order-No. | ● | ↔ | ↔ | ↔ | ↔ | 🏠 |
|-----------|----|-----|----|-----|----|----|
| 28372 | 3 | 150 | 13 | 80 | 26 | 10 |
| 28373 | 4 | 150 | 13 | 80 | 26 | 10 |
| 28374 | 5 | 150 | 17 | 100 | 32 | 10 |
| 28375 | 6 | 150 | 17 | 100 | 32 | 10 |
| 28376 | 8 | 200 | 17 | 100 | 32 | 10 |
| 28377 | 10 | 200 | 22 | 120 | 38 | 5 |

L-key with T-handle ComfortGrip



● TORX® with side drive, matt chrome-plated

364DS

| Order-No. | ⊕ | ↔ | ↔ | ↔ | ↔ | 🏠 |
|-----------|-----|-----|----|-----|----|----|
| 26172 | T10 | 100 | 13 | 80 | 26 | 10 |
| 26173 | T15 | 100 | 13 | 80 | 26 | 10 |
| 26174 | T20 | 100 | 17 | 100 | 32 | 10 |
| 26175 | T25 | 150 | 17 | 100 | 32 | 10 |
| 26176 | T27 | 150 | 17 | 100 | 32 | 10 |
| 26177 | T30 | 150 | 17 | 100 | 32 | 10 |
| 26178 | T40 | 150 | 17 | 100 | 32 | 10 |

L-key with T-handle



Hexagon MagicRing® brilliant nickel-plated

334R

| Order-No. | ● | ↔ | ↔ | ↔ | ↔ | 🏠 |
|-----------|----|-----|-----|-----|----|----|
| 22168 | 3 | 100 | 126 | 80 | 26 | 10 |
| 22170 | 4 | 150 | 176 | 80 | 26 | 10 |
| 22172 | 5 | 150 | 182 | 100 | 32 | 10 |
| 22174 | 6 | 150 | 182 | 100 | 32 | 10 |
| 21960 | 8 | 200 | 232 | 100 | 32 | 10 |
| 21962 | 10 | 200 | 238 | 120 | 38 | 10 |

L-key with T-handle



Hexagonal ball end brilliant nickel-plated

540

| Order-No. | ● | ↔ | ↔ | ↔ | ↔ | 🏠 |
|-----------|----|-----|-----|-----|----|----|
| 04111 | 4 | 150 | 176 | 80 | 26 | 10 |
| 04108 | 5 | 150 | 182 | 100 | 32 | 10 |
| 04105 | 6 | 150 | 182 | 100 | 32 | 10 |
| 04099 | 8 | 200 | 238 | 100 | 32 | 10 |
| 04096 | 10 | 200 | 238 | 120 | 38 | 10 |

L-key with T-handle



Hexagon brilliant nickel-plated

334

| Order-No. | ● | ↔ | ⬡ | ↔ | ↔ | ↔ | 🏠 |
|-----------|-----|-----|----|-----|-----|----|----|
| 00904 | 2 | 100 | - | 126 | 80 | 26 | 10 |
| 00905 | 2 | 200 | - | 226 | 80 | 26 | 10 |
| 00906 | 2,5 | 100 | - | 126 | 80 | 26 | 10 |
| 00907 | 2,5 | 200 | - | 226 | 80 | 26 | 10 |
| 00908 | 3 | 100 | - | 126 | 80 | 26 | 10 |
| 00909 | 3 | 150 | - | 176 | 80 | 26 | 10 |
| 00910 | 3 | 200 | - | 226 | 80 | 26 | 10 |
| 00911 | 3• | 350 | 5+ | 382 | 100 | 32 | 10 |
| 00912 | 4 | 100 | - | 126 | 80 | 26 | 10 |
| 00913 | 4 | 150 | - | 176 | 80 | 26 | 10 |
| 00914 | 4 | 200 | - | 226 | 80 | 26 | 10 |
| 00915 | 4• | 350 | 5+ | 382 | 100 | 32 | 10 |
| 00916 | 5 | 100 | - | 132 | 100 | 32 | 10 |
| 00917 | 5 | 150 | - | 182 | 100 | 32 | 10 |
| 00918 | 5 | 200 | - | 232 | 100 | 32 | 10 |
| 00919 | 5 | 350 | - | 382 | 100 | 32 | 10 |
| 00921 | 6 | 100 | - | 132 | 100 | 32 | 10 |
| 00922 | 6 | 150 | - | 182 | 100 | 32 | 10 |
| 00923 | 6 | 200 | - | 232 | 100 | 32 | 10 |
| 00924 | 6 | 350 | - | 382 | 100 | 32 | 10 |
| 00926 | 7 | 200 | - | 232 | 100 | 32 | 10 |
| 00928 | 8 | 100 | - | 132 | 100 | 32 | 10 |
| 00929 | 8 | 150 | - | 182 | 100 | 32 | 10 |
| 00930 | 8 | 200 | - | 232 | 100 | 32 | 10 |
| 00931 | 8 | 350 | - | 382 | 100 | 32 | 10 |
| 00933 | 10 | 100 | - | 138 | 120 | 38 | 10 |
| 00934 | 10 | 200 | - | 238 | 120 | 38 | 10 |
| 00937 | 12 | 200 | - | 238 | 120 | 38 | 5 |

• Overlength with reinforced blade.

Nut driver with T-handle



● Hexagon brilliant nickel-plated

336

| Order-No. | ○ | ↔ | ↔ | ↔ | ↔ | ☑ |
|-----------|-----|-----|-----|-----|----|----|
| 00965 | 5,5 | 125 | 157 | 100 | 32 | 10 |
| 00966 | 6 | 125 | 157 | 100 | 32 | 10 |
| 00967 | 6 | 200 | 232 | 100 | 32 | 10 |
| 00968 | 7 | 125 | 157 | 100 | 32 | 10 |
| 00969 | 7 | 200 | 232 | 100 | 32 | 10 |
| 00971 | 8 | 125 | 157 | 100 | 32 | 10 |
| 00972 | 8 | 200 | 232 | 100 | 32 | 10 |
| 00973 | 8 | 350 | 382 | 100 | 32 | 10 |
| 00974 | 9 | 125 | 157 | 100 | 32 | 10 |
| 00975 | 9 | 200 | 232 | 100 | 32 | 10 |
| 00977 | 10 | 125 | 157 | 100 | 32 | 10 |
| 00978 | 10 | 200 | 232 | 100 | 32 | 10 |
| 00979 | 10 | 230 | 262 | 100 | 32 | 10 |
| 00980 | 10 | 350 | 382 | 100 | 32 | 10 |
| 00982 | 11 | 125 | 157 | 100 | 32 | 10 |
| 00983 | 11 | 230 | 262 | 100 | 32 | 5 |
| 00985 | 12 | 125 | 157 | 100 | 32 | 10 |
| 00986 | 12 | 230 | 262 | 100 | 32 | 5 |
| 00988 | 13 | 125 | 157 | 100 | 32 | 10 |
| 00989 | 13 | 230 | 262 | 100 | 32 | 10 |
| 00990 | 13 | 350 | 382 | 100 | 32 | 10 |
| 00991 | 14 | 125 | 157 | 100 | 32 | 5 |
| 00993 | 15 | 125 | 157 | 100 | 32 | 5 |
| 00994 | 16 | 125 | 157 | 100 | 32 | 5 |
| 00995 | 17 | 125 | 157 | 100 | 32 | 5 |

Nut driver with T-handle



○ Square nickel-plated

338

| Order-No. | ○ | ↔ | ↔ | ↔ | ↔ | ☑ |
|-----------|----|-----|-----|-----|----|----|
| 01005 | 6 | 125 | 157 | 100 | 32 | 10 |
| 01006 | 8 | 125 | 157 | 100 | 32 | 10 |
| 01007 | 10 | 125 | 157 | 100 | 32 | 10 |
| 01008 | 12 | 125 | 157 | 100 | 32 | 10 |

L-key with T-handle



● Hex, inch design brilliant nickel-plated

334Z

| Order-No. | ● | ↔ | ↔ | ↔ | ↔ | mm | ☑ |
|-----------|------|-----|-----|-----|----|------|----|
| 02802 | 3/32 | 150 | 176 | 80 | 26 | 2,38 | 10 |
| 02803 | 7/64 | 150 | 176 | 80 | 26 | 2,78 | 10 |
| 02804 | 1/8 | 150 | 176 | 80 | 26 | 3,18 | 10 |
| 02805 | 9/64 | 150 | 176 | 80 | 26 | 3,57 | 10 |
| 02806 | 5/32 | 150 | 176 | 80 | 26 | 3,97 | 10 |
| 02807 | 3/16 | 150 | 182 | 100 | 32 | 4,76 | 10 |
| 02808 | 7/32 | 150 | 182 | 100 | 32 | 5,56 | 10 |
| 02809 | 1/4 | 150 | 182 | 100 | 32 | 6,35 | 10 |
| 02810 | 5/16 | 150 | 182 | 100 | 32 | 7,94 | 10 |
| 02811 | 3/8 | 150 | 188 | 120 | 38 | 9,53 | 10 |

Nut driver with T-handle



Hex, inch design brilliant nickel-plated

336Z

| Order-No. | ⊙ | ↔ | ↔ | ↔ | ↔ | mm | 📄 |
|-----------|------|-----|-----|-----|----|-------|----|
| 02819 | 3/16 | 150 | 182 | 100 | 32 | 4,76 | 10 |
| 02820 | 1/4 | 150 | 182 | 100 | 32 | 6,35 | 10 |
| 02821 | 5/16 | 150 | 182 | 100 | 32 | 7,94 | 10 |
| 02822 | 3/8 | 150 | 182 | 100 | 32 | 9,53 | 10 |
| 02823 | 7/16 | 150 | 182 | 100 | 32 | 11,11 | 10 |
| 02824 | 1/2 | 150 | 182 | 100 | 32 | 12,70 | 10 |

Nut driver with T-handle electric



Hex

336N

| Order-No. | ⊙ | ↔ | ↔ | ↔ | ↔ | 📄 |
|-----------|----|-----|-----|-----|----|----|
| 27932 | 8 | 200 | 232 | 100 | 32 | 10 |
| 27933 | 10 | 230 | 262 | 100 | 32 | 10 |
| 27934 | 13 | 230 | 262 | 100 | 32 | 10 |
| 27935 | 17 | 230 | 268 | 120 | 38 | 10 |

Manufactured acc. to IEC 60900.

L-key with T-handle electric



Hex

334N

| Order-No. | ⊙ | ↔ | ↔ | ↔ | ↔ | 📄 |
|-----------|---|-----|-----|-----|----|----|
| 27928 | 4 | 150 | 176 | 80 | 26 | 10 |
| 27929 | 5 | 150 | 182 | 100 | 32 | 10 |
| 27930 | 6 | 150 | 182 | 100 | 32 | 10 |
| 27931 | 8 | 150 | 182 | 100 | 32 | 10 |

Manufactured acc. to IEC 60900.

L-key with T-handle



TORX® matt chrome-plated

364

| Order-No. | ⊙ | ↔ | ⊙ | ↔ | ↔ | ↔ | 📄 |
|-----------|-----|-----|-----|-----|-----|----|----|
| 01328 | T9 | 100 | 4,0 | 126 | 80 | 26 | 10 |
| 01329 | T10 | 100 | 4,0 | 126 | 80 | 26 | 10 |
| 01330 | T15 | 100 | 4,0 | 126 | 80 | 26 | 10 |
| 01331 | T15 | 200 | 5,5 | 226 | 80 | 26 | 10 |
| 01332 | T20 | 100 | 4,0 | 132 | 100 | 32 | 10 |
| 01333 | T20 | 200 | 5,5 | 232 | 100 | 32 | 10 |
| 01334 | T25 | 100 | 4,5 | 132 | 100 | 32 | 10 |
| 01335 | T25 | 200 | 5,5 | 232 | 100 | 32 | 10 |
| 01336 | T27 | 100 | 5,5 | 132 | 100 | 32 | 10 |
| 01337 | T27 | 200 | 5,5 | 232 | 100 | 32 | 5 |
| 01338 | T30 | 100 | 6,0 | 132 | 100 | 32 | 10 |
| 01339 | T30 | 200 | 6,0 | 232 | 100 | 32 | 5 |
| 01340 | T40 | 100 | 7,0 | 132 | 100 | 32 | 10 |
| 01341 | T40 | 200 | 7,0 | 232 | 100 | 32 | 5 |
| 01343 | T45 | 250 | 8,0 | 288 | 120 | 38 | 5 |
| 01345 | T50 | 250 | 9,0 | 288 | 120 | 38 | 5 |

L-key with T-handle



TORX® MagicSpring® matt chrome-plated

364R

| Order-No. | ⊕ | ↔ | ● | ↔ | — | — | 📦 |
|-----------|-----|-----|-----|-----|-----|----|----|
| 27964 | T9 | 100 | 4,0 | 126 | 80 | 26 | 10 |
| 27965 | T10 | 100 | 4,0 | 126 | 80 | 26 | 10 |
| 27966 | T15 | 100 | 4,0 | 126 | 80 | 26 | 10 |
| 27967 | T20 | 100 | 4,0 | 132 | 100 | 32 | 10 |
| 27968 | T25 | 100 | 5,0 | 132 | 100 | 32 | 10 |
| 27969 | T27 | 100 | 6,0 | 132 | 100 | 32 | 10 |
| 27970 | T30 | 100 | 6,0 | 132 | 100 | 32 | 10 |
| 27971 | T40 | 100 | 8,0 | 132 | 100 | 32 | 10 |

L-key with T-handle



TORX PLUS® matt chrome-plated

364IP

| Order-No. | ⊕ | ↔ | ● | ↔ | — | — | 📦 |
|-----------|------|-----|-----|-----|-----|----|----|
| 26953 | 9IP | 100 | 4,0 | 126 | 80 | 26 | 10 |
| 26954 | 10IP | 100 | 4,0 | 126 | 80 | 26 | 10 |
| 26955 | 15IP | 100 | 4,0 | 126 | 80 | 26 | 10 |
| 26956 | 20IP | 100 | 4,0 | 132 | 100 | 32 | 10 |
| 26957 | 25IP | 150 | 4,5 | 182 | 100 | 32 | 10 |
| 26958 | 27IP | 150 | 5,5 | 182 | 100 | 32 | 10 |
| 26959 | 30IP | 150 | 6,0 | 182 | 100 | 32 | 10 |
| 26960 | 40IP | 150 | 7,0 | 182 | 100 | 32 | 10 |

L-key with key handle



Hex , black oxidised

331

| Order-No. | ● | ↔ | ↔ | — | 📦 |
|-----------|-----|----|----|----|----|
| 00894 | 1,5 | 60 | 95 | 40 | 10 |
| 00895 | 2 | 60 | 95 | 40 | 10 |
| 00896 | 2,5 | 60 | 95 | 40 | 10 |
| 00897 | 3 | 60 | 95 | 40 | 10 |

L-key with key handle



TORX®, black oxidised

365

| Order-No. | ⊕ | ↔ | ● | ↔ | — | 📦 |
|-----------|-----|----|-----|----|----|----|
| 04918 | T5 | 35 | 2,0 | 70 | 40 | 10 |
| 01350 | T6 | 35 | 2,0 | 70 | 40 | 10 |
| 01351 | T7 | 35 | 2,5 | 70 | 40 | 10 |
| 01352 | T8 | 40 | 2,5 | 75 | 40 | 10 |
| 01353 | T9 | 40 | 3,0 | 75 | 40 | 10 |
| 01354 | T10 | 40 | 3,0 | 75 | 40 | 10 |
| 01355 | T15 | 45 | 3,5 | 80 | 40 | 10 |
| 01356 | T20 | 45 | 4,0 | 80 | 40 | 10 |

L-key with key handle



TORX PLUS®, black oxidised

365IP

| Order-No. | | | | | | |
|-----------|------|----|-----|----|----|----|
| 26181 | 5IP | 35 | 2,0 | 70 | 40 | 10 |
| 26182 | 6IP | 35 | 2,0 | 70 | 40 | 10 |
| 26183 | 7IP | 35 | 2,5 | 70 | 40 | 10 |
| 26184 | 8IP | 40 | 2,5 | 75 | 40 | 10 |
| 26185 | 9IP | 40 | 3,0 | 75 | 40 | 10 |
| 26186 | 10IP | 40 | 3,0 | 75 | 40 | 10 |
| 26187 | 15IP | 45 | 3,5 | 80 | 40 | 10 |
| 26188 | 20IP | 45 | 4,0 | 80 | 40 | 10 |

L-key with flag handle



TORX PLUS®, black oxidised

370IP

| Order-No. | | | | | | |
|-----------|------|----|-----|----|----|----|
| 27614 | 5IP | 35 | 2,0 | 67 | 15 | 10 |
| 27615 | 6IP | 35 | 2,0 | 67 | 15 | 10 |
| 27616 | 7IP | 35 | 2,5 | 67 | 19 | 10 |
| 27617 | 8IP | 40 | 2,5 | 72 | 19 | 10 |
| 27618 | 9IP | 40 | 3,0 | 74 | 24 | 10 |
| 27619 | 10IP | 40 | 3,0 | 74 | 24 | 10 |
| 27620 | 15IP | 45 | 3,5 | 80 | 28 | 10 |
| 27621 | 20IP | 45 | 4,0 | 80 | 28 | 10 |

L-key with flag handle



TORX®, black oxidised

370

| Order-No. | | | | | | |
|-----------|-----|----|-----|----|----|----|
| 03724 | T5 | 35 | 2,0 | 62 | 15 | 10 |
| 03725 | T6 | 35 | 2,0 | 62 | 15 | 10 |
| 03726 | T7 | 35 | 2,5 | 67 | 19 | 10 |
| 03727 | T8 | 40 | 2,5 | 72 | 19 | 10 |
| 03728 | T9 | 40 | 3,0 | 74 | 24 | 10 |
| 03729 | T10 | 40 | 3,0 | 74 | 24 | 10 |
| 03730 | T15 | 45 | 3,5 | 80 | 28 | 10 |
| 03731 | T20 | 45 | 4,0 | 80 | 28 | 10 |





Bits

The indispensable three.




Which machine? Which application? Which bit? The revolutionary Wiha bit concept puts an end to any confusion and presents three bit types which can cover all areas of use.

Only the screw shape is crucial for selecting the bit. The Y bit is ideal for fastening Y-shaped screws with an angle no greater than 90° between the thread and screw head. The T bit is used for T-shaped screws at a 90° angle. If you need to fasten both screw types, then the TY bit is the right choice since this universal bit is suitable for all type of fastenings.

A selection of different bit holders and bit boxes such as the BitBuddy® and XLSelector ensures optimum usage of bits.

Application

Bits

| | | | | |
|--|--|---|--|--|
| <p>For all screw types</p> | <p>BitBuddy® TY bit set, 49 mm Page 256</p>  | <p>BitBuddy® TY bit set, 29 mm Page 257</p>  | <p>TY bit set 49 mm Page 256</p>  | <p>TY bit set 29 mm Page 258</p>  |
| <p>For T-shaped screws</p> | <p>XLSelector T bit set, 50 mm Page 258</p>  | <p>FlipSelector T bit set, 25 mm Page 259</p>  | <p>T bit set, 50 mm Page 259</p>  | <p>T bit set, 25 mm Page 260</p>  |
| <p>For Y-shaped screws</p> | <p>XLSelector Y bit set, 50 mm Page 260</p>  | <p>FlipSelector Y bit set, 25 mm Page 261</p>  | <p>Y bit set, 50 mm Page 261</p>  | <p>Y bit set, 25 mm Page 261</p>  |
| <p>For universal applications</p> | <p>Bit set XLSelector Standard 25 mm Page 262</p>  | <p>Bit set FlipSelector Standard 25 mm Page 262</p>  | <p>Bit Standard 25 mm 1/4" Page 265</p>  | <p>Bit Professional 1/4" Page 270</p>  |
| <p>MicroBits</p> | <p>Micro-bit set ESD Mixed 65-pcs. in box Page 274</p>  | <p>Micro-bit 28 mm Page 275</p>  | | |
| <p>Bit holder</p> | <p>Bit holder CentroFix Force mechanically lockable 1/4", magnetic Page 280</p>  | <p>Bit holder CentroFix Super Slim mechanically lockable 1/4", magnetic Page 280</p>  | <p>Bit holder MagicFlip Force magnetic with ring magnet, 1/4" Page 280</p>  | <p>Screwdriver with SoftFinish® CentroFix bit holder, mechanically lockable 1/4" Page 282</p>  |
| <p>Special solutions</p> | <p>Combination drill bit set Page 277</p>  | <p>Countersink bit 1/4" Page 277</p>  | <p>High-performance offset screwdriver with quick release holder 1/4"1/4" Page 283</p>  | |



BitBuddy® TY bit set, 49 mm



Pozidriv 1/4" 7-pcs.

SB 7946-TY202

Order-No.

42099 6

1 x PZ1 / 5 x PZ2 / 1 x PZ3

*compared to Wiha standard bit

TORX® 1/4" 7-pcs.

SB 7946-TY505

Order-No.

42115 6

1 x T10 / 1 x T15 / 2 x T20 / 1 x T25 / 1 x T30 / 1 x T40

*compared to Wiha standard bit

Hexagon 1/4" 7-pcs.

SB 7946-TY303

Order-No.

42114 6

2 x SW3 / 2 x SW4 / 2 x SW5 / 1 x SW6

*compared to Wiha standard bit

Phillips, Pozidriv, TORX®, 7-pcs., 1/4"

SB 7946-TY903

Order-No.

42116 6

1 x PH2

1 x PZ1 / 1 x PZ2 / 1 x PZ3

1 x T15 / 1 x T20 / 1 x T25

*compared to Wiha standard bit

Phillips, Pozidriv, TORX®, 7-pcs., 1/4"

SB 7946-TY904

Order-No.

42117 6

1 x PH2

1 x PZ1 / 1 x PZ2

1 x T10 / 1 x T15 / 1 x T20 / 1 x T25

*compared to Wiha standard bit

Pozidriv, TORX® 7-pcs. 1/4" in box

SB 7946-TY905

Order-No.

42118 6

1 x PZ2 / 1 x PZ3

1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40

*compared to Wiha standard bit

TY bit set 49 mm



Order-No.

42097 5 x PH1 6

42119 5 x PH2 6

42120 5 x PH3 6

42121 5 x PZ1 6

42122 5 x PZ2 6

42123 5 x PZ3 6

42124 5 x SW3 6

42125 5 x SW4 6

42126 5 x SW5 6

42127 5 x SW6 6

42128 5 x T10 6

42129 5 x T15 6

42130 5 x T20 6

42131 5 x T25 6

42132 5 x T27 6

42133 5 x T30 6

42134 5 x T40 6

INFOBOX: BitBuddy 29



Easy, single-hand operation.

Attaching:

- Bits are directly picked up with the machine from the BitBuddy.

Work:

- Gets your fastenings done.

Storing

- Bits are easily returned to the BitBuddy, by pressing on the red bit strip.
- With magnetic bit holder for a rapid bit change.
- BitBuddy is always at hand - easily fits into trouser pockets or onto the belt clip.



Pozidriv 1/4" 8-pcs.

SB 7945-TY202

| | |
|--------------------------------|--|
| Order-No. | |
| 42098 | 6 |
| | 1 x PZ1 / 5 x PZ2 / 1 x PZ3 |
| | 1 x Bit holder magnetic extra strong magnet 1/4" |
| •compared to Wiha standard bit | |

TORX® 1/4" 8-pcs.

SB 7945-TY505

| | |
|--------------------------------|---|
| Order-No. | |
| 42136 | 6 |
| | 1 x T10 / 1 x T15 / 2 x T20 / 1 x T25 / 1 x T30 / 1 x T40 |
| | 1 x Bit holder magnetic extra strong magnet 1/4" |
| •compared to Wiha standard bit | |

Hexagon 8-pcs. 1/4"

SB 7945-TY303

| | |
|--------------------------------|--|
| Order-No. | |
| 42135 | 6 |
| | 2 x SW3 / 2 x SW4 / 2 x SW5 / 1 x SW6 |
| | 1 x Bit holder magnetic extra strong magnet 1/4" |
| •compared to Wiha standard bit | |

Phillips, Pozidriv, TORX®, 8-pcs., 1/4"

SB 7945-TY903

| | |
|--------------------------------|--|
| Order-No. | |
| 42137 | 6 |
| | 1 x PH2 |
| | 1 x PZ1 / 1 x PZ2 / 1 x PZ3 |
| | 1 x T15 / 1 x T20 / 1 x T25 |
| | 1 x Bit holder magnetic extra strong magnet 1/4" |
| •compared to Wiha standard bit | |

Phillips, Pozidriv, TORX®, 8-pcs., 1/4"

SB 7945-TY904

| | |
|--------------------------------|--|
| Order-No. | |
| 42138 | 6 |
| | 1 x PH2 |
| | 1 x PZ1 / 1 x PZ2 |
| | 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 |
| | 1 x Bit holder magnetic extra strong magnet 1/4" |
| •compared to Wiha standard bit | |

Pozidriv, TORX® 1/4" 8-pcs.

SB 7945-TY905


| | |
|--------------------------------|--|
| Order-No. | |
| 42139 | 6 |
| | 1 x PZ2 / 1 x PZ3 |
| | 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40 |
| | 1 x Bit holder magnetic extra strong magnet 1/4" |
| •compared to Wiha standard bit | |

**INFOBOX:
Wiha TY bit concept**



- Bits quickly and easily selected thanks to the screw head shape.
- The T bit is ideal for fastening T-shaped screws with an angle of 90°.
- The Y bit is ideal for fastening Y-shaped screws with an angle not equal to 90°.
- Universal in its use, the TY bit is suitable for all types of screws, no matter whether they feature a Y-shaped or T-shaped screw head.

Bitfinder



TY bit set 29 mm



| Order-No. | | |
|-----------|-----------|---|
| 42096 | ⊕ 5 x PH1 | 6 |
| 42100 | ⊕ 5 x PH2 | 6 |
| 42101 | ⊕ 5 x PH3 | 6 |
| 42149 | ⊕ 5 x PZ1 | 6 |
| 42102 | ⊕ 5 x PZ2 | 6 |
| 42103 | ⊕ 5 x PZ3 | 6 |
| 42104 | ● 5 x SW3 | 6 |
| 42105 | ● 5 x SW4 | 6 |
| 42106 | ● 5 x SW5 | 6 |
| 42107 | ● 5 x SW6 | 6 |
| 42108 | ⊗ 5 x T10 | 6 |
| 42109 | ⊗ 5 x T15 | 6 |
| 42110 | ⊗ 5 x T20 | 6 |
| 42111 | ⊗ 5 x T25 | 6 |
| 42112 | ⊗ 5 x T27 | 6 |
| 42113 | ⊗ 5 x T30 | 6 |
| 42150 | ⊗ 5 x T40 | 6 |

in bulk pack

| Order-No. | | |
|-----------|------------|---|
| 42539 | ⊕ 25 x PH2 | 1 |
| 42551 | ⊕ 25 x PZ2 | 1 |
| 42548 | ⊗ 25 x T20 | 1 |
| 42549 | ⊗ 25 x T25 | 1 |
| 42550 | ⊗ 25 x T30 | 1 |

XLSelector T bit set, 50 mm



Phillips, TORX®, hex 13-pcs. 1/4"

SB 7948-T950

| Order-No. | | |
|-----------|---|---|
| 41831 | | 6 |
| ⊕ | 1 x PH1 / 1 x PH2 / 1 x PH3 | |
| ⊗ | 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40 | |
| ● | 1 x SW3 / 1 x SW4 / 1 x SW5 / 1 x SW6 | |
| ○ | 1 x Bit holder magnetic extra strong magnet, 1/4" | |

•compared to Wiha standard bit

XLSelector T bit set, 25 mm



Phillips, TORX®, hex 31-pcs. 1/4"

SB 7948-T999

| Order-No. | | |
|-----------|---|---|
| 41830 | | 6 |
| ⊕ | 2 x PH1 / 4 x PH2 / 2 x PH3 | |
| ⊗ | 2 x T10 / 2 x T15 / 4 x T20 / 2 x T25 / 2 x T30 / 2 x T40 | |
| ● | 2 x SW3 / 2 x SW4 / 2 x SW5 / 2 x SW6 | |
| ○ | 1 x Bit holder magnetic extra strong magnet, 1/4" | |

•compared to Wiha standard bit

FlipSelector T bit set, 25 mm



T bit set, 50 mm



Hexagon 16-pcs. 1/4"

SB 7947-T303

| Order-No. | Icon | Quantity |
|-----------|--|----------|
| 41825 | | 6 |
| | 3 x SW3 / 3 x SW4 / 3 x SW5 / 3 x SW6 | |
| | 1 x Bit holder magnetic extra strong magnet 1/4" | |

•compared to Wiha standard bit

Phillips, Pozidriv, TORX®, 13-pcs., 1/4"

SB 7947-T906

| Order-No. | Icon | Quantity |
|-----------|---|----------|
| 41824 | | 6 |
| | 1 x PH1 / 3 x PH2 / 1 x PH3 | |
| | 1 x PZ2 | |
| | 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40 | |
| | 1 x Bit holder magnetic extra strong magnet 1/4" | |

•compared to Wiha standard bit

assorted 1/4" 13-pcs.

SB 7947-T999

| Order-No. | Icon | Quantity |
|-----------|--|----------|
| 41826 | | 6 |
| | 1 x PH1 / 1 x PH2 / 1 x PH3 | |
| | 1 x PZ2 | |
| | 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40 | |
| | 1 x SW4 / 1 x SW5 / 1 x SW6 | |
| | 1 x Bit holder magnetic extra strong magnet 1/4" | |

•compared to Wiha standard bit

| Order-No. | Icon | Quantity |
|-----------|------|----------|
| 41637 | | 5 x PH1 |
| 41638 | | 5 x PH2 |
| 41639 | | 5 x PH3 |
| 41640 | | 5 x PZ1 |
| 41641 | | 5 x PZ2 |
| 41642 | | 5 x PZ3 |
| 41650 | | 5 x SW3 |
| 41651 | | 5 x SW4 |
| 41652 | | 5 x SW5 |
| 41653 | | 5 x SW6 |
| 41643 | | 5 x T10 |
| 41644 | | 5 x T15 |
| 41645 | | 5 x T20 |
| 41646 | | 5 x T25 |
| 41647 | | 5 x T27 |
| 41648 | | 5 x T30 |
| 41649 | | 5 x T40 |
| 41660 | | 5 x #1 |
| 41662 | | 5 x #2 |
| 41663 | | 5 x #3 |



T bit set, 25 mm



| Order-No. | | |
|-----------|-----------|---|
| 41598 | ⊕ 5 x PH1 | 6 |
| 41599 | ⊕ 5 x PH2 | 6 |
| 41600 | ⊕ 5 x PH3 | 6 |
| 41601 | ⊕ 5 x PZ1 | 6 |
| 41602 | ⊕ 5 x PZ2 | 6 |
| 41603 | ⊕ 5 x PZ3 | 6 |
| 41611 | ● 5 x SW3 | 6 |
| 41612 | ● 5 x SW4 | 6 |
| 41613 | ● 5 x SW5 | 6 |
| 41614 | ● 5 x SW6 | 6 |
| 41604 | ⊕ 5 x T10 | 6 |
| 41605 | ⊕ 5 x T15 | 6 |
| 41606 | ⊕ 5 x T20 | 6 |
| 41607 | ⊕ 5 x T25 | 6 |
| 41608 | ⊕ 5 x T27 | 6 |
| 41609 | ⊕ 5 x T30 | 6 |
| 41610 | ⊕ 5 x T40 | 6 |
| 41621 | ⊖ 5 x #1 | 6 |
| 41622 | ⊖ 5 x #2 | 6 |
| 41623 | ⊖ 5 x #3 | 6 |

in bulk pack

| Order-No. | | |
|-----------|------------|---|
| 42292 | ⊕ 25 x PH2 | 1 |
| 42293 | ⊕ 25 x PZ2 | 1 |
| 42301 | ⊕ 25 x T20 | 1 |
| 42306 | ⊕ 25 x T25 | 1 |
| 42302 | ⊕ 25 x T30 | 1 |

XLSelector Y bit set, 50 mm



Phillips, Pozidriv, TORX®, 13-pcs., 1/4"

SB 7948-Y950

| Order-No. | | |
|-----------|---|---|
| 41834 | | 6 |
| ⊕ | 2 x PH2 | |
| ⊕ | 1 x PZ1 / 2 x PZ2 / 1 x PZ3 | |
| ⊕ | 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40 | |
| ○ | 1 x Bit holder magnetic extra strong magnet, 1/4" | |

•compared to Wiha standard bit

XLSelector Y bit set, 25 mm



TORX® 31-pcs. 1/4"

SB 7948-Y505

| Order-No. | | |
|-----------|---|---|
| 41833 | | 6 |
| ⊕ | 3 x T10 / 6 x T15 / 6 x T20 / 6 x T25 / 6 x T30 / 3 x T40 | |
| ○ | 1 x Bit holder magnetic extra strong magnet 1/4" | |

•compared to Wiha standard bit

Phillips, Pozidriv, TORX®, 31-pcs., 1/4"

SB 7948-Y904

| Order-No. | | |
|-----------|---|---|
| 41832 | | 6 |
| ⊕ | 1 x PH1 / 4 x PH2 / 1 x PH3 | |
| ⊕ | 2 x PZ1 / 4 x PZ2 / 2 x PZ3 | |
| ⊕ | 2 x T10 / 3 x T15 / 3 x T20 / 3 x T25 / 3 x T30 / 2 x T40 | |
| ○ | 1 x Bit holder magnetic extra strong magnet 1/4" | |

•compared to Wiha standard bit

FlipSelector Y bit set, 25 mm



Pozidriv 1/4" 13-pcs.

SB 7947-Y202

| Order-No. | | |
|-----------|--|---|
| 41829 | | 6 |
| | ⊕ 2 x PZ1 / 8 x PZ2 / 2 x PZ3 | |
| | ○ 1 x Bit holder magnetic extra strong magnet 1/4" | |

•compared to Wiha standard bit

TORX® 1/4" 13-pcs.

SB 7947-Y505

| Order-No. | | |
|-----------|---|---|
| 41828 | | 6 |
| | ⊗ 2 x T10 / 2 x T15 / 3 x T20 / 2 x T25 / 2 x T30 / 1 x T40 | |
| | ○ 1 x Bit holder magnetic extra strong magnet 1/4" | |

•compared to Wiha standard bit

Phillips, Pozidriv, TORX®, 13-pcs., 1/4"

SB 7947-Y904

| Order-No. | | |
|-----------|--|---|
| 41827 | | 6 |

Y bit set, 50 mm



| Order-No. | | |
|-----------|-----------|---|
| 41624 | ⊕ 5 x PH1 | 6 |
| 41625 | ⊕ 5 x PH2 | 6 |
| 41626 | ⊕ 5 x PH3 | 6 |
| 41627 | ⊗ 5 x PZ1 | 6 |
| 41628 | ⊗ 5 x PZ2 | 6 |
| 41629 | ⊗ 5 x PZ3 | 6 |
| 41630 | ⊗ 5 x T10 | 6 |
| 41631 | ⊗ 5 x T15 | 6 |
| 41632 | ⊗ 5 x T20 | 6 |
| 41633 | ⊗ 5 x T25 | 6 |
| 41634 | ⊗ 5 x T27 | 6 |
| 41635 | ⊗ 5 x T30 | 6 |
| 41636 | ⊗ 5 x T40 | 6 |

Y bit set, 25 mm



| Order-No. | | |
|-----------|-----------|---|
| 41585 | ⊕ 5 x PH1 | 6 |
| 41586 | ⊕ 5 x PH2 | 6 |
| 41587 | ⊕ 5 x PH3 | 6 |
| 41588 | ⊗ 5 x PZ1 | 6 |
| 41589 | ⊗ 5 x PZ2 | 6 |
| 41590 | ⊗ 5 x PZ3 | 6 |
| 41591 | ⊗ 5 x T10 | 6 |
| 41592 | ⊗ 5 x T15 | 6 |
| 41593 | ⊗ 5 x T20 | 6 |
| 41594 | ⊗ 5 x T25 | 6 |
| 41595 | ⊗ 5 x T27 | 6 |
| 41596 | ⊗ 5 x T30 | 6 |
| 41597 | ⊗ 5 x T40 | 6 |

in bulk pack

| Order-No. | | |
|-----------|------------|---|
| 42294 | ⊕ 25 x PH2 | 1 |
| 42295 | ⊗ 25 x PZ2 | 1 |
| 42303 | ⊗ 25 x T20 | 1 |
| 42304 | ⊗ 25 x T25 | 1 |
| 42305 | ⊗ 25 x T30 | 1 |

Belt clip



for bit set BitBuddy® and FlipSelector

7945

| Order-No. | | |
|-----------|--|----|
| 36990 | | 10 |

Bit set XLSelector Standard 25 mm



assorted with bit ratchet form C 6.3 (1/4"), 17-pcs. 7948-043

| | |
|-----------|---|
| Order-No. | |
| 36951 | 5 |
| | 1 x PH1 / 1 x PH2 |
| | 1 x PZ1 / 1 x PZ2 / 1 x PZ3 |
| | 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40 |
| | 1 x 3,0 / 1 x 4,0 / 1 x 5,0 / 1 x 6,0 |
| | 1 x Bit holder magnetic, 58 mm 1/4" |
| | 1 x Bit ratchet 90 mm with thumb wheel Hexagon head, 1/4" in blister pack |

Bit set XLSelector Standard 25 mm



assorted 1/4" 31-pcs. 7948-005

| | |
|-----------|---|
| Order-No. | |
| 29417 | 5 |
| | 1 x 4,5 / 1 x 5,5 / 1 x 6,5 |
| | 2 x PH1 / 4 x PH2 / 1 x PH3 |
| | 2 x PZ1 / 5 x PZ2 / 1 x PZ3 |
| | 2 x T10 / 2 x T15 / 2 x T20 / 3 x T25 / 2 x T30 / 1 x T40 |
| | 1 x Bit holder magnetic, 58 mm 1/4" |

assorted 1/4" 31-pcs. 7948-927

| | |
|-----------|--|
| Order-No. | |
| 29416 | 5 |
| | 1 x 0 / 1 x 1 / 1 x 2 / 1 x 3 / 1 x 4 |
| | 1 x 4 / 1 x 6 / 1 x 8 / 1 x 10 |
| | 1 x TR2,0 / 1 x TR2,5 / 1 x TR3,0 / 1 x TR4,0 / 1 x TR5,0 / 1 x TR6,0 |
| | 1 x 6 / 1 x 8 / 1 x 10 |
| | 1 x T8H / 1 x T9H / 1 x T10H / 1 x T15H / 1 x T20H / 1 x T25H / 1 x T27H / 1 x T30H / 1 x T40H |
| | 1 x #1 / 1 x #2 / 1 x #3 |
| | 1 x CentroFix quick release holder, magnetic, style E 6.3. |

Bit set FlipSelector Standard 25 mm



assorted 1/4" 13-pcs. 7947-999

| | |
|-----------|---------------------------------------|
| Order-No. | |
| 39078 | 10 |
| | 1 x 5,5 |
| | 1 x PH2 |
| | 1 x PZ1 / 1 x PZ2 / 1 x PZ3 |
| | 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 |
| | 1 x 3,0 / 1 x 4,0 / 1 x 5,0 |
| | 1 x Bit holder magnetic, 58 mm 1/4" |

Slotted, Phillips, Pozidriv 1/4" 13-pcs. 7947-005

| | |
|-----------|-------------------------------------|
| Order-No. | |
| 39029 | 10 |
| | 1 x 5,5 |
| | 1 x PH1 / 3 x PH2 / 1 x PH3 |
| | 1 x PZ1 / 4 x PZ2 / 1 x PZ3 |
| | 1 x Bit holder magnetic, 58 mm 1/4" |

Phillips, Pozidriv, TORX®, 13-pcs., 1/4" 7947-904

| | |
|-----------|---|
| Order-No. | |
| 39040 | 10 |
| | 2 x PH2 |
| | 1 x PZ1 / 2 x PZ2 / 1 x PZ3 |
| | 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40 |
| | 1 x Bit holder magnetic, 58 mm 1/4" |

Pozidriv, TORX® 1/4" 13-pcs. 7947-905




| | |
|-----------|---|
| Order-No. | |
| 39041 | 10 |
| | 1 x PZ1 / 2 x PZ2 / 1 x PZ3 |
| | 1 x T10 / 1 x T15 / 2 x T20 / 2 x T25 / 1 x T30 / 1 x T40 |
| | 1 x Bit holder magnetic, 58 mm 1/4" |

TORX® 1/4" 13-pcs. 7947-505

| | |
|-----------|--|
| Order-No. | |
| 39124 | 10 |
| | 1 x T7 / 1 x T8 / 1 x T9 / 1 x T10 / 2 x T15 / 2 x T20 / 2 x T25 / 1 x T30 / 1 x T40 |
| | 1 x Bit holder magnetic, 58 mm 1/4" |




TORX® Tamper Resistant (with hole) 1/4" 13-pcs.

7947-505TR

| | |
|---|---|
| Order-No. |  |
| 39037 | 10 |
|  | 1 x T7H / 1 x T8H / 1 x T9H / 1 x T10H / 2 x T15H / 2 x T20H / 2 x T25H / 1 x T30H / 1 x T40H |
|  | 1 x Bit holder magnetic, 58 mm 1/4" |




Hexagon 1/4" 11-pcs.

7947-902

| | |
|---|---|
| Order-No. |  |
| 39039 | 10 |
|  | 1 x 1,5 / 1 x 2,0 / 1 x 2,5 / 2 x 3,0 / 2 x 4,0 / 1 x 5,0 / 1 x 6,0 / 1 x 8,0 |
|  | 1 x Bit holder magnetic, 58 mm 1/4" |

SIT (for Assy® and Pias screws), 13-pcs., 1/4"

7947-995






| | |
|---|---|
| Order-No. |  |
| 39045 | 10 |
|  | 2 x SIT 10 / 4 x SIT 20 / 3 x SIT 25 / 2 x SIT 30 / 1 x SIT 40 |
|  | 1 x Bit holder magnetic, 58 mm 1/4" |

Bit set FlipSelector Standard 25 mm






Slotted, Phillips, Pozidriv, 13-pcs., 1/4" with belt clip, in blister pack

SB 7947-005

| | |
|---|---|
| Order-No. |  |
| 39049 | 5 |
|  | 1 x 5,5 |
|  | 1 x PH1 / 3 x PH2 / 1 x PH3 |
|  | 1 x PZ1 / 4 x PZ2 / 1 x PZ3 |
|  | 1 x Bit holder magnetic, 58 mm 1/4" |




TORX®, 13-pcs., 1/4" with belt clip, in blister pack

SB 7947-505

| | |
|---|--|
| Order-No. |  |
| 39056 | 5 |
|  | 1 x T7 / 1 x T8 / 1 x T9 / 1 x T10 / 2 x T15 / 2 x T20 / 2 x T25 / 1 x T30 / 1 x T40 |
|  | 1 x Bit holder magnetic, 58 mm 1/4" |




TORX® Tamper Resistant (with drill hole), 13-pcs., 1/4" with belt clip, in blister pack

SB 7947-505TR

| | |
|---|---|
| Order-No. |  |
| 39057 | 5 |
|  | 1 x T7H / 1 x T8H / 1 x T9H / 1 x T10H / 2 x T15H / 2 x T20H / 2 x T25H / 1 x T30H / 1 x T40H |
|  | 1 x Bit holder magnetic, 58 mm 1/4" |






Hex, 11-pcs., 1/4" with belt clip in blister pack

SB 7947-902

| | |
|---|---|
| Order-No. |  |
| 39059 | 5 |
|  | 1 x 1,5 / 1 x 2,0 / 1 x 2,5 / 2 x 3,0 / 2 x 4,0 / 1 x 5,0 / 1 x 6,0 / 1 x 8,0 |
|  | 1 x Bit holder magnetic, 58 mm 1/4" |








Phillips, Pozidriv, TORX®, 13-pcs., 1/4" with belt clip, in blister pack

SB 7947-904

| | |
|---|---|
| Order-No. |  |
| 39060 | 5 |
|  | 2 x PH2 |
|  | 1 x PZ1 / 2 x PZ2 / 1 x PZ3 |
|  | 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40 |
|  | 1 x Bit holder magnetic, 58 mm 1/4" |


Mixed, 1/4", 13-pcs. with belt clip in blister pack

SB 7947-999

| | |
|---|---|
| Order-No. |  |
| 39083 | 5 |
|  | 1 x 5,5 |
|  | 1 x PH2 |
|  | 1 x PZ1 / 1 x PZ2 / 1 x PZ3 |
|  | 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 |
|  | 1 x 3,0 / 1 x 4,0 / 1 x 5,0 |
|  | 1 x Bit holder magnetic, 58 mm 1/4" |











Bit set Collector Standard 25 mm



Mixed, 32-pcs. in box, 1/4"

7928-913









| Order-No. |  |
|---|---|
| 34686 | 5 |
|  | 1 x 4,5 / 1 x 5,5 / 1 x 6,5 |
|  | 2 x PH1 / 5 x PH2 / 2 x PH3 |
|  | 2 x PZ1 / 5 x PZ2 / 2 x PZ3 |
|  | 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40 |
|  | 1 x 4,0 / 1 x 5,0 / 1 x 6,0 |
|  | 1 x Bit holder CentroFix Force mechanically lockable 1/4", magnetic |
|  | 1 x Screwdriver with bit holder SoftFinish® magnetic 1/4" |

Bit set Collector Security Standard 25 mm



Mixed, 27-pcs. in box, 1/4"

7928-928








| Order-No. |  |
|---|--|
| 09393 | 5 |
|  | 1 x T8H / 1 x T10H / 1 x T15H / 1 x T20H / 1 x T25H / 1 x T27H / 1 x T30H / 1 x T40H |
|  | 1 x 6 / 1 x 8 / 1 x 10 |
|  | 1 x 1 / 1 x 2 / 1 x 3 / 1 x 4 |
|  | 1 x 4 / 1 x 6 / 1 x 8 / 1 x 10 |
|  | 1 x TR5/64 / 1 x TR3/32 / 1 x TR7/64 / 1 x TR1/8 / 1 x TR9/64 / 1 x TR5/32 |
|  | 1 x Bit holder magnetic extra strong magnet, 1/4" |
|  | 1 x Screwdriver with bit holder SoftFinish® magnetic 1/4" |

Bit set Collector Standard 25 mm



Mixed, 61-pcs. in box, 1/4"

7928-923

| Order-No. |  |
|---|---|
| 07943 | 5 |
|  | 1 x 4,5 / 1 x 5,5 / 1 x 6,5 / 1 x 8,0 |
|  | 7 x PH1 / 13 x PH2 / 3 x PH3 |
|  | 7 x PZ1 / 13 x PZ2 / 3 x PZ3 |
|  | 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40 |
|  | 1 x 3,0 / 1 x 4,0 / 1 x 5,0 / 1 x 6,0 |
|  | 1 x Bit holder CentroFix Force mechanically lockable 1/4", magnetic |

Bit set Standard 25 mm



assorted, 31-pcs. in box, 1/4"

7979-01

| | |
|-----------|---|
| Order-No. | |
| 26252 | 1 |
| | 1 x 4,5 / 1 x 5,5 / 1 x 6,5 |
| | 2 x PH1 / 6 x PH2 / 1 x PH3 |
| | 2 x PZ1 / 6 x PZ2 / 1 x PZ3 |
| | 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40 |
| | 1 x 4,0 / 1 x 5,0 / 1 x 6,0 |
| | 1 x Bit holder magnetic extra strong magnet 1/4" |

31-pcs. in box, 1/4"

7979-02

| | |
|-----------|---|
| Order-No. | |
| 26253 | 1 |
| | 5 x PZ1 / 10 x PZ2 / 3 x PZ3 |
| | 2 x T10 / 2 x T15 / 2 x T20 / 2 x T25 / 2 x T30 / 2 x T40 |
| | 1 x Bit holder magnetic extra strong magnet 1/4" |

31-pcs. in box, 1/4"

7979-03

| | |
|-----------|---|
| Order-No. | |
| 36310 | 1 |
| | 2 x PZ1 / 3 x PZ2 / 1 x PZ3 |
| | 2 x T10 / 6 x T15 / 6 x T20 / 6 x T25 / 2 x T30 / 2 x T40 |
| | 1 x Bit holder magnetic extra strong magnet 1/4" |

Bit Standard 25 mm



Slotted 1/4"

7010 Z

| | | | | |
|-----------|-----|----|-----|----|
| Order-No. | | mm | | |
| 01623 | 4,5 | 25 | 0,6 | 10 |
| 01624 | 5,5 | 25 | 0,8 | 10 |
| 01626 | 6,5 | 25 | 1,2 | 10 |
| 01627 | 8,0 | 25 | 1,6 | 10 |

Phillips 1/4"

7011 Z

| | | | |
|-----------|-----|----|----|
| Order-No. | | mm | |
| 05298 | PH0 | 25 | 10 |
| 01657 | PH1 | 25 | 10 |
| 01658 | PH2 | 25 | 10 |
| 01659 | PH3 | 25 | 10 |
| 01649 | PH4 | 32 | 10 |

Pozidriv 1/4"

7012 Z

| | | | |
|-----------|-----|----|----|
| Order-No. | | mm | |
| 05300 | PZ0 | 25 | 10 |
| 01688 | PZ1 | 25 | 10 |
| 01689 | PZ2 | 25 | 10 |
| 01690 | PZ3 | 25 | 10 |
| 01681 | PZ4 | 32 | 10 |

TORX® 1/4"



7015 Z

| | | | |
|-----------|-----|----|----|
| Order-No. | | mm | |
| 26250 | T3 | 25 | 10 |
| 25097 | T4 | 25 | 10 |
| 01711 | T5 | 25 | 10 |
| 01712 | T6 | 25 | 10 |
| 01713 | T7 | 25 | 10 |
| 01714 | T8 | 25 | 10 |
| 01715 | T9 | 25 | 10 |
| 01716 | T10 | 25 | 10 |
| 01717 | T15 | 25 | 10 |
| 01718 | T20 | 25 | 10 |
| 01719 | T25 | 25 | 10 |
| 01720 | T27 | 25 | 10 |
| 01721 | T30 | 25 | 10 |
| 01722 | T40 | 25 | 10 |
| 01723 | T45 | 35 | 10 |
| 01724 | T50 | 35 | 10 |





TORX® conical 1/4"

7015K Z

| Order-No. |  | mm |  |
|-----------|---|----|---|
| 04925 | T10 | 25 | 10 |
| 04926 | T15 | 25 | 10 |
| 04927 | T20 | 25 | 10 |
| 04928 | T25 | 25 | 10 |
| 04929 | T27 | 25 | 10 |
| 04930 | T30 | 25 | 10 |
| 04931 | T40 | 25 | 10 |



TORX PLUS® 1/4"

7016 Z

| Order-No. |  | mm |  |
|-----------|---|----|---|
| 25994 | 3IP | 25 | 10 |
| 25996 | 4IP | 25 | 10 |
| 25998 | 5IP | 25 | 10 |
| 23173 | 6IP | 25 | 10 |
| 23175 | 7IP | 25 | 10 |
| 23177 | 8IP | 25 | 10 |
| 23179 | 9IP | 25 | 10 |
| 23181 | 10IP | 25 | 10 |
| 23183 | 15IP | 25 | 10 |
| 23185 | 20IP | 25 | 10 |
| 23187 | 25IP | 25 | 10 |
| 23189 | 27IP | 25 | 10 |
| 23191 | 30IP | 25 | 10 |
| 23193 | 40IP | 25 | 10 |



TORX® Tamper Resistant (with hole) 1/4"

7015 Z TR

| Order-No. |  | mm |  |
|-----------|---|----|---|
| 03115 | T7H | 25 | 10 |
| 03117 | T8H | 25 | 10 |
| 01726 | T9H | 25 | 10 |
| 01727 | T10H | 25 | 10 |
| 01728 | T15H | 25 | 10 |
| 01729 | T20H | 25 | 10 |
| 01730 | T25H | 25 | 10 |
| 01731 | T27H | 25 | 10 |
| 01732 | T30H | 25 | 10 |
| 01733 | T40H | 25 | 10 |

TORX PLUS® Security, 1/4"

7016 Z IPR

| Order-No. |  | mm |  |
|-----------|---|----|---|
| 27530 | 8IPR | 25 | 10 |
| 26346 | 10IPR | 25 | 10 |
| 26347 | 15IPR | 25 | 10 |
| 26348 | 20IPR | 25 | 10 |
| 26349 | 25IPR | 25 | 10 |
| 26350 | 30IPR | 25 | 10 |
| 26351 | 40IPR | 35 | 10 |



MagicRing® hexagonal ball end, 1/4"

7017R Z

| Order-No. |  | mm |  |
|-----------|---|----|---|
| 22959 | 3,0 | 38 | 10 |
| 22960 | 4,0 | 38 | 10 |
| 22961 | 5,0 | 38 | 10 |
| 22962 | 6,0 | 38 | 10 |

Hexagonal ball end 1/4"

7017 Z

| Order-No. |  | mm |  |
|-----------|---|----|---|
| 01734 | 1,5 | 38 | 10 |
| 01735 | 2,0 | 38 | 10 |
| 01736 | 2,5 | 38 | 10 |
| 01737 | 3,0 | 38 | 10 |
| 01738 | 4,0 | 38 | 10 |
| 01739 | 5,0 | 38 | 10 |
| 01740 | 6,0 | 38 | 10 |



MagicRing® hex 1/4"

7013R Z

| Order-No. |  | mm |  |
|-----------|---|----|---|
| 22955 | 3,0 | 25 | 10 |
| 22956 | 4,0 | 25 | 10 |
| 22957 | 5,0 | 25 | 10 |
| 22958 | 6,0 | 25 | 10 |



Hexagon 1/4"

7013 Z

| Order-No. |  | mm |  |
|-----------|---|----|---|
| 04011 | 1,5 | 25 | 10 |
| 01703 | 2,0 | 25 | 10 |
| 01704 | 2,5 | 25 | 10 |
| 01705 | 3,0 | 25 | 10 |
| 01706 | 4,0 | 25 | 10 |
| 01707 | 5,0 | 25 | 10 |
| 39875 | 5,5 | 25 | 10 |
| 01708 | 6,0 | 25 | 10 |
| 01709 | 8,0 | 25 | 10 |
| 01710 | 10,0 | 25 | 10 |

Hexagon with hole 1/4"

7013 Z TR

| Order-No. |  | mm |  |
|-----------|---|----|---|
| 25560 | TR2,0 | 25 | 10 |
| 25561 | TR2,5 | 25 | 10 |
| 25562 | TR3,0 | 25 | 10 |
| 25563 | TR4,0 | 25 | 10 |
| 25564 | TR5,0 | 25 | 10 |
| 26309 | TR6,0 | 25 | 10 |
| 20558 | TR5/64 | 25 | 10 |
| 20556 | TR3/32 | 25 | 10 |
| 20559 | TR7/64 | 25 | 10 |
| 20555 | TR1/8 | 25 | 10 |
| 20560 | TR9/64 | 25 | 10 |
| 20557 | TR5/32 | 25 | 10 |
| 30050 | TR3/16 | 25 | 10 |

Internal square 1/4"

7018 Z

| Order-No. | Icon | mm | mm | mm | Icon |
|-----------|------|-----|----|----|------|
| 06634 | #1 | 2,3 | 25 | | 5 |
| 06635 | #2 | 2,8 | 25 | | 5 |
| 06636 | #3 | 3,3 | 25 | | 5 |

Spanner 1/4"

7019 Z SP

| Order-No. | Icon | mm | mm | Icon |
|-----------|------|----|----|------|
| 27064 | 4 | 25 | | 10 |
| 27065 | 6 | 25 | | 10 |
| 27066 | 8 | 25 | | 10 |
| 27067 | 10 | 25 | | 10 |

Triple square 1/4"

7019 Z XZN

| Order-No. | Icon | mm | mm | Icon |
|-----------|------|----|----|------|
| 26352 | M3 | 25 | | 10 |
| 26353 | M4 | 25 | | 10 |
| 26354 | M5 | 25 | | 10 |
| 26355 | M6 | 25 | | 10 |
| 26356 | M8 | 35 | | 10 |

SIT 1/4"

7019 Z SIT

| Order-No. | Icon | mm | mm | Color | Icon |
|-----------|--------|----|----|------------|------|
| 27256 | SIT 10 | 25 | | pink | 10 |
| 27257 | SIT 20 | 25 | | orange | 10 |
| 27258 | SIT 25 | 25 | | green | 10 |
| 27259 | SIT 30 | 25 | | yellow | 10 |
| 27260 | SIT 40 | 25 | | light pink | 10 |

Torq-Set® 1/4"

7019 Z TS

| Order-No. | Icon | mm | mm | Icon |
|-----------|------|----|----|------|
| 27030 | 0 | 25 | | 10 |
| 27028 | 1 | 25 | | 10 |
| 26249 | 2 | 25 | | 10 |
| 26045 | 3 | 25 | | 10 |
| 22591 | 4 | 25 | | 10 |
| 22592 | 5 | 25 | | 10 |
| 22593 | 6 | 25 | | 10 |
| 22594 | 8 | 25 | | 10 |
| 22595 | 10 | 25 | | 10 |
| 25572 | 1/4 | 32 | | 10 |

Tri-Wing® 1/4"

7019 Z TW

| Order-No. | Icon | mm | mm | Icon |
|-----------|------|----|----|------|
| 22603 | 0 | 25 | | 10 |
| 22604 | 1 | 25 | | 10 |
| 22605 | 2 | 25 | | 10 |
| 22606 | 3 | 25 | | 10 |
| 22607 | 4 | 25 | | 10 |
| 22608 | 5 | 25 | | 10 |

Bit DryWall Stop Standard 25 mm



Phillips 1/4"

7011 DWS

| Order-No. | Icon | mm | mm | Icon |
|-----------|------|----|----|------|
| 39382 | PH2 | 25 | | 10 |

INFOBOX: TORX® tamper-resistant safety profile



- This safety profile is used to hinder unwanted access to equipment such as intercoms, thermostats and night-storage heaters.
- You can fasten the Torx® tamper resistant profile with both Torx® H screws and normal Torx® screws.

INFOBOX: MagicRing®



Wiha MagicRing®

- Spring steel ring reliably holds hex screws in place
- An innovation, which will benefit each user.

INFOBOX: Ball end hex



Wiha hexagonal ball end

- The ball end can be rotated by up to 25° in both clockwise and anti-clockwise direction.

Bit set Standard 25 mm



| Order-No. | | |
|-----------|-------------------------|----|
| 32055 | ⊕ 10 x PH1 | 10 |
| 07855 | ⊕ 3 x PH1 | 10 |
| 36275 | ⊕ 20 x PH2 | 10 |
| 24733 | ⊕ 10 x PH2 | 10 |
| 07856 | ⊕ 3 x PH2 | 10 |
| 36280 | ⊕ 10 x PH3 | 10 |
| 07857 | ⊕ 3 x PH3 | 10 |
| 35709 | ⊕ 20 x PZ1 | 10 |
| 32070 | ⊕ 10 x PZ1 | 10 |
| 07859 | ⊕ 3 x PZ1 | 10 |
| 36282 | ⊕ 20 x PZ2 | 10 |
| 24742 | ⊕ 10 x PZ2 | 10 |
| 07860 | ⊕ 3 x PZ2 | 10 |
| 32071 | ⊕ 10 x PZ3 | 10 |
| 07861 | ⊕ 3 x PZ3 | 10 |
| 20542 | ⊕ 1 x PZ4 | 10 |
| 35832 | ⊕ 10 x T10 | 10 |
| 08421 | ⊕ 2 x T10 | 10 |
| 34746 | ⊕ 10 x T15 | 10 |
| 08422 | ⊕ 2 x T15 | 10 |
| 24746 | ⊕ 10 x T20 | 10 |
| 08423 | ⊕ 2 x T20 | 10 |
| 08424 | ⊕ 2 x T25 | 10 |
| 24748 | ⊕ 10 x T25 | 10 |
| 26451 | ⊕ 2 x T27 | 10 |
| 08425 | ⊕ 2 x T30 | 10 |
| 08426 | ⊕ 2 x T40 | 10 |
| 24750 | ⊕ 10 x T30 | 10 |
| 36288 | ⊕ 10 x T40 | 10 |
| 38649 | ⊕ 2 x T10H | 10 |
| 38650 | ⊕ 2 x T15H | 10 |
| 38651 | ⊕ 2 x T20H | 10 |
| 38652 | ⊕ 2 x T25H | 10 |
| 38653 | ⊕ 2 x T30H | 10 |
| 38654 | ⊕ 2 x T40H | 10 |
| 22655 | ● 1 x 4,01 x 5,01 x 6,0 | 10 |

| Order-No. | | |
|-----------|----------------|----|
| 38656 | ● 2 x 3,0 | 10 |
| 25681 | ● 2 x 4,0 | 10 |
| 25679 | ● 2 x 5,0 | 10 |
| 38657 | ● 2 x 6,0 | 10 |
| 38658 | ■ 2 x #1 x 2,3 | 10 |
| 38659 | ■ 2 x #2 x 2,8 | 10 |
| 38660 | ■ 2 x #3 x 3,3 | 10 |

Standard bit reduced diameter: 25 mm



| Order-No. | | |
|-----------|------------|----|
| 35834 | ⊕ 10 x PH2 | 10 |
| 36285 | ⊕ 10 x PZ2 | 10 |

Bit set DryWall Stop 25 mm



Phillips, 2-pcs. in box, 1/4"

7011 DWS

| Order-No. | | |
|-----------|----------|---|
| 27077 | | 1 |
| ⊕ | PH2 x 25 | |



Phillips (PH1), 50-pcs. in bulk pack, 1/4" 7011Z

Order-No.  1
 08047
 PH1 x 25

Phillips (PH2), 50-pcs. in bulk pack, 1/4" 7011Z

Order-No.  1
 08048
 PH2 x 25

Phillips (PH3), 50-pcs. in bulk pack, 1/4" 7011Z

Order-No.  1
 08049
 PH3 x 25

Pozidriv (PZ1), 50-pcs. in bulk pack, 1/4" 7012Z

Order-No.  1
 08056
 PZ1 x 25

Pozidriv (PZ2), 50-pcs. in bulk pack, 1/4" 7012Z

Order-No.  1
 08057
 PZ2 x 25

Pozidriv (PZ3), 50-pcs. in bulk pack, 1/4" 7012Z

Order-No.  1
 08058
 PZ3 x 25

TORX® (T10), 50-pcs. in bulk pack, 1/4" 7015Z

Order-No.  1
 08065
 T10 x 25


TORX® (T15), 50-pcs. in bulk pack, 1/4" 7015Z

Order-No.  1
 08066
 T15 x 25

TORX® (T20), 50-pcs. in bulk pack, 1/4" 7015Z

Order-No.  1
 08067
 T20 x 25

TORX® (T25), 50-pcs. in bulk pack, 1/4" 7015Z

Order-No.  1
 08068
 T25 x 25

TORX® (T27), 50-pcs. in bulk pack, 1/4" 7015Z

Order-No.  1
 29544
 T27 x 25

TORX® (T30), 50-pcs. in bulk pack, 1/4" 7015Z

Order-No.  1
 08069
 T30 x 25

TORX® (T40), 50-pcs. in bulk pack, 1/4" 7015Z

Order-No.  1
 08070
 T40 x 25



Bit set Standard 25 mm



Phillips (PH2), 100-pcs. in bulk pack, 1/4"

7930 Z

| Order-No. | |
|-----------|---|
| 40461 | 1 |
| PH2 x 25 | |

Pozidriv (PZ2), 100-pcs. in bulk pack, 1/4"

7930 Z

| Order-No. | |
|-----------|---|
| 40462 | 1 |
| PZ2 x 25 | |

TORX® (T20), 100-pcs. in bulk pack, 1/4"

7930 Z

| Order-No. | |
|-----------|---|
| 40463 | 1 |
| T20 x 25 | |

TORX® (T25), 100-pcs. in bulk pack, 1/4"

7930 Z

| Order-No. | |
|-----------|---|
| 40464 | 1 |
| T25 x 25 | |

TORX® (T30), 100-pcs. in bulk pack, 1/4"

7930 Z

| Order-No. | |
|-----------|---|
| 40465 | 1 |
| T30 x 25 | |

Bit Professional



Slotted 1/4"

7040 Z

| Order-No. | | mm | | |
|-----------|-----|----|-----|---|
| 33961 | 2,5 | 70 | 0,4 | 5 |
| 01790 | 3,0 | 50 | 0,5 | 5 |
| 33962 | 3,0 | 70 | 0,5 | 5 |
| 01792 | 3,5 | 50 | 0,6 | 5 |
| 33963 | 3,5 | 70 | 0,6 | 5 |
| 01791 | 4,0 | 50 | 0,5 | 5 |
| 01794 | 4,0 | 50 | 0,8 | 5 |
| 33964 | 4,0 | 70 | 0,8 | 5 |
| 01793 | 4,5 | 50 | 0,6 | 5 |
| 01795 | 5,5 | 50 | 0,8 | 5 |
| 01796 | 5,5 | 50 | 1,0 | 5 |
| 33965 | 5,5 | 70 | 1,0 | 5 |
| 01798 | 6,5 | 50 | 1,2 | 5 |
| 33966 | 6,5 | 70 | 1,2 | 5 |
| 01799 | 8,0 | 50 | 1,2 | 5 |
| 01800 | 8,0 | 50 | 1,6 | 5 |


Phillips 1/4"

7041 Z

| Order-No. | | mm | |
|-----------|------|-----|---|
| 31960 | PH00 | 50 | 5 |
| 31961 | PH00 | 70 | 5 |
| 31962 | PH00 | 90 | 5 |
| 32105 | PH0 | 50 | 5 |
| 35456 | PH0 | 70 | 5 |
| 35457 | PH0 | 90 | 5 |
| 33703 | PH1 | 50 | 5 |
| 01803 | PH1 | 70 | 5 |
| 04126 | PH1 | 90 | 5 |
| 23213 | PH1 | 110 | 5 |
| 23219 | PH1 | 127 | 5 |
| 22509 | PH1 | 150 | 5 |
| 33704 | PH2 | 50 | 5 |
| 01805 | PH2 | 70 | 5 |
| 04009 | PH2 | 90 | 5 |
| 05800 | PH2 | 110 | 5 |
| 06888 | PH2 | 127 | 5 |
| 22510 | PH2 | 150 | 5 |
| 33705 | PH3 | 50 | 5 |
| 04010 | PH3 | 70 | 5 |
| 04127 | PH3 | 90 | 5 |
| 23215 | PH3 | 110 | 5 |
| 23217 | PH3 | 127 | 5 |
| 22511 | PH3 | 150 | 5 |


⊕ Pozidriv 1/4"

7042 Z

| Order-No. | ⊕ | mm |  |
|-----------|-----|-----|---|
| 31957 | PZ0 | 50 | 5 |
| 31958 | PZ0 | 70 | 5 |
| 31959 | PZ0 | 90 | 5 |
| 33706 | PZ1 | 50 | 5 |
| 01808 | PZ1 | 70 | 5 |
| 01809 | PZ1 | 90 | 5 |
| 23221 | PZ1 | 110 | 5 |
| 23225 | PZ1 | 127 | 5 |
| 23227 | PZ1 | 150 | 5 |
| 33707 | PZ2 | 50 | 5 |
| 01811 | PZ2 | 70 | 5 |
| 01812 | PZ2 | 90 | 5 |
| 05799 | PZ2 | 110 | 5 |
| 06889 | PZ2 | 127 | 5 |
| 23228 | PZ2 | 150 | 5 |
| 33708 | PZ3 | 50 | 5 |
| 04059 | PZ3 | 70 | 5 |
| 04176 | PZ3 | 90 | 5 |
| 23223 | PZ3 | 110 | 5 |
| 23226 | PZ3 | 127 | 5 |
| 22512 | PZ3 | 150 | 5 |


⊕ PlusMinus/Phillips 1/4"

7049PHM

| Order-No. | ⊕ | mm |  |
|-----------|--------|----|---|
| 32490 | SL/PH1 | 50 | 5 |
| 32491 | SL/PH1 | 70 | 5 |
| 32686 | SL/PH1 | 90 | 5 |
| 32492 | SL/PH2 | 50 | 5 |
| 32493 | SL/PH2 | 70 | 5 |
| 32687 | SL/PH2 | 90 | 5 |


⊕ PlusMinus/Pozidriv 1/4"

7049PZM

| Order-No. | ⊕ | mm |  |
|-----------|--------|----|---|
| 32494 | SL/PZ1 | 50 | 5 |
| 32495 | SL/PZ1 | 70 | 5 |
| 32688 | SL/PZ1 | 90 | 5 |
| 32496 | SL/PZ2 | 50 | 5 |
| 32497 | SL/PZ2 | 70 | 5 |
| 32689 | SL/PZ2 | 90 | 5 |


⊕ TORX® ball end 1/4"

7045BE

| Order-No. | ⊕ | mm |  |
|-----------|-----|----|---|
| 32409 | T9 | 50 | 5 |
| 32410 | T10 | 50 | 5 |
| 32416 | T10 | 70 | 5 |
| 32417 | T15 | 50 | 5 |
| 32418 | T15 | 70 | 5 |
| 32411 | T20 | 50 | 5 |
| 32419 | T20 | 70 | 5 |
| 32412 | T25 | 50 | 5 |
| 32421 | T25 | 70 | 5 |
| 32413 | T27 | 50 | 5 |
| 32414 | T30 | 50 | 5 |
| 32423 | T30 | 70 | 5 |
| 32415 | T40 | 50 | 5 |


⊕ TORX® MagicSpring® 1/4"

7045R



| Order-No. | ⊕ | mm |  |
|-----------|-----|----|---|
| 34452 | T10 | 50 | 5 |
| 34453 | T15 | 50 | 5 |
| 34454 | T20 | 50 | 5 |
| 34455 | T25 | 50 | 5 |
| 34456 | T30 | 50 | 5 |
| 34457 | T40 | 50 | 5 |

⊕ TORX® 1/4"



7045 Z

| Order-No. | ⊕ | mm |  |
|-----------|-----|-----|---|
| 39184 | T1 | 50 | 5 |
| 39185 | T2 | 50 | 5 |
| 39186 | T3 | 50 | 5 |
| 39187 | T4 | 50 | 5 |
| 32299 | T5 | 50 | 5 |
| 32302 | T6 | 50 | 5 |
| 33709 | T6 | 70 | 5 |
| 33717 | T6 | 90 | 5 |
| 38370 | T6 | 150 | 5 |
| 32303 | T7 | 50 | 5 |
| 33710 | T7 | 70 | 5 |
| 33718 | T7 | 90 | 5 |
| 38371 | T7 | 150 | 5 |
| 32304 | T8 | 50 | 5 |
| 33711 | T8 | 70 | 5 |
| 33719 | T8 | 90 | 5 |
| 36327 | T8 | 150 | 5 |
| 32305 | T9 | 50 | 5 |
| 33712 | T9 | 70 | 5 |
| 33720 | T9 | 90 | 5 |
| 38372 | T9 | 150 | 5 |
| 32306 | T10 | 50 | 5 |
| 33713 | T10 | 70 | 5 |
| 33721 | T10 | 90 | 5 |





| Order-No. |  | mm |  |
|-----------|---|-----|---|
| 33725 | T10 | 110 | 5 |
| 33726 | T10 | 150 | 5 |
| 32307 | T15 | 50 | 5 |
| 33714 | T15 | 70 | 5 |
| 33722 | T15 | 90 | 5 |
| 33727 | T15 | 110 | 5 |
| 33728 | T15 | 150 | 5 |
| 32308 | T20 | 50 | 5 |
| 33715 | T20 | 70 | 5 |
| 33723 | T20 | 90 | 5 |
| 33729 | T20 | 110 | 5 |
| 33730 | T20 | 150 | 5 |
| 32309 | T25 | 50 | 5 |
| 33716 | T25 | 70 | 5 |
| 33724 | T25 | 90 | 5 |
| 33731 | T25 | 110 | 5 |
| 33732 | T25 | 150 | 5 |
| 33920 | T27 | 50 | 5 |
| 33921 | T27 | 70 | 5 |
| 33922 | T27 | 90 | 5 |
| 33923 | T30 | 50 | 5 |
| 33924 | T30 | 70 | 5 |
| 33925 | T30 | 90 | 5 |
| 33926 | T30 | 110 | 5 |
| 33927 | T30 | 150 | 5 |
| 33928 | T40 | 50 | 5 |
| 33929 | T40 | 70 | 5 |
| 33930 | T40 | 90 | 5 |
| 33931 | T40 | 110 | 5 |
| 33932 | T40 | 150 | 5 |

TORX® Tamper Resistant (with hole) 1/4" 7045 Z TR

| Order-No. |  | mm |  |
|-----------|---|----|---|
| 21045 | T7H | 50 | 5 |
| 21047 | T8H | 50 | 5 |
| 20218 | T9H | 50 | 5 |
| 20219 | T10H | 50 | 5 |
| 39188 | T10H | 90 | 5 |
| 24867 | T15H | 50 | 5 |
| 39189 | T15H | 90 | 5 |
| 20220 | T20H | 50 | 5 |
| 39190 | T20H | 90 | 5 |
| 20221 | T25H | 50 | 5 |
| 39191 | T25H | 90 | 5 |
| 20222 | T27H | 50 | 5 |
| 39192 | T27H | 90 | 5 |
| 20223 | T30H | 50 | 5 |
| 39193 | T30H | 90 | 5 |
| 20224 | T40H | 50 | 5 |
| 39194 | T40H | 90 | 5 |

TORX PLUS® 1/4"

7046 Z

| Order-No. |  | mm |  |
|-----------|---|----|---|
| 39195 | 1IP | 50 | 5 |
| 39196 | 2IP | 50 | 5 |
| 32486 | 3IP | 50 | 5 |
| 39197 | 4IP | 50 | 5 |
| 39198 | 4IP | 90 | 5 |
| 28481 | 5IP | 50 | 5 |
| 39199 | 5IP | 90 | 5 |
| 31973 | 6IP | 90 | 5 |
| 26000 | 6IP | 50 | 5 |
| 26002 | 7IP | 50 | 5 |
| 23195 | 8IP | 50 | 5 |
| 31975 | 8IP | 90 | 2 |
| 23197 | 9IP | 50 | 5 |
| 23199 | 10IP | 50 | 5 |
| 31977 | 10IP | 90 | 5 |
| 23201 | 15IP | 50 | 5 |
| 25553 | 15IP | 90 | 5 |
| 23203 | 20IP | 50 | 5 |
| 39200 | 20IP | 90 | 5 |
| 23205 | 25IP | 50 | 5 |
| 39201 | 25IP | 90 | 5 |
| 23207 | 27IP | 50 | 5 |
| 39202 | 27IP | 90 | 5 |
| 23209 | 30IP | 50 | 5 |
| 39203 | 30IP | 90 | 5 |
| 23211 | 40IP | 50 | 5 |
| 39204 | 40IP | 90 | 5 |

Torq-Set® 1/4"

7049 TS

| Order-No. |  | mm |  |
|-----------|---|----|---|
| 22596 | 4 | 50 | 5 |
| 22597 | 5 | 50 | 5 |
| 22598 | 6 | 50 | 5 |
| 22599 | 8 | 50 | 5 |
| 22600 | 10 | 50 | 5 |

Hexagonal ball end 1/4"

7047R Z

| Order-No. |  | mm |  |
|-----------|---|----|---|
| 25739 | 3,0 | 50 | 5 |
| 25740 | 4,0 | 50 | 5 |
| 25741 | 5,0 | 50 | 5 |
| 25742 | 6,0 | 50 | 5 |

MagicRing® hex 1/4"

7043R Z

| Order-No. |  | mm |  |
|-----------|---|----|---|
| 23145 | 3,0 | 50 | 5 |
| 23147 | 4,0 | 50 | 5 |
| 23149 | 5,0 | 50 | 5 |
| 23151 | 6,0 | 50 | 5 |

Hexagon 1/4"

7043 Z

| Order-No. | mm | mm | |
|-----------|-----|----|---|
| 05301 | 1,5 | 50 | 5 |
| 05302 | 2,0 | 50 | 5 |
| 34554 | 2,0 | 70 | 5 |
| 39178 | 2,0 | 90 | 5 |
| 05303 | 2,5 | 50 | 5 |
| 34555 | 2,5 | 70 | 5 |
| 39179 | 2,5 | 90 | 5 |
| 04194 | 3,0 | 50 | 5 |
| 34556 | 3,0 | 70 | 5 |
| 39180 | 3,0 | 90 | 5 |
| 04195 | 4,0 | 50 | 5 |
| 34557 | 4,0 | 70 | 5 |
| 39181 | 4,0 | 90 | 5 |
| 04196 | 5,0 | 50 | 5 |
| 34558 | 5,0 | 70 | 5 |
| 39182 | 5,0 | 90 | 5 |
| 04197 | 6,0 | 50 | 5 |
| 34559 | 6,0 | 70 | 5 |
| 39183 | 6,0 | 90 | 5 |
| 04198 | 8,0 | 50 | 5 |
| 34560 | 8,0 | 70 | 5 |

Square 1/4"

7048 Z

| Order-No. | | mm | mm | |
|-----------|----|-----|----|---|
| 06637 | #1 | 2,3 | 50 | 5 |
| 39206 | #1 | 2,3 | 90 | 5 |
| 06638 | #2 | 2,8 | 50 | 5 |
| 39207 | #2 | 2,8 | 90 | 5 |
| 06639 | #3 | 3,3 | 50 | 5 |
| 39208 | #3 | 3,3 | 90 | 5 |

Bit Professional



Bit Professional 70 mm

| Order-No. | | |
|-----------|---------|----|
| 38706 | 2 x PH1 | 10 |
| 38707 | 2 x PH2 | 10 |

Bit Professional 50 mm

| Order-No. | | |
|-----------|---------|----|
| 38676 | 2 x PH1 | 10 |
| 36193 | 2 x PH2 | 10 |
| 38677 | 2 x PH3 | 10 |
| 38679 | 2 x PZ1 | 10 |
| 38680 | 2 x PZ2 | 10 |
| 38681 | 2 x PZ3 | 10 |
| 32805 | 1 x T20 | 10 |
| 38684 | 2 x T10 | 10 |
| 38685 | 2 x T15 | 10 |
| 38686 | 2 x T20 | 10 |
| 38687 | 2 x T25 | 10 |
| 38688 | 2 x T27 | 10 |
| 38689 | 2 x T30 | 10 |
| 38690 | 2 x T40 | 10 |

Bit Professional 70 mm

| Order-No. | | |
|-----------|------------|----|
| 38708 | 2 x PH3 | 10 |
| 38709 | 2 x PZ1 | 10 |
| 38710 | 2 x PZ2 | 10 |
| 38711 | 2 x PZ3 | 10 |
| 36086 | 2 x SL/PZ1 | 10 |
| 36082 | 2 x SL/PZ2 | 10 |
| 32806 | 1 x T25 | 10 |
| 38712 | 2 x T10 | 10 |
| 38713 | 2 x T15 | 10 |
| 32808 | 1 x T20 | 10 |
| 38714 | 2 x T20 | 10 |
| 38715 | 2 x T25 | 10 |
| 38716 | 2 x T27 | 10 |
| 38717 | 2 x T30 | 10 |
| 38718 | 2 x T40 | 10 |

Bit set Professional 70 mm



TORX® ball end 1/4" in bit band 10-pcs.

7045BE 9570

| | |
|-----------|---|
| Order-No. | |
| 32804 | 1 |
| | 2 x T10 / 2 x T15 / 2 x T20 / 2 x T25 / 2 x T30 |

Micro-bit set ESD



Mixed 65-pcs. in box

7000 SK65 ESD

| | |
|-----------|--|
| Order-No. | |
| 39971 | 1 |
| | 1 x 0,8 / 1 x 1,2 / 1 x 1,5 / 1 x 1,8 / 1 x 2,0 / 1 x 2,5 / 1 x 3,0 / 1 x 3,5 / 1 x 4,0 |
| | 1 x 0,7 / 1 x 0,9 / 2 x 1,3 / (0,050") / 1 x 1,5 / 1 x 2,0 / 1 x 2,5 / 1 x 3,0 / 2 x 4,0 / (5/32") / 1 x 3/32 / 1 x 1/16 / 1 x 5/64 / 1 x 7/64 / 1 x 1/8 / 1 x 9/64 |
| | 1 x T3 / 1 x T4 / 1 x T5 / 1 x T6 / 1 x T7 / 1 x T8 / 1 x T9 / 1 x T10 / 1 x T15 / 1 x T20 |
| | 1 x PL1 / 1 x PL2 / 1 x PL3 / 1 x PL4 / 1 x PL5 / 1 x PL6 |
| | 1 x PH000 / 1 x PH00 / 1 x PH0 / 1 x PH1 |
| | 1 x 5/64 / 1 x 3/32 / 1 x 7/64 / 1 x 1/8 / 1 x 9/64 / 1 x 5/32 / 1 x 3/16 / 1 x 7/32 / 1 x 2,0 / 1 x 2,5 / 1 x 3,0 / 1 x 3,5 / 1 x 4,0 / 1 x 4,5 / 1 x 5,0 / 1 x 5,5 |
| | 1 x Adapter 1/4" for micro-bits 4 mm drive / |
| | 1 x Bit ratchet 90 mm with thumb wheel Hexagon head, 1/4" in blister pack |
| | Screwdriver handle, PicoFinish® ESD magnetic |
| | 1 x Extension 100 mm for ESD screwdriver handle and micro-bits |

INFOBOX: TORX® ball end



Wiha TORX® ball end

- With optimised TORX® ball end geometry
- Increased strength thanks to the special cold forming on a system developed by Wiha especially for this purpose.
- Allows fastening and unfastening at angles up to 25°.
- Simple insertion of the tool/bit and fastening/unfastening, especially in hard-to-reach positions.
- Broad product range: As an L-key, as a bit and as a SoftFinish® screwdriver.



⊖ Slotted drive 4 mm

7000 4 Z

| Order-No. | ⊖ | mm | ⊖ | |
|-----------|-----|----|------|----|
| 40600 | 0,8 | 28 | 0,20 | 10 |
| 40601 | 1,2 | 28 | 0,25 | 10 |
| 40602 | 1,5 | 28 | 0,25 | 10 |
| 40603 | 1,8 | 28 | 0,30 | 10 |
| 40604 | 2,0 | 28 | 0,40 | 10 |
| 40605 | 2,5 | 28 | 0,40 | 10 |
| 40606 | 3,0 | 28 | 0,50 | 10 |
| 40607 | 3,5 | 28 | 0,60 | 10 |
| 40608 | 4,0 | 28 | 0,80 | 10 |

⊕ Phillips drive 4 mm

7001 4 Z

| Order-No. | ⊕ | mm | |
|-----------|-------|----|----|
| 40609 | PH000 | 28 | 10 |
| 40610 | PH00 | 28 | 10 |
| 40611 | PH0 | 28 | 10 |
| 40612 | PH1 | 28 | 10 |
| 40613 | PH2 | 28 | 10 |

● Hexagon drive 4 mm

7003 4 Z

| Order-No. | ● | mm | |
|-----------|----------------|----|----|
| 40614 | 0,7 | 28 | 10 |
| 40615 | 0,9 | 28 | 10 |
| 40616 | 1,3 / (0,050") | 28 | 10 |
| 40617 | 1,5 | 28 | 10 |
| 40618 | 2,0 | 28 | 10 |
| 40619 | 2,5 | 28 | 10 |
| 40620 | 3,0 | 28 | 10 |
| 40621 | 4,0 / (5/32") | 28 | 10 |
| 40622 | 1/16 | 28 | 10 |
| 40623 | 5/64 | 28 | 10 |
| 40624 | 3/32 | 28 | 10 |
| 40625 | 7/64 | 28 | 10 |
| 40626 | 1/8 | 28 | 10 |
| 40627 | 9/64 | 28 | 10 |

⊗ TORX® drive 4 mm

7005 4 Z

| Order-No. | ⊗ | mm | |
|-----------|-----|----|----|
| 40628 | T1 | 28 | 10 |
| 40629 | T2 | 28 | 10 |
| 40630 | T3 | 28 | 10 |
| 40631 | T4 | 28 | 10 |
| 40632 | T5 | 28 | 10 |
| 40633 | T6 | 28 | 10 |
| 40634 | T7 | 28 | 10 |
| 40635 | T8 | 28 | 10 |
| 40636 | T9 | 28 | 10 |
| 40637 | T10 | 28 | 10 |
| 40638 | T15 | 28 | 10 |
| 40639 | T20 | 28 | 10 |

⊙ Pentalobe drive 4 mm

7009 4 Z

| Order-No. | ⊙ | mm | |
|-----------|-----|----|----|
| 40640 | PL1 | 28 | 10 |
| 40641 | PL2 | 28 | 10 |
| 40642 | PL3 | 28 | 10 |
| 40643 | PL4 | 28 | 10 |
| 40644 | PL5 | 28 | 10 |
| 40645 | PL6 | 28 | 10 |

INFOBOX:
Pentalobe



The security profile for Apple devices.

- Ideal for repairing Apple smartphones, tablets and notebooks.
- Note: The guarantee and warranty conditions of the device manufacturer must be observed.

Micro nut driver 30 mm



Hexagon socket drive 4 mm

7044 4 Z

| Order-No. | ⊙ | ⦿ | mm | 📦 |
|-----------|------|----|----|---|
| 40654 | 2,0 | 30 | 10 | |
| 40655 | 2,5 | 30 | 10 | |
| 40656 | 3,0 | 30 | 10 | |
| 40657 | 3,5 | 30 | 10 | |
| 40658 | 4,0 | 30 | 10 | |
| 40659 | 4,5 | 30 | 10 | |
| 40660 | 5,0 | 30 | 10 | |
| 40661 | 5,5 | 30 | 10 | |
| 40646 | 5/64 | 30 | 10 | |
| 40647 | 3/32 | 30 | 10 | |
| 40648 | 7/64 | 30 | 10 | |
| 40649 | 1/8 | 30 | 10 | |
| 40650 | 9/64 | 30 | 10 | |
| 40651 | 5/32 | 30 | 10 | |
| 40652 | 3/16 | 30 | 10 | |
| 40653 | 7/32 | 30 | 10 | |

Extension 100 mm



for ESD screwdriver handle and micro-bits

7103

| Order-No. | ⊙ | ⦿ | mm | 📦 |
|-----------|---|---|-----|----|
| 40663 | 4 | 4 | 100 | 10 |

Adapter 1/4"



for micro-bits 4 mm drive

7103

| Order-No. | ⦿ | ⊙ | 📦 |
|-----------|---|-----|----|
| 39964 | 4 | 1/4 | 10 |

Bit holder magnetic



for micro-bits 4 mm drive

7110

| Order-No. | ⊙ | ⦿ | mm | 📦 |
|-----------|---|-----|----|----|
| 32505 | 4 | 1/4 | 60 | 10 |

Bit with thread



Phillips M4

7311 Z

| Order-No. | ⊕ | mm | ⦿ | + | - | 📦 |
|-----------|-----|----|-----|----|------|----|
| 01937 | PH1 | 33 | 5,5 | M4 | 8,00 | 10 |
| 01938 | PH2 | 33 | 6,0 | M4 | 8,00 | 10 |

Pozidriv M4

7312 Z

| Order-No. | ⊕ | mm | ⦿ | + | - | 📦 |
|-----------|-----|----|-----|----|------|----|
| 01939 | PZ1 | 33 | 5,5 | M4 | 8,00 | 10 |
| 01940 | PZ2 | 33 | 6,0 | M4 | 8,00 | 10 |

Phillips M5

7321 Z

| Order-No. | ⊕ | mm | ⦿ | + | - | 📦 |
|-----------|-----|----|-----|----|------|----|
| 01942 | PH2 | 33 | 7,0 | M5 | 8,00 | 10 |
| 01943 | PH2 | 45 | 6,0 | M5 | 8,00 | 10 |

Pozidriv M5

7322 Z

| Order-No. | ⊕ | mm | ⦿ | + | - | 📦 |
|-----------|-----|----|-----|----|------|----|
| 01945 | PZ2 | 33 | 7,0 | M5 | 8,00 | 10 |
| 01946 | PZ2 | 45 | 6,0 | M5 | 8,00 | 10 |

TORX® M5

7325 Z

| Order-No. | ⊕ | mm | ⦿ | + | - | 📦 |
|-----------|-----|----|-----|----|------|----|
| 35400 | T10 | 45 | 6,0 | M5 | 8,00 | 10 |
| 35401 | T15 | 45 | 6,0 | M5 | 8,00 | 10 |
| 35402 | T20 | 45 | 6,0 | M5 | 8,00 | 10 |
| 35403 | T25 | 45 | 6,0 | M5 | 8,00 | 10 |

Phillips M6

7331 Z

| Order-No. | ⊕ | mm | ⦿ | + | - | 📦 |
|-----------|-----|----|-----|----|------|----|
| 04678 | PH2 | 33 | 8,0 | M6 | 8,00 | 10 |
| 04677 | PH2 | 45 | 8,0 | M6 | 8,00 | 10 |

⊕ Pozidriv M6

7332 Z

| Order-No. | ⊕ | mm | ● | + | → | 📦 |
|-----------|-----|----|-----|----|------|----|
| 04671 | PZ2 | 33 | 8,0 | M6 | 8,00 | 10 |
| 04670 | PZ2 | 45 | 8,0 | M6 | 8,00 | 10 |

⊕ Phillips UNF 10/32"

7341 Z

| Order-No. | ⊕ | mm | ● | + | → | 📦 |
|-----------|-----|----|-----|-----------|------|----|
| 01947 | PH2 | 45 | 6,0 | 10/32 UNF | 8,00 | 10 |

⊕ Pozidriv UNF 10/32"

7342 Z

| Order-No. | ⊕ | mm | ● | + | → | 📦 |
|-----------|-----|----|-----|-----------|------|----|
| 01948 | PZ2 | 45 | 6,0 | 10/32 UNF | 8,00 | 10 |

Combination drill bit set



1/4" 5-pcs.

79187 B5

| Order-No. | 📦 |
|-----------|---|
| 28026 | 1 |
| ⊙ | M3 x 36 / M4 x 39 / M5 x 41 / M6 x 44 / M8 x 51 |

Combination drill bit



⊙ 1/4"

7807

| Order-No. | ⊙ | mm | ● | 📦 |
|-----------|-----|----|-----|----|
| 27897 | M3 | 36 | 1/4 | 10 |
| 27898 | M4 | 39 | 1/4 | 10 |
| 27899 | M5 | 41 | 1/4 | 10 |
| 27900 | M6 | 44 | 1/4 | 10 |
| 27901 | M8 | 51 | 1/4 | 10 |
| 27963 | M10 | 65 | 1/4 | 10 |

Countersink bit set



1/4" 5-pcs.

79186 B5

| Order-No. | 📦 |
|-----------|---|
| 28027 | 1 |
| ⊙ | 6,3 x 35 / 8,3 x 35 / 10,4 x 35 / 12,4 x 35 / 16,5 x 35 |

Countersink bit



⊙ 1/4"

7806

| Order-No. | ⊙ | mm | ● | | Ø min. | 📦 |
|-----------|------|----|-----|-----|--------|----|
| 27892 | 6,3 | 35 | 1/4 | M3 | 1,5 | 10 |
| 27893 | 8,3 | 35 | 1/4 | M4 | 2,0 | 10 |
| 27894 | 10,4 | 35 | 1/4 | M5 | 2,5 | 10 |
| 27895 | 12,4 | 35 | 1/4 | M6 | 2,8 | 10 |
| 27896 | 16,5 | 35 | 1/4 | M8 | 3,2 | 10 |
| 28058 | 20,5 | 35 | 1/4 | M10 | 3,5 | 10 |

Nut driver insert



Hexagon head 1/4"

7044

| Order-No. | ⌀ | mm | Icon |
|-----------|------|----|------|
| 04514 | 5,0 | 55 | 5 |
| 04513 | 5,5 | 55 | 5 |
| 04512 | 6,0 | 55 | 5 |
| 04511 | 7,0 | 55 | 5 |
| 04510 | 8,0 | 55 | 5 |
| 04509 | 10,0 | 55 | 5 |
| 04508 | 13,0 | 55 | 5 |
| 04515 | 1/4 | 55 | 5 |
| 04516 | 5/16 | 55 | 5 |
| 04517 | 3/8 | 55 | 5 |

Nut driver insert, magnetic



Hexagon head 1/4"

7044 M

| Order-No. | ⌀ | mm | Icon |
|-----------|------|----|------|
| 04637 | 5,0 | 55 | 5 |
| 04636 | 5,5 | 55 | 5 |
| 04635 | 6,0 | 55 | 5 |
| 04634 | 7,0 | 55 | 5 |
| 04633 | 8,0 | 55 | 5 |
| 04632 | 10,0 | 55 | 5 |
| 04631 | 13,0 | 55 | 5 |
| 04638 | 1/4 | 55 | 5 |
| 04639 | 5/16 | 55 | 5 |
| 04640 | 3/8 | 55 | 5 |

Tool shaft



Square, Internal hexagon C6,3

7210

| Order-No. | Icon 1 | Icon 2 | Icon 3 | Icon 4 |
|-----------|--------|--------|--------|--------|
| 01933 | 1/4 | 1/4 | 25 | 5 |
| 04204 | 3/8 | 1/4 | 30 | 5 |

Tool shaft



Square, Internal hexagon C6,3

7240

| Order-No. | Icon 1 | Icon 2 | Icon 3 | Icon 4 | Icon 5 |
|-----------|--------|--------|--------|--------|--------|
| 04685 | 1/4 | 1/4 | 100 | B | 5 |
| 01935 | 1/4 | 1/4 | 50 | | 5 |
| 04684 | 3/8 | 1/4 | 100 | | 5 |
| 04362 | 3/8 | 1/4 | 50 | | 5 |

Adapter DIN 7428.

Connector with retaining ring



Hexagon head, Square head form G 6.3 + G 10 + G 12.5

7201

| Order-No. | Icon 1 | Icon 2 | Icon 3 | Icon 4 | Icon 5 |
|-----------|--------|--------|--------|--------|--------|
| 01924 | 1/4" | 1/4" | 25 | D 6,3 | 2 |
| 01926 | 1/4" | 3/8" | 30 | D 6,3 | 2 |
| 01922 | 1/4" | 1/2" | 35 | D 6,3 | 2 |
| 01927 | 5/16" | 3/8" | 30 | D 8 | 2 |
| 01923 | 5/16" | 1/2" | 35 | D 8 | 2 |

Connector with quick release holder



Hexagon head, Square head form G 12.5

7203






| Order-No. | Icon 1 | Icon 2 | Icon 3 | Icon 4 |
|-----------|--------|--------|--------|--------|
| 01930 | 1/4 | 1/2 | 50 | 2 |

Hand impact screwdriver set




Mixed, 6-pcs. in box, 1/2"

24636

| | | | | |
|---|---|--|--|---|
| Order-No. | | | |  |
| 32573 | | | | 1 |
|  | Hand impact screwdriver Internal square 1/2" | | | |
|  | 9 x 1,6 / 11 x 1,6 | | | |
|  | PH2 x 5/16 / PH3 x 5/16 | | | |
|  | Heavy-duty bit holder clamping with ball Hexagon head, internal square form C 8 (5/16"), 1/2" | | | |

Hand impact screwdriver




 Internal square 1/2"

24636

| | | | | | |
|-----------|---|---|--|--|---|
| Order-No. |  |  | | |  |
| 32556 | 1/2 | 163 | | | 1 |

Heavy-duty bit holder clamping with ball



 Hexagon head, internal square form C 8 (5/16"), 1/2"

7204Z-516

| | | | | | | |
|-----------|---|---|---|--|--|---|
| Order-No. |  |  |  | | |  |
| 32547 | 5/16 | 1/2 | 38 | | | 5 |

Bit holder CentroFix Force mechanically lockable



1/4", magnetic

7148 CF

| Order-No. | ⊙ | ● | mm | 📦 |
|-----------|-----|-----|----|---|
| 39133 | 1/4 | 1/4 | 60 | 1 |

Bit holder CentroFix mechanically lockable



1/4"

7148C

| Order-No. | ⊙ | ● | mm | 📦 |
|-----------|-----|-----|----|----|
| 32477 | 1/4 | 1/4 | 60 | 10 |

Bit holder CentroFix Super Slim mechanically lockable



1/4", magnetic

7148 CS

| Order-No. | ⊙ | ● | mm | 📦 |
|-----------|-----|-----|----|---|
| 39134 | 1/4 | 1/4 | 66 | 1 |

Bit holder MagicFlip Force magnetic



with ring magnet, 1/4"

7123

| Order-No. | ⊙ | ● | mm | 📦 |
|-----------|-----|-----|----|----|
| 36800 | 1/4 | 1/4 | 62 | 10 |

INFOBOX:
Drive systems and matching bits



| Bit holder | suitable for |
|---------------------|------------------------------|
| CentroFix Force | C 6.3, E 6.3 und 1/4" drives |
| CentroFix SuperSlim | C 6.3 |
| MagicFlip Force | C 6,3 |

INFOBOX:
CentroFix Force



CentroFix Force

- Suitable for all bits with 1/4" hex drive style C6.3 and E6.3.
- SelfLock: The bit is locked mechanically and held securely when inserted.
- EasyOut: When unlocked, the bit moves into the ideal removal position.

INFOBOX:
CentroFix SuperSlim



- Up to 30% reduced outer diameter compared to "conventional" quick release holders.
- Improved screw accessibility in confined holes.
- SelfLock: The bit is locked mechanically and held securely when inserted.
- EasyOut: When unlocked, the bit moves into the ideal removal position.

Bit holder magnetic, clamping with retaining ring



Ø 1/4"

7143

| Order-No. | Ø | mm | mm | |
|-----------|-----|-----|-----|---|
| 01913 | 1/4 | 1/4 | 72 | 2 |
| 36092 | 1/4 | 1/4 | 100 | 5 |
| 34306 | 1/4 | 1/4 | 150 | 5 |
| 36093 | 1/4 | 1/4 | 200 | 5 |
| 36094 | 1/4 | 1/4 | 250 | 5 |

Bit holder clamping with retaining ring



Ø 1/4"

7140

| Order-No. | Ø | mm | mm | |
|-----------|-----|-----|----|---|
| 01910 | 1/4 | 1/4 | 57 | 5 |

Bit holder magnetic, 74 mm



Ø 1/4"

7113

| Order-No. | Ø | mm | mm | |
|-----------|-----|-----|----|----|
| 01894 | 1/4 | 1/4 | 74 | 10 |

Bit holder magnetic



Ø extra strong magnet, 1/4"

7113 P

| Order-No. | Ø | mm | mm | |
|-----------|-----|-----|----|----|
| 41922 | 1/4 | 1/4 | 60 | 10 |

Bit holder magnetic, 58 mm



Ø 1/4"

7113 S

| Order-No. | Ø | mm | mm | |
|-----------|-----|-----|----|----|
| 01895 | 1/4 | 1/4 | 58 | 10 |

Ø 1/4" in blister pack

7113 S

| Order-No. | Ø | mm | mm | |
|-----------|-----|-----|----|----|
| 07869 | 1/4 | 1/4 | 58 | 10 |

Universal holder, magnetic/ retaining ring, style G 7.



Ø

7183

| Order-No. | Ø | mm | mm | |
|-----------|-----|----|----|---|
| 01919 | 1/4 | G7 | 72 | 2 |

Industrial bit holder, with magnet, Halfmoon 4 mm.



Ø

7110H

| Order-No. | Ø | mm | mm | |
|-----------|---|----|----|---|
| 36112 | 4 | 50 | | 1 |

INFOBOX: MagicFlip Force



- Facilitates the fastening of long wood screws.
- Optimal holding force thanks to extremely powerful Neodym ring magnet.
- FlipBack: The actuating sleeve automatically springs back during recessing.
- Magnet On/Off: The ring magnet can be "deactivated" by pushing the actuating sleeve back.

Screwdriver with bit holder SoftFinish® magnetic



○ 1/4"

384

| Order-No. | ○ | ⇄ | mm | ⇄ | 📦 |
|-----------|-----|-----|-----|----|----|
| 01475 | 1/4 | 125 | 225 | 36 | 10 |
| 01476 | 1/4 | 300 | 400 | 36 | 5 |

Screwdriver with bit holder SoftFinish® clamping with retaining ring



○ flexible shaft, 1/4"

386

| Order-No. | ○ | ⇄ | mm | ⇄ | 📦 |
|-----------|-----|-----|-----|----|----|
| 01479 | 1/4 | 150 | 268 | 36 | 10 |

Screwdriver with bitholder, Quick-release holder



○ 1/4"

387 01

| Order-No. | ○ | ⇄ | mm | ⇄ | 📦 |
|-----------|-----|----|-----|----|----|
| 25874 | 1/4 | 35 | 146 | 30 | 10 |

Screwdriver with SoftFinish® CentroFix bit holder, mechanically lockable



○ 1/4"

387 02

| Order-No. | ○ | ⇄ | mm | ⇄ | 📦 |
|-----------|-----|----|-----|----|----|
| 40331 | 1/4 | 38 | 149 | 36 | 10 |

Screwdriver with bit holder SoftFinish® magnetic



○ 1/4"

281 02

| Order-No. | ○ | ⇄ | ⇄ | 📦 |
|-----------|-----|-----|----|----|
| 32160 | 1/4 | 125 | 36 | 10 |

Screwdriver with bit holder magnetic



○ Stubby, 1/4"

281 01

| | | | | |
|-----------|-----|----|----|----|
| Order-No. | ○ | ⇄ | + | 📦 |
| 29463 | 1/4 | 57 | 34 | 10 |

Screwdriver with bit holder ESD



○ Stubby, 1/4"

281-01ESD

| | | | | |
|-----------|-----|----|----|----|
| Order-No. | ○ | ⇄ | + | 📦 |
| 32484 | 1/4 | 57 | 34 | 10 |

Handle: IEC 61340-5-1.

Screwdriver with bit holder SoftFinish® ESD, mechanically lockable



○ 1/4"

387ESD

| | | | | | |
|-----------|-----|----|-----|----|---|
| Order-No. | ○ | ⇄ | mm | + | 📦 |
| 32161 | 1/4 | 38 | 148 | 30 | 5 |

Handle: IEC 61340-5-1.

Screwdriver handle, PicoFinish® ESD magnetic



○ For 4 mm MicroBits

281P

| | | | |
|-----------|---|----|---|
| Order-No. | ○ | mm | 📦 |
| 43709 | 4 | 96 | |

Screwdriver with T-handle and bit holder magnetic



○ 1/4"

388

| | | | | |
|-----------|-----|-----|----|----|
| Order-No. | ○ | ⇄ | + | 📦 |
| 01481 | 1/4 | 150 | 80 | 10 |

Screwdriver with T-handle and two bit holders ComfortGrip magnetic



○ 1/4"

388DS

| | | | | |
|-----------|-----|-----|-----|----|
| Order-No. | ○ | ⇄ | + | 📦 |
| 26179 | 1/4 | 150 | 100 | 10 |

High-performance offset screwdriver with quick release holder 1/4"



○ 1/4" in blister pack

24628

| | | | | | |
|-----------|-----|-----|-----|---------|---|
| Order-No. | ○ | ● | ⇄ | max. Nm | 📦 |
| 32310 | 1/4 | 1/4 | 165 | 57 | 1 |

Offset screwdriver with bit holder 1/4", magnetic



○ 1/4" in blister pack

24629

| | | | | | |
|-----------|-----|-----|-----|---------|---|
| Order-No. | ○ | ● | ⇄ | max. Nm | 📦 |
| 32311 | 1/4 | 1/4 | 130 | 14 | 1 |



Pliers

A cut above the rest for your health.

Wiha pliers combine high-quality materials with ergonomic comfort. Precise interaction between the joints and the exact workmanship of the blades and gripping surfaces ensure optimum functionality. Ergonomically designed and crafted to a high quality standard, they are comfortable to use, causing less body fatigue and thus making work more efficient.

The “OptiGrip” triple-point support design for combination and high-leverage combination pliers ensure an optimum, secure hold when handled. The circlip pliers from the Classic Series with their MagicTips® precision tips made of high-performance steel provide added safety and stability. With its angled plier shape, the Wiha Inomic® VDE product line is kind to the user's joints, muscles and tendons. Wiha also supplies suitable tools for stripping, skinning and crimping.

Application Pliers

For applications in electrics



Installation pliers TriCut Professional electric
Page 287



BiCut® Professional electric high-performance diagonal cutters with DynamicJoint®
Page 288



Heavy-duty diagonal cutters Professional electric with DynamicJoint®
Page 289



Combination pliers Professional electric with DynamicJoint® and OptiGrip
Page 290



Needle nose pliers Professional electric
Page 291



Cable cutter Professional electric
Page 293



Water pump pliers Professional electric, with push button adjustment
Page 293



Hacksaw electric
Page 295



Stripping tool automatic
Page 295



Stripping tool
Page 296



Automatic crimp tool, for wire-end sleeves hex crimping
Page 298



For applications in mechanics



Professional BiCut® high-performance diagonal cutters with DynamicJoint®, Switchable
Page 301



Heavy-duty diagonal cutters Professional with DynamicJoint®
Page 303



Combination pliers Professional with DynamicJoint® and OptiGrip
Page 304



Needle-nose pliers Professional
Page 306



Plastic diagonal cutters Classic, with opening spring without bevelled edge
Page 307



Pliers wrench Classic
Page 308



Water pump pliers QuickFix Professional automatic
Page 310



Classic circlip pliers with MagicTips®, straight
Page 312



For applications in electronics



Pliers set Professional ESD
Page 316



Needle nose pliers Professional ESD
Page 319



Universal tweezers Professional ESD
Page 320



Needle nose pliers Electronic
Page 323



Pliers set Professional electric



Combination pliers, needle nose pliers, diagonal cutters 3-pcs. Z 99 0 001 06

Order-No.  26852  1

Trimming / cutting

- Professional electric diagonal cutters with DynamicJoint® 160 x 6 1/2" (43335)

Supplying / holding

- Combination pliers Professional electric with DynamicJoint® and OptiGrip with extra long cutting edge, VDE and GS tested / 180mm, 7" (26708)
- Needle nose pliers Professional electric with cutting edge straight shape, VDE and GS tested / 200mm, 8" (26727)

Manufactured acc. to IEC 60900.

Pliers set Industrial electric



Combination pliers, needle nose pliers, diagonal cutters 3-pcs. Z 99 0 001 09

Order-No.  38637  1

Trimming / cutting

- Industrial electric diagonal cutters with DynamicJoint® 160 x 6 1/2" (43336)

Supplying / holding

- Industrial electric combination pliers with DynamicJoint® and OptiGrip with extra long cutting edge, VDE and GS tested / 180mm, 7" (33186)
- Industrial electric needle nose pliers with cutting edge straight shape, VDE and GS tested / 200mm, 8" (33178)

Manufactured acc. to IEC 60900.

INFOBOX:
**Professional pliers
Industrial pliers**



Professional

Industrial

- Professional: pliers, chrome-plated
- Industrial: pliers, polished/black oxidised



Installation pliers TriCut Professional electric



Z 14 1 06

| Order-No. | mm | mm | mm | Ømm | SB | |
|-----------|-----|----|----|-----|----|---|
| 38552 | 170 | 7 | 13 | 1.6 | | 5 |
| 38853 | 170 | 7 | 13 | 1.6 | x | 5 |

Manufactured acc. to IEC 60900.

Installation pliers TriCut Classic



Z 14 1 01

| Order-No. | mm | mm | mm | Ømm | SB | |
|-----------|-----|----|----|-----|----|---|
| 38627 | 170 | 7 | 13 | 1.6 | | 5 |
| 38854 | 170 | 7 | 13 | 1.6 | x | 5 |

INFOBOX: VDE-certified tools



Wiha VDE-tested tools are subject to stringent safety test procedures.

All tools with the special marking have been tested at 10,000 V AC and are therefore approved for use at 1,000 V AC and 1,500 V DC.

The following equipment is required for all work on or around live components and should be appropriate for the specific task

- insulating personal protective equipment
- insulating safety mechanisms
- insulated tools

Before starting work, you must disconnect all active, live components of electrical machines and equipment and ensure that they remain disconnected while you carry out the work.

This is achieved by complying with the five safety rules:

- disconnect
- secure against reconnection
- ensure power is switched off
- earth and short-circuit
- cover or block off adjacent live components

Certified by the VDE Testing and Certification Institute and individually tested according to the international standard IEC 60900.



Stripping diagonal cutters Professional electric with DynamicJoint®



Z 14 0 06

| Order-No. | mm | in | Scissors | Ømm | SB | Icon |
|-----------|-----|--------|----------|-----|----|------|
| 26745 | 160 | 6 1/2" | 13 | 1.6 | | 5 |
| 27431 | 160 | 6 1/2" | 13 | 1.6 | x | 5 |

DIN ISO 5749. Manufactured acc. to IEC 60900.

Professional electric diagonal cutters with DynamicJoint®



Z 12 1 06

| Order-No. | mm | in | Scissors | Ømm | SB | Icon |
|-----------|-----|--------|----------|-----|----|------|
| 43326 | 140 | 5 1/2" | 16 | 1,6 | | 5 |
| 43453 | 140 | 5 1/2" | 16 | 1,6 | x | 5 |
| 43335 | 160 | 6 1/2" | 17 | 2 | | 5 |
| 43458 | 160 | 6 1/2" | 17 | 2 | x | 5 |
| 43340 | 180 | 7" | 18 | 2,3 | | 5 |
| 43463 | 180 | 7" | 18 | 2,8 | x | 5 |

Manufactured acc. to IEC 60900.

BiCut® Professional electric high-performance diagonal cutters with DynamicJoint®



reddot award 2014 winner

Switchable

Z 18 0 06

| Order-No. | mm | in | Scissors | Ømm | SB | Icon |
|-----------|-----|----|----------|-----|----|------|
| 38191 | 200 | 8 | 21 | 3 | | 5 |
| 38984 | 200 | 8 | 21 | 3 | x | 5 |

Manufactured acc. to IEC 60900.

Industrial electric diagonal cutters with DynamicJoint®



Z12109

| Order-No. | mm | in | Scissors | Ømm | SB | Icon |
|-----------|-----|--------|----------|-----|----|------|
| 43327 | 140 | 5 1/2" | 16 | 1,6 | | 5 |
| 43454 | 140 | 5 1/2" | 16 | 1,6 | x | 5 |
| 43336 | 160 | 6 1/2" | 17 | 2 | | 5 |
| 43459 | 160 | 6 1/2" | 17 | 2 | x | 5 |
| 43341 | 180 | 6" | 18 | 2,8 | | 5 |
| 43464 | 180 | 7" | 18 | 2,8 | x | 5 |

Manufactured acc. to IEC 60900.

Heavy-duty diagonal cutters Professional electric with DynamicJoint®



with switchable opening spring

Z 16 3 06

| Order-No. | mm | mm | mm | Ømm | SB | |
|-----------|-----|-----|----|-----|----|---|
| 40921 | 160 | 6,5 | 17 | 2 | | 5 |
| 41309 | 160 | 6,5 | 17 | 2 | x | 5 |
| 41274 | 180 | 7 | 18 | 2,3 | | 5 |
| 41319 | 180 | 7 | 18 | 2,3 | x | 5 |
| 41279 | 200 | 8 | 19 | 2,5 | | 5 |
| 41329 | 200 | 8 | 19 | 2,5 | x | 5 |

DIN ISO 5749. Manufactured acc. to IEC 60900.

Industrial electric heavy-duty diagonal cutters with DynamicJoint®



with switchable opening spring

Z 16 3 09

| Order-No. | mm | mm | mm | Ømm | SB | |
|-----------|-----|-----|----|-----|----|---|
| 40922 | 160 | 6,5 | 17 | 2 | | 5 |
| 41310 | 160 | 6,5 | 17 | 2 | x | 5 |
| 41275 | 180 | 7 | 18 | 2,3 | | 5 |
| 41320 | 180 | 7 | 18 | 2,3 | x | 5 |
| 41280 | 200 | 8 | 19 | 2,5 | | 5 |
| 41330 | 200 | 8 | 19 | 2,5 | x | 5 |

DIN ISO 5749. Manufactured acc. to IEC 60900.

INFOBOX:
DynamicJoint®



Wiha DynamicJoint® – A new dimension in strength and durability

- Innovative: Optimised joint construction.
- Effective: Minimal power loss means less force needed for cutting.
- Permanent: Optimal performance even after thousands of cuts.



INFOBOX:
Heavy-duty diagonal cutters



with switchable opening spring

- Up to 40% more cutting force thanks to optimised leverage.
- Opening spring with on/off function for fatigue-free work.
- Opening spring can be activated with just one hand.

Combination pliers Professional electric with DynamicJoint® and OptiGrip



with extra long cutting edge

Z 01 0 06

| Order-No. | mm | II | ✂ | Ømm | SB | 🔌 |
|-----------|-----|-----|----|-----|----|---|
| 26705 | 160 | 6 ½ | 15 | 1.6 | | 5 |
| 27328 | 160 | 6 ½ | 15 | 1.6 | x | 5 |
| 26708 | 180 | 7 | 16 | 1.8 | | 5 |
| 27418 | 180 | 7 | 16 | 1.8 | x | 5 |
| 26711 | 200 | 8 | 17 | 2 | | 5 |
| 27419 | 200 | 8 | 17 | 2 | x | 5 |

DIN ISO 5746. Manufactured acc. to IEC 60900.

High-leverage combination pliers Professional electric with DynamicJoint® and OptiGrip



with extra long cutting edge

Z 02 0 06

| Order-No. | mm | II | ✂ | Ømm | SB | 🔌 |
|-----------|-----|----|----|-----|----|---|
| 26714 | 200 | 8 | 18 | 2.3 | | 5 |
| 27420 | 200 | 8 | 18 | 2.3 | x | 5 |
| 26717 | 225 | 9 | 19 | 2.5 | | 5 |
| 27421 | 225 | 9 | 19 | 2.5 | x | 5 |

DIN ISO 5746. Manufactured acc. to IEC 60900.

Industrial electric combination pliers with DynamicJoint® and OptiGrip



with extra long cutting edge

Z 01 0 09

| Order-No. | mm | II | ✂ | Ømm | SB | 🔌 |
|-----------|-----|----|----|-----|----|---|
| 33186 | 180 | 7 | 16 | 1.8 | | 5 |
| 38855 | 180 | 7 | 16 | 1.8 | x | 5 |

DIN ISO 5746. Manufactured acc. to IEC 60900.

High-leverage industrial electric combination pliers with DynamicJoint® and OptiGrip



with extra long cutting edge

Z 02 0 09

| Order-No. | mm | II | ✂ | Ømm | SB | 🔌 |
|-----------|-----|----|----|-----|----|---|
| 35465 | 225 | 9 | 19 | 2.5 | | 5 |
| 38856 | 225 | 9 | 19 | 2.5 | x | 5 |

DIN ISO 5746. Manufactured acc. to IEC 60900.

Industrial lineman's pliers with DynamicJoint®



with extra long cutting edge

Z 02 2 02

| Order-No. | mm | II | ✂ | Ømm | SB | |
|-----------|-----|----|----|-----|----|---|
| 40927 | 250 | 10 | 20 | 2.5 | | 5 |

Classic lineman's pliers with DynamicJoint®



with extra long cutting edge

Z 02 2 01

| Order-No. | mm | II | ✂ | Ømm | SB | |
|-----------|-----|----|----|-----|----|---|
| 40709 | 250 | 10 | 20 | 2.5 | | 5 |
| 41218 | 250 | 10 | 20 | 2.5 | x | 5 |

Needle nose pliers Professional electric



with cutting edge straight shape

Z 05 0 06

| Order-No. | mm | II | ✂ | Ømm | SB | |
|-----------|-----|-------|----|-----|----|---|
| 26720 | 160 | 6 1/2 | 16 | 1.2 | | 5 |
| 27422 | 160 | 6 1/2 | 16 | 1.2 | x | 5 |
| 26727 | 200 | 8 | 17 | 1.6 | | 5 |
| 27423 | 200 | 8 | 17 | 1.6 | x | 5 |

DIN ISO 5745. Manufactured acc. to IEC 60900.

Industrial electric needle nose pliers



with cutting edge straight shape

Z 05 0 09

| Order-No. | mm | II | ✂ | Ømm | SB | |
|-----------|-----|-------|----|-----|----|---|
| 35477 | 160 | 6 1/2 | 16 | 1.2 | | 5 |
| 38857 | 160 | 6 1/2 | 16 | 1.2 | x | 5 |
| 33178 | 200 | 8 | 17 | 1.6 | | 5 |
| 38858 | 200 | 8 | 17 | 1.6 | x | 1 |

DIN ISO 5745. Manufactured acc. to IEC 60900.

INFOBOX: OptiGrip



Wiha OptiGrip – optimal grip due to newly designed gripping surfaces

- A firm hold: The „triple-point support“ protects the workpiece from twisting or slipping.
- Highly effective: Optimum grip even with large jaw opening – and at the same time significantly less force needed.
- A wide selection: Now in standard Wiha combination pliers and high leverage combination pliers.



Needle nose pliers Professional electric



with cutting edge curved shape, approx. 40°

Z 05 1 06

| Order-No. | mm | II | ✂ | Ømm | SB | 📦 |
|-----------|-----|-----|----|-----|----|---|
| 26728 | 160 | 6 ½ | 16 | 1.2 | | 5 |
| 27424 | 160 | 6 ½ | 16 | 1.2 | x | 5 |
| 26729 | 200 | 8 | 17 | 1.6 | | 5 |
| 27425 | 200 | 8 | 17 | 1.6 | x | 5 |

DIN ISO 5745. Manufactured acc. to IEC 60900.

Long flat-nose pliers Professional electric



Z 07 0 06

| Order-No. | mm | II | ✂ | SB | 📦 |
|-----------|-----|-----|---|----|---|
| 26732 | 160 | 6 ½ | | | 5 |
| 27426 | 160 | 6 ½ | x | | 5 |

DIN ISO 5745. Manufactured acc. to IEC 60900.

Industrial electric needle nose pliers



with cutting edge curved shape, approx. 40°

Z 05 1 09

| Order-No. | mm | II | ✂ | Ømm | SB | 📦 |
|-----------|-----|----|----|-----|----|---|
| 35462 | 200 | 8 | 17 | 1.6 | | 5 |
| 38859 | 200 | 8 | 17 | 1.6 | x | 5 |

DIN ISO 5745. Manufactured acc. to IEC 60900.

Long round-nose pliers Professional electric



Z 09 0 06

| Order-No. | mm | II | ✂ | SB | 📦 |
|-----------|-----|-----|---|----|---|
| 26735 | 160 | 6 ½ | | | 5 |
| 27427 | 160 | 6 ½ | x | | 5 |

DIN ISO 5745. Manufactured acc. to IEC 60900.

Cable cutter Professional electric



Z 50 1 06

| Order-No. | mm | II | ✂ | mm ² | SB | 📦 |
|-----------|-----|-----|----|-----------------|----|---|
| 34743 | 160 | 6 ½ | 16 | 50 | | 5 |
| 35704 | 160 | 6 ½ | 16 | 50 | x | 5 |
| 34744 | 200 | 8 | 20 | 60 | | 5 |
| 35705 | 200 | 8 | 20 | 60 | x | 5 |

Manufactured acc. to IEC 60900.

Industrial electric cable cutter



Z 50 1 09

| Order-No. | mm | II | ✂ | mm ² | SB | 📦 |
|-----------|-----|-----|----|-----------------|----|---|
| 38636 | 160 | 6 ½ | 16 | 50 | | 5 |
| 38865 | 160 | 6 ½ | 16 | 50 | x | 5 |
| 35479 | 200 | 8 | 20 | 60 | | 5 |
| 38866 | 200 | 8 | 20 | 60 | x | 5 |

Manufactured acc. to IEC 60900.

Cable cutter Classic



Z 50 1 01

| Order-No. | mm | II | ✂ | mm ² | SB | 📦 |
|-----------|-----|-----|----|-----------------|----|---|
| 34729 | 160 | 6 ½ | 16 | 50 | | 5 |
| 36217 | 160 | 6 ½ | 16 | 50 | x | 5 |
| 34730 | 200 | 8 | 20 | 60 | | 5 |
| 36981 | 200 | 8 | 20 | 60 | x | 5 |

Water pump pliers Professional electric



box type

Z 21 0 06

| Order-No. | mm | II | ○ | ⊗ | SB | 📦 |
|-----------|-----|----|---|----|----|---|
| 33520 | 250 | 10 | 2 | 50 | | 5 |
| 38631 | 250 | 10 | 2 | 50 | x | 5 |

DIN ISO 8976. Manufactured acc. to IEC 60900.

Water pump pliers Professional electric



with push button adjustment

Z 22 0 06

| Order-No. | mm | II | ○ | ⊗ | SB | 📦 |
|-----------|-----|----|---|----|----|---|
| 37450 | 250 | 10 | 2 | 50 | | 5 |
| 38632 | 250 | 10 | 2 | 50 | x | 5 |

DIN ISO 8976. Manufactured acc. to IEC 60900.

Stripping pliers Professional electric



Z 55 0 06

| Order-No. | mm | II | Ø | mm ² | SB | Icon |
|-----------|-----|-------|---|-----------------|----|------|
| 26847 | 160 | 6 1/2 | 5 | 10 | | 5 |
| 27437 | 160 | 6 1/2 | 5 | 10 | x | 5 |

DIN ISO 5743. Manufactured acc. to IEC 60900.

Stripping pliers Industrial



Z 55 0 02

| Order-No. | mm | II | Ø | mm ² | SB | Icon |
|-----------|-----|-------|---|-----------------|----|------|
| 32345 | 160 | 6 1/2 | 5 | 10 | | 5 |
| 34313 | 160 | 6 1/2 | 5 | 10 | x | 5 |

DIN ISO 5743.

Industrial electric stripping pliers



Z 55 0 09

| Order-No. | mm | II | Ø | mm ² | SB | Icon |
|-----------|-----|-------|---|-----------------|----|------|
| 36711 | 160 | 6 1/2 | 5 | 10 | | 5 |
| 38867 | 160 | 6 1/2 | 5 | 10 | x | 5 |

DIN ISO 5743. Manufactured acc. to IEC 60900.

Stripping pliers Classic



Z 55 0 01

| Order-No. | mm | II | Ø | mm ² | SB | Icon |
|-----------|-----|-------|---|-----------------|----|------|
| 26845 | 160 | 6 1/2 | 5 | 10 | | 5 |
| 27368 | 160 | 6 1/2 | 5 | 10 | x | 5 |

DIN ISO 5743.

Stripping pliers Professional



Z 55 0 05

| Order-No. | mm | II | Ø | mm ² | SB | Icon |
|-----------|-----|-------|---|-----------------|----|------|
| 26846 | 160 | 6 1/2 | 5 | 10 | | 5 |

DIN ISO 5743.

Stripping tool automatic



up to 16 mm² in blister pack

Z 57 0 06

| Order-No. | mm | II | mm ² | AWG | SB | 📦 |
|-----------|-----|----|-----------------|------|----|---|
| 42062 | 200 | 8 | 0,03 - 16 | 32-5 | x | 1 |

Stripping tool automatic




up to 6 mm² in blister pack

24675

| Order-No. | mm | II | mm ² | AWG | SB | 📦 |
|-----------|-----|-------|-----------------|-------|----|---|
| 36050 | 190 | 7 1/2 | 0,2-6,0 | 24-10 | x | 1 |

Spare blade and gripping jaw set



for automatic stripping tool

Z 57 0 001 06K

| Order-No. | 📦 |
|-----------|---|
| 42162 | 1 |

Hacksaw electric



insulated with three saw blades 150 mm

246176

| Order-No. | 🔪 | mm | SB | 📦 |
|-----------|-----|-----|----|---|
| 43125 | 150 | 280 | x | 1 |

INFOBOX: Stripping tool, automatic up to 16mm²



- These pliers can handle a wide range of cables, thus combining two pairs of pliers in one.
- The supplied damper can be used to lessen recoil caused by larger cable gauges, such as those greater than 6 mm², thus helping to protect wrists.
- Precise cutting to length thanks to adjustable longitudinal stop.
- Integrated hand protection along the cutting edge guards against injury.



Stripping tool



with self-rotating trailing blade

24622

| Order-No. | mm | II | Ømm | SB | |
|-----------|-----|----|--------|----|---|
| 35969 | 165 | 6½ | 4,0-28 | | 1 |
| 35538 | 165 | 6½ | 4,0-28 | x | 1 |

Stripping tool



for coaxial cable, in blister pack

24676

| Order-No. | mm | II | mm² | SB | |
|-----------|-----|----|---------|----|---|
| 36051 | 110 | 4¼ | 4,8-7,5 | x | 1 |

Cable stripping knife



straight cutting edge for round cables in blister pack

24680

| Order-No. | mm | II | SB | |
|-----------|-----|----|----|---|
| 38798 | 200 | 8 | x | 1 |

Manufactured acc. to IEC 60900.

Stripping tool



for round cable, in blister pack

24677

| Order-No. | mm | II | mm² | SB | |
|-----------|-----|----|------|----|---|
| 36052 | 125 | 5 | 8-13 | x | 1 |

Cable stripping knife



hooked blade with sliding shoe for round cable, in blister pack

24678

| Order-No. | mm | II | SB | |
|-----------|-----|----|----|---|
| 36053 | 200 | 8 | x | 1 |

Manufactured acc. to IEC 60900.

Crimping pliers Classic



Z 60 0 01

| Order-No. | mm | II | mm ² | |
|-----------|-----|-----|-----------------|---|
| 28330 | 145 | 5 ¼ | 0,25-2,5 | 5 |

DIN ISO 5743.

Crimping pliers Professional electric



Z 60 0 06

| Order-No. | mm | II | mm ² | | |
|-----------|-----|-----|-----------------|---|---|
| 35861 | 145 | 5 ¼ | 0,25-2,5 | | 5 |
| 38985 | 145 | 5 ¼ | 0,25-2,5 | x | 5 |

DIN ISO 5743. Manufactured acc. to IEC 60900.

Crimping pliers Classic



Z 60 0 01

| Order-No. | mm | II | mm ² | |
|-----------|-----|----|-----------------|---|
| 30066 | 180 | 7 | 0,25-16 | 5 |

DIN ISO 5743.

Crimping pliers Professional electric



Z 60 0 06

| Order-No. | mm | II | mm ² | | |
|-----------|-----|----|-----------------|---|---|
| 35862 | 180 | 7 | 0,25-16 | | 5 |
| 38986 | 180 | 7 | 0,25-16 | x | 5 |

DIN ISO 5743. Manufactured acc. to IEC 60900.



Automatic crimp tool



for wire-end sleeves hex crimping

Z 62 0 06

| Order-No. | mm | mm ² | AWG |  |
|-----------|-----|-----------------|------|---|
| 41246 | 210 | 0,08-16 | 28-5 | 1 |



For processing twin sleeves and wire-end sleeves with or without insulating collar as per DIN 46228 & EN 50027

Crimp tool



for wire-end sleeves

Z 62 0 06

| Order-No. | mm | mm ² | AWG |  |  |
|-----------|-----|-----------------|------|---|---|
| 33844 | 220 | 0,14-16 | 26-5 | | 1 |
| 40342 | 220 | 0,14-16 | 26-5 | x | 1 |

For processing of wire-end sleeves with and without isolating collar according to DIN 46228, EN 50027.

Crimp tool



for insulated cable eyes and contacts

Z 62 0 06

| Order-No. | mm | mm ² | AWG |  |
|-----------|-----|-----------------|-------|---|
| 33841 | 220 | 0,5-6 | 20-10 | 1 |

For processing of red, blue and yellow isolated cable eyes, pin-end cable connectors, contact pins, contact pin sleeves, circular pins, circular pin sleeves, batch connectors and parallel connectors according to DIN 46234.

INFOBOX: Automatic crimp tool



- Process-safe hexagonal crimping prevents smaller wire-end sleeves from snagging.
- These crimping pliers can handle all standard applications with a crimping range between 0.08 and 16 mm².
- Suitable for both single wire-end sleeves and twin wire-end sleeves thanks to automatic crimping.

Crimp tool



for non-insulated cable eye with closed sleeve

Z 62 0 06

| Order-No. | mm | mm ² | AWG |  |
|-----------|-----|-----------------|------|---|
| 33843 | 220 | 0,1-16 | 26-6 | 1 |

For processing of non-isolated contact pins and contact pin sleeves according to DIN 46247 for standardised, solderless electrical connections.

Shear for electricians



with crimp function in blister pack

Z 71 7 06

| Order-No. | mm | mm ² |  |
|-----------|-----|-----------------|---|
| 41923 | 160 | 50 | 5 |

Crimp tool



for non-insulated male blade connectors

Z 62 0 06

| Order-No. | mm | mm ² | AWG |  |
|-----------|-----|-----------------|-------|---|
| 33842 | 220 | 0,25-6 | 24-10 | 1 |

For processing of non-isolated contact pins and contact pin sleeves according to DIN 46247 for standardised, solderless electrical connections.

Craftsman's cutters



Standard model made of stainless steel

Z 71 5 06

| Order-No. | mm | mm |  |
|-----------|-----|-------|---|
| 29420 | 145 | 5 3/4 | 5 |



Pliers set Classic



High-leverage combination pliers, water pump pliers, heavy-duty diagonal cutters, 3-pcs.

Z 99 0 002 01

| | |
|-----------|---|
| Order-No. | |
| 26853 | 1 |
| | High-leverage combination pliers Classic with DynamicJoint® and OptiGrip with extra long cutting edge 200mm, 8" (26712) |
| | Heavy-duty diagonal cutters Classic with DynamicJoint® 180mm, 7" (41261) |
| | Water pump pliers QuickFix Classic automatic 250mm, 10" (39091) |

Pliers set Professional



High-leverage combination pliers, water pump pliers, heavy-duty diagonal cutters, 3-pcs.

Z 99 0 002 05

| | |
|-----------|--|
| Order-No. | |
| 26854 | 1 |
| | High-leverage combination pliers Professional with DynamicJoint® and OptiGrip with extra long cutting edge 200mm, 8" (26713) |
| | Heavy-duty diagonal cutters Professional with DynamicJoint® with switchable opening spring 180mm, 7" (41273) |
| | Water pump pliers QuickFix Professional automatic automatic 250mm, 10" (39093) |

Pliers set Classic



Combination pliers, needle nose pliers, diagonal cutters 3-pcs.

Z 99 0 001 01

| | |
|-----------|---|
| Order-No. | |
| 26850 | 1 |
| | Combination pliers Classic with DynamicJoint® and OptiGrip with extra long cutting edge 180mm, 7" (26706) |
| | Diagonal cutters Classic with DynamicJoint® 160 x 6 1/2" (43332) |
| | Classic needle nose pliers with cutting edge straight shape 160mm, 6 1/2" (26718) |

INFOBOX: MagicTips®



Wiha MagicTips® – Top of their class.

- Maximum grip: The special latching function preventing jumping away of the safety rings makes the Wiha circlip pliers truly unique.
- Hard as steel: Additional hardening of tips means high wear resistance and therefore excellent durability.
- Precise: Precision tips of high performance steel for maximum grip and high stability.

Pliers set Classic with MagicTips®



Professional BiCut® high-performance diagonal cutters with DynamicJoint®



Circlip pliers 4-pcs.

Z 99 0 007 01

| Order-No. | |
|-----------|---|
| 34708 | 1 |

Supplying / holding

○ Circlip pliers Classic with MagicTips® For inner rings (drill holes) J 1, 140mm (34689) / J 2, 180mm (34690)

○ Circlip pliers Classic with MagicTips® For outer rings (shafts) A 1, 140mm (34699) / A 2, 185mm (34700)

• with safety latching function

Switchable

Z 18 0 05

| Order-No. | mm | II | | Ømm | SB | |
|-----------|-----|----|----|-----|----|---|
| 38190 | 200 | 8 | 21 | 3 | | 5 |
| 38983 | 200 | 8 | 21 | 3 | x | 1 |

Based on DIN ISO 5749.

Pliers set Classic



Circlip pliers 4-pcs.

Z 99 0 004 01

| Order-No. | |
|-----------|---|
| 26793 | 1 |

○ Classic circlip pliers For inner rings (drill holes) J 1, 140mm (26782) / J 2, 180mm (26783)

○ Classic circlip pliers For outer rings (shafts) A 1, 140mm (26790) / A 2, 180mm (26791)

High-performance diagonal cutters BiCut® Industrial with DynamicJoint®



Switchable

Z 18 0 02

| Order-No. | mm | II | | Ømm | SB | |
|-----------|-----|----|----|-----|----|---|
| 38189 | 200 | 8 | 21 | 3 | | 5 |
| 38982 | 200 | 8 | 21 | 3 | x | 5 |

Based on DIN ISO 5749.

INFOBOX: Professional pliers Industrial pliers



Professional

Industrial

- Professional: pliers, chrome-plated
- Industrial: pliers, polished/black oxidised



BiCut® Classic high-performance diagonal cutters with DynamicJoint®



Switchable

Z 18 0 01

| Order-No. | mm | in | Scissors | Ømm | SB | Icon |
|-----------|-----|----|----------|-----|----|------|
| 38060 | 200 | 8 | 21 | 3 | | 5 |
| 38981 | 200 | 8 | 21 | 3 | x | 5 |

Based on DIN ISO 5749.

Industrial diagonal cutters with DynamicJoint®



Z12102

| Order-No. | mm | in | Scissors | Ømm | SB | Icon |
|-----------|-----|--------|----------|-----|----|------|
| 43324 | 140 | 5 1/2" | 16 | 1,6 | | 5 |
| 43451 | 140 | 5 1/2" | 16 | 1,6 | x | 5 |
| 43333 | 160 | 6 1/2" | 17 | 2 | | 5 |
| 43456 | 160 | 6 1/2" | 17 | 2 | x | 5 |
| 43338 | 180 | 7" | 18 | 2,8 | | 5 |
| 43461 | 180 | 7" | 18 | 2,8 | x | 5 |

Professional diagonal cutters with DynamicJoint®



Z12105

| Order-No. | mm | in | Scissors | Ømm | SB | Icon |
|-----------|-----|--------|----------|-----|----|------|
| 43325 | 140 | 5 1/2" | 16 | 1,6 | | 5 |
| 43334 | 160 | 6 1/2" | 17 | 2 | | 5 |
| 43457 | 160 | 6 1/2" | 17 | 2 | x | 5 |
| 43339 | 180 | 7" | 18 | 2,8 | | 5 |

Diagonal cutters Classic with DynamicJoint®



Z12101

| Order-No. | mm | in | Scissors | Ømm | SB | Icon |
|-----------|-----|--------|----------|-----|----|------|
| 43304 | 140 | 5 1/2" | 16 | 1,6 | | 5 |
| 43450 | 140 | 5 1/2" | 16 | 1,6 | x | 5 |
| 43332 | 160 | 6 1/2" | 17 | 2 | | 5 |
| 43455 | 160 | 6 1/2" | 17 | 2 | x | 5 |
| 43337 | 180 | 7" | 18 | 2,8 | | 5 |
| 43460 | 180 | 7" | 18 | 2,8 | x | 5 |

Heavy-duty diagonal cutters Professional with DynamicJoint®



with switchable opening spring

Z 16 3 05

| Order-No. | mm | II | ✂ | Ømm | SB | 📦 |
|-----------|-----|-----|----|-----|----|---|
| 40920 | 160 | 6,5 | 17 | 2 | | 5 |
| 41273 | 180 | 7 | 18 | 2,3 | | 5 |
| 41318 | 180 | 7 | 18 | 2,3 | x | 5 |
| 41278 | 200 | 8 | 19 | 2,5 | | 5 |

Heavy-duty diagonal cutters Classic with DynamicJoint®



Z 16 2 01

| Order-No. | mm | II | ✂ | Ømm | SB | 📦 |
|-----------|-----|-----|----|-----|----|---|
| 40913 | 160 | 6,5 | 17 | 2 | | 5 |
| 41301 | 160 | 6,5 | 17 | 2 | x | 5 |
| 41261 | 180 | 7 | 18 | 2,3 | | 5 |
| 41311 | 180 | 7 | 18 | 2,3 | x | 5 |
| 41266 | 200 | 8 | 19 | 2,5 | | 5 |
| 41321 | 200 | 8 | 19 | 2,5 | x | 5 |

Heavy-duty diagonal cutters Industrial with DynamicJoint®



with switchable opening spring

Z 16 3 02

| Order-No. | mm | II | ✂ | Ømm | SB | 📦 |
|-----------|-----|-----|----|-----|----|---|
| 40919 | 160 | 6,5 | 17 | 2 | | 5 |
| 41307 | 160 | 6,5 | 17 | 2 | x | 5 |
| 41272 | 180 | 7 | 18 | 2,3 | | 5 |
| 41317 | 180 | 7 | 18 | 2,3 | x | 5 |
| 41277 | 200 | 8 | 19 | 2,5 | | 5 |
| 41327 | 200 | 8 | 19 | 2,5 | x | 5 |

INFOBOX: Heavy-duty diagonal cutters



with switchable opening spring

- Up to 40% more cutting force thanks to optimised leverage.
- Opening spring with on/off function for fatigue-free work.
- Opening spring can be activated with just one hand.

Combination pliers Professional with DynamicJoint® and OptiGrip



with extra long cutting edge

Z 01 0 05

| Order-No. | mm | II | Scissors | Ømm | SB | Icon |
|-----------|-----|-----|----------|-----|----|------|
| 26704 | 160 | 6 ½ | 16 | 1.6 | | 5 |
| 27327 | 160 | 6 ½ | 16 | 1.6 | x | 5 |
| 26707 | 180 | 7 | 16 | 1.8 | | 5 |
| 27399 | 180 | 7 | 16 | 1.8 | x | 5 |
| 26710 | 200 | 8 | 17 | 2 | | 5 |

DIN ISO 5746.

Combination pliers Industrial with DynamicJoint® and OptiGrip



with extra long cutting edge

Z 01 0 02

| Order-No. | mm | II | Scissors | Ømm | SB | Icon |
|-----------|-----|-----|----------|-----|----|------|
| 30979 | 160 | 6 ½ | 16 | 1.6 | | 5 |
| 34565 | 160 | 6 ½ | 16 | 1.6 | x | 5 |
| 30826 | 180 | 7 | 16 | 1.8 | | 5 |
| 34307 | 180 | 7 | 16 | 1.8 | x | 5 |
| 30978 | 200 | 8 | 17 | 2 | | 5 |
| 34308 | 200 | 8 | 17 | 2 | x | 5 |

DIN ISO 5746.

INFOBOX:
DynamicJoint®




Wiha DynamicJoint® – A new dimension in strength and durability

- Innovative: Optimised joint construction.
- Effective: Minimal power loss means less force needed for cutting.
- Permanent: Optimal performance even after thousands of cuts.



INFOBOX:
OptiGrip



Wiha OptiGrip – optimal grip due to newly designed gripping surfaces

- A firm hold: The „triple-point support“ protects the workpiece from twisting or slipping.
- Highly effective: Optimum grip even with large jaw opening – and at the same time significantly less force needed.
- A wide selection: Now in standard Wiha combination pliers and high leverage combination pliers.



Combination pliers Classic with DynamicJoint® and OptiGrip



with extra long cutting edge

Z 01 0 01

| Order-No. | mm | II | ✂ | Ømm | SB | 📏 |
|-----------|-----|-----|----|-----|----|---|
| 26703 | 160 | 6 ½ | 16 | 1.6 | | 5 |
| 27325 | 160 | 6 ½ | 16 | 1.6 | x | 5 |
| 26706 | 180 | 7 | 16 | 1.8 | | 5 |
| 27336 | 180 | 7 | 16 | 1.8 | x | 5 |
| 26709 | 200 | 8 | 17 | 2 | | 5 |
| 27337 | 200 | 8 | 17 | 2 | x | 5 |

DIN ISO 5746.

High-leverage combination pliers Industrial with DynamicJoint® and OptiGrip



with extra long cutting edge

Z 02 0 02

| Order-No. | mm | II | ✂ | Ømm | SB | 📏 |
|-----------|-----|----|----|-----|----|---|
| 32319 | 200 | 8 | 18 | 2.3 | | 5 |
| 32320 | 225 | 9 | 19 | 2.5 | | 5 |
| 34567 | 225 | 9 | 19 | 2.5 | x | 5 |

DIN ISO 5746.

High-leverage combination pliers Professional with DynamicJoint® and OptiGrip



with extra long cutting edge

Z 02 0 05

| Order-No. | mm | II | ✂ | Ømm | SB | 📏 |
|-----------|-----|----|----|-----|----|---|
| 26713 | 200 | 8 | 18 | 2.3 | | 5 |
| 26716 | 225 | 9 | 19 | 2.5 | | 5 |

DIN ISO 5746.

High-leverage combination pliers Classic with DynamicJoint® and OptiGrip



with extra long cutting edge

Z 02 0 01

| Order-No. | mm | II | ✂ | Ømm | SB | 📏 |
|-----------|-----|----|----|-----|----|---|
| 26712 | 200 | 8 | 18 | 2.3 | | 5 |
| 26715 | 225 | 9 | 19 | 2.5 | | 5 |

DIN ISO 5746.



Needle-nose pliers Professional



with cutting edge straight shape

Z 05 0 05

| Order-No. | mm | II | ✂ | Ømm | SB | |
|-----------|-----|-----|----|-----|----|---|
| 26719 | 160 | 6 ½ | 16 | 1.2 | | 5 |
| 26722 | 200 | 8 | 17 | 1.6 | | 5 |

DIN ISO 5745.

Needle-nose pliers Professional



with cutting edge curved shape, approx. 40°

Z 05 1 05

| Order-No. | mm | II | ✂ | Ømm | SB | |
|-----------|-----|-----|----|-----|----|---|
| 26724 | 160 | 6 ½ | 16 | 1.2 | | 5 |
| 26726 | 200 | 8 | 17 | 1.6 | | 5 |

DIN ISO 5745.

Industrial needle nose pliers



with cutting edge straight shape

Z 05 0 02

| Order-No. | mm | II | ✂ | Ømm | SB | |
|-----------|-----|-----|----|-----|----|---|
| 32322 | 160 | 6 ½ | 16 | 1.2 | | 5 |
| 34309 | 160 | 6 ½ | 16 | 1.2 | x | 5 |
| 32323 | 200 | 8 | 17 | 1.6 | | 5 |
| 34515 | 200 | 8 | 17 | 1.6 | x | 5 |

DIN ISO 5745.

Industrial needle nose pliers



with cutting edge curved shape, approx. 40°

Z 05 1 02

| Order-No. | mm | II | ✂ | Ømm | SB | |
|-----------|-----|-----|----|-----|----|---|
| 32324 | 160 | 6 ½ | 16 | 1.2 | | 5 |
| 34569 | 160 | 6 ½ | 16 | 1.2 | x | 5 |
| 32328 | 200 | 8 | 17 | 1.6 | | 5 |
| 34570 | 200 | 8 | 17 | 1.6 | x | 5 |

DIN ISO 5745.

Classic needle nose pliers



with cutting edge straight shape

Z 05 0 01

| Order-No. | mm | II | ✂ | Ømm | SB | |
|-----------|-----|-----|----|-----|----|---|
| 26718 | 160 | 6 ½ | 16 | 1.2 | | 5 |
| 27340 | 160 | 6 ½ | 16 | 1.2 | x | 5 |
| 26721 | 200 | 8 | 17 | 1.6 | | 5 |
| 27341 | 200 | 8 | 17 | 1.6 | x | 5 |

DIN ISO 5745.

Classic needle nose pliers



with cutting edge curved shape, approx. 40°

Z 05 1 01

| Order-No. | mm | II | ✂ | Ømm | SB | |
|-----------|-----|-----|----|-----|----|---|
| 26723 | 160 | 6 ½ | 16 | 1.2 | | 5 |
| 27342 | 160 | 6 ½ | 16 | 1.2 | x | 5 |
| 26725 | 200 | 8 | 17 | 1.6 | | 5 |
| 27343 | 200 | 8 | 17 | 1.6 | x | 5 |

DIN ISO 5745.

Plastic diagonal cutters Classic



with opening spring without bevelled edge

Z 15 0 01

| Order-No. | mm | II | ✂ | 📦 |
|-----------|-----|-----|---|---|
| 37402 | 125 | 5 | 2 | 5 |
| 37403 | 160 | 6 ½ | 3 | 5 |

DIN ISO 5743.

Long flat-nose pliers Professional



Z 07 0 05

| Order-No. | mm | II | 📦 |
|-----------|-----|-----|---|
| 26731 | 160 | 6 ½ | 5 |

DIN ISO 5745.

Classic precision mechanic's needle nose pliers



with cutting edge and opening spring in straight shape

Z 36 0 01

| Order-No. | mm | II | ✂ | Ømm | 📦 |
|-----------|-----|-----|----|-----|---|
| 36483 | 160 | 6 ½ | 10 | 2 | 5 |

DIN ISO 5745.

Long flat-nose pliers Industrial



Z 07 0 02

| Order-No. | mm | II | 📦 |
|-----------|-----|-----|---|
| 32330 | 160 | 6 ½ | 5 |
| 34310 | 160 | 6 ½ | x |

DIN ISO 5745.

Precision mechanic's diagonal cutters Classic



with opening spring

Z 44 3 01

| Order-No. | mm | II | ✂ | Ømm | 📦 |
|-----------|-----|----|---|-----|---|
| 36189 | 125 | 5 | 7 | 0,8 | 5 |
| 43240 | 125 | 5 | 7 | 0,8 | x |

DIN ISO 5749.

Long flat-nose pliers Classic



Z 07 0 01

| Order-No. | mm | II | 📦 |
|-----------|-----|-----|---|
| 26730 | 160 | 6 ½ | 5 |
| 27344 | 160 | 6 ½ | x |

DIN ISO 5745.

Long round-nose pliers Professional



Z 09 0 05

| Order-No. | mm | II | SB | |
|-----------|-----|-----|----|---|
| 26734 | 160 | 6 ½ | | 5 |

DIN ISO 5745.

Long round-nose pliers Classic



Z 09 0 01

| Order-No. | mm | II | SB | |
|-----------|-----|-----|----|---|
| 26733 | 160 | 6 ½ | | 5 |
| 27345 | 160 | 6 ½ | x | 5 |

DIN ISO 5745.

Long round-nose pliers Industrial



Z 09 0 02

| Order-No. | mm | II | SB | |
|-----------|-----|-----|----|---|
| 32332 | 160 | 6 ½ | | 5 |
| 34568 | 160 | 6 ½ | x | 5 |

DIN ISO 5745.

Pliers wrench Classic



Z 25 0 01

| Order-No. | mm | II | ⊙ | |
|-----------|-----|----|----|---|
| 40923 | 250 | 10 | 46 | 6 |

INFOBOX: Plier wrench



- Required width setting directly on the work piece with no need to press any buttons
- Ratchet principle allows users to fasten screws rapidly with a simple glide.
- Thanks to its slim design and button-free setting, it is ideal for use in tight spaces.
- Smooth, parallel-acting jaws prevent damage on sensitive surfaces.

Water pump pliers Professional



box type

Z 21 0 05

| Order-No. | mm | in | ⊘ | ⊙ | SB | 📦 |
|-----------|-----|----|---|----|----|---|
| 26762 | 250 | 10 | 2 | 50 | | 5 |

DIN ISO 8976.

Water pump pliers Professional



with push button

Z 22 0 05

| Order-No. | mm | in | ⊘ | ⊙ | SB | 📦 |
|-----------|-----|----|---|----|----|---|
| 26766 | 250 | 10 | 2 | 50 | | 5 |

DIN ISO 8976.

Water pump pliers Industrial



box type

Z 21 0 02

| Order-No. | mm | in | ⊘ | ⊙ | SB | 📦 |
|-----------|-----|----|-----|----|----|---|
| 36038 | 180 | 7 | 1 | 30 | | 5 |
| 36985 | 180 | 7 | 1 | 30 | x | 5 |
| 32342 | 250 | 10 | 2 | 50 | | 5 |
| 34312 | 250 | 10 | 2 | 50 | x | 5 |
| 36039 | 300 | 12 | 2 ½ | 63 | | 5 |
| 36986 | 300 | 12 | 2 ½ | 63 | x | 5 |

DIN ISO 8976.

Water pump pliers Industrial



with push button

Z 22 0 02

| Order-No. | mm | in | ⊘ | ⊙ | SB | 📦 |
|-----------|-----|----|-----|----|----|---|
| 36040 | 180 | 7 | 1 | 30 | | 5 |
| 36987 | 180 | 7 | 1 | 30 | x | 1 |
| 32352 | 250 | 10 | 2 | 50 | | 5 |
| 34518 | 250 | 10 | 2 | 50 | x | 5 |
| 36041 | 300 | 12 | 2 ½ | 63 | | 5 |
| 36988 | 300 | 12 | 2 ½ | 63 | x | 5 |

DIN ISO 8976.

Water pump pliers Classic



box type

Z 21 0 01

| Order-No. | mm | in | ⊘ | ⊙ | SB | 📦 |
|-----------|-----|----|-----|----|----|---|
| 26760 | 180 | 7 | 1 | 30 | | 5 |
| 27350 | 180 | 7 | 1 | 30 | x | 5 |
| 26761 | 250 | 10 | 2 | 50 | | 5 |
| 27381 | 250 | 10 | 2 | 50 | x | 5 |
| 26763 | 300 | 12 | 2 ½ | 63 | | 5 |
| 27382 | 300 | 12 | 2 ½ | 63 | x | 5 |

DIN ISO 8976.

Water pump pliers Classic



with push button

Z 22 0 01

| Order-No. | mm | in | ⊘ | ⊙ | SB | 📦 |
|-----------|-----|----|-----|----|----|---|
| 26764 | 180 | 7 | 1 | 30 | | 5 |
| 27351 | 180 | 7 | 1 | 30 | x | 5 |
| 26765 | 250 | 10 | 2 | 50 | | 5 |
| 27383 | 250 | 10 | 2 | 50 | x | 5 |
| 26767 | 300 | 12 | 2 ½ | 63 | | 5 |
| 27384 | 300 | 12 | 2 ½ | 63 | x | 5 |

DIN ISO 8976.



Water pump pliers QuickFix Professional automatic



automatic

Z 23 1 05

| Order-No. | mm | II | O | Ø | SB | |
|-----------|-----|----|-----|----|----|---|
| 39093 | 250 | 10 | 1 ½ | 40 | | 1 |
| 39095 | 250 | 10 | 1 ½ | 40 | x | 5 |

DIN ISO 8976.

Heavy-duty end cutting nippers Classic



Z 17 0 01

| Order-No. | mm | II | ✂ | Ømm | SB | |
|-----------|-----|-----|----|-----|----|---|
| 26757 | 160 | 6 ½ | 16 | 1.6 | | 5 |
| 27372 | 160 | 6 ½ | 16 | 1.6 | x | 5 |
| 26758 | 180 | 7 | 17 | 1.8 | | 5 |
| 27373 | 180 | 7 | 17 | 1.8 | x | 5 |
| 26759 | 200 | 8 | 18 | 2 | | 5 |
| 27374 | 200 | 8 | 18 | 2 | x | 5 |

DIN ISO 5748.

Water pump pliers QuickFix Classic



automatic

Z 23 1 01

| Order-No. | mm | II | O | Ø | SB | |
|-----------|-----|----|-----|----|----|---|
| 39091 | 250 | 10 | 1 ½ | 40 | | 1 |
| 39094 | 250 | 10 | 1 ½ | 40 | x | 5 |

Pincers Classic



Z 30 0 01

| Order-No. | mm | II | ✂ | Ømm | SB | |
|-----------|-----|----|----|-----|----|---|
| 26771 | 180 | 7 | 12 | 2 | | 5 |
| 27375 | 180 | 7 | 12 | 2 | x | 5 |
| 26772 | 200 | 8 | 13 | 2.2 | | 5 |
| 27376 | 200 | 8 | 13 | 2.2 | x | 5 |

DIN ISO 9243.

Monier pliers Classic



Z 31 0 01

| Order-No. | mm | II | ✂ | Ømm | SB | 📦 |
|-----------|-----|-----|----|-----|----|---|
| 26774 | 220 | 8 ¾ | 16 | 1.6 | | 5 |
| 27377 | 220 | 8 ¾ | 16 | 1.6 | x | 5 |
| 26776 | 250 | 10 | 17 | 1.8 | | 5 |
| 27378 | 250 | 10 | 17 | 1.8 | x | 5 |
| 26778 | 280 | 11 | 18 | 2 | | 5 |
| 27379 | 280 | 11 | 18 | 2 | x | 5 |
| 26780 | 300 | 12 | 18 | 2 | | 5 |
| 27380 | 300 | 12 | 18 | 2 | x | 5 |

DIN ISO 9242.

Heavy-duty Classic Monier pliers



Z 32 0 01

| Order-No. | mm | II | ✂ | Ømm | SB | 📦 |
|-----------|-----|----|----|-----|----|---|
| 40712 | 300 | 12 | 19 | 2.3 | | 5 |
| 41220 | 300 | 12 | 19 | 2.3 | x | 5 |

DIN ISO 8976.

Monier pliers Classic



without handle cover

Z 31 0 00

| Order-No. | mm | II | ✂ | Ømm | SB | 📦 |
|-----------|-----|-----|----|-----|----|---|
| 26773 | 220 | 8 ¾ | 16 | 1.6 | | 5 |
| 27501 | 220 | 8 ¾ | 16 | 1.6 | x | 5 |
| 26775 | 250 | 10 | 17 | 1.8 | | 5 |
| 27502 | 250 | 10 | 17 | 1.8 | x | 5 |
| 26777 | 280 | 11 | 18 | 2 | | 5 |
| 27503 | 280 | 11 | 18 | 2 | x | 5 |
| 26779 | 300 | 12 | 18 | 2 | | 5 |
| 27504 | 300 | 12 | 18 | 2 | x | 5 |

DIN ISO 9242.

Heavy-duty Classic Plus Monier pliers



without handle cover

Z 32 0 10

| Order-No. | mm | II | ✂ | Ømm | SB | 📦 |
|-----------|-----|----|----|-----|----|---|
| 40713 | 300 | 12 | 19 | 2.3 | | 5 |
| 41221 | 300 | 12 | 19 | 2.3 | x | 5 |



Classic circlip pliers with MagicTips®, straight



For inner rings (drill holes)

Z 33 4 01

| Order-No. | Typ | mm | II | ⊙ | SB | 🔒 |
|-----------|------|-----|-----|--------|----|---|
| 34688 | J 0 | 140 | 5 ½ | 8-13 | | 5 |
| 36975 | J 0 | 140 | 5 ½ | 8-13 | x | 5 |
| 34689 | J 1 | 140 | 5 ½ | 12-25 | | 5 |
| 36225 | J 1 | 140 | 5 ½ | 12-25 | x | 5 |
| 34690 | J 2• | 180 | 7 | 19-60 | | 5 |
| 36222 | J 2• | 180 | 7 | 19-60 | x | 5 |
| 34691 | J 3• | 220 | 9 | 40-100 | | 5 |
| 36272 | J 3• | 220 | 9 | 40-100 | x | 5 |
| 34692 | J 4• | 305 | 12 | 85-140 | | 5 |

• with safety latching function DIN ISO 5256.

Classic circlip pliers with MagicTips®, angled



For inner rings (drill holes)

Z 33 5 01

| Order-No. | Typ | mm | II | ⊙ | SB | 🔒 |
|-----------|-------|-----|-----|--------|----|---|
| 34693 | J 01 | 140 | 5 ½ | 8-13 | | 5 |
| 36976 | J 01 | 140 | 5 ½ | 8-13 | x | 5 |
| 34694 | J 11 | 140 | 5 ½ | 12-25 | | 5 |
| 36223 | J 11 | 140 | 5 ½ | 12-25 | x | 5 |
| 34695 | J 21• | 180 | 7 | 19-60 | | 5 |
| 36224 | J 21• | 180 | 7 | 19-60 | x | 5 |
| 34696 | J 31• | 220 | 9 | 40-100 | | 5 |
| 36226 | J 31• | 220 | 9 | 40-100 | x | 5 |
| 34697 | J 41• | 305 | 12 | 85-140 | | 5 |

• with safety latching function DIN ISO 5256.

Classic circlip pliers with MagicTips®, straight



For outer rings (shafts)

Z 34 4 01

| Order-No. | Typ | mm | II | ⊙ | SB | 🔒 |
|-----------|------|-----|-----|--------|----|---|
| 34698 | A 0 | 140 | 5 ½ | 7-10 | | 5 |
| 36977 | A 0 | 140 | 5 ½ | 7-10 | x | 5 |
| 34699 | A 1 | 140 | 5 ½ | 10-25 | | 5 |
| 36978 | A 1 | 140 | 5 ½ | 10-25 | x | 5 |
| 34700 | A 2• | 185 | 7 | 19-60 | | 5 |
| 36220 | A 2• | 185 | 7 | 19-60 | x | 5 |
| 34701 | A 3• | 240 | 9 | 40-100 | | 5 |
| 36219 | A 3• | 240 | 9 | 40-100 | x | 5 |
| 34702 | A 4• | 300 | 12 | 85-140 | | 5 |

• with safety latching function DIN ISO 5254.

Classic circlip pliers with MagicTips®, angled



For outer rings (shafts)

Z 34 5 01

| Order-No. | Typ | mm | II | ⊙ | SB | 🔒 |
|-----------|-------|-----|-----|--------|----|---|
| 34703 | A 01 | 140 | 5 ½ | 7-10 | | 5 |
| 36979 | A 01 | 140 | 5 ½ | 7-10 | x | 5 |
| 34704 | A 11 | 140 | 5 ½ | 10-25 | | 5 |
| 36980 | A 11 | 140 | 5 ½ | 10-25 | x | 1 |
| 34705 | A 21• | 185 | 7 | 19-60 | | 5 |
| 36218 | A 21• | 185 | 7 | 19-60 | x | 1 |
| 34706 | A 31• | 240 | 9 | 40-100 | | 5 |
| 36221 | A 31• | 240 | 9 | 40-100 | x | 5 |
| 34707 | A 41• | 300 | 12 | 85-140 | | 5 |

• with safety latching function DIN ISO 5254.

Classic circlip pliers, straight



For inner rings (drill holes)

Z 33 0 01

| Order-No. | Typ | mm | II | ⊙ | |
|-----------|-----|-----|-----|--------|---|
| 26781 | J 0 | 139 | 5 ½ | 8-13 | 5 |
| 26782 | J 1 | 140 | 5 ½ | 12-25 | 5 |
| 26783 | J 2 | 180 | 7 | 19-60 | 5 |
| 26784 | J 3 | 225 | 9 | 40-100 | 5 |
| 29425 | J 4 | 310 | 12 | 85-140 | 5 |

DIN ISO 5256.

Classic circlip pliers, angled



For inner rings (drill holes)

Z 33 1 01

| Order-No. | Typ | mm | II | ⊙ | |
|-----------|------|-----|-----|--------|---|
| 26785 | J 01 | 139 | 5 ½ | 8-13 | 5 |
| 26786 | J 11 | 140 | 5 ½ | 12-25 | 5 |
| 26787 | J 21 | 180 | 7 | 19-60 | 5 |
| 26788 | J 31 | 225 | 9 | 40-100 | 5 |
| 29427 | J 41 | 310 | 12 | 85-140 | 5 |

DIN ISO 5256.

Classic circlip pliers, straight



For outer rings (shafts)

Z 34 0 01

| Order-No. | Typ | mm | II | ⊙ | |
|-----------|-----|-----|-----|--------|---|
| 26789 | A 0 | 139 | 5 ½ | 3-10 | 5 |
| 26790 | A 1 | 140 | 5 ½ | 10-25 | 5 |
| 26791 | A 2 | 180 | 7 | 19-60 | 5 |
| 26792 | A 3 | 225 | 9 | 40-100 | 5 |
| 29428 | A 4 | 310 | 12 | 85-140 | 5 |

DIN ISO 5254.

Classic circlip pliers, angled



For outer rings (shafts)

Z 34 1 01

| Order-No. | Typ | mm | II | ⊙ | |
|-----------|------|-----|-----|--------|---|
| 26794 | A 01 | 139 | 5 ½ | 3-10 | 5 |
| 26795 | A 11 | 140 | 5 ½ | 10-25 | 5 |
| 26796 | A 21 | 180 | 7 | 19-60 | 5 |
| 26797 | A 31 | 225 | 9 | 40-100 | 5 |
| 29429 | A 41 | 310 | 12 | 85-140 | 5 |

DIN ISO 5254.

INFOBOX: MagicTips®



Wiha MagicTips® – Top of their class.

- Maximum grip: The special latching function preventing jumping away of the safety rings makes the Wiha circlip pliers truly unique.
- Hard as steel: Additional hardening of tips means high wear resistance and therefore excellent durability.
- Precise: Precision tips of high performance steel for maximum grip and high stability.



Corner pipe pliers Classic



S-mouth

Z 26 0 00

| Order-No. | mm | O: | Icon | Icon |
|-----------|-----|-----|------|------|
| 29435 | 320 | 1 | 0-40 | 1 |
| 29436 | 420 | 1 ½ | 0-55 | 1 |
| 29437 | 535 | 2 | 0-67 | 1 |

DIN 5234.

Corner pipe pliers Classic



90°

Z 26 2 00

| Order-No. | mm | O: | Icon | Icon |
|-----------|-----|-----|------|------|
| 29441 | 320 | 1 | 0-40 | 1 |
| 29442 | 415 | 1 ½ | 0-55 | 1 |
| 29443 | 555 | 2 | 0-67 | 1 |

DIN 5234.

Professional revolving punch pliers



Z 65 0 05

| Order-No. | mm | II | Ø | Icon |
|-----------|-----|----|---------|------|
| 28402 | 225 | 9 | 2,0-4,5 | 5 |

Revolving punch and loop pliers Professional



Z 65 2 05

| Order-No. | mm | II | Ø | Icon |
|-----------|-----|----|---------|------|
| 29550 | 225 | 9 | 4,0-5,0 | 5 |

Gripping pliers Classic



with wire cutter

Z 66 0 00

| Order-No. | mm | II | ○ | □ | |
|-----------|-----|----|------|------|---|
| 29485 | 180 | 7 | 8-30 | 0-20 | 5 |
| 29486 | 250 | 10 | 8-40 | 0-20 | 5 |
| 29487 | 300 | 12 | 8-65 | 0-30 | 5 |

Bolt cutter Classic



Z 27 0 01

| Order-No. | mm | II | ✂ | Ømm | |
|-----------|-----|----|---|-----|---|
| 39374 | 450 | 18 | 6 | 6 | 1 |
| 39376 | 600 | 24 | 7 | 8 | 1 |
| 39378 | 750 | 30 | 8 | 9 | 1 |
| 39380 | 900 | 36 | 9 | 11 | 1 |

Replacement cutter head



for bolt cutter Classic

Z 27 0 01K

| Order-No. | ✂ | Ømm | |
|-----------|---|-----|---|
| 39375 | 6 | 6 | 1 |
| 39377 | 7 | 8 | 1 |
| 39379 | 8 | 9 | 1 |
| 39381 | 9 | 11 | 1 |



Pliers set Professional ESD



Diagonal cutters, oblique end cutting nippers, needle nose pliers, 4-pcs. in tool pouch

Z 99 0 001 04

| Order-No. | |
|-----------|--|
| 33507 | 1 |
| ▶ | Diagonal cutters Professional ESD wide, pointed head without bevelled edge 115mm, 4 1/2" (26821) |
| ▶ | Diagonal cutters Professional ESD wide, semi-rounded head with bevelled edge 115mm, 4 1/2" (26831) |
| ▶ | Oblique end cutting nippers Professional ESD wide head, approx. 29° with small bevelled edge 115mm, 4 1/2" (26835) |
| ● | Needle nose pliers Professional ESD straight 120mm, 4 3/4" (26799) |

SMD tweezer set Professional ESD



Mixed 4-pcs. in box

ZP 99 0 140 02

| Order-No. | |
|-----------|---|
| 32349 | 1 |
| | Universal tweezers Professional ESD Type AA 130mm, AA (32318) |
| | Precision tweezers Professional ESD Type PSF 130mm, PSF (32325) |
| | SMD tweezers Professional ESD Type 13 120mm, 13 (32340) |
| | SMD tweezers Professional ESD Type 59 117mm, 59 (32344) |

INFOBOX:
**Electrostatic
conductive ESD
tools**



Sensitive, electronic components can be damaged even at a very low voltage.

- Dissipative tools by Wiha discharge the electrostatic energy in a controlled, safe manner.
- ESD tools meet the ESD Standard IEC 61340-5-1.
- ESD tool handles have a surface resistance of $10^6 - 10^9$ Ohm.

Diagonal cutters Professional ESD



narrow, pointed head with bevelled edge

Z 40 1 04

| Order-No. | mm | II | ✂ | Ømm | SB | 📦 |
|-----------|-----|-----|---|-----|----|---|
| 26808 | 115 | 4 ½ | 7 | 0.6 | | 5 |
| 27442 | 115 | 4 ½ | 7 | 0.6 | x | 5 |

DIN ISO 9654. IEC 61340-5-1.

Diagonal cutters Professional ESD



wide, pointed head with bevelled edge

Z 41 1 04

| Order-No. | mm | II | ✂ | Ømm | SB | 📦 |
|-----------|-----|-----|---|-----|----|---|
| 26816 | 115 | 4 ½ | 7 | 1 | | 5 |
| 27444 | 115 | 4 ½ | 7 | 1 | x | 5 |

DIN ISO 9654. IEC 61340-5-1.

Diagonal cutters Professional ESD



narrow, pointed head without bevelled edge

Z 40 3 04

| Order-No. | mm | II | ✂ | Ømm | 📦 |
|-----------|-----|-----|---|-----|---|
| 33521 | 115 | 4 ½ | 2 | 1 | 5 |

DIN ISO 9654. IEC 61340-5-1.

Diagonal cutters Professional ESD



wide, pointed head without bevelled edge

Z 41 3 04

| Order-No. | mm | II | ✂ | Ømm | SB | 📦 |
|-----------|-----|-----|---|-----|----|---|
| 26821 | 115 | 4 ½ | 2 | 1 | | 5 |
| 27445 | 115 | 4 ½ | 2 | 1 | x | 5 |

DIN ISO 9654. IEC 61340-5-1.

Diagonal cutters Professional ESD



narrow, pointed head with small bevelled edge

Z 40 4 04

| Order-No. | mm | II | ✂ | Ømm | SB | 📦 |
|-----------|-----|-----|---|-----|----|---|
| 26814 | 115 | 4 ½ | 2 | 1 | | 5 |
| 27443 | 115 | 4 ½ | 2 | 1 | x | 5 |

DIN ISO 9654. IEC 61340-5-1.

Diagonal cutters Professional ESD



wide, pointed head and wire trapping spring with small bevelled edge

Z 41 4 04

| Order-No. | mm | II | ✂ | Ømm | SB | 📦 |
|-----------|-----|-----|---|-----|----|---|
| 26822 | 115 | 4 ½ | 2 | 1.2 | | 5 |
| 27446 | 115 | 4 ½ | 2 | 1.2 | x | 5 |

DIN ISO 9654. IEC 61340-5-1.



Diagonal cutters Professional ESD



narrow, semi-rounded head with small bevelled edge **Z 43 1 04**

| Order-No. | mm | II | ✂ | Ømm | SB | 📦 |
|-----------|-----|-----|---|-----|----|---|
| 26826 | 115 | 4 ½ | 2 | 1.2 | | 5 |
| 27447 | 115 | 4 ½ | 2 | 1.2 | x | 5 |

DIN ISO 9654. IEC 61340-5-1.

Oblique end cutting nippers Professional ESD



wide head, approx. 29° with small bevelled edge **Z 46 1 04**

| Order-No. | mm | II | ✂ | Ømm | SB | 📦 |
|-----------|-----|-----|---|-----|----|---|
| 26835 | 115 | 4 ½ | 2 | 1.2 | | 5 |
| 27450 | 115 | 4 ½ | 2 | 1.2 | x | 5 |

DIN ISO 9654. IEC 61340-5-1.

Diagonal cutters Professional ESD



wide, semi-rounded head with bevelled edge **Z 44 1 04**

| Order-No. | mm | II | ✂ | Ømm | SB | 📦 |
|-----------|-----|-----|---|-----|----|---|
| 26831 | 115 | 4 ½ | 7 | 1 | | 5 |
| 27448 | 115 | 4 ½ | 7 | 1 | x | 5 |

DIN ISO 9654. IEC 61340-5-1.

End cutting nippers Professional ESD



narrow head with small bevelled edge **Z 47 1 04**

| Order-No. | mm | II | ✂ | Ømm | SB | 📦 |
|-----------|-----|-----|---|-----|----|---|
| 26839 | 110 | 4 ¼ | 2 | 0.6 | | 5 |
| 27452 | 110 | 4 ¼ | 2 | 0.6 | x | 5 |

DIN ISO 9654. IEC 61340-5-1.

Diagonal cutters Professional ESD



wide, semi-rounded head with small bevelled edge **Z 44 3 04**

| Order-No. | mm | II | ✂ | Ømm | SB | 📦 |
|-----------|-----|-----|---|-----|----|---|
| 26832 | 115 | 4 ½ | 2 | 1.2 | | 5 |
| 27449 | 115 | 4 ½ | 2 | 1.2 | x | 5 |

DIN ISO 9654. IEC 61340-5-1.

End cutting nippers Professional ESD



wide head with small bevelled edge **Z 47 2 04**

| Order-No. | mm | II | ✂ | Ømm | SB | 📦 |
|-----------|-----|-----|---|-----|----|---|
| 26840 | 115 | 4 ½ | 2 | 1.4 | | 5 |
| 27453 | 115 | 4 ½ | 2 | 1.4 | x | 5 |

DIN ISO 9654. IEC 61340-5-1.

Needle nose pliers Professional ESD



straight

Z 36 0 04

| Order-No. | mm | II | A | B | D | F | |
|-----------|-----|-------|------|----|-----|-----|---|
| 26799 | 120 | 4 3/4 | 9,5 | 23 | 6,5 | 1,4 | 5 |
| 27329 | 120 | 4 3/4 | 9,5 | 23 | 6,5 | 1,4 | 5 |
| 27905 | 145 | 5 3/4 | 12,0 | 40 | 7,5 | 2,0 | 5 |

DIN ISO 9655. IEC 61340-5-1.

Flat-nose pliers Professional ESD



Short, flat jaws

Z 38 0 04

| Order-No. | mm | II | SB | |
|-----------|-----|-------|----|---|
| 26806 | 120 | 4 3/4 | | 5 |
| 27441 | 120 | 4 3/4 | x | 5 |

DIN ISO 9655. IEC 61340-5-1.

Needle nose pliers Professional ESD



curved form, approx. 45°

Z 36 1 04

| Order-No. | mm | II | SB | |
|-----------|-----|-------|----|---|
| 26802 | 120 | 4 3/4 | | 5 |
| 27439 | 120 | 4 3/4 | x | 5 |

DIN ISO 9655. IEC 61340-5-1.

Round-nose pliers Professional ESD



Short, rounded jaws

Z 37 0 04

| Order-No. | mm | II | SB | |
|-----------|-----|-------|----|---|
| 26804 | 120 | 4 3/4 | | 5 |
| 27440 | 120 | 4 3/4 | x | 5 |

DIN ISO 9655. IEC 61340-5-1.



Universal tweezers Professional ESD



Type AA

ZP 01 0 14

| Order-No. | mm | Typ | |
|-----------|-----|-----|----|
| 32318 | 130 | AA | 10 |

IEC 61340-5-1.

Precision tweezers Professional ESD



Type 00

ZP 11 0 14

| Order-No. | mm | Typ | |
|-----------|-----|-----|----|
| 32327 | 120 | 00 | 10 |

IEC 61340-5-1.

Precision tweezers Professional ESD



Type GG

ZP 06 0 14

| Order-No. | mm | Typ | |
|-----------|-----|-----|----|
| 32347 | 130 | GG | 10 |

IEC 61340-5-1.

Precision tweezers Professional ESD



Type 2a

ZP 15 0 14

| Order-No. | mm | Typ | |
|-----------|-----|-----|----|
| 32329 | 120 | 2a | 10 |

IEC 61340-5-1.

Precision tweezers Professional ESD



Type PSF

ZP 07 1 14

| Order-No. | mm | Typ | |
|-----------|-----|-----|----|
| 32325 | 130 | PSF | 10 |

IEC 61340-5-1.

Precision tweezers Professional ESD



Type 3c

ZP 16 0 14

| Order-No. | mm | Typ | |
|-----------|-----|-----|----|
| 32346 | 110 | 3c | 10 |

IEC 61340-5-1.

Precision tweezers Professional ESD



Type SS

ZP 09 0 14

| Order-No. | mm | Typ | |
|-----------|-----|-----|----|
| 32326 | 135 | SS | 10 |

IEC 61340-5-1.

Precision tweezers Professional ESD



Type 5

ZP 18 0 14

| Order-No. | mm | Typ | |
|-----------|-----|-----|----|
| 32334 | 110 | 5 | 10 |

IEC 61340-5-1.

Precision tweezers Professional ESD



Type 7a

ZP 20 1 14

| Order-No. | mm | Typ | |
|-----------|-----|-----|----|
| 32335 | 120 | 7a | 10 |

IEC 61340-5-1.

Universal tweezers Professional ESD



Type 40

ZP 46 0 14

| Order-No. | mm | Typ | |
|-----------|-----|-----|----|
| 32343 | 145 | 40 | 10 |

IEC 61340-5-1.

Precision tweezers Professional ESD



Type 7abb

ZP 20 2 14

| Order-No. | mm | Typ | |
|-----------|-----|------|----|
| 32336 | 120 | 7abb | 10 |

IEC 61340-5-1.

SMD tweezers Professional ESD



Type 59

ZP 50 0 14

| Order-No. | mm | Typ | |
|-----------|-----|-----|----|
| 32344 | 117 | 59 | 10 |

IEC 61340-5-1.

SMD tweezers Professional ESD



Type 12

ZP 24 0 14

| Order-No. | mm | Typ | |
|-----------|-----|-----|----|
| 32338 | 120 | 12 | 10 |

IEC 61340-5-1.

SMD tweezers Professional ESD



Type 13

ZP 25 2 14

| Order-No. | mm | Typ | |
|-----------|-----|-----|----|
| 32340 | 120 | 13 | 10 |

IEC 61340-5-1.



Diagonal cutters Electronic



wide, pointed head without bevelled edge

Z 41 1 03

| Order-No. | mm | II | Scissors | Ømm | SB | Icon |
|-----------|-----|-------|----------|-----|----|------|
| 26818 | 130 | 5 1/2 | 3 | 1.3 | | 5 |
| 27391 | 130 | 5 1/2 | 3 | 1.3 | x | 5 |

Diagonal cutters Electronic



very narrow, pointed head without bevelled edge

Z 40 0 03

| Order-No. | mm | II | Scissors | Ømm | SB | Icon |
|-----------|-----|-------|----------|-----|----|------|
| 26812 | 128 | 5 1/4 | 2 | 0.8 | | 5 |
| 27388 | 128 | 5 1/4 | 2 | 0.8 | x | 5 |

Diagonal cutters Electronic



wide, pointed head with small bevelled edge

Z 41 3 03

| Order-No. | mm | II | Scissors | Ømm | SB | Icon |
|-----------|-----|-------|----------|-----|----|------|
| 26815 | 135 | 5 1/4 | 8 | 0.8 | | 5 |
| 27393 | 135 | 5 1/4 | 8 | 0.8 | x | 5 |

DIN ISO 9654.

Diagonal cutters Electronic



narrow, pointed head and wire trapping spring without bevelled edge

Z 40 1 03

| Order-No. | mm | II | Scissors | Ømm | SB | Icon |
|-----------|-----|----|----------|-----|----|------|
| 26813 | 126 | 5 | 2 | 1 | | 5 |
| 27390 | 126 | 5 | 2 | 1 | x | 5 |

Diagonal cutters Electronic



wide, pointed head and wire trapping spring without bevelled edge

Z 41 6 03

| Order-No. | mm | II | Scissors | Ømm | SB | Icon |
|-----------|-----|-------|----------|-----|----|------|
| 26825 | 130 | 5 1/8 | 3 | 1.3 | | 5 |
| 27395 | 130 | 5 1/8 | 3 | 1.3 | x | 5 |

Oblique cutting nippers Electronic



wide, pointed head without bevelled edge

Z 46 0 03

| Order-No. | mm | II | Scissors | Ømm | SB | Icon |
|-----------|-----|-------|----------|-----|----|------|
| 26833 | 130 | 5 1/4 | 3 | 1.3 | | 5 |
| 27398 | 130 | 5 1/4 | 3 | 1.3 | x | 5 |

Oblique end cutting nippers Electronic



very narrow, short head without bevelled edge

Z 46 0 03

| Order-No. | mm | II | SB | Ø mm | SB | Icon |
|-----------|-----|----|----|------|----|------|
| 26830 | 125 | 5 | 2 | 0.6 | | 5 |
| 27397 | 125 | 5 | 2 | 0.6 | x | 5 |

Stripping pliers Electronic



Stripping points 0.8-2.6 mm

Z 49 2 03

| Order-No. | mm | II | mm² | AWG | SB | Icon |
|-----------|-----|-----|-----------|-------|----|------|
| 33471 | 165 | 6 ½ | 0,81-2,59 | 20-10 | | 5 |
| 36794 | 165 | 6 ½ | 0,81-2,59 | 20-10 | x | 5 |

Needle nose pliers Electronic



narrow, short head straight form

Z 36 0 03

| Order-No. | mm | II | SB | Icon |
|-----------|-----|----|----|------|
| 26801 | 150 | 6 | | 5 |
| 27326 | 150 | 6 | x | 5 |

Stripping pliers Electronic



Stripping points 0.4-1.3 mm

Z 49 7 03

| Order-No. | mm | II | mm² | AWG | SB | Icon |
|-----------|-----|-----|---------|-------|----|------|
| 33472 | 165 | 6 ½ | 0,4-1,3 | 26-16 | | 5 |
| 35820 | 165 | 6 ½ | 0,4-1,3 | 26-16 | x | 5 |

Needle nose pliers Electronic














Narrow, long head, curved about 40°

Z 36 1 03

| Order-No. | mm | II | SB | Icon |
|-----------|-----|-----|----|------|
| 41015 | 142 | 5 ½ | | 5 |
| 41222 | 142 | 5 ½ | x | 5 |



The cutting capacities for our pliers.

| Plastic/ copper/ aluminium electrical cable/electrical cable/ silver wire | | | | | Iron nails, brass screws, wire-mesh fencing | | | | |
|---|--|---|---|---|---|---|--|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| | Diagonal cutters for plastic |  | | | | | | | Precision mechanic's needle nose pliers |
| | Diagonal cutters Electronic |  | | | | Precision mechanic's diagonal cutters |  | | |
| | | Oblique cutting nippers Electronic |  | | | | Electronic diagonal cutters with bevelled edge |  | |
| | Electronic micro oblique end cutting nippers |  | | | | | | | |
| | Electronic micro diagonal cutters |  | | | | | | | |
| | ESD end cutting nippers |  | | | | ESD diagonal cutters with bevelled edge |  | | |
| | ESD oblique end cutting nippers |  | | | | | | | |
| | ESD diagonal cutters |  | | | | | | | |

Screws, wire rope, wire basket, electric rail

Springs, hardened pins, chains

11

12

13

14

15

16

17


18

19


20

21

TriCut installation pliers




Electrician's diagonal cutters



Pincers




Lineman's pliers




BiCut® Diagonal cutters 100% /

200%




Heavy-duty Monier pliers




High-leverage combination pliers



Combination pliers



Diagonal cutters



Heavy-duty diagonal cutters



End cutting nippers




Monier pliers



Needle nose pliers



Bent needle nose pliers





Striking and measuring tools. Optimum force transmission

With optimally uniform weight distribution, the Wiha electric hammer strikes a perfect balance and is also eminently suitable for use in confined working environments. Removing nails and nail clamps as well as fixing cables and dowels into position without causing damage become extremely simple tasks. Wiha's scaled impact screwdriver blade ensures that the portable dowel racket makes a perfectly dimensioned dowel hole to the required depth anywhere at any time without making a mess, unlike power tools.

Wiha measuring tools prove to be further dependable helpers during electrical installation work. The Wiha electrician's spirit level allows users to easily mark spaces for up to four flush boxes. This spirit level stands out due to its effortless dimension measurement and perfectly visible bubbles.

Application Striking and measuring tools.

Impact tools

Soft-faced hammer set Safety
with assorted hammer faces, 8-pcs. in box
Page 328



Soft-faced hammer Safety
soft/medium hard, with hickory wooden handle, round hammer face
Page 329



Soft-faced hammer dead-blow, medium hard
with hickory wooden handle, round hammer face
Page 332



Soft-faced hammer dead-blow, medium hard
With steel tube handle, round hammer face
Page 332



Electrician's hammer
with 300 g hammer head, in blister pack
Page 334



SoftFinish® dowel ratchet set
with dowels
Phillips with 6 mm round blade in blister pack, 5-pcs.
Page 334



Measurement tools

Electrician's spirit level
40 cm
Page 335



Callipers digiMax digital
Reading 0.01 mm
Page 335



Electrician's Longlife®
folding ruler, 2 m
metric, 10 segments
Page 336



Folding ruler LongLife Plus
Composite 2 m
metric, 10 segments
Page 336





with assorted hammer faces, 8-pcs. in box

832 B8

| | |
|---|---|
| Order-No. |  |
| 44008 | 1 |
| 1 x Hammer face soft Round for soft-faced safety hammer | |
| 2 x Hammer face medium soft Round for soft-faced safety hammer | |
| 2 x Hammer face medium hard Round for soft-faced safety hammer | |
| 2 x Hammer face hard Round for soft-faced safety hammer | |
| 1 x Hammer face very hard Round for soft-faced safety hammer | |
| 1 x Hickory wooden handle for safety soft-faced hammer | |
| 1 x Hammer housing set with screw and locknut for Safety soft-faced hammer | |
|  | 1 x L-keys Hexagonal ball end matt chrome-plated |

INFOBOX:
Colour code system for Wiha hammer faces



Safety note:

- Always wear safety glasses and safety gloves when working with soft-faced hammers. Please observe the applicable national standards and regulations.
- Please observe the following tightening torques when replacing heads or handles:
 - Size 30 = 20 Nm
 - Size 40 = 40 Nm
 - Size 50 = 70 Nm
 - Size 60 = 70 Nm
 - Size 80 = 80 Nm

Hammer face

- soft (blue)
- medium soft (black)
- medium hard (yellow)
- hard (orange)
- very hard (white)

Application range

- for sensitive materials, such as those in furniture and interior construction, minor assembly. Material: elastomer.
- for robust work, such as paving, tiling, dry wall installation. Material: rubber.
- universal use, such as for tool and machine manufacture, car repairs, sheet metal and assembly work. Material: polyurethane.
- for high stress mechanical tasks such as assembly and dismantling work, building and construction work, repair work. Material: cellulose acetate.
- for high impact work, heavy industry and construction, mould construction, road construction, horticulture and landscaping. Material: polyamide.

You will find detailed instructions on replacing at www.wiha.com

Soft-faced hammer Safety soft/medium soft



with hickory wooden handle, round hammer face

832-13

| Order-No. | ● | ⊥ | ⊥ | ⊥ | ⊥ | ⊥ |
|-----------|----|-----|-----|------|---|---|
| 26649 | 30 | 87 | 290 | 289 | | 5 |
| 26650 | 40 | 110 | 325 | 637 | | 5 |
| 26651 | 50 | 131 | 360 | 1117 | | 2 |
| 26652 | 60 | 150 | 400 | 1636 | | 2 |

Soft-faced hammer Safety medium soft/medium hard



with hickory wooden handle, round hammer face

832-35

| Order-No. | ● | ⊥ | ⊥ | ⊥ | ⊥ | ⊥ |
|-----------|----|-----|-----|------|---|---|
| 26434 | 30 | 87 | 290 | 295 | | 5 |
| 26435 | 40 | 110 | 325 | 636 | | 5 |
| 26436 | 50 | 131 | 360 | 1100 | | 2 |
| 26437 | 60 | 150 | 400 | 1632 | | 2 |

Soft-faced hammer Safety soft/medium hard



with hickory wooden handle, round hammer face

832-15

| Order-No. | ● | ⊥ | ⊥ | ⊥ | ⊥ | ⊥ |
|-----------|----|-----|-----|------|---|---|
| 26653 | 30 | 87 | 290 | 272 | | 5 |
| 26654 | 40 | 110 | 325 | 620 | | 5 |
| 26655 | 50 | 131 | 360 | 1077 | | 2 |
| 26656 | 60 | 150 | 400 | 1555 | | 2 |

Soft-faced hammer Safety medium soft/hard



with hickory wooden handle, round hammer face

832-38

| Order-No. | ● | ⊥ | ⊥ | ⊥ | ⊥ | ⊥ |
|-----------|----|-----|-----|------|---|---|
| 26611 | 30 | 87 | 290 | 306 | | 5 |
| 26612 | 40 | 110 | 325 | 621 | | 5 |
| 26613 | 50 | 131 | 360 | 1103 | | 2 |
| 26614 | 60 | 150 | 400 | 1620 | | 2 |

Soft-faced hammer Safety medium soft/medium soft



with hickory wooden handle, round hammer face

832-33

| Order-No. | ● | ⊥ | ⊥ | ⊥ | ⊥ | ⊥ |
|-----------|----|-----|-----|------|---|---|
| 26509 | 30 | 87 | 290 | 302 | | 5 |
| 26431 | 40 | 110 | 325 | 640 | | 5 |
| 26432 | 50 | 131 | 360 | 1130 | | 2 |
| 26433 | 60 | 150 | 400 | 1692 | | 2 |
| 26439 | 80 | 185 | 490 | 3136 | | 2 |



Hammer face hard



Round for soft-faced safety hammer

831-8

| Order-No. | ● | t | ↕ | g | ↕ | 📦 |
|-----------|----|-------|---|---|---|---|
| 26615 | 30 | 25.5 | | | | 5 |
| 26616 | 40 | 53.5 | | | | 5 |
| 26618 | 50 | 53 | | | | 2 |
| 26620 | 60 | 182.5 | | | | 2 |

You will find detailed instructions on replacing at www.wiha.com

Hammer housing set



with screw and locknut for Safety soft-faced hammer

829-0

| Order-No. | ● | t | ↕ | g | ↕ | 📦 |
|-----------|----|------|---|---|---|---|
| 26668 | 30 | 159 | | | | 1 |
| 26669 | 40 | 375 | | | | 1 |
| 26670 | 50 | 709 | | | | 1 |
| 26671 | 60 | 1017 | | | | 1 |
| 26672 | 80 | 1894 | | | | 1 |

• Also for sledgehammers

You will find detailed instructions on replacing at www.wiha.com

Hammer face very hard



Round for soft-faced safety hammer

831-9

| Order-No. | ● | t | ↕ | g | ↕ | 📦 |
|-----------|----|------|---|---|---|---|
| 26510 | 30 | 26.8 | | | | 5 |
| 26511 | 40 | 57.4 | | | | 5 |
| 26512 | 50 | 112 | | | | 2 |
| 26513 | 60 | 191 | | | | 2 |
| 26514 | 80 | 395 | | | | 2 |

• Also for sledgehammers

You will find detailed instructions on replacing at www.wiha.com

Hickory wooden handle



for safety soft-faced hammer

830-0

| Order-No. | ● | t | ↕ | g | ↕ | 📦 |
|-----------|-----|-----|-----|---|---|---|
| 26417 | 30 | 260 | 93 | | | 5 |
| 26418 | 40 | 280 | 119 | | | 5 |
| 26419 | 50 | 310 | 190 | | | 2 |
| 26420 | 60 | 340 | 202 | | | 2 |
| 26421 | 80 | 400 | 302 | | | 2 |
| 26667 | 80L | 800 | 601 | | | 1 |

• for sledgehammer

You will find detailed instructions on replacing at www.wiha.com



Soft-faced hammer dead-blow, very hard



with hickory wooden handle, round hammer face

8001

| Order-No. | ● | † | ⊞ | ⊞ | ⊞ | ⊞ | ⊞ | ⊞ |
|-----------|----|-----|-----|------|---|---|---|---|
| 39008 | 30 | 115 | 350 | 444 | | | | 5 |
| 39010 | 40 | 125 | 375 | 750 | | | | 5 |
| 39012 | 50 | 135 | 385 | 1040 | | | | 2 |
| 39014 | 60 | 165 | 420 | 1700 | | | | 2 |

Soft-faced hammer dead-blow, very hard



With steel tube handle, round hammer face

8021

| Order-No. | ● | † | ⊞ | ⊞ | ⊞ | ⊞ | ⊞ | ⊞ |
|-----------|----|-----|-----|------|---|---|---|---|
| 39017 | 30 | 115 | 290 | 556 | | | | 5 |
| 39019 | 40 | 125 | 305 | 792 | | | | 5 |
| 39021 | 50 | 135 | 365 | 1276 | | | | 2 |
| 39022 | 60 | 165 | 375 | 1868 | | | | 2 |

Soft-faced hammer dead-blow, medium hard



with hickory wooden handle, round hammer face

800

| Order-No. | ● | † | ⊞ | ⊞ | ⊞ | ⊞ | ⊞ | ⊞ |
|-----------|----|-----|-----|------|---|---|---|---|
| 02092 | 25 | 108 | 320 | 300 | | | | 5 |
| 02093 | 30 | 115 | 350 | 436 | | | | 5 |
| 02094 | 35 | 118 | 355 | 543 | | | | 5 |
| 02095 | 40 | 125 | 375 | 736 | | | | 5 |
| 02096 | 45 | 130 | 380 | 848 | | | | 2 |
| 02097 | 50 | 135 | 385 | 1085 | | | | 2 |
| 02098 | 60 | 165 | 420 | 1710 | | | | 2 |
| 02099 | 70 | 165 | 430 | 2256 | | | | 2 |

Soft-faced hammer dead-blow, medium hard



With steel tube handle, round hammer face

802

| Order-No. | ● | † | ⊞ | ⊞ | ⊞ | ⊞ | ⊞ | ⊞ |
|-----------|----|-----|-----|------|---|---|---|---|
| 02122 | 25 | 108 | 288 | 461 | | | | 5 |
| 02123 | 30 | 115 | 290 | 558 | | | | 5 |
| 02124 | 35 | 118 | 300 | 659 | | | | 5 |
| 02125 | 40 | 125 | 305 | 791 | | | | 5 |
| 02126 | 45 | 130 | 310 | 935 | | | | 2 |
| 02127 | 50 | 135 | 365 | 1277 | | | | 2 |
| 02128 | 60 | 165 | 375 | 1879 | | | | 2 |
| 02129 | 70 | 165 | 385 | 2571 | | | | 2 |

Sledgehammer no recoil, medium hard



with hickory wooden handle, round hammer face

800V

| Order-No. | ● | † | ⊞ | ⊞ | ⊞ | ⊞ | ⊞ | ⊞ |
|-----------|-----|-----|------|------|---|---|---|---|
| 02101 | 80 | 205 | 880 | 4580 | | | | 2 |
| 02091 | 100 | 210 | 1000 | 6880 | | | | 1 |

Hickory wooden handle



for dead-blow soft-faced hammer

800S

| Order-No. | ● | ! ↓ | ↔ | ↕ | ☒ |
|-----------|-------|-----|------|---|----|
| 02113 | 25 | 295 | 63 | | 10 |
| 02114 | 30/35 | 320 | 105 | | 10 |
| 02115 | 40/45 | 335 | 142 | | 10 |
| 02116 | 50 | 335 | 145 | | 10 |
| 02117 | 60/70 | 360 | 192 | | 5 |
| 28051 | 80• | 800 | 792 | | 1 |
| 28052 | 100• | 900 | 1017 | | 1 |

You will find detailed instructions on replacing at www.wiha.com

Hammer face very hard



Round for soft-faced no-recoil hammer

8001K

| Order-No. | ● | ! ↓ | ↔ | ↕ | ☒ |
|-----------|----|------|---|---|---|
| 39149 | 30 | 17.4 | | | 1 |
| 39150 | 40 | 69 | | | 1 |
| 39151 | 50 | 67 | | | 1 |
| 39152 | 60 | 115 | | | 1 |

You will find detailed instructions on replacing at www.wiha.com

Hammer face medium hard



Round for soft-faced no-recoil hammer

800K

| Order-No. | ● | ! ↓ | ↔ | ↕ | ☒ |
|-----------|-----|-------|---|---|----|
| 02103 | 25 | 13.17 | | | 10 |
| 02104 | 30 | 18.4 | | | 10 |
| 02105 | 35 | 26 | | | 10 |
| 02106 | 40 | 37.5 | | | 10 |
| 02107 | 45 | 52.5 | | | 5 |
| 02108 | 50 | 72 | | | 5 |
| 02109 | 60 | 119 | | | 5 |
| 02110 | 70 | 166 | | | 5 |
| 02111 | 80 | 239 | | | 2 |
| 02102 | 100 | 394 | | | 2 |

You will find detailed instructions on replacing at www.wiha.com

INFOBOX: No-recoil soft-faced hammer



- The special metal filling in the hammer head prevents recoil.
- Approx. 25% more hammer head mass provides additional power.
- Preserves delicate surfaces and edges through high-impact effect.



SoftFinish® dowel racket set with dowels



Phillips with 6 mm round blade in blister pack, 5-pcs.

SB 534S5

| | |
|-----------------------------------|---|
| Order-No. | |
| 41289 | 1 |
| 1 x Dowel racket | |
| 2 x 30 mm Dowel / 2 x 40 mm Dowel | |

Electrician's hammer



with 300 g hammer head, in blister pack

846

| | |
|-----------|-----|
| Order-No. | |
| 42071 | 4 |
| 23,9 | 283 |
| 500 | |

**INFOBOX:
SoftFinish® dowel racket set with dowels**



- Makes it easier to insert dowels and saves valuable working time.
- Ensures dirt- and dust-free work compared to machines.
- Galvanic separation between the blade and solid steel cap protects against electric shock.
- Perfect for portable use since you can make dowel holes anywhere at any time at the strike of a hammer.

**INFOBOX:
Electrician's hammer**



- With its optimally uniform weight distribution, this hammer ensures perfect balance, delivering impact and fatigue-free work.
- Its flat claws make it easier to remove fastening components such as nail clamps, even from difficult-to-access spots.
- Optimum access into corners and confined spaces thanks to U-shaped striking surface.
- The flat hammer handle lower surface acts as a soft-faced hammer, ensuring components such as cables and dowels are fixed into position without causing damage.

Electrician's spirit level



40 cm

246

| Order-No. | mm | g | |
|-----------|-----|-----|----|
| 42074 | 400 | 330 | 10 |

INFOBOX: Electrician's spirit level, 40 cm



- Quick, easy marking of positions for up to four flush boxes in just one simple work step thanks to the integrated marking points.
- The continuous housing allows users to mark lines without interruption.
- An additional scale on the upper surface ensure precise measurement even when viewing from above.
- The bubbles are clearly visible, even from a sharp angle.
- The level is perfectly suitable for portable use thanks to its compact design.



Callipers digiMax digital



Reading 0.01 mm

4111

| Order-No. | mm | g | g | |
|-----------|-----|---|-----|---|
| 29422 | 150 | 6 | 139 | 1 |

CE compliant.

Callipers caliMax®



Reading 0.1 mm

4113

| Order-No. | mm | g | g | |
|-----------|-----|---|----|---|
| 27083 | 150 | 6 | 74 | 1 |

Analogue callipers dialMax



Reading 0.1 mm

4112

| Order-No. | mm | g | g | |
|-----------|-----|---|-----|---|
| 27082 | 150 | 6 | 104 | 1 |

Analogue callipers dialMax ESD



Reading 0.1 mm

4112

| Order-No. | mm | g | g | |
|-----------|-----|---|----|---|
| 31439 | 150 | 6 | 96 | 1 |

IEC 61340-5-1.



Electrician's Longlife® folding ruler, 2 m



metric, 10 segments

4102008

| Order-No. | Segments | Color | Length (mm) | Quantity |
|-----------|----------|--------|-------------|----------|
| 42068 | 15 | orange | 135 | 10 |

Folding ruler LongLife Plus Composite 2 m



metric, 10 segments

410 2005

| Order-No. | Segments | Color | Length (mm) | Quantity |
|-----------|----------|------------|-------------|----------|
| 37067 | 15 | red/ black | 124 | 10 |

Folding ruler Longlife All in One 2 m



metric, 10 segments

410 2007

| Order-No. | Segments | Color | Length (mm) | Quantity |
|-----------|----------|-------|-------------|----------|
| 33232 | 15 | white | 139 | 10 |

Folding ruler Longlife 2 m



metric, 10 segments

410 2000

| Order-No. | Segments | Color | Length (mm) | Quantity |
|-----------|----------|--------|-------------|----------|
| 27058 | 15 | yellow | 137 | 10 |
| 27057 | 15 | white | 136 | 10 |

INFOBOX:
Electrician's
Longlife® folding
ruler, 2 m



- Integrated with cable retractor for cables between 3-7mm.
- Ruler quick and easy to find – even in dark environments with a UV light.
- Ruler with integrated distance marks for up to 3 flush boxes.
- Tool tested at 10,000 V AC and suitable for 1.000 V AC.

INFOBOX:
Longlife® Plus
composite folding
ruler



- High rigidity minimises risk of breakage.
- Tight 90° and 180° latching of all joints.
- Metal ends which cannot be lost on the first and last segment.
- Scale running backwards (recto and verso) enables reading from both sides.

Folding ruler LongLife Plus 2 m



metric, 10 segments

410 2001

| Order-No. | | | | |
|-----------|----|--------|-----|----|
| 27055 | 15 | yellow | 136 | 10 |
| 27059 | 15 | white | 136 | 10 |

Folding ruler Longlife 1 m



metric, 10 segments










410 1000










| Order-No. | | | | |
|-----------|----|--------|------|----|
| 27061 | 13 | yellow | 43 | 10 |
| 27062 | 13 | white | 43.5 | 10 |















Which page is my product on?














Screwdrivers, torque tools

| Screwdrivers | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|--|
| |  |  |  |  |  |  |  |  | |
| | Slotted | Phillips PH | Xeno SL/PH | Pozidriv PZ | Xeno SL/PZ | TORX® | TORX® Tamper Resistant | TORX PLUS® | |
|  | | | | | | | | | |
| Screwdriver SoftFinish® | • | • | | • | | • | • | • | |
| SoftFinish® screwdriver with fixing function | • | • | | | | | | | |
| SoftFinish® screwdriver with mm scale | • | • | | • | | | | | |
| SoftFinish® Stubby screwdriver | • | • | | • | | | | | |
| Screwdriver MicroFinish® | • | • | | • | | • | | | |
| Pocket screwdrivers | • | | | | | | | | |
| PicoFinish® fine screwdriver | • | • | | • | | • | | • | |
| Screwdriver SoftFinish® electric slimFix | • | • | • | • | • | • | • | | |
| Screwdriver SoftFinish® electric | • | • | • | • | • | • | | | |
| Bit slimBit electric | • | • | • | • | • | • | | | |
| PicoFinish® electric fine screwdriver | • | • | | | | | | | |
| Voltage tester | • | | | | | | | | |
| Screwdriver SoftFinish® ESD | • | • | | • | | • | | | |
| Fine screwdriver PicoFinish® ESD | • | • | | • | | • | | • | |

| Torque tools | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|--|
| |  |  |  |  |  |  |  |  | |
| | Slotted | Phillips PH | Xeno SL/PH | Pozidriv PZ | Xeno SL/PZ | TORX® | TORX® Tamper Resistant | TORX PLUS® | |
|  | | | | | | | | | |
| Variably adjustable torque screwdriver | • | • | | • | | • | | • | |
| Torque screwdriver firmly pre-set | • | • | | • | | • | | • | |
| Electric torque screwdriver | • | • | • | • | • | • | | | |
| Bit slimBit electric | • | • | • | • | • | • | | | |
| Torque screwdriver with T-handle | | | | | | • | | • | |
| TorqueFix® torque screwdriver with key handle | | | | | | • | | • | |

|  |  |  |  |  |  |  |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|--|---|---|---|---|
| Internal hexagon | Hexagon head | Square | Square nut | Internal hexagon with drill hole (tamper-resistant) | Triangular nut | Multi-tooth | Tri-Wing® | Torq-Set® | SIT | Spanner | Pentalobe PL | Y-Type |

| | | | | | | | | | | | | |
|---|---|---|--|--|---|--|--|--|--|--|---|---|
| • | • | | | | • | | | | | | | |
| | • | | | | | | | | | | | |
| • | • | | | | | | | | | | • | • |
| • | • | • | | | | | | | | | | |
| • | • | • | | | | | | | | | | |
| • | • | | | | | | | | | | | |
| • | • | | | | | | | | | | | |




























|  |  |  |  |  |  |  |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|--|---|---|---|---|
| Internal hexagon | Hexagon head | Square | Square nut | Internal hexagon with drill hole (tamper-resistant) | Triangular nut | Multi-tooth | Tri-Wing® | Torq-Set® | SIT | Spanner | Pentalobe PL | Y-Type |














| | | | | | | | | | | | | |
|---|---|---|--|--|--|--|--|--|--|--|--|--|
| • | • | | | | | | | | | | | |
| • | • | | | | | | | | | | | |
| • | | • | | | | | | | | | | |
| • | | • | | | | | | | | | | |
| • | | | | | | | | | | | | |
| • | | | | | | | | | | | | |
| • | | | | | | | | | | | | |
















Which page is my product on?

Multi-tools, L-keys, bits














| Multitools | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|--|
| |  |  |  |  |  |  |  |  | |
| | Slotted | Phillips PH | Xeno SL/PH | Pozidriv PZ | Xeno SL/PZ | TORX® | TORX® Tamper Resistant | TORX PLUS® | |
|  | | | | | | | | | |
| Screwdriver with bit magazine LiftUp electric | • | • | | • | • | • | | | |
| Screwdriver with bit magazine 26one® | • | • | | • | | • | | | |
| Screwdriver with LiftUp 25 + 70 bit magazine | • | • | | • | | • | | | |
| Screwdriver with bit magazine | • | • | | • | | • | | | |
| Screwdriver with bit magazine Stubby | • | • | | • | | • | | | |
| Multitool PocketStar L-key | • | • | | | | • | • | | |
| Screwdriver with interchangeable blade SYSTEM 6 | • | • | | • | | • | • | | |
| Screwdriver with interchangeable blade SYSTEM 4 | • | • | | • | | • | | | |
| L-keys | | | | | | | | | |
| |  |  |  |  |  |  |  |  | |
| | Slotted | Phillips PH | Xeno SL/PH | Pozidriv PZ | Xeno SL/PZ | TORX® | TORX® Tamper Resistant | TORX PLUS® | |
|  | | | | | | | | | |
| L-keys | | | | | | • | • | • | |
| L-key set in ErgoStar holder | | | | | | • | | | |
| L-key set in ProStar holder | | | | | | • | | | |
| L-key set in Compact holder | | | | | | | | | |
| L-key set in Classic holder | | | | | | • | • | • | |
| L-key with T-handle ComfortGrip | | | | | | • | | | |
| L-key with Classic T-handle | | | | | | • | | • | |
| L-key with T-handle electric | | | | | | • | | | |
| L-key with key handle | | | | | | • | | • | |
| L-key with flag handle | | | | | | • | | • | |
| Bits | | | | | | | | | |
| |  |  |  |  |  |  |  |  | |
| | Slotted | Phillips PH | Xeno SL/PH | Pozidriv PZ | Xeno SL/PZ | TORX® | TORX® Tamper Resistant | TORX PLUS® | |
|  | | | | | | | | | |
| TY-Bit | | • | | • | | • | | | |
| T-Bit | | • | | • | | • | | | |
| Y-Bit | | • | | • | | • | | | |
| Bits with MagicRing® | • | • | | • | | • | • | • | |
| Bit with thread | • | • | • | • | • | • | • | • | |
| Standard bit in C4 size | | | | | | | | | |
| Slotted | | • | | • | | • | | | |
| Phillips PH | • | • | | | | • | | | |

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |  |  |  |  |  |
| Internal hexagon | Hexagon head | Square | Square nut | Internal hexagon with drill hole (tamper-resistant) | Triangular nut | Multitooth | Tri-Wing® | Torq-Set® | SIT | Spanner | Pentalobe PL | Y-Type |

| | | | | | | | | | | | | |
|---|---|---|--|--|--|--|---|---|--|--|--|--|
| • | | • | | | | | | | | | | |
| • | | | | | | | | | | | | |
| • | | | | | | | | | | | | |
| • | | | | | | | | | | | | |
| • | • | | | | | | • | • | | | | |
| • | • | | | | | | | | | | | |
| • | • | | | | | | | | | | | |

| | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |  |  |  |
| Internal hexagon | Hexagon head | Square | Square nut | Internal hexagon with drill hole (tamper-resistant) | Triangular nut | Multitooth | Tri-Wing® | Torq-Set® | SIT | Spanner | Pentalobe Y-Type | Y-Type |

| | | | | | | | | | | | | |
|---|---|--|---|--|--|--|--|--|--|--|--|--|
| • | | | | | | | | | | | | |
| • | | | | | | | | | | | | |
| • | | | | | | | | | | | | |
| • | | | | | | | | | | | | |
| • | | | | | | | | | | | | |
| • | | | | | | | | | | | | |
| • | | | | | | | | | | | | |
| • | • | | • | | | | | | | | | |
| • | • | | | | | | | | | | | |
| • | | | | | | | | | | | | |

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |  |  |  |  |  |
| Internal hexagon | Hexagon head | Square | Square nut | Internal hexagon with drill hole (tamper-resistant) | Triangular nut | Multitooth | Tri-Wing® | Torq-Set® | SIT | Spanner | Pentalobe Y-Type | Y-Type |

| | | | | | | | | | | | | |
|---|---|---|--|---|--|---|---|---|---|---|---|--|
| • | | • | | | | | | | | | | |
| • | | | | | | | | | | | | |
| • | | • | | • | | • | • | • | • | • | | |
| • | | • | | | | | | • | | | | |
| • | | | | | | | | | | | | |
| • | • | | | | | | | | | | • | |



Wiha order number register

| Order-No. | | Order-No. | | Order-No. | | Order-No. | |
|-----------|-----|-----------|-----|-----------|-----|-----------|-----|
| 00 | | 00732 | 183 | 00882 | 173 | 01024 | 180 |
| 00456 | 174 | 00733 | 183 | 00894 | 251 | 01025 | 180 |
| 00576 | 227 | 00734 | 183 | 00895 | 251 | 01026 | 180 |
| 00577 | 227 | 00735 | 183 | 00896 | 251 | 01027 | 180 |
| 00578 | 227 | 00736 | 183 | 00897 | 251 | 01028 | 180 |
| 00579 | 227 | 00737 | 183 | 00904 | 248 | 01029 | 180 |
| 00580 | 227 | 00738 | 183 | 00905 | 248 | 01030 | 180 |
| 00582 | 227 | 00739 | 183 | 00906 | 248 | 01031 | 180 |
| 00583 | 227 | 00740 | 183 | 00907 | 248 | 01032 | 180 |
| 00584 | 227 | 00754 | 178 | 00908 | 248 | 01033 | 180 |
| 00585 | 227 | 00756 | 178 | 00909 | 248 | 01034 | 176 |
| 00586 | 227 | 00757 | 178 | 00910 | 248 | 01076 | 180 |
| 00587 | 227 | 00759 | 178 | 00911 | 248 | 01077 | 180 |
| 00597 | 227 | 00760 | 178 | 00912 | 248 | 01078 | 180 |
| 00598 | 227 | 00762 | 178 | 00913 | 248 | 01079 | 180 |
| 00599 | 227 | 00763 | 178 | 00914 | 248 | 01081 | 180 |
| 00600 | 227 | 00764 | 183 | 00915 | 248 | 01092 | 181 |
| 00601 | 227 | 00765 | 183 | 00916 | 248 | 01093 | 181 |
| 00602 | 227 | 00766 | 183 | 00917 | 248 | 01094 | 181 |
| 00603 | 227 | 00767 | 183 | 00918 | 248 | 01095 | 181 |
| 00610 | 225 | 00768 | 178 | 00919 | 248 | 01096 | 181 |
| 00613 | 225 | 00770 | 178 | 00921 | 248 | 01097 | 181 |
| 00616 | 225 | 00772 | 178 | 00922 | 248 | 01098 | 181 |
| 00623 | 221 | 00774 | 178 | 00923 | 248 | 01121 | 244 |
| 00629 | 224 | 00776 | 183 | 00924 | 248 | 01122 | 244 |
| 00630 | 224 | 00777 | 183 | 00926 | 248 | 01123 | 244 |
| 00631 | 224 | 00778 | 183 | 00928 | 248 | 01124 | 244 |
| 00632 | 224 | 00779 | 183 | 00929 | 248 | 01126 | 244 |
| 00635 | 224 | 00819 | 173 | 00930 | 248 | 01128 | 244 |
| 00636 | 224 | 00820 | 173 | 00931 | 248 | 01130 | 244 |
| 00637 | 224 | 00821 | 173 | 00933 | 248 | 01131 | 244 |
| 00638 | 224 | 00822 | 173 | 00934 | 248 | 01132 | 244 |
| 00639 | 224 | 00823 | 173 | 00937 | 248 | 01133 | 244 |
| 00654 | 224 | 00824 | 173 | 00953 | 239 | 01134 | 244 |
| 00655 | 224 | 00825 | 173 | 00965 | 249 | 01135 | 244 |
| 00656 | 224 | 00826 | 173 | 00966 | 249 | 01136 | 244 |
| 00657 | 224 | 00827 | 173 | 00967 | 249 | 01137 | 244 |
| 00658 | 224 | 00828 | 173 | 00968 | 249 | 01138 | 244 |
| 00665 | 224 | 00829 | 173 | 00969 | 249 | 01139 | 244 |
| 00666 | 224 | 00830 | 173 | 00971 | 249 | 01140 | 244 |
| 00667 | 224 | 00831 | 173 | 00972 | 249 | 01141 | 244 |
| 00679 | 183 | 00832 | 173 | 00973 | 249 | 01142 | 244 |
| 00683 | 183 | 00833 | 166 | 00974 | 249 | 01143 | 244 |
| 00684 | 178 | 00834 | 166 | 00975 | 249 | 01285 | 178 |
| 00685 | 178 | 00846 | 173 | 00977 | 249 | 01286 | 178 |
| 00686 | 178 | 00847 | 173 | 00978 | 249 | 01287 | 178 |
| 00687 | 178 | 00848 | 173 | 00979 | 249 | 01288 | 178 |
| 00689 | 178 | 00849 | 173 | 00980 | 249 | 01289 | 178 |
| 00690 | 178 | 00850 | 173 | 00982 | 249 | 01290 | 178 |
| 00691 | 178 | 00853 | 174 | 00983 | 249 | 01291 | 178 |
| 00692 | 178 | 00855 | 174 | 00985 | 249 | 01292 | 178 |
| 00694 | 178 | 00856 | 174 | 00986 | 249 | 01293 | 178 |
| 00695 | 178 | 00857 | 174 | 00988 | 249 | 01294 | 178 |
| 00696 | 178 | 00858 | 174 | 00989 | 249 | 01295 | 178 |
| 00697 | 178 | 00859 | 174 | 00990 | 249 | 01296 | 178 |
| 00698 | 178 | 00860 | 174 | 00991 | 249 | 01297 | 178 |
| 00700 | 178 | 00861 | 174 | 00993 | 249 | 01299 | 175 |
| 00701 | 178 | 00862 | 174 | 00994 | 249 | 01300 | 179 |
| 00702 | 178 | 00863 | 174 | 00995 | 249 | 01301 | 179 |
| 00703 | 178 | 00864 | 174 | 01 | | 01302 | 179 |
| 00704 | 178 | 00865 | 174 | 01005 | 249 | 01303 | 179 |
| 00706 | 178 | 00866 | 174 | 01006 | 249 | 01304 | 179 |
| 00707 | 178 | 00867 | 174 | 01007 | 249 | 01305 | 179 |
| 00708 | 178 | 00868 | 174 | 01008 | 249 | 01306 | 179 |
| 00709 | 178 | 00877 | 173 | 01018 | 180 | 01310 | 246 |
| 00711 | 178 | 00878 | 173 | 01020 | 180 | 01311 | 246 |
| 00712 | 178 | 00879 | 173 | 01021 | 180 | 01312 | 246 |
| 00713 | 178 | 00880 | 173 | 01022 | 180 | 01313 | 246 |
| 00731 | 183 | 00881 | 173 | 01023 | 180 | 01314 | 246 |

| | | | | | | | |
|------------------|-----|------------------|-----|------------------|-----|------------------|-----|
| Order-No. | | Order-No. | | Order-No. | | Order-No. | |
| 01315 | 246 | 01475 | 282 | 01805 | 270 | 02807 | 249 |
| 01316 | 246 | 01476 | 282 | 01808 | 271 | 02808 | 249 |
| 01317 | 246 | 01479 | 282 | 01809 | 271 | 02809 | 249 |
| 01318 | 246 | 01481 | 283 | 01811 | 271 | 02810 | 249 |
| 01319 | 246 | 01508 | 186 | 01812 | 271 | 02811 | 249 |
| 01320 | 246 | 01537 | 186 | 01894 | 281 | 02819 | 250 |
| 01321 | 246 | 01538 | 186 | 01895 | 281 | 02820 | 250 |
| 01322 | 246 | 01539 | 186 | 01910 | 281 | 02821 | 250 |
| 01323 | 246 | 01548 | 186 | 01913 | 281 | 02822 | 250 |
| 01324 | 246 | 01623 | 265 | 01919 | 281 | 02823 | 250 |
| 01326 | 238 | 01624 | 265 | 01922 | 278 | 02824 | 250 |
| 01328 | 250 | 01626 | 265 | 01923 | 278 | 02836 | 181 |
| 01329 | 250 | 01627 | 265 | 01924 | 278 | 02837 | 181 |
| 01330 | 250 | 01649 | 265 | 01926 | 278 | 02838 | 181 |
| 01331 | 250 | 01657 | 265 | 01927 | 278 | 02839 | 181 |
| 01332 | 250 | 01658 | 265 | 01930 | 278 | 02840 | 181 |
| 01333 | 250 | 01659 | 265 | 01933 | 278 | 02939 | 234 |
| 01334 | 250 | 01681 | 265 | 01935 | 278 | 03 | |
| 01335 | 250 | 01688 | 265 | 01937 | 276 | 03106 | 179 |
| 01336 | 250 | 01689 | 265 | 01938 | 276 | 03107 | 179 |
| 01337 | 250 | 01690 | 265 | 01939 | 276 | 03108 | 179 |
| 01338 | 250 | 01703 | 266 | 01940 | 276 | 03115 | 266 |
| 01339 | 250 | 01704 | 266 | 01942 | 276 | 03117 | 266 |
| 01340 | 250 | 01705 | 266 | 01943 | 276 | 03186 | 227 |
| 01341 | 250 | 01706 | 266 | 01945 | 276 | 03223 | 182 |
| 01343 | 250 | 01707 | 266 | 01946 | 276 | 03224 | 182 |
| 01345 | 250 | 01708 | 266 | 01947 | 277 | 03225 | 182 |
| 01348 | 240 | 01709 | 266 | 01948 | 277 | 03226 | 182 |
| 01350 | 251 | 01710 | 266 | 02 | | 03228 | 182 |
| 01351 | 251 | 01711 | 265 | 02091 | 332 | 03230 | 182 |
| 01352 | 251 | 01712 | 265 | 02092 | 332 | 03231 | 182 |
| 01353 | 251 | 01713 | 265 | 02093 | 332 | 03232 | 182 |
| 01354 | 251 | 01714 | 265 | 02094 | 332 | 03237 | 182 |
| 01355 | 251 | 01715 | 265 | 02095 | 332 | 03238 | 182 |
| 01356 | 251 | 01716 | 265 | 02096 | 332 | 03239 | 182 |
| 01391 | 243 | 01717 | 265 | 02097 | 332 | 03245 | 182 |
| 01392 | 242 | 01718 | 265 | 02098 | 332 | 03246 | 182 |
| 01393 | 242 | 01719 | 265 | 02099 | 332 | 03247 | 182 |
| 01395 | 242 | 01720 | 265 | 02101 | 332 | 03591 | 221 |
| 01396 | 242 | 01721 | 265 | 02102 | 333 | 03723 | 233 |
| 01398 | 242 | 01722 | 265 | 02103 | 333 | 03724 | 252 |
| 01400 | 242 | 01723 | 265 | 02104 | 333 | 03725 | 252 |
| 01402 | 242 | 01724 | 265 | 02105 | 333 | 03726 | 252 |
| 01404 | 242 | 01726 | 266 | 02106 | 333 | 03727 | 252 |
| 01406 | 242 | 01727 | 266 | 02107 | 333 | 03728 | 252 |
| 01408 | 242 | 01728 | 266 | 02108 | 333 | 03729 | 252 |
| 01416 | 233 | 01729 | 266 | 02109 | 333 | 03730 | 252 |
| 01418 | 233 | 01730 | 266 | 02110 | 333 | 03731 | 252 |
| 01420 | 234 | 01731 | 266 | 02111 | 333 | 03738 | 178 |
| 01422 | 243 | 01732 | 266 | 02113 | 333 | 03739 | 178 |
| 01423 | 243 | 01733 | 266 | 02114 | 333 | 03760 | 173 |
| 01424 | 243 | 01734 | 266 | 02115 | 333 | 03761 | 173 |
| 01425 | 243 | 01735 | 266 | 02116 | 333 | 03762 | 173 |
| 01426 | 243 | 01736 | 266 | 02117 | 333 | 03764 | 246 |
| 01427 | 243 | 01737 | 266 | 02122 | 332 | 03847 | 188 |
| 01428 | 243 | 01738 | 266 | 02123 | 332 | 03848 | 188 |
| 01429 | 243 | 01739 | 266 | 02124 | 332 | 03849 | 188 |
| 01430 | 243 | 01740 | 266 | 02125 | 332 | 03850 | 188 |
| 01431 | 243 | 01790 | 270 | 02126 | 332 | 03851 | 188 |
| 01432 | 243 | 01791 | 270 | 02127 | 332 | 03852 | 188 |
| 01433 | 243 | 01792 | 270 | 02128 | 332 | 03853 | 188 |
| 01434 | 243 | 01793 | 270 | 02129 | 332 | 03854 | 188 |
| 01435 | 181 | 01794 | 270 | 02292 | 233 | 03868 | 243 |
| 01436 | 181 | 01795 | 270 | 02568 | 186 | 03869 | 243 |
| 01437 | 181 | 01796 | 270 | 02802 | 249 | 03870 | 243 |
| 01438 | 181 | 01798 | 270 | 02803 | 249 | 03871 | 243 |
| 01439 | 181 | 01799 | 270 | 02804 | 249 | 03872 | 243 |
| 01440 | 181 | 01800 | 270 | 02805 | 249 | 03873 | 243 |
| 01443 | 181 | 01803 | 270 | 02806 | 249 | 03874 | 243 |


Wiha order number register


| | | | | | | | |
|------------------|-----|------------------|-----|------------------|-----|------------------|-----|
| Order-No. | | Order-No. | | Order-No. | | Order-No. | |
| 03875 | 243 | 05799 | 271 | 08183 | 189 | 22594 | 267 |
| 03876 | 243 | 05800 | 270 | 08184 | 189 | 22595 | 267 |
| 03879 | 234 | 06 | | 08185 | 189 | 22596 | 272 |
| 03882 | 224 | 06059 | 243 | 08186 | 189 | 22597 | 272 |
| 03883 | 224 | 06218 | 244 | 08421 | 268 | 22598 | 272 |
| 03988 | 188 | 06358 | 243 | 08422 | 268 | 22599 | 272 |
| 03992 | 234 | 06359 | 243 | 08423 | 268 | 22600 | 272 |
| 04 | | 06360 | 243 | 08424 | 268 | 22603 | 267 |
| 04009 | 270 | 06361 | 243 | 08425 | 268 | 22604 | 267 |
| 04010 | 270 | 06362 | 243 | 08426 | 268 | 22605 | 267 |
| 04011 | 266 | 06363 | 243 | 08900 | 224 | 22606 | 267 |
| 04059 | 271 | 06364 | 243 | 08901 | 224 | 22607 | 267 |
| 04096 | 248 | 06365 | 243 | 08902 | 224 | 22608 | 267 |
| 04099 | 248 | 06366 | 243 | 08903 | 224 | 22655 | 268 |
| 04105 | 248 | 06367 | 243 | 08904 | 224 | 22955 | 266 |
| 04108 | 248 | 06368 | 243 | 08905 | 224 | 22956 | 266 |
| 04111 | 248 | 06369 | 243 | 08906 | 224 | 22957 | 266 |
| 04126 | 270 | 06370 | 243 | 08907 | 224 | 22958 | 266 |
| 04127 | 270 | 06371 | 243 | 08908 | 224 | 22959 | 266 |
| 04176 | 271 | 06378 | 234 | 08909 | 224 | 22960 | 266 |
| 04194 | 273 | 06379 | 234 | 08911 | 224 | 22961 | 266 |
| 04195 | 273 | 06382 | 235 | 09 | | 22962 | 266 |
| 04196 | 273 | 06386 | 234 | 09393 | 264 | 23 | |
| 04197 | 273 | 06634 | 267 | 20 | | 23031 | 219 |
| 04198 | 273 | 06635 | 267 | 20218 | 272 | 23033 | 219 |
| 04204 | 278 | 06636 | 267 | 20219 | 272 | 23035 | 219 |
| 04362 | 278 | 06637 | 273 | 20220 | 272 | 23037 | 219 |
| 04508 | 278 | 06638 | 273 | 20221 | 272 | 23040 | 219 |
| 04509 | 278 | 06639 | 273 | 20222 | 272 | 23041 | 219 |
| 04510 | 278 | 06725 | 188 | 20223 | 272 | 23047 | 217 |
| 04511 | 278 | 06726 | 188 | 20224 | 272 | 23049 | 217 |
| 04512 | 278 | 06727 | 188 | 20542 | 268 | 23051 | 218 |
| 04513 | 278 | 06728 | 188 | 20549 | 241 | 23053 | 218 |
| 04514 | 278 | 06729 | 188 | 20550 | 241 | 23145 | 272 |
| 04515 | 278 | 06730 | 188 | 20551 | 241 | 23147 | 272 |
| 04516 | 278 | 06731 | 188 | 20552 | 241 | 23149 | 272 |
| 04517 | 278 | 06732 | 188 | 20553 | 241 | 23151 | 272 |
| 04631 | 278 | 06888 | 270 | 20554 | 220 | 23159 | 186 |
| 04632 | 278 | 06889 | 271 | 20555 | 266 | 23173 | 266 |
| 04633 | 278 | 07 | | 20556 | 266 | 23175 | 266 |
| 04634 | 278 | 07152 | 175 | 20557 | 266 | 23177 | 266 |
| 04635 | 278 | 07153 | 175 | 20558 | 266 | 23179 | 266 |
| 04636 | 278 | 07155 | 175 | 20559 | 266 | 23181 | 266 |
| 04637 | 278 | 07185 | 232 | 20560 | 266 | 23183 | 266 |
| 04638 | 278 | 07192 | 232 | 20570 | 241 | 23185 | 266 |
| 04639 | 278 | 07855 | 268 | 20783 | 220 | 23187 | 266 |
| 04640 | 278 | 07856 | 268 | 21 | | 23189 | 266 |
| 04670 | 277 | 07857 | 268 | 21045 | 272 | 23191 | 266 |
| 04671 | 277 | 07859 | 268 | 21047 | 272 | 23193 | 266 |
| 04677 | 276 | 07860 | 268 | 21248 | 176 | 23195 | 272 |
| 04678 | 276 | 07861 | 268 | 21249 | 176 | 23197 | 272 |
| 04684 | 278 | 07869 | 281 | 21250 | 176 | 23199 | 272 |
| 04685 | 278 | 07922 | 242 | 21251 | 176 | 23201 | 272 |
| 04918 | 251 | 07943 | 264 | 21960 | 248 | 23203 | 272 |
| 04925 | 266 | 08 | | 21962 | 248 | 23205 | 272 |
| 04926 | 266 | 08047 | 269 | 22 | | 23207 | 272 |
| 04927 | 266 | 08048 | 269 | 22096 | 239 | 23209 | 272 |
| 04928 | 266 | 08049 | 269 | 22168 | 248 | 23211 | 272 |
| 04929 | 266 | 08056 | 269 | 22170 | 248 | 23213 | 270 |
| 04930 | 266 | 08057 | 269 | 22172 | 248 | 23215 | 270 |
| 04931 | 266 | 08058 | 269 | 22174 | 248 | 23217 | 270 |
| 05 | | 08065 | 269 | 22436 | 189 | 23219 | 270 |
| 05271 | 174 | 08066 | 269 | 22509 | 270 | 23221 | 271 |
| 05298 | 265 | 08067 | 269 | 22510 | 270 | 23223 | 271 |
| 05300 | 265 | 08068 | 269 | 22511 | 270 | 23225 | 271 |
| 05301 | 273 | 08069 | 269 | 22512 | 271 | 23226 | 271 |
| 05302 | 273 | 08070 | 269 | 22591 | 267 | 23227 | 271 |
| 05303 | 273 | 08179 | 189 | 22592 | 267 | 23228 | 271 |
| 05638 | 243 | 08182 | 189 | 22593 | 267 | 24 | |


| | | | | | | | |
|------------------|-----|------------------|-----|------------------|-----|------------------|-----|
| Order-No. | | Order-No. | | Order-No. | | Order-No. | |
| 24107 | 246 | 25679 | 268 | 26148 | 204 | 26260 | 178 |
| 24109 | 246 | 25681 | 268 | 26151 | 204 | 26261 | 240 |
| 24111 | 246 | 25739 | 272 | 26152 | 204 | 26277 | 204 |
| 24113 | 246 | 25740 | 272 | 26154 | 204 | 26278 | 204 |
| 24115 | 246 | 25741 | 272 | 26155 | 204 | 26279 | 204 |
| 24117 | 246 | 25742 | 272 | 26156 | 204 | 26303 | 179 |
| 24119 | 246 | 25874 | 282 | 26157 | 204 | 26304 | 179 |
| 24121 | 246 | 25994 | 266 | 26158 | 204 | 26305 | 179 |
| 24123 | 246 | 25996 | 266 | 26159 | 204 | 26307 | 179 |
| 24189 | 232 | 25998 | 266 | 26164 | 247 | 26309 | 266 |
| 24302 | 241 | 26 | | 26165 | 247 | 26327 | 203 |
| 24303 | 241 | 26000 | 272 | 26166 | 247 | 26328 | 179 |
| 24304 | 241 | 26002 | 272 | 26167 | 247 | 26329 | 179 |
| 24305 | 241 | 26045 | 267 | 26168 | 247 | 26330 | 179 |
| 24306 | 241 | 26047 | 203 | 26169 | 247 | 26331 | 179 |
| 24307 | 241 | 26048 | 203 | 26170 | 247 | 26332 | 179 |
| 24308 | 241 | 26049 | 203 | 26171 | 247 | 26333 | 179 |
| 24312 | 237 | 26051 | 203 | 26172 | 247 | 26346 | 266 |
| 24313 | 246 | 26052 | 203 | 26173 | 247 | 26347 | 266 |
| 24314 | 246 | 26053 | 203 | 26174 | 247 | 26348 | 266 |
| 24315 | 246 | 26058 | 204 | 26175 | 247 | 26349 | 266 |
| 24316 | 246 | 26059 | 204 | 26176 | 247 | 26350 | 266 |
| 24317 | 246 | 26060 | 205 | 26177 | 247 | 26351 | 266 |
| 24318 | 246 | 26061 | 205 | 26178 | 247 | 26352 | 267 |
| 24319 | 246 | 26062 | 205 | 26179 | 283 | 26353 | 267 |
| 24320 | 246 | 26063 | 205 | 26181 | 252 | 26354 | 267 |
| 24321 | 246 | 26064 | 204 | 26182 | 252 | 26355 | 267 |
| 24322 | 246 | 26065 | 204 | 26183 | 252 | 26356 | 267 |
| 24323 | 246 | 26066 | 204 | 26184 | 252 | 26417 | 331 |
| 24324 | 246 | 26067 | 204 | 26185 | 252 | 26418 | 331 |
| 24325 | 246 | 26068 | 204 | 26186 | 252 | 26419 | 331 |
| 24341 | 241 | 26069 | 204 | 26187 | 252 | 26420 | 331 |
| 24506 | 175 | 26070 | 204 | 26188 | 252 | 26421 | 331 |
| 24515 | 246 | 26071 | 204 | 26190 | 179 | 26422 | 330 |
| 24517 | 246 | 26072 | 204 | 26191 | 179 | 26423 | 330 |
| 24519 | 246 | 26073 | 204 | 26192 | 179 | 26424 | 330 |
| 24521 | 246 | 26077 | 179 | 26193 | 179 | 26425 | 330 |
| 24523 | 246 | 26079 | 179 | 26194 | 179 | 26426 | 330 |
| 24525 | 246 | 26081 | 179 | 26195 | 179 | 26427 | 330 |
| 24527 | 246 | 26083 | 179 | 26196 | 204 | 26428 | 330 |
| 24529 | 246 | 26085 | 179 | 26197 | 204 | 26429 | 330 |
| 24531 | 246 | 26087 | 179 | 26198 | 204 | 26430 | 330 |
| 24533 | 246 | 26091 | 179 | 26199 | 204 | 26431 | 329 |
| 24733 | 268 | 26093 | 179 | 26200 | 205 | 26432 | 329 |
| 24742 | 268 | 26095 | 179 | 26212 | 181 | 26433 | 329 |
| 24746 | 268 | 26097 | 179 | 26213 | 181 | 26434 | 329 |
| 24748 | 268 | 26099 | 179 | 26214 | 181 | 26435 | 329 |
| 24750 | 268 | 26101 | 179 | 26216 | 181 | 26436 | 329 |
| 24851 | 232 | 26103 | 179 | 26217 | 181 | 26437 | 329 |
| 24852 | 237 | 26105 | 179 | 26221 | 204 | 26439 | 329 |
| 24867 | 272 | 26107 | 179 | 26222 | 204 | 26451 | 268 |
| 25 | | 26109 | 179 | 26223 | 204 | 26454 | 178 |
| 25097 | 265 | 26111 | 179 | 26224 | 204 | 26455 | 178 |
| 25128 | 218 | 26113 | 175 | 26225 | 204 | 26457 | 179 |
| 25130 | 218 | 26122 | 227 | 26227 | 204 | 26458 | 179 |
| 25164 | 218 | 26123 | 227 | 26228 | 204 | 26461 | 202 |
| 25166 | 218 | 26124 | 227 | 26229 | 205 | 26462 | 202 |
| 25293 | 217 | 26127 | 203 | 26230 | 180 | 26463 | 202 |
| 25295 | 217 | 26128 | 203 | 26231 | 180 | 26464 | 202 |
| 25477 | 166 | 26129 | 203 | 26232 | 180 | 26509 | 329 |
| 25553 | 272 | 26130 | 203 | 26233 | 180 | 26510 | 331 |
| 25560 | 266 | 26131 | 203 | 26234 | 180 | 26511 | 331 |
| 25561 | 266 | 26133 | 203 | 26247 | 239 | 26512 | 331 |
| 25562 | 266 | 26135 | 247 | 26248 | 239 | 26513 | 331 |
| 25563 | 266 | 26136 | 247 | 26249 | 267 | 26514 | 331 |
| 25564 | 266 | 26137 | 247 | 26250 | 265 | 26544 | 205 |
| 25572 | 267 | 26138 | 247 | 26252 | 265 | 26582 | 330 |
| 25624 | 240 | 26139 | 247 | 26253 | 265 | 26611 | 329 |
| 25625 | 240 | 26140 | 247 | 26259 | 178 | 26612 | 329 |


Wiha order number register

| Order-No. | | Order-No. | | Order-No. | | Order-No. | |
|-----------|-----|-----------|-----|-----------|-----|-----------|-----|
| 26613 | 329 | 26729 | 292 | 26840 | 318 | 27260 | 267 |
| 26614 | 329 | 26730 | 307 | 26845 | 294 | 27325 | 305 |
| 26615 | 331 | 26731 | 307 | 26846 | 294 | 27326 | 323 |
| 26616 | 331 | 26732 | 292 | 26847 | 294 | 27327 | 304 |
| 26618 | 331 | 26733 | 308 | 26850 | 300 | 27328 | 290 |
| 26620 | 331 | 26734 | 308 | 26852 | 286 | 27329 | 319 |
| 26625 | 195 | 26735 | 292 | 26853 | 300 | 27336 | 305 |
| 26626 | 195 | 26745 | 288 | 26854 | 300 | 27337 | 305 |
| 26627 | 195 | 26755 | 145 | 26864 | 205 | 27340 | 306 |
| 26629 | 209 | 26757 | 310 | 26865 | 209 | 27341 | 306 |
| 26640 | 330 | 26758 | 310 | 26866 | 209 | 27342 | 306 |
| 26641 | 330 | 26759 | 310 | 26888 | 202 | 27343 | 306 |
| 26642 | 330 | 26760 | 309 | 26889 | 204 | 27344 | 307 |
| 26643 | 330 | 26761 | 309 | 26893 | 202 | 27345 | 308 |
| 26644 | 330 | 26762 | 309 | 26901 | 203 | 27350 | 309 |
| 26645 | 330 | 26763 | 309 | 26920 | 186 | 27351 | 309 |
| 26646 | 330 | 26764 | 309 | 26925 | 203 | 27368 | 294 |
| 26647 | 330 | 26765 | 309 | 26928 | 189 | 27372 | 310 |
| 26648 | 330 | 26766 | 309 | 26929 | 189 | 27373 | 310 |
| 26649 | 329 | 26767 | 309 | 26931 | 178 | 27374 | 310 |
| 26650 | 329 | 26771 | 310 | 26953 | 251 | 27375 | 310 |
| 26651 | 329 | 26772 | 310 | 26954 | 251 | 27376 | 310 |
| 26652 | 329 | 26773 | 311 | 26955 | 251 | 27377 | 311 |
| 26653 | 329 | 26774 | 311 | 26956 | 251 | 27378 | 311 |
| 26654 | 329 | 26775 | 311 | 26957 | 251 | 27379 | 311 |
| 26655 | 329 | 26776 | 311 | 26958 | 251 | 27380 | 311 |
| 26656 | 329 | 26777 | 311 | 26959 | 251 | 27381 | 309 |
| 26657 | 330 | 26778 | 311 | 26960 | 251 | 27382 | 309 |
| 26658 | 330 | 26779 | 311 | 26964 | 183 | 27383 | 309 |
| 26659 | 330 | 26780 | 311 | 26965 | 183 | 27384 | 309 |
| 26660 | 330 | 26781 | 313 | 26966 | 183 | 27388 | 322 |
| 26661 | 330 | 26782 | 313 | 26967 | 183 | 27390 | 322 |
| 26663 | 330 | 26783 | 313 | 26968 | 183 | 27391 | 322 |
| 26664 | 330 | 26784 | 313 | 26969 | 183 | 27393 | 322 |
| 26665 | 330 | 26785 | 313 | 26970 | 183 | 27395 | 322 |
| 26666 | 330 | 26786 | 313 | 26971 | 183 | 27397 | 323 |
| 26667 | 331 | 26787 | 313 | 26972 | 183 | 27398 | 322 |
| 26668 | 331 | 26788 | 313 | 26973 | 183 | 27399 | 304 |
| 26669 | 331 | 26789 | 313 | 27 | | 27418 | 290 |
| 26670 | 331 | 26790 | 313 | 27028 | 267 | 27419 | 290 |
| 26671 | 331 | 26791 | 313 | 27030 | 267 | 27420 | 290 |
| 26672 | 331 | 26792 | 313 | 27055 | 337 | 27421 | 290 |
| 26674 | 330 | 26793 | 301 | 27057 | 336 | 27422 | 291 |
| 26703 | 305 | 26794 | 313 | 27058 | 336 | 27423 | 291 |
| 26704 | 304 | 26795 | 313 | 27059 | 337 | 27424 | 292 |
| 26705 | 290 | 26796 | 313 | 27061 | 337 | 27425 | 292 |
| 26706 | 305 | 26797 | 313 | 27062 | 337 | 27426 | 292 |
| 26707 | 304 | 26799 | 319 | 27064 | 267 | 27427 | 292 |
| 26708 | 290 | 26801 | 323 | 27065 | 267 | 27431 | 288 |
| 26709 | 305 | 26802 | 319 | 27066 | 267 | 27437 | 294 |
| 26710 | 304 | 26804 | 319 | 27067 | 267 | 27439 | 319 |
| 26711 | 290 | 26806 | 319 | 27077 | 268 | 27440 | 319 |
| 26712 | 305 | 26808 | 317 | 27079 | 204 | 27441 | 319 |
| 26713 | 305 | 26812 | 322 | 27082 | 335 | 27442 | 317 |
| 26714 | 290 | 26813 | 322 | 27083 | 335 | 27443 | 317 |
| 26715 | 305 | 26814 | 317 | 27144 | 189 | 27444 | 317 |
| 26716 | 305 | 26815 | 322 | 27145 | 189 | 27445 | 317 |
| 26717 | 290 | 26816 | 317 | 27146 | 189 | 27446 | 317 |
| 26718 | 306 | 26818 | 322 | 27147 | 189 | 27447 | 318 |
| 26719 | 306 | 26821 | 317 | 27148 | 189 | 27448 | 318 |
| 26720 | 291 | 26822 | 317 | 27149 | 189 | 27449 | 318 |
| 26721 | 306 | 26825 | 322 | 27150 | 189 | 27450 | 318 |
| 26722 | 306 | 26826 | 318 | 27151 | 189 | 27452 | 318 |
| 26723 | 306 | 26830 | 323 | 27252 | 188 | 27453 | 318 |
| 26724 | 306 | 26831 | 318 | 27253 | 188 | 27501 | 311 |
| 26725 | 306 | 26832 | 318 | 27256 | 267 | 27502 | 311 |
| 26726 | 306 | 26833 | 322 | 27257 | 267 | 27503 | 311 |
| 26727 | 291 | 26835 | 318 | 27258 | 267 | 27504 | 311 |
| 26728 | 292 | 26839 | 318 | 27259 | 267 | 27526 | 205 |

| Order-No. |  |
|-----------|---|
| 27530 | 266 |
| 27606 | 186 |
| 27614 | 252 |
| 27615 | 252 |
| 27616 | 252 |
| 27617 | 252 |
| 27618 | 252 |
| 27619 | 252 |
| 27620 | 252 |
| 27621 | 252 |
| 27627 | 224 |
| 27628 | 224 |
| 27629 | 224 |
| 27630 | 224 |
| 27631 | 224 |
| 27632 | 224 |
| 27633 | 224 |
| 27634 | 224 |
| 27635 | 224 |
| 27636 | 224 |
| 27637 | 224 |
| 27638 | 224 |
| 27639 | 224 |
| 27641 | 189 |
| 27712 | 222 |
| 27713 | 222 |
| 27736 | 179 |
| 27737 | 179 |
| 27738 | 179 |
| 27739 | 179 |
| 27740 | 179 |
| 27741 | 179 |
| 27742 | 179 |
| 27743 | 179 |
| 27744 | 179 |
| 27745 | 179 |
| 27746 | 175 |
| 27753 | 178 |
| 27754 | 178 |
| 27755 | 178 |
| 27756 | 178 |
| 27757 | 178 |
| 27758 | 178 |
| 27811 | 179 |
| 27812 | 204 |
| 27813 | 204 |
| 27814 | 204 |
| 27815 | 204 |
| 27816 | 204 |
| 27817 | 204 |
| 27818 | 204 |
| 27820 | 225 |
| 27892 | 277 |
| 27893 | 277 |
| 27894 | 277 |
| 27895 | 277 |
| 27896 | 277 |
| 27897 | 277 |
| 27898 | 277 |
| 27899 | 277 |
| 27900 | 277 |
| 27901 | 277 |
| 27905 | 319 |
| 27928 | 250 |
| 27929 | 250 |
| 27930 | 250 |
| 27931 | 250 |
| 27932 | 250 |
| 27933 | 250 |

| Order-No. |  |
|-----------|---|
| 27934 | 250 |
| 27935 | 250 |
| 27936 | 217 |
| 27963 | 277 |
| 27964 | 251 |
| 27965 | 251 |
| 27966 | 251 |
| 27967 | 251 |
| 27968 | 251 |
| 27969 | 251 |
| 27970 | 251 |
| 27971 | 251 |
| 28 | |
| 28005 | 179 |
| 28026 | 277 |
| 28027 | 277 |
| 28051 | 333 |
| 28052 | 333 |
| 28058 | 277 |
| 28330 | 297 |
| 28372 | 247 |
| 28373 | 247 |
| 28374 | 247 |
| 28375 | 247 |
| 28376 | 247 |
| 28377 | 247 |
| 28402 | 314 |
| 28481 | 272 |
| 28691 | 201, 207 |
| 28734 | 207 |
| 28735 | 207 |
| 28736 | 207 |
| 28737 | 207 |
| 28738 | 207 |
| 28739 | 207 |
| 28740 | 207 |
| 28741 | 207 |
| 28742 | 207 |
| 28743 | 207 |
| 28744 | 207 |
| 28745 | 207 |
| 28746 | 207 |
| 28747 | 207 |
| 28748 | 207 |
| 28749 | 207 |
| 28756 | 207 |
| 28757 | 207 |
| 28758 | 207 |
| 28760 | 179 |
| 28761 | 179 |
| 28762 | 179 |
| 28763 | 179 |
| 28764 | 179 |
| 28765 | 179 |
| 28766 | 179 |
| 28767 | 179 |
| 28769 | 179 |
| 29 | |
| 29133 | 187 |
| 29134 | 187 |
| 29135 | 187 |
| 29136 | 187 |
| 29137 | 187 |
| 29138 | 187 |
| 29139 | 187 |
| 29149 | 187 |
| 29150 | 187 |
| 29151 | 187 |
| 29158 | 187 |


| Order-No. |  |
|-----------|--|
| 29159 | 187 |
| 29162 | 187 |
| 29163 | 187 |
| 29164 | 187 |
| 29165 | 187 |
| 29228 | 206 |
| 29229 | 206 |
| 29230 | 206 |
| 29231 | 206 |
| 29232 | 206 |
| 29233 | 206 |
| 29234 | 206 |
| 29236 | 206 |
| 29416 | 262 |
| 29417 | 262 |
| 29420 | 299 |
| 29422 | 335 |
| 29425 | 313 |
| 29427 | 313 |
| 29428 | 313 |
| 29429 | 313 |
| 29435 | 314 |
| 29436 | 314 |
| 29437 | 314 |
| 29441 | 314 |
| 29442 | 314 |
| 29443 | 314 |
| 29463 | 283 |
| 29466 | 167 |
| 29467 | 204 |
| 29471 | 242 |
| 29472 | 242 |
| 29473 | 242 |
| 29474 | 242 |
| 29475 | 242 |
| 29485 | 315 |
| 29486 | 315 |
| 29487 | 315 |
| 29544 | 269 |
| 29550 | 314 |
| 29553 | 204 |
| 29554 | 204 |
| 29555 | 204 |
| 29556 | 204 |
| 29557 | 204 |
| 29558 | 204 |
| 29559 | 204 |
| 29560 | 204 |
| 30 | |
| 30050 | 266 |
| 30066 | 297 |
| 30361 | 173 |
| 30362 | 173 |
| 30363 | 173 |
| 30364 | 173 |
| 30365 | 173 |
| 30366 | 173 |
| 30372 | 223 |
| 30373 | 227 |
| 30404 | 223 |
| 30495 | 209 |
| 30700 | 173 |
| 30701 | 173 |
| 30715 | 173 |
| 30716 | 173 |
| 30824 | 153 |
| 30826 | 304 |
| 30852 | 204 |
| 30978 | 304 |


| Order-No. |  |
|-----------|---|
| 30979 | 304 |
| 31 | |
| 31233 | 244 |
| 31234 | 244 |
| 31235 | 244 |
| 31236 | 244 |
| 31237 | 244 |
| 31238 | 244 |
| 31239 | 244 |
| 31240 | 244 |
| 31241 | 244 |
| 31242 | 244 |
| 31243 | 244 |
| 31244 | 244 |
| 31432 | 189 |
| 31439 | 335 |
| 31496 | 223 |
| 31497 | 223 |
| 31498 | 227 |
| 31499 | 227 |
| 31771 | 174 |
| 31863 | 173 |
| 31901 | 189 |
| 31957 | 271 |
| 31958 | 271 |
| 31959 | 271 |
| 31960 | 270 |
| 31961 | 270 |
| 31962 | 270 |
| 31973 | 272 |
| 31975 | 272 |
| 31977 | 272 |
| 32 | |
| 32055 | 268 |
| 32070 | 268 |
| 32071 | 268 |
| 32105 | 270 |
| 32160 | 282 |
| 32161 | 283 |
| 32201 | 174 |
| 32250 | 179 |
| 32251 | 179 |
| 32252 | 179 |
| 32253 | 179 |
| 32254 | 179 |
| 32255 | 179 |
| 32256 | 179 |
| 32264 | 179 |
| 32265 | 179 |
| 32281 | 167 |
| 32282 | 167 |
| 32298 | 222 |
| 32299 | 271 |
| 32302 | 271 |
| 32303 | 271 |
| 32304 | 271 |
| 32305 | 271 |
| 32306 | 271 |
| 32307 | 272 |
| 32308 | 272 |
| 32309 | 272 |
| 32310 | 283 |
| 32311 | 283 |
| 32318 | 320 |
| 32319 | 305 |
| 32320 | 305 |
| 32322 | 306 |
| 32323 | 306 |
| 32324 | 306 |





Wiha order number register

| Order-No. | | Order-No. | | Order-No. | | Order-No. | |
|-----------|-----|-----------|-----|-----------|----------|-----------|----------|
| 32325 | 320 | 32688 | 271 | 33841 | 298 | 34590 | 170, 199 |
| 32326 | 320 | 32689 | 271 | 33842 | 299 | 34614 | 202 |
| 32327 | 320 | 32804 | 274 | 33843 | 299 | 34686 | 264 |
| 32328 | 306 | 32805 | 273 | 33844 | 298 | 34688 | 312 |
| 32329 | 320 | 32806 | 273 | 33848 | 226 | 34689 | 312 |
| 32330 | 307 | 32808 | 273 | 33920 | 272 | 34690 | 312 |
| 32332 | 308 | 32867 | 182 | 33921 | 272 | 34691 | 312 |
| 32334 | 320 | 32868 | 182 | 33922 | 272 | 34692 | 312 |
| 32335 | 321 | 32869 | 182 | 33923 | 272 | 34693 | 312 |
| 32336 | 321 | 32870 | 182 | 33924 | 272 | 34694 | 312 |
| 32338 | 321 | 32871 | 182 | 33925 | 272 | 34695 | 312 |
| 32340 | 321 | 32901 | 216 | 33926 | 272 | 34696 | 312 |
| 32342 | 309 | 32902 | 216 | 33927 | 272 | 34697 | 312 |
| 32343 | 321 | 32903 | 216 | 33928 | 272 | 34698 | 312 |
| 32344 | 321 | 33 | | 33929 | 272 | 34699 | 312 |
| 32345 | 294 | 33007 | 216 | 33930 | 272 | 34700 | 312 |
| 32346 | 320 | 33008 | 216 | 33931 | 272 | 34701 | 312 |
| 32347 | 320 | 33009 | 216 | 33932 | 272 | 34702 | 312 |
| 32349 | 316 | 33178 | 291 | 33961 | 270 | 34703 | 312 |
| 32352 | 309 | 33186 | 290 | 33962 | 270 | 34704 | 312 |
| 32383 | 178 | 33232 | 336 | 33963 | 270 | 34705 | 312 |
| 32384 | 178 | 33471 | 323 | 33964 | 270 | 34706 | 312 |
| 32386 | 244 | 33472 | 323 | 33965 | 270 | 34707 | 312 |
| 32387 | 244 | 33503 | 226 | 33966 | 270 | 34708 | 301 |
| 32388 | 244 | 33507 | 316 | 33969 | 145 | 34729 | 293 |
| 32389 | 244 | 33520 | 293 | 33970 | 152 | 34730 | 293 |
| 32390 | 244 | 33521 | 317 | 33971 | 152 | 34736 | 238 |
| 32391 | 244 | 33703 | 270 | 34 | | 34737 | 238 |
| 32392 | 244 | 33704 | 270 | 34306 | 281 | 34740 | 235 |
| 32393 | 244 | 33705 | 270 | 34307 | 304 | 34741 | 235 |
| 32394 | 236 | 33706 | 271 | 34308 | 304 | 34743 | 293 |
| 32395 | 236 | 33707 | 271 | 34309 | 306 | 34744 | 293 |
| 32396 | 173 | 33708 | 271 | 34310 | 307 | 34745 | 174 |
| 32397 | 173 | 33709 | 271 | 34312 | 309 | 34746 | 268 |
| 32399 | 178 | 33710 | 271 | 34313 | 294 | 35 | |
| 32400 | 178 | 33711 | 271 | 34452 | 271 | 35378 | 174 |
| 32404 | 182 | 33712 | 271 | 34453 | 271 | 35389 | 166 |
| 32405 | 182 | 33713 | 271 | 34454 | 271 | 35390 | 172 |
| 32406 | 182 | 33714 | 272 | 34455 | 271 | 35391 | 172 |
| 32409 | 271 | 33715 | 272 | 34456 | 271 | 35392 | 172 |
| 32410 | 271 | 33716 | 272 | 34457 | 271 | 35393 | 172 |
| 32411 | 271 | 33717 | 271 | 34515 | 306 | 35394 | 172 |
| 32412 | 271 | 33718 | 271 | 34518 | 309 | 35395 | 172 |
| 32413 | 271 | 33719 | 271 | 34533 | 203 | 35396 | 172 |
| 32414 | 271 | 33720 | 271 | 34554 | 273 | 35397 | 182 |
| 32415 | 271 | 33721 | 271 | 34555 | 273 | 35398 | 182 |
| 32416 | 271 | 33722 | 272 | 34556 | 273 | 35400 | 276 |
| 32417 | 271 | 33723 | 272 | 34557 | 273 | 35401 | 276 |
| 32418 | 271 | 33724 | 272 | 34558 | 273 | 35402 | 276 |
| 32419 | 271 | 33725 | 272 | 34559 | 273 | 35403 | 276 |
| 32421 | 271 | 33726 | 272 | 34560 | 273 | 35446 | 172 |
| 32423 | 271 | 33727 | 272 | 34565 | 304 | 35456 | 270 |
| 32477 | 280 | 33728 | 272 | 34567 | 305 | 35457 | 270 |
| 32484 | 283 | 33729 | 272 | 34568 | 308 | 35462 | 292 |
| 32486 | 272 | 33730 | 272 | 34569 | 306 | 35465 | 290 |
| 32490 | 271 | 33731 | 272 | 34570 | 306 | 35477 | 291 |
| 32491 | 271 | 33732 | 272 | 34577 | 168 | 35479 | 293 |
| 32492 | 271 | 33736 | 216 | 34578 | 170, 199 | 35480 | 232 |
| 32493 | 271 | 33738 | 216 | 34579 | 170, 199 | 35481 | 232 |
| 32494 | 271 | 33740 | 216 | 34580 | 170, 199 | 35482 | 242 |
| 32495 | 271 | 33741 | 216 | 34581 | 170, 199 | 35483 | 242 |
| 32496 | 271 | 33743 | 216 | 34582 | 170, 199 | 35484 | 242 |
| 32497 | 271 | 33744 | 216 | 34583 | 170, 199 | 35485 | 242 |
| 32505 | 276 | 33746 | 216 | 34584 | 170, 199 | 35486 | 242 |
| 32547 | 279 | 33749 | 244 | 34585 | 170, 199 | 35487 | 242 |
| 32556 | 279 | 33750 | 244 | 34586 | 170, 199 | 35488 | 242 |
| 32573 | 279 | 33753 | 235 | 34587 | 170, 199 | 35489 | 242 |
| 32686 | 271 | 33754 | 235 | 34588 | 170, 199 | 35490 | 242 |
| 32687 | 271 | 33764 | 216 | 34589 | 170, 199 | 35501 | 172 |

| Order-No. |  |
|-----------|---|
| 35502 | 172 |
| 35503 | 172 |
| 35504 | 172 |
| 35505 | 172 |
| 35506 | 170, 199 |
| 35507 | 170, 199 |
| 35508 | 170, 199 |
| 35509 | 170, 199 |
| 35510 | 170, 199 |
| 35511 | 170, 199 |
| 35538 | 296 |
| 35704 | 293 |
| 35705 | 293 |
| 35709 | 268 |
| 35820 | 323 |
| 35832 | 268 |
| 35834 | 268 |
| 35861 | 297 |
| 35862 | 297 |
| 35870 | 197 |
| 35969 | 296 |
| 36 | |
| 36038 | 309 |
| 36039 | 309 |
| 36040 | 309 |
| 36041 | 309 |
| 36050 | 295 |
| 36051 | 296 |
| 36052 | 296 |
| 36053 | 296 |
| 36071 | 170, 199 |
| 36072 | 182 |
| 36079 | 197 |
| 36082 | 273 |
| 36085 | 182 |
| 36086 | 273 |
| 36092 | 281 |
| 36093 | 281 |
| 36094 | 281 |
| 36112 | 281 |
| 36114 | 220 |
| 36189 | 307 |
| 36193 | 273 |
| 36217 | 293 |
| 36218 | 312 |
| 36219 | 312 |
| 36220 | 312 |
| 36221 | 312 |
| 36222 | 312 |
| 36223 | 312 |
| 36224 | 312 |
| 36225 | 312 |
| 36226 | 312 |
| 36229 | 203 |
| 36230 | 203 |
| 36231 | 203 |
| 36233 | 203 |
| 36234 | 203 |
| 36235 | 203 |
| 36236 | 203 |
| 36237 | 203 |
| 36238 | 203 |
| 36239 | 203 |
| 36240 | 203 |
| 36272 | 312 |
| 36275 | 268 |
| 36280 | 268 |
| 36282 | 268 |
| 36285 | 268 |

| Order-No. |  |
|-----------|---|
| 36288 | 268 |
| 36310 | 265 |
| 36320 | 203 |
| 36321 | 203 |
| 36327 | 271 |
| 36329 | 172 |
| 36330 | 172 |
| 36333 | 166 |
| 36388 | 151 |
| 36389 | 144 |
| 36390 | 151 |
| 36414 | 205 |
| 36415 | 205 |
| 36417 | 205 |
| 36418 | 205 |
| 36421 | 205 |
| 36452 | 242 |
| 36453 | 233 |
| 36454 | 233 |
| 36455 | 166 |
| 36458 | 238 |
| 36459 | 238 |
| 36461 | 238 |
| 36462 | 238 |
| 36483 | 307 |
| 36487 | 236 |
| 36503 | 235 |
| 36521 | 231 |
| 36536 | 172 |
| 36537 | 172 |
| 36538 | 172 |
| 36539 | 172 |
| 36540 | 172 |
| 36541 | 172 |
| 36542 | 172 |
| 36558 | 166 |
| 36711 | 294 |
| 36791 | 194 |
| 36794 | 323 |
| 36800 | 280 |
| 36846 | 203 |
| 36847 | 203 |
| 36849 | 202 |
| 36850 | 202 |
| 36851 | 209 |
| 36852 | 209 |
| 36886 | 201 |
| 36887 | 201 |
| 36888 | 201 |
| 36951 | 262 |
| 36975 | 312 |
| 36976 | 312 |
| 36977 | 312 |
| 36978 | 312 |
| 36979 | 312 |
| 36980 | 312 |
| 36981 | 293 |
| 36985 | 309 |
| 36986 | 309 |
| 36987 | 309 |
| 36988 | 309 |
| 36990 | 261 |
| 37 | |
| 37067 | 336 |
| 37147 | 170, 199 |
| 37222 | 170, 199 |
| 37223 | 170, 199 |
| 37224 | 170, 199 |
| 37225 | 170, 199 |

| Order-No. |  |
|-----------|--|
| 37226 | 170, 199 |
| 37227 | 170, 199 |
| 37351 | 231 |
| 37402 | 307 |
| 37403 | 307 |
| 37450 | 293 |
| 38 | |
| 38020 | 144 |
| 38060 | 302 |
| 38074 | 195 |
| 38189 | 301 |
| 38190 | 301 |
| 38191 | 288 |
| 38362 | 166 |
| 38370 | 271 |
| 38371 | 271 |
| 38372 | 271 |
| 38552 | 287 |
| 38556 | 208 |
| 38557 | 208 |
| 38558 | 208 |
| 38600 | 216 |
| 38601 | 216 |
| 38605 | 216 |
| 38606 | 216 |
| 38610 | 214 |
| 38611 | 214 |
| 38612 | 214 |
| 38613 | 214 |
| 38616 | 208 |
| 38617 | 208 |
| 38618 | 208 |
| 38619 | 208 |
| 38620 | 208 |
| 38621 | 208 |
| 38622 | 208 |
| 38627 | 287 |
| 38631 | 293 |
| 38632 | 293 |
| 38636 | 293 |
| 38637 | 286 |
| 38649 | 268 |
| 38650 | 268 |
| 38651 | 268 |
| 38652 | 268 |
| 38653 | 268 |
| 38654 | 268 |
| 38656 | 268 |
| 38657 | 268 |
| 38658 | 268 |
| 38659 | 268 |
| 38660 | 268 |
| 38676 | 273 |
| 38677 | 273 |
| 38679 | 273 |
| 38680 | 273 |
| 38681 | 273 |
| 38684 | 273 |
| 38685 | 273 |
| 38686 | 273 |
| 38687 | 273 |
| 38688 | 273 |
| 38689 | 273 |
| 38690 | 273 |
| 38706 | 273 |
| 38707 | 273 |
| 38708 | 273 |
| 38709 | 273 |
| 38710 | 273 |

| Order-No. |  |
|-----------|---|
| 38711 | 273 |
| 38712 | 273 |
| 38713 | 273 |
| 38714 | 273 |
| 38715 | 273 |
| 38716 | 273 |
| 38717 | 273 |
| 38718 | 273 |
| 38798 | 296 |
| 38800 | 208 |
| 38801 | 208 |
| 38802 | 208 |
| 38803 | 208 |
| 38804 | 208 |
| 38805 | 208 |
| 38806 | 208 |
| 38807 | 208 |
| 38808 | 208 |
| 38809 | 208 |
| 38810 | 208 |
| 38811 | 208 |
| 38812 | 208 |
| 38813 | 208 |
| 38814 | 208 |
| 38815 | 208 |
| 38816 | 208 |
| 38817 | 208 |
| 38818 | 208 |
| 38819 | 208 |
| 38820 | 208 |
| 38821 | 208 |
| 38853 | 287 |
| 38854 | 287 |
| 38855 | 290 |
| 38856 | 290 |
| 38857 | 291 |
| 38858 | 291 |
| 38859 | 292 |
| 38865 | 293 |
| 38866 | 293 |
| 38867 | 294 |
| 38918 | 200 |
| 38919 | 200 |
| 38920 | 200 |
| 38921 | 200 |
| 38925 | 200 |
| 38926 | 200 |
| 38927 | 200 |
| 38928 | 200 |
| 38929 | 200 |
| 38930 | 200 |
| 38931 | 200 |
| 38932 | 200 |
| 38933 | 200 |
| 38934 | 200 |
| 38935 | 200 |
| 38936 | 200 |
| 38981 | 302 |
| 38982 | 301 |
| 38983 | 301 |
| 38984 | 288 |
| 38985 | 297 |
| 38986 | 297 |
| 39 | |
| 39008 | 332 |
| 39010 | 332 |
| 39012 | 332 |
| 39014 | 332 |
| 39017 | 332 |



Wiha order number register

| Order-No. | | Order-No. | | Order-No. | | Order-No. | |
|-----------|-----|-----------|-----|-----------|-----|-----------|----------|
| 39019 | 332 | 39204 | 272 | 40631 | 275 | 41147 | 172 |
| 39021 | 332 | 39206 | 273 | 40632 | 275 | 41157 | 214 |
| 39022 | 332 | 39207 | 273 | 40633 | 275 | 41158 | 214 |
| 39029 | 262 | 39208 | 273 | 40634 | 275 | 41159 | 170, 199 |
| 39037 | 263 | 39374 | 315 | 40635 | 275 | 41160 | 170, 199 |
| 39039 | 263 | 39375 | 315 | 40636 | 275 | 41218 | 291 |
| 39040 | 262 | 39376 | 315 | 40637 | 275 | 41220 | 311 |
| 39041 | 262 | 39377 | 315 | 40638 | 275 | 41221 | 311 |
| 39045 | 263 | 39378 | 315 | 40639 | 275 | 41222 | 323 |
| 39049 | 263 | 39379 | 315 | 40640 | 275 | 41223 | 145 |
| 39056 | 263 | 39380 | 315 | 40641 | 275 | 41230 | 167 |
| 39057 | 263 | 39381 | 315 | 40642 | 275 | 41231 | 164 |
| 39059 | 263 | 39382 | 267 | 40643 | 275 | 41232 | 164 |
| 39060 | 263 | 39591 | 178 | 40644 | 275 | 41233 | 164 |
| 39076 | 220 | 39875 | 266 | 40645 | 275 | 41234 | 214 |
| 39078 | 262 | 39964 | 276 | 40646 | 276 | 41235 | 214 |
| 39083 | 263 | 39971 | 274 | 40647 | 276 | 41241 | 143 |
| 39091 | 310 | 40 | | 40648 | 276 | 41245 | 166 |
| 39093 | 310 | 40282 | 146 | 40649 | 276 | 41246 | 298 |
| 39094 | 310 | 40331 | 282 | 40650 | 276 | 41261 | 303 |
| 39095 | 310 | 40342 | 298 | 40651 | 276 | 41266 | 303 |
| 39104 | 237 | 40401 | 242 | 40652 | 276 | 41272 | 303 |
| 39105 | 237 | 40402 | 242 | 40653 | 276 | 41273 | 303 |
| 39106 | 245 | 40403 | 242 | 40654 | 276 | 41274 | 289 |
| 39107 | 245 | 40404 | 242 | 40655 | 276 | 41275 | 289 |
| 39108 | 245 | 40405 | 242 | 40656 | 276 | 41277 | 303 |
| 39109 | 245 | 40406 | 242 | 40657 | 276 | 41278 | 303 |
| 39110 | 245 | 40407 | 242 | 40658 | 276 | 41279 | 289 |
| 39111 | 245 | 40408 | 242 | 40659 | 276 | 41280 | 289 |
| 39112 | 245 | 40409 | 242 | 40660 | 276 | 41286 | 160 |
| 39113 | 245 | 40410 | 233 | 40661 | 276 | 41289 | 334 |
| 39114 | 245 | 40411 | 233 | 40663 | 276 | 41301 | 303 |
| 39115 | 245 | 40461 | 270 | 40674 | 195 | 41307 | 303 |
| 39116 | 245 | 40462 | 270 | 40709 | 291 | 41309 | 289 |
| 39117 | 245 | 40463 | 270 | 40712 | 311 | 41310 | 289 |
| 39118 | 245 | 40464 | 270 | 40713 | 311 | 41311 | 303 |
| 39124 | 262 | 40465 | 270 | 40913 | 303 | 41317 | 303 |
| 39133 | 280 | 40523 | 140 | 40919 | 303 | 41318 | 303 |
| 39134 | 280 | 40600 | 275 | 40920 | 303 | 41319 | 289 |
| 39149 | 333 | 40601 | 275 | 40921 | 289 | 41320 | 289 |
| 39150 | 333 | 40602 | 275 | 40922 | 289 | 41321 | 303 |
| 39151 | 333 | 40603 | 275 | 40923 | 308 | 41327 | 303 |
| 39152 | 333 | 40604 | 275 | 40927 | 291 | 41329 | 289 |
| 39178 | 273 | 40605 | 275 | 40948 | 146 | 41330 | 289 |
| 39179 | 273 | 40606 | 275 | 40966 | 245 | 41341 | 196 |
| 39180 | 273 | 40607 | 275 | 40967 | 245 | 41342 | 196 |
| 39181 | 273 | 40608 | 275 | 40968 | 245 | 41343 | 196 |
| 39182 | 273 | 40609 | 275 | 40969 | 245 | 41344 | 196 |
| 39183 | 273 | 40610 | 275 | 40970 | 245 | 41345 | 196 |
| 39184 | 271 | 40611 | 275 | 40971 | 245 | 41476 | 196 |
| 39185 | 271 | 40612 | 275 | 40972 | 245 | 41477 | 196 |
| 39186 | 271 | 40613 | 275 | 40973 | 245 | 41478 | 196 |
| 39187 | 271 | 40614 | 275 | 40974 | 245 | 41479 | 196 |
| 39188 | 272 | 40615 | 275 | 40975 | 245 | 41483 | 230 |
| 39189 | 272 | 40616 | 275 | 40976 | 245 | 41585 | 261 |
| 39190 | 272 | 40617 | 275 | 40977 | 245 | 41586 | 261 |
| 39191 | 272 | 40618 | 275 | 40978 | 245 | 41587 | 261 |
| 39192 | 272 | 40619 | 275 | 40979 | 236 | 41588 | 261 |
| 39193 | 272 | 40620 | 275 | 40980 | 236 | 41589 | 261 |
| 39194 | 272 | 40621 | 275 | 41 | | 41590 | 261 |
| 39195 | 272 | 40622 | 275 | 41002 | 175 | 41591 | 261 |
| 39196 | 272 | 40623 | 275 | 41003 | 165 | 41592 | 261 |
| 39197 | 272 | 40624 | 275 | 41015 | 323 | 41593 | 261 |
| 39198 | 272 | 40625 | 275 | 41141 | 172 | 41594 | 261 |
| 39199 | 272 | 40626 | 275 | 41142 | 172 | 41595 | 261 |
| 39200 | 272 | 40627 | 275 | 41143 | 172 | 41596 | 261 |
| 39201 | 272 | 40628 | 275 | 41144 | 172 | 41597 | 261 |
| 39202 | 272 | 40629 | 275 | 41145 | 172 | 41598 | 260 |
| 39203 | 272 | 40630 | 275 | 41146 | 172 | 41599 | 260 |

| Order-No. | | Order-No. | | Order-No. | | Order-No. | |
|-----------|-----|-----------|-----|-----------|-----|-----------|-----|
| 41600 | 260 | 41901 | 241 | 42162 | 295 | 42441 | 185 |
| 41601 | 260 | 41902 | 241 | 42266 | 156 | 42442 | 185 |
| 41602 | 260 | 41911 | 156 | 42267 | 156 | 42443 | 185 |
| 41603 | 260 | 41912 | 156 | 42268 | 157 | 42444 | 185 |
| 41604 | 260 | 41913 | 157 | 42292 | 260 | 42445 | 185 |
| 41605 | 260 | 41914 | 158 | 42293 | 260 | 42446 | 185 |
| 41606 | 260 | 41915 | 158 | 42294 | 261 | 42447 | 185 |
| 41607 | 260 | 41922 | 281 | 42295 | 261 | 42448 | 185 |
| 41608 | 260 | 41923 | 299 | 42301 | 260 | 42449 | 185 |
| 41609 | 260 | 41973 | 241 | 42302 | 260 | 42450 | 185 |
| 41610 | 260 | 41974 | 241 | 42303 | 261 | 42451 | 185 |
| 41611 | 260 | 41975 | 241 | 42304 | 261 | 42452 | 185 |
| 41612 | 260 | 41976 | 241 | 42305 | 261 | 42453 | 185 |
| 41613 | 260 | 41977 | 241 | 42306 | 260 | 42454 | 185 |
| 41614 | 260 | 41978 | 241 | 42374 | 174 | 42455 | 185 |
| 41621 | 260 | 41979 | 230 | 42375 | 174 | 42456 | 185 |
| 41622 | 260 | 42 | | 42376 | 174 | 42457 | 185 |
| 41623 | 260 | 42062 | 295 | 42377 | 174 | 42458 | 185 |
| 41624 | 261 | 42068 | 336 | 42378 | 174 | 42459 | 185 |
| 41625 | 261 | 42069 | 138 | 42379 | 174 | 42460 | 185 |
| 41626 | 261 | 42071 | 334 | 42380 | 174 | 42461 | 185 |
| 41627 | 261 | 42074 | 335 | 42381 | 184 | 42462 | 185 |
| 41628 | 261 | 42086 | 161 | 42382 | 184 | 42463 | 185 |
| 41629 | 261 | 42096 | 258 | 42383 | 184 | 42464 | 184 |
| 41630 | 261 | 42097 | 256 | 42384 | 184 | 42465 | 184 |
| 41631 | 261 | 42098 | 257 | 42385 | 184 | 42466 | 184 |
| 41632 | 261 | 42099 | 256 | 42386 | 184 | 42467 | 184 |
| 41633 | 261 | 42100 | 258 | 42387 | 184 | 42468 | 184 |
| 41634 | 261 | 42101 | 258 | 42388 | 184 | 42469 | 184 |
| 41635 | 261 | 42102 | 258 | 42389 | 184 | 42470 | 184 |
| 41636 | 261 | 42103 | 258 | 42390 | 184 | 42471 | 174 |
| 41637 | 259 | 42104 | 258 | 42391 | 184 | 42474 | 184 |
| 41638 | 259 | 42105 | 258 | 42392 | 184 | 42475 | 184 |
| 41639 | 259 | 42106 | 258 | 42393 | 184 | 42476 | 184 |
| 41640 | 259 | 42107 | 258 | 42394 | 184 | 42477 | 184 |
| 41641 | 259 | 42108 | 258 | 42395 | 184 | 42478 | 184 |
| 41642 | 259 | 42109 | 258 | 42397 | 184 | 42479 | 184 |
| 41643 | 259 | 42110 | 258 | 42398 | 184 | 42480 | 184 |
| 41644 | 259 | 42111 | 258 | 42399 | 184 | 42481 | 184 |
| 41645 | 259 | 42112 | 258 | 42401 | 184 | 42482 | 184 |
| 41646 | 259 | 42113 | 258 | 42402 | 184 | 42483 | 184 |
| 41647 | 259 | 42114 | 256 | 42403 | 184 | 42484 | 184 |
| 41648 | 259 | 42115 | 256 | 42413 | 184 | 42485 | 184 |
| 41649 | 259 | 42116 | 256 | 42414 | 184 | 42486 | 184 |
| 41650 | 259 | 42117 | 256 | 42415 | 184 | 42487 | 184 |
| 41651 | 259 | 42118 | 256 | 42416 | 184 | 42488 | 184 |
| 41652 | 259 | 42119 | 256 | 42418 | 184 | 42489 | 184 |
| 41653 | 259 | 42120 | 256 | 42419 | 184 | 42490 | 184 |
| 41660 | 259 | 42121 | 256 | 42420 | 185 | 42491 | 184 |
| 41662 | 259 | 42122 | 256 | 42421 | 185 | 42492 | 184 |
| 41663 | 259 | 42123 | 256 | 42422 | 185 | 42493 | 184 |
| 41824 | 259 | 42124 | 256 | 42423 | 185 | 42494 | 184 |
| 41825 | 259 | 42125 | 256 | 42424 | 185 | 42501 | 184 |
| 41826 | 259 | 42126 | 256 | 42425 | 185 | 42502 | 184 |
| 41827 | 261 | 42127 | 256 | 42426 | 185 | 42503 | 184 |
| 41828 | 261 | 42128 | 256 | 42427 | 185 | 42504 | 184 |
| 41829 | 261 | 42129 | 256 | 42428 | 185 | 42505 | 184 |
| 41830 | 258 | 42130 | 256 | 42429 | 185 | 42506 | 184 |
| 41831 | 258 | 42131 | 256 | 42430 | 185 | 42507 | 185 |
| 41832 | 260 | 42132 | 256 | 42431 | 185 | 42539 | 258 |
| 41833 | 260 | 42133 | 256 | 42432 | 185 | 42548 | 258 |
| 41834 | 260 | 42134 | 256 | 42433 | 185 | 42549 | 258 |
| 41894 | 241 | 42135 | 257 | 42434 | 185 | 42550 | 258 |
| 41895 | 241 | 42136 | 257 | 42435 | 185 | 42551 | 258 |
| 41896 | 241 | 42137 | 257 | 42436 | 185 | 42766 | 158 |
| 41897 | 241 | 42138 | 257 | 42437 | 185 | 42989 | 168 |
| 41898 | 241 | 42139 | 257 | 42438 | 185 | 42990 | 177 |
| 41899 | 241 | 42149 | 258 | 42439 | 185 | 42991 | 177 |
| 41900 | 241 | 42150 | 258 | 42440 | 185 | 42992 | 177 |








Wiha order number register


| Order-No. | | Order-No. | | Order-No. | | Order-No. | |
|--------------|-----|-----------|----------|-----------|----------|-----------|-----|
| 42993 | 177 | 43097 | 149 | 43458 | 288 | 43867 | 215 |
| 42994 | 177 | 43098 | 149 | 43459 | 288 | 43868 | 215 |
| 42996 | 177 | 43099 | 149 | 43460 | 302 | 43869 | 215 |
| 42997 | 177 | 43100 | 150 | 43461 | 302 | 43870 | 215 |
| 42998 | 177 | 43101 | 150 | 43462 | 302 | 43879 | 142 |
| 43 | | 43102 | 150 | 43463 | 288 | 43882 | 184 |
| 43022 | 148 | 43103 | 150 | 43464 | 288 | 43895 | 214 |
| 43023 | 147 | 43104 | 150 | 43465 | 143 | 43898 | 209 |
| 43024 | 147 | 43105 | 150 | 43613 | 214 | 43994 | 153 |
| 43026 | 148 | 43106 | 150 | 43631 | 159 | 44 | |
| 43027 | 148 | 43107 | 150 | 43634 | 201 | 44008 | 328 |
| 43028 | 148 | 43108 | 150 | 43669 | 190 | | |
| 43029 | 148 | 43114 | 170, 199 | 43670 | 190 | | |
| 43030 | 148 | 43115 | 170, 199 | 43671 | 190 | | |
| 43031 | 148 | 43116 | 170, 199 | 43672 | 190 | | |
| 43032 | 148 | 43117 | 170, 199 | 43673 | 190 | | |
| 43033 | 148 | 43125 | 295 | 43674 | 190 | | |
| 43034 | 148 | 43128 | 197 | 43675 | 190 | | |
| 43035 | 148 | 43140 | 170, 199 | 43676 | 190 | | |
| 43036 | 148 | 43141 | 170, 199 | 43677 | 190 | | |
| 43037 | 148 | 43142 | 170, 199 | 43678 | 190 | | |
| 43038 | 148 | 43143 | 170 | 43679 | 190 | | |
| 43039 | 148 | 43144 | 170 | 43680 | 190 | | |
| 43040 | 148 | 43145 | 170 | 43681 | 190 | | |
| 43041 | 148 | 43146 | 170 | 43682 | 190 | | |
| 43042 | 148 | 43147 | 170 | 43683 | 190 | | |
| 43043 | 148 | 43148 | 170 | 43684 | 190 | | |
| 43044 | 148 | 43149 | 170 | 43685 | 190 | | |
| 43052 | 150 | 43150 | 170 | 43686 | 190 | | |
| 43053 | 150 | 43151 | 170 | 43687 | 190 | | |
| 43055 | 150 | 43152 | 169, 197 | 43688 | 190 | | |
| 43056 | 150 | 43153 | 169, 197 | 43689 | 190 | | |
| 43057 | 150 | 43154 | 169, 197 | 43690 | 190 | | |
| 43058 | 150 | 43155 | 169, 198 | 43691 | 190 | | |
| 43061 | 148 | 43156 | 169, 198 | 43692 | 190 | | |
| 43062 | 149 | 43157 | 169, 198 | 43693 | 190 | | |
| 43063 | 149 | 43158 | 169, 198 | 43694 | 190 | | |
| 43065 | 149 | 43159 | 169, 198 | 43695 | 190 | | |
| 43066 | 149 | 43160 | 169, 198 | 43696 | 190 | | |
| 43067 | 149 | 43161 | 169, 198 | 43697 | 190 | | |
| 43068 | 149 | 43162 | 169, 198 | 43698 | 190 | | |
| 43069 | 149 | 43163 | 171 | 43699 | 190 | | |
| 43070 | 149 | 43164 | 171 | 43700 | 190 | | |
| 43071 | 149 | 43167 | 167 | 43701 | 190 | | |
| 43072 | 149 | 43177 | 200 | 43702 | 190 | | |
| 43073 | 149 | 43240 | 307 | 43703 | 190 | | |
| 43074 | 149 | 43304 | 302 | 43704 | 190 | | |
| 43075 | 149 | 43324 | 302 | 43705 | 190 | | |
| 43076 | 149 | 43325 | 302 | 43706 | 190 | | |
| 43077 | 149 | 43326 | 288 | 43707 | 189 | | |
| 43078 | 149 | 43327 | 288 | 43708 | 189 | | |
| 43079 | 149 | 43332 | 302 | 43709 | 283 | | |
| 43080 | 149 | 43333 | 302 | 43797 | 160, 174 | | |
| 43081 | 149 | 43334 | 302 | 43798 | 160, 174 | | |
| 43082 | 149 | 43335 | 288 | 43847 | 236 | | |
| 43083 | 149 | 43336 | 288 | 43848 | 235 | | |
| 43084 | 149 | 43337 | 302 | 43849 | 230 | | |
| 43085 | 149 | 43338 | 302 | 43850 | 231 | | |
| 43086 | 149 | 43339 | 302 | 43851 | 230 | | |
| 43087 | 149 | 43340 | 288 | 43852 | 231 | | |
| 43088 | 149 | 43341 | 288 | 43858 | 215 | | |
| 43089 | 149 | 43450 | 302 | 43859 | 215 | | |
| 43090 | 149 | 43451 | 302 | 43860 | 215 | | |
| 43091 | 149 | 43452 | 302 | 43861 | 215 | | |
| 43092 | 149 | 43453 | 288 | 43862 | 215 | | |
| 43093 | 149 | 43454 | 288 | 43863 | 215 | | |
| 43094 | 149 | 43455 | 302 | 43864 | 215 | | |
| 43095 | 149 | 43456 | 302 | 43865 | 215 | | |
| 43096 | 149 | 43457 | 302 | 43866 | 215 | | |





Wiha article number register

| | | | |
|---|---|--|---|
| Art.-No.  | Art.-No.  | Art.-No.  | Art.-No.  |
| 22 | 277P 189, 190 | 2872 S3 195 | 328 167, 173 |
| 2270P 168, 174 | 278P 190 | 2872 T13 195 | 3281 172 |
| 2271P 174 | 28 | 2872 T18 194 | 33 |
| 24 | 281 01 283 | 2879 B7 197 | 331 251 |
| 246 335 | 281 02 282 | 28799 197 | 334 239, 248 |
| 24601 220 | 281-01ESD 283 | 2882 209 | 334DS 239, 247 |
| 246176 295 | 281P 283 | 2882 S10 209 | 334DSR 247 |
| 24622 296 | 2831 164, 167-169, 171, 197, 198, 214 | 2891 206 | 334N 250 |
| 24628 283 | 283100 168 | 2893 206 | 334R 239, 248 |
| 24629 283 | 283110 170, 199 | 2893 S01 206 | 334Z 249 |
| 24636 279 | 283111 170, 199 | 2899 207 | 336 249 |
| 24667 220 | 283112 170, 199 | 28993 207 | 336N 250 |
| 24670 160 | 283113 170, 199 | 28995 207 | 336Z 250 |
| 24675 295 | 283114 170, 199 | 28996 207 | 338 249 |
| 24676 296 | 283115 170, 199 | 28999 207 | 34 |
| 24677 296 | 283116 170 | 29 | 341 176, 180 |
| 24678 296 | 283117 170, 199 | 2909 161 | 343 180 |
| 24680 296 | 283118 170, 199 | 2920 203 | 344 181 |
| 24681 220 | 28352 201 | 2933 200 | 347 181 |
| 25 | 28360 208 | 2970 196 | 347Z 181 |
| 255-11 174 | 283693 208 | 29701 080 S4 196 | 35 |
| 25513 160, 174 | 283695 208 | 29701 200 S4 196 | 350 234, 244 |
| 25514 160, 174 | 283696 208 | 29701 280 S4 196 | 351P 217, 219 |
| 255-3 174 | 283793 200 | 29701 S5 196 | 352B 234, 235, 243 |
| 255-7 174 | 283794 200 | 30 | 356 179 |
| 26 | 283795 200 | 300 183 | 357 180 |
| 260P 177, 184 | 283799 201 | 301 183 | 3581 172 |
| 2611P 184 | 284 223 | 302 175, 178 | 358N 173 |
| 261P 184 | 28400 224 | 3021 182 | 36 |
| 262P 184 | 28401 224 | 3022 178 | 3611P 238, 246 |
| 263P 177, 185 | 28411 224 | 302ESD 188, 189 | 362 175, 178 |
| 264P 177, 185 | 28422 224 | 302SY 183 | 362BE 179 |
| 264PZ 185 | 28437 224 | 308 176, 183 | 362ESD 188, 189 |
| 265P 177, 185 | 2844 224 | 31 | 362IP 179 |
| 265PZ 185 | 28455 224 | 311 178 | 362R 175, 179 |
| 266P 184 | 284ESD 223 | 3111 182 | 362RIP 179 |
| 266PY 184 | 284T 221, 222 | 311ESD 189 | 362TR 175, 179 |
| 267P 177, 185 | 284TR 224 | 311SY 183 | 363 238, 246 |
| 267PIP 184 | 284TS 224 | 312 183 | 363P 217, 218 |
| 267PPR 177, 184 | 284TW 224 | 313 178 | 363TR 238, 246 |
| 268P 185 | 2850 203 | 313ESD 189 | 363TRP 218 |
| 269 227 | 2852 202 | 313SY 183 | 364 240, 250 |
| 26900 227 | 2852 S10 202 | 314 183 | 364DS 239, 247 |
| 26901 227 | 2852 S10-01 202 | 32 | 364IP 251 |
| 26911 227 | 2859 205 | 3201 165, 166, 172 | 364R 251 |
| 2691ESD 227 | 28590 204 | 320N 166, 173 | 365 240, 251 |
| 26922 227 | 28591 204 | 3211 172 | 365IP 240, 252 |
| 26937 227 | 28592 204 | 321N 173 | 366 237, 238, 246 |
| 26955 227 | 28593 205 | 322 174 | 366 TS 245 |
| 269ESD 226 | 28594 205 | 322 K5 167 | 366BE 236, 244 |
| 269T 225 | 28595 204 | 323N 173 | 366BET 236, 245 |
| 269TESD 227 | 28595R 204 | 324 173 | 366R 235, 244 |
| 27 | 28596 204 | 3241 172 | 366TS 237 |
| 270P 189, 190 | 28596R 204 | 325 173 | 367 179 |
| 271P 190 | 28597 204 | 3251 166, 172 | 367R 179 |
| 273P 190 | 285992 205 | 3251 TR 172 | 369 232, 233, 242 |
| 275P 190 | 285994 205 | 3251TR 166 | 369 Zoll B 243 |
| 276P 190 | 2872 195 | 327 167, 173 | 369B 234, 243 |
| 276PY 190 | | 3271 172 | 369F 230, 241 |

| Art.-No. |  |
|-----------|---|
| 369K | 233, 242 |
| 369R | 231, 241 |
| 369RF | 230, 241 |
| 369RP | 219 |
| 369RZ | 231, 241 |
| 369T | 232, 242 |
| 369Z | 242 |
| 369ZB | 232, 234 |
| 37 | |
| 370 | 240, 252 |
| 370IP | 252 |
| 372 | 181 |
| 38 | |
| 3801 | 216 |
| 3802 | 214 |
| 380302 | 216 |
| 3809 | 216 |
| 384 | 282 |
| 386 | 282 |
| 387 01 | 282 |
| 387 02 | 282 |
| 387ESD | 283 |
| 388 | 283 |
| 388DS | 283 |
| 39 | |
| 397 | 182 |
| 398 | 182 |
| 40 | |
| 400 10 | 186 |
| 405 | 188 |
| 41 | |
| 410 1000 | 337 |
| 410 2000 | 336 |
| 410 2001 | 337 |
| 410 2005 | 336 |
| 410 2007 | 336 |
| 4102008 | 336 |
| 4111 | 335 |
| 4112 | 335 |
| 4113 | 335 |
| 43 | |
| 430 | 186 |
| 50 | |
| 500 | 186 |
| 509 | 186 |
| 53 | |
| 530 | 176, 182 |
| 531 | 182 |
| 532 | 182 |
| 54 | |
| 540 | 248 |
| 540DS | 247 |
| 55 | |
| 5527 | 187 |
| 5533 | 187 |
| 5534 | 187 |
| 5535 | 187 |
| 59 | |
| 590 | 156, 157, 159 |

| Art.-No. |  |
|---------------|---|
| 5991 | 158 |
| 5992 | 158 |
| 70 | |
| 7000 4 Z | 275 |
| 7000 SK65 ESD | 274 |
| 7001 4 Z | 275 |
| 7003 4 Z | 275 |
| 7005 4 Z | 275 |
| 7009 4 Z | 275 |
| 7010 Z | 265 |
| 7011 DWS | 267, 268 |
| 7011 Z | 265 |
| 7011Z | 269 |
| 7012 Z | 265 |
| 7012Z | 269 |
| 7013 Z | 266 |
| 7013 Z TR | 266 |
| 7013R Z | 266 |
| 7015 Z | 265 |
| 7015 Z TR | 266 |
| 7015K Z | 266 |
| 7015Z | 269 |
| 7016 Z | 266 |
| 7016 Z IPR | 266 |
| 7017 Z | 266 |
| 7017R Z | 266 |
| 7018 Z | 267 |
| 7019 Z SIT | 267 |
| 7019 Z SP | 267 |
| 7019 Z TS | 267 |
| 7019 Z TW | 267 |
| 7019 Z XZN | 267 |
| 7040 Z | 270 |
| 7041 Z | 270 |
| 7042 Z | 271 |
| 7043 Z | 273 |
| 7043R Z | 272 |
| 7044 | 278 |
| 7044 4 Z | 276 |
| 7044 M | 278 |
| 7045 Z | 271 |
| 7045 Z TR | 272 |
| 7045BE | 271 |
| 7045BE 9570 | 274 |
| 7045R | 271 |
| 7046 Z | 272 |
| 7047R Z | 272 |
| 7048 Z | 273 |
| 7049 TS | 272 |
| 7049PHM | 271 |
| 7049PZM | 271 |
| 71 | |
| 7103 | 276 |
| 7110 | 276 |
| 7110H | 281 |
| 7113 | 281 |
| 7113 P | 281 |
| 7113 S | 281 |
| 7123 | 280 |

| Art.-No. |  |
|------------|--|
| 7140 | 281 |
| 7143 | 281 |
| 7148 CF | 280 |
| 7148 CS | 280 |
| 7148C | 280 |
| 7183 | 281 |
| 72 | |
| 7201 | 278 |
| 7203 | 278 |
| 7204Z-516 | 279 |
| 7207NEX | 150 |
| 7207NHS | 150 |
| 7207NRW | 150 |
| 7208NEX | 150 |
| 7208NHS | 150 |
| 7210 | 278 |
| 7240 | 278 |
| 73 | |
| 7311 Z | 276 |
| 7312 Z | 276 |
| 7321 Z | 276 |
| 7322 Z | 276 |
| 7325 Z | 276 |
| 7331 Z | 276 |
| 7332 Z | 277 |
| 7341 Z | 277 |
| 7342 Z | 277 |
| 74 | |
| 7410Z | 215 |
| 7419Z | 215 |
| 78 | |
| 7802 | 224 |
| 7803 | 224 |
| 7806 | 277 |
| 7807 | 277 |
| 79 | |
| 79186 B5 | 277 |
| 79187 B5 | 277 |
| 7928-913 | 264 |
| 7928-923 | 264 |
| 7928-928 | 264 |
| 7930 Z | 270 |
| 7945 | 261 |
| 7947-005 | 262 |
| 7947-505 | 262 |
| 7947-505TR | 263 |
| 7947-902 | 263 |
| 7947-904 | 262 |
| 7947-905 | 262 |
| 7947-995 | 263 |
| 7947-999 | 262 |
| 7948-005 | 262 |
| 7948-043 | 262 |
| 7948-927 | 262 |
| 7979-01 | 265 |
| 7979-02 | 265 |
| 7979-03 | 265 |
| 80 | |
| 800 | 332 |

| Art.-No. |  |
|----------------|---|
| 8001 | 332 |
| 8001K | 333 |
| 800K | 333 |
| 800S | 333 |
| 800V | 332 |
| 802 | 332 |
| 8021 | 332 |
| 82 | |
| 829-0 | 331 |
| 83 | |
| 830-0 | 331 |
| 831-1 | 330 |
| 831-3 | 330 |
| 831-5 | 330 |
| 831-8 | 331 |
| 831-9 | 331 |
| 832 B8 | 328 |
| 832-13 | 329 |
| 832-15 | 329 |
| 832-33 | 329 |
| 832-35 | 329 |
| 832-38 | 329 |
| 832-39 | 330 |
| 832-55 | 330 |
| 832-99 | 330 |
| 84 | |
| 846 | 334 |
| 93 | |
| 9300 | 153 |
| 9300-019 | 152 |
| 9300-020 | 152 |
| 9300-024 | 151 |
| 9300-026 | 151 |
| 9300-041 | 153 |
| SB | |
| SB 3803 04 020 | 214 |
| SB 430 40 K10 | 186 |
| SB 430 4010 | 186 |
| SB 534S5 | 334 |
| SB 7945-TY202 | 257 |
| SB 7945-TY303 | 257 |
| SB 7945-TY505 | 257 |
| SB 7945-TY903 | 257 |
| SB 7945-TY904 | 257 |
| SB 7945-TY905 | 257 |
| SB 7946-TY202 | 256 |
| SB 7946-TY303 | 256 |
| SB 7946-TY505 | 256 |
| SB 7946-TY903 | 256 |
| SB 7946-TY904 | 256 |
| SB 7946-TY905 | 256 |
| SB 7947-005 | 263 |
| SB 7947-505 | 263 |
| SB 7947-505TR | 263 |
| SB 7947-902 | 263 |
| SB 7947-904 | 263 |
| SB 7947-999 | 263 |
| SB 7947-T303 | 259 |
| SB 7947-T906 | 259 |





























Wiha article number register

| Art.-No. | | Art.-No. | | Art.-No. | |
|--------------|-----|------------|----------|----------------|----------|
| SB 7947-T999 | 259 | Z 22 0 01 | 309 | Z 57 0 001 06K | 295 |
| SB 7947-Y202 | 261 | Z 22 0 02 | 309 | Z 57 0 06 | 295 |
| SB 7947-Y505 | 261 | Z 22 0 05 | 309 | Z 60 0 01 | 297 |
| SB 7947-Y904 | 261 | Z 22 0 06 | 293 | Z 60 0 06 | 297 |
| SB 7948-T950 | 258 | Z 23 1 01 | 310 | Z 62 0 06 | 298, 299 |
| SB 7948-T999 | 258 | Z 23 1 05 | 310 | Z 65 0 05 | 314 |
| SB 7948-Y505 | 260 | Z 25 0 01 | 308 | Z 65 2 05 | 314 |
| SB 7948-Y904 | 260 | Z 26 0 00 | 314 | Z 66 0 00 | 315 |
| SB 7948-Y950 | 260 | Z 26 2 00 | 314 | Z 71 5 06 | 299 |
| Z | | Z 27 0 01 | 315 | Z 71 7 06 | 299 |
| Z 01 0 01 | 305 | Z 27 0 01K | 315 | Z 99 0 001 01 | 300 |
| Z 01 0 02 | 304 | Z 30 0 01 | 310 | Z 99 0 001 04 | 316 |
| Z 01 0 05 | 304 | Z 31 0 00 | 311 | Z 99 0 001 06 | 286 |
| Z 01 0 06 | 290 | Z 31 0 01 | 311 | Z 99 0 001 09 | 286 |
| Z 01 0 09 | 290 | Z 32 0 01 | 311 | Z 99 0 002 01 | 300 |
| Z 02 0 01 | 305 | Z 32 0 10 | 311 | Z 99 0 002 05 | 300 |
| Z 02 0 02 | 305 | Z 33 0 01 | 313 | Z 99 0 004 01 | 301 |
| Z 02 0 05 | 305 | Z 33 1 01 | 313 | Z 99 0 007 01 | 301 |
| Z 02 0 06 | 290 | Z 33 4 01 | 312 | Z12101 | 302 |
| Z 02 0 09 | 290 | Z 33 5 01 | 312 | Z12102 | 302 |
| Z 02 2 01 | 291 | Z 34 0 01 | 313 | Z12105 | 302 |
| Z 02 2 02 | 291 | Z 34 1 01 | 313 | ZP | |
| Z 05 0 01 | 306 | Z 34 4 01 | 312 | ZP 01 0 14 | 320 |
| Z 05 0 02 | 306 | Z 34 5 01 | 312 | ZP 06 0 14 | 320 |
| Z 05 0 05 | 306 | Z 36 0 01 | 307 | ZP 07 1 14 | 320 |
| Z 05 0 06 | 291 | Z 36 0 03 | 323 | ZP 09 0 14 | 320 |
| Z 05 0 09 | 291 | Z 36 0 04 | 319 | ZP 11 0 14 | 320 |
| Z 05 1 01 | 306 | Z 36 1 03 | 323 | ZP 15 0 14 | 320 |
| Z 05 1 02 | 306 | Z 36 1 04 | 319 | ZP 16 0 14 | 320 |
| Z 05 1 05 | 306 | Z 37 0 04 | 319 | ZP 18 0 14 | 320 |
| Z 05 1 06 | 292 | Z 38 0 04 | 319 | ZP 20 1 14 | 321 |
| Z 05 1 09 | 292 | Z 40 0 03 | 322 | ZP 20 2 14 | 321 |
| Z 07 0 01 | 307 | Z 40 1 03 | 322 | ZP 24 0 14 | 321 |
| Z 07 0 02 | 307 | Z 40 1 04 | 317 | ZP 25 2 14 | 321 |
| Z 07 0 05 | 307 | Z 40 3 04 | 317 | ZP 46 0 14 | 321 |
| Z 07 0 06 | 292 | Z 40 4 04 | 317 | ZP 50 0 14 | 321 |
| Z 09 0 01 | 308 | Z 41 1 03 | 322 | ZP 99 0 140 02 | 316 |
| Z 09 0 02 | 308 | Z 41 1 04 | 317 | | |
| Z 09 0 05 | 308 | Z 41 3 03 | 322 | | |
| Z 09 0 06 | 292 | Z 41 3 04 | 317 | | |
| Z 12 1 06 | 288 | Z 41 4 04 | 317 | | |
| Z 12 1 09 | 288 | Z 41 6 03 | 322 | | |
| Z 14 0 06 | 288 | Z 43 1 04 | 318 | | |
| Z 14 1 01 | 287 | Z 44 1 04 | 318 | | |
| Z 14 1 06 | 287 | Z 44 3 01 | 307 | | |
| Z 15 0 01 | 307 | Z 44 3 04 | 318 | | |
| Z 16 2 01 | 303 | Z 46 0 03 | 322, 323 | | |
| Z 16 3 02 | 303 | Z 46 1 04 | 318 | | |
| Z 16 3 05 | 303 | Z 47 1 04 | 318 | | |
| Z 16 3 06 | 289 | Z 47 2 04 | 318 | | |
| Z 16 3 09 | 289 | Z 49 2 03 | 323 | | |
| Z 17 0 01 | 310 | Z 49 7 03 | 323 | | |
| Z 18 0 01 | 302 | Z 50 1 01 | 293 | | |
| Z 18 0 02 | 301 | Z 50 1 06 | 293 | | |
| Z 18 0 05 | 301 | Z 50 1 09 | 293 | | |
| Z 18 0 06 | 288 | Z 55 0 01 | 294 | | |
| Z 21 0 01 | 309 | Z 55 0 02 | 294 | | |
| Z 21 0 02 | 309 | Z 55 0 05 | 294 | | |
| Z 21 0 05 | 309 | Z 55 0 06 | 294 | | |
| Z 21 0 06 | 293 | Z 55 0 09 | 294 | | |









Legend




















Drives

| | |
|---|---|
|  | Triangular nut |
|  | Hexagon head |
|  | Square nut |
|  | Internal hexagon |
|  | Internal hexagon with drill hole (tamper-resistant) |
|  | Tamper Resistant hex |
|  | Countersink |
|  | Combination drill bit |
|  | Pentalobe PL |
|  | Y-Type |
|  | Phillips PH (cross-recessed) |
|  | Pozidriv PZ (Phillips) |
|  | Robertson |
|  | Round tip |
|  | Slotted |
|  | Slotted nut |
|  | SIT |
|  | Spanner |
|  | Twist drill |
|  | Sliding sleeve |
|  | Torq-Set® |
|  | TORX® |
|  | TORX® with drill hole (tamper-resistant) |
|  | TORX PLUS® |
|  | Tri-Wing® |
|  | Multitooth |
|  | Square reaming blade |
|  | Xeno SL/PZ |









Drives

| | |
|---|--------------------|
|  | Square nut |
|  | Square |
|  | G7 drive system |
|  | Threaded connector |
|  | SDS-Plus® |
|  | Hex |




Screwdrivers [mm]

| | |
|---|----------------------------|
|  | Cut width |
|  | Tip width |
|  | Round blade dimension |
|  | Hex blade |
|  | Hex bolster |
|  | Scraper width |
|  | Clip opening |
|  | Tip width |
|  | Head width, nut driver |
|  | Blade length |
|  | Shaft lengths |
|  | Handle length |
|  | Handle diameter |
|  | Torque T-handle length |
|  | Torque T-handle width |
|  | Max. torque value [Nm] |
|  | Max. torque value [in.lbs] |
|  | Accuracy [%] |
|  | Cable key depth |























L-keys [mm]

| | |
|---|-----------------------------|
|  | Round blade dimension |
|  | Hex blade |
|  | Hex bolster |
|  | Shaft lengths |
|  | Blade length |
|  | Side driver length T-handle |
|  | Handle width |
|  | Diameter |





Bits [mm]

| | |
|---|----------------------|
|  | Threaded connector |
|  | Drill working length |
|  | Screw size |




Pliers [mm]

| | |
|---|--|
|  | Flat jaws |
|  | Half round jaws |
|  | Round jaws |
|  | Cutter without bevel |
|  | Cutter with small bevel |
|  | Cutter with bevel |
|  | Anvil cutter |
|  | Center cutter |
|  | Scissors cutter |
|  | Front cutting edge in stripping pliers |
|  | Max. diameter |
|  | Max. cross-section |
|  | Max. gripper pipe diameter |
|  | Max. gripper width across flats |
|  | External retaining ring |
|  | Internal retaining ring |
|  | Clamping range |
|  | Opening width flat |
|  | Cutting force |
|  | with opening spring |
|  | AWG American Wire Gauge |
|  | Saw blade length |




Measurement tools [mm]

| | |
|---|------------------------------|
|  | Width of segments |
|  | Colour |
|  | Measurement capacity [mm] |
|  | Measurement capacity in Inch |




Electro

| | |
|---|----------------|
|  | Battery |
|  | LED LED lumens |
|  | Laser light |

Soft faced hammer [mm]

| | |
|---|-------------------|
|  | Face diameter |
|  | Hammer face width |
|  | Hammer head width |

General symbols

| | |
|---|-------------------|
|  | Weight, g |
|  | Diameter |
|  | Blister packed |
|  | Total length mm |
|  | Total length Inch |
|  | Packaging unit |

TORX®, TORX PLUS®= Registered Trademarks of ACUMENT GlobalTechnologies B.V.
 ACR/AOT, Tri-Wing®, Torq-Set®= Registered Trademarks of Phillips Screw Company
 Pozidriv= Registered Trademark of European Industrial Services Ltd.

Legend

Ranges



Case strength



Wheel-along case



Case shape



Case suitable for transport by air

Electro



Torque safety check



Saves time

Screwdrivers



MagicRing®



MagicSpring®



Ball end can swivel up to 25°



slimTECHNOLOGY

Torque



Precision: ±6%



Accuracy ±10%



slimTECHNOLOGY

L-keys



MagicRing®



MagicSpring®



Ball end can swivel up to 25°



TORX® ball end; can swivel up to 25°



Visible in UV light



95° Stubby

Bits



Suitable for impact screwdrivers



Lifespan 120 times longer



Visible in UV light

Pliers



Cutting-to-length diameter



Skinning diameter length



Automatic skinning



DynamicJoint®



Heavy-duty diagonal cutters



OptiGrip



MagicTips®



BiCut® Power



TriCut®

Impact tools



Optimum weight distribution



Soft hammer end



Levers out nail clamp

Measurement tool



Fully encased



Visible from just 10°



Visible in UV light

General information



Recommended for electricians – non-insulated



VDE-tested and certified



CE marking



ESD electronics mark

Subject to technical changes. All illustrations and graphics, specified dimensions and values and references to standards, e.g. DIN/EN, are non-binding. Any liability claims based on this will therefore be rejected. No liability claims will be accepted for printing errors and mistakes which have occurred during the production of the catalogue.

All property rights to the catalogue held by Wiha Werkzeuge GmbH are reserved. The printing or copying of the texts and illustrations contained in this catalogue or its design is prohibited. Our General Terms and Conditions (Terms of Sale, Delivery and Payment) apply. You will find our general terms and conditions at www.wiha.com

Wiha Werkzeuge GmbH
Obertalstraße 3-7
78136 Schonach/Germany
Phone +49 7722 959-0
Fax +49 7722 959-159 Inland
Fax +49 7722 959-155 Export
info.de@wiha.com
www.wiha.com

Wiha Tools Ltd.
841 Birchwood Boulevard
Warrington
WA3 7QU
Phone +44 1527 57 57 58
+44 1527 91 09 86
Fax +44 1527 91 00 23
info.uk@wiha.com
www.wiha.com/en

Wiha France SARL
Z. A. de Terrefort
33520 Bruges/France
Phone +33 5 56 16 79 35
Fax +33 5 56 16 79 36
servicecommercial@wiha.fr
www.wiha.com/fr

Wiha Nordic A/S
Korskildelund 6
2670 Greve/Denmark
Phone +45 70 23 80 45
info.nordic@wiha.com
www.wiha.com

Wiha Iberia Willi Hahn S.A.
Av. del Rey Juan Carlos I, 98. 3º C
28916 Leganés/Madrid, Spain
Phone +34 91 693 85 11
Fax +34 91 693 63 83
iberia@wiha.com
www.wiha.com/es

Wiha Polska Sp. z o.o.
ul. Budowlanych 10 b
80-298 Gdańsk/Poland
Phone +48 58 762 38 30
Fax +48 58 762 39 00
info.pl@wiha.com
www.wiha.com/pl

Wiha in Russia
Phone +48 58 762-38-30
Fax +48 58 762-39-00
michal.moczynski@wiha.com
www.wiha.com

Willi Hahn Corp.
1348, Dundas Circle
Monticello, MN 55362/USA
Phone +1 763 2 95 65 91
Fax +1 763 2 95 65 98
cservice@wihatools.com
www.wihatools.com

Wiha Tools Canada Ltd.
394 Deerhurst Drive
L6T 5H9, Brampton, ON
Phone +1 866 494 0096
Fax +1 800 494 7456
info@wihatools.ca
www.wihatools.ca

Wiha Asia Pacific Pte. Ltd.
25 International Business Park
#02 – 102 German Centre
Singapore 609916
Phone +65 6563 1277
Fax +65 6563 7168
info.sg@wiha.com
www.wiha.com

Wiha Tools (Shanghai) Co.Ltd.
Tony Lv
Zone B No.1000 Jinsui Rd,
Pudong New District Shanghai,
China, 201206
Phone +86 21 64401119
Fax +86 21 64401112
info.cn@wiha.com.cn
www.wiha.com.cn

Wiha Finland Oy
Mäkituvantie 9
FI-01510 Vantaa Finland
Phone +358 44 231 9988
raija.helin@wiha.com
www.wiha.com

Wiha en Belgique
Phone +32 49 35 054 50
info.belux@wiha.com
www.wiha.com

Wiha in Nederland
Phone +31 64 63 113 30
info.nl@wiha.com
www.wiha.com/nl

Wiha in Italia
Thoelke Rappresentanze Srl
Phone +39-0332-966039
info.it@wiha.com
www.wiha.com/it

Premium Tools Australia Pty Ltd.
PO Box 63
Bargo, NSW 2574
Phone +61 02 4684 1460
Fax +61 02 8088 7272
sales@wiha.com.au
www.wiha.com.au

Premium Tools (NZ) Ltd.
Unit 5C 89 Ellice Road
Wairau Valley
Auckland, New Zealand
Phone +64 09 444 2560
Fax +64 09 355 0411
sales@wiha.co.nz
www.wiha.co.nz

Robert Rieffel AG
Widenholzstrasse 8
8304 Wallisellen/Switzerland
Phone +41 44 877 33 33
Fax +41 44 877 33 22
info@rieffel.ch
www.rieffel.ch

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Crimpers / Crimping Tools](#) category:

Click to view products by [Wiha](#) manufacturer:

Other Similar products are found below :

[010-0096](#) [M225201-06](#) [M225202-37](#) [6-1579015-5](#) [CT150-2-D02](#) [CT150-6-RH07](#) [622-6441LF](#) [M322](#) [6-304052-1](#) [63456-0054](#) [63484-3701](#)
[63800-8355](#) [63819-1875](#) [63819-2875](#) [63819-4475](#) [63823-3475](#) [63827-5375](#) [64001-0975](#) [64001-4175](#) [64005-0175](#) [662903-2](#) [690602-6](#) [7-](#)
[1579001-9](#) [7-23471-1](#) [762637-1](#) [808714-1](#) [811242-5](#) [91362-1](#) [999-50-020083](#) [1-21002-3](#) [1-21002-7](#) [12085270](#) [1-21002-6](#) [1-21113-6](#) [1-](#)
[22548-4](#) [125442-1](#) [DCE.91.073.BVC](#) [DCE.91.090.3MVM](#) [DCE.91.130.5MVU](#) [DCE.91.202.BVCM](#) [1338300-1](#) [1-354003-0](#) [1338301-1](#)
[DF62/RE-MD](#) [142321](#) [AP105-DF11-2428S\(64\)](#) [1456088-1](#) [1490794-1](#) [1-45804-6](#) [1490357-2](#)