

2019




Tools that work for you

PROFESSIONAL TECH TOOLS



COMPLETE TECHNICIAN'S PROGRAM



Precision Screwdrivers • PicoFinish Drivers • TorqueControl Micro Bits • Blade Sets • Electronic Pliers • ESD Tweezers • Mirrors

Wiha Precision Screwdrivers

| Description | Page |
|-----------------------------|------|
| Precision Slotted Drivers | 4 |
| Precision Phillips Drivers | 4 |
| Precision Pozidriv® Drivers | 5 |
| Precision Hex Drivers | 5 |
| Precision Ball End Drivers | 6 |
| Precision Nut Drivers | 7 |
| Precision Torx® Drivers | 6 |
| Precision Pentalobe Drivers | 7 |
| Precision Chip Lifters | 4 |

Wiha Magnetizer/Demagnetizer

| Description | Page |
|-------------------------|------|
| Magnetizer/Demagnetizer | 11 |

Wiha Precision Protturn Drivers

| Description | Page |
|--------------------------------------|------|
| Protturn Drivers & Blade Sets | 12 |
| Slotted, Phillips, Torx, Chip Lifter | |

Wiha TorqueControl Tools

| Description | Page |
|----------------------|------|
| Torque Cable Keys | 8 |
| TorqueControl Handle | 8 |

Wiha ESD Safe Precision Handles/Blades

| Description | Page |
|-------------------------|-------|
| SYSTEM 4 Handles/Blades | 13-15 |

Wiha Precision Screwdriver Accessories

| Description | Page |
|----------------------------|------|
| Precision Master Tech Sets | 8 |
| Precision Pocket Clip | 4 |
| Precision Stand | 4 |
| Precision Pouch | 11 |

Wiha ESD Safe Precision Handle & Blades

| Description | Page |
|------------------------------------|------|
| SYSTEM 4 Drive-Loc Handle & Blades | 15 |
| SYSTEM 4 Drive-Loc Set | 15 |









Wiha Precision PicoFinish Drivers

| Description | Page |
|--|------|
| PicoFinish Screwdrivers | 9-12 |
| Slotted, Phillips, Torx, TorxPlus, Hex, MagicSpring, Ball End Hex, Chip Lifter & Nut Drivers | |
| Tri-Wing Drivers | |
| Insulated PicoFinish Drivers | 12 |



ESD Safe Micro Bit Handles, Bits & Sets

| Description | Page |
|-------------------------------|-------|
| Micro Bit Handles/Bits/Sets | 16-21 |
| Micro Bit Storage Handle Sets | 21 |
| ESD Safe Micro Bit Sets | 18-21 |

Precision Electronic Pliers/Cutters

| | Description | Page |
|---|---|------|
|  | Electronic Diagonal Cutters Wide Pointed Head | 22 |
|  | Electronic Diagonal Cutters Wide Shape w/Wire Holding Spring | 22 |
|  | Electronic Diagonal Cutters Narrow Shap | 22 |
|  | Electronic Diagonal Cutters Full Flush Cutters w/Wire Trapping Spring | 22 |
|  | Electronic Diagonal Cutters 48° Front Cutter/Long Nose Pliers | 22 |
|  | Electronic Diagonal Cutters Oblique 30° Cutting Nippers | 22 |
|  | Electronic Diagonal Cutters Short Nose Precision Pliers | 22 |
|  | Electronic Stripping Pliers | 22 |

Wiha Professional Tweezers

| | Description | Page |
|---|--------------------|-------|
|  | ESD Safe Tweezers | 23-25 |
|  | Inspection Mirrors | 25 |

Wiha ESD Safe Tech Tools

ESD Safe Precision Drivers
Slotted/Phillips/Torx®/
TorxPlus®/Hex/Nut Drivers/
Chip Lifter

ESD Safe Ceramic Drivers

ESD Safe SYSTEM 4
Handles/Blades/Sets

ESD Safe Drive-Loc
Handles/Blades/Sets

ESD Safe Pliers & Cutters



Catalog 99945.wo



The Comfortable Precision Screwdriver

Soft Grip Handle

CVM tool steel blade, hardened, hard chrome finish

Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control

Sets In Roll-Up Pouch



New & Improved PicoFinish Screwdrivers On Pages 9-12




Rotating cap
for precise turning and control with fingertip

Precision handle
high quality plastic, cadmium free

Molded on tapered handle
allows rapid rotation

High performance blades
CVM steel, Hard chrome finished

Tip
precision ground for exact fit, hard chromed non-slip surface



Wiha Precision Chip Lifter & Accessories



26810 Precision Chip Lifter
Blade CVM steel, hardened, chrome-plated. Precision handle high quality plastic, impact resistant. Standard handle

| Item | | | | | | |
|-------|----|-----|----|-----|------|------|
| No. | mm | mm | mm | mm | Inch | lbs. |
| 26810 | 1 | 3.5 | 50 | 145 | 5.7 | .07 |

*Metric dimensions actual - Inch dimensions approximate



26001 Pocket Clip for Precision Screwdrivers Tool clips turn Precision Screwdrivers into Pocket Screwdrivers.

| Item No. | Fits all | | lbs. | pkg. |
|----------|-------------------|-----|------|------|
| 26001 | Precision handles | .01 | | 1 |



26000 Plastic Precision Tool Rack
Rack holds 6 precision screwdrivers, can be set on workbench. Also has holes for hanging. Made from high quality plastic.

| Item No. | Rack for 6 | | lbs. | Pkg. |
|----------|------------------------|-----|------|------|
| 26000 | Precision screwdrivers | .08 | | 1 |

Wiha Precision Slotted/Phillips Drivers



260 Slotted Screwdriver, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel. Pkg. 10

| Item No. | | | | | | | | | |
|----------|-----|------|-----|------|------|-----|------|------|--|
| | mm | Inch | mm | Inch | mm | mm | Inch | lbs. | |
| 26008 | .80 | 1/32 | 40 | 1.6 | 0.16 | 120 | 4.7 | .02 | |
| 26010 | 1.0 | .039 | 40 | 1.6 | 0.18 | 120 | 4.7 | .02 | |
| 26012 | 1.2 | 3/64 | 40 | 1.6 | 0.20 | 120 | 4.7 | .02 | |
| 26015 | 1.5 | 1/16 | 40 | 1.6 | 0.25 | 120 | 4.7 | .02 | |
| 26018 | 1.8 | .070 | 40 | 1.6 | 0.30 | 120 | 4.7 | .02 | |
| 26020 | 2.0 | 5/64 | 40 | 1.6 | 0.40 | 120 | 4.7 | .02 | |
| 26022 | 2.0 | 5/64 | 50 | 2.0 | 0.40 | 145 | 5.7 | .02 | |
| 26023 | 2.0 | 5/64 | 100 | 3.9 | 0.40 | 180 | 7.1 | .03 | |
| 26025 | 2.5 | 3/32 | 50 | 2.0 | 0.40 | 145 | 5.7 | .03 | |
| 26027 | 2.5 | 3/32 | 100 | 3.9 | 0.40 | 195 | 7.7 | .03 | |
| 26028 | 2.5 | 3/32 | 150 | 6.0 | 0.40 | 245 | 9.6 | .04 | |
| 26030 | 3.0 | 1/8 | 50 | 2.0 | 0.50 | 145 | 5.7 | .03 | |
| 26032 | 3.0 | 1/8 | 60 | 2.4 | 0.50 | 170 | 6.7 | .04 | |
| 26033 | 3.0 | 1/8 | 100 | 3.9 | 0.50 | 210 | 8.3 | .04 | |
| 26034 | 3.0 | 1/8 | 150 | 5.9 | 0.50 | 260 | 10.2 | .05 | |
| 26035 | 3.5 | 9/64 | 60 | 2.4 | 0.60 | 170 | 6.7 | .05 | |
| 26040 | 4.0 | 5/32 | 60 | 2.4 | 0.80 | 170 | 6.7 | .05 | |
| 26041 | 4.0 | 5/32 | 100 | 3.9 | 0.80 | 210 | 8.3 | .06 | |
| 26042 | 4.0 | 5/32 | 150 | 5.9 | 0.80 | 260 | 10.2 | .07 | |

*Metric dimensions actual - Inch dimensions approximate



26090 6pc Precision Slotted Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

| Item No. | Slotted: | | lbs. |
|----------|-----------------|--|------|
| 26090 | 1.5, 2.0 x 40mm | | .27 |
| | 2.5, 3.0 x 50mm | | |
| | 3.5, 4.0 x 60mm | | |



26099 8pc Precision Slotted Set

Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch.

| Item No. | Slotted: | | lbs. |
|----------|----------------------------------|--|------|
| 26099 | 1.0, 1.2, 1.5, 2.0 x 40mm | | |
| | 2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm | | .54 |



261 Phillips Screwdriver, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel. Pkg. 10

| Item No. | | | | | | | | |
|----------|------|-----|------|-----|------|-----|------|------|
| | Size | mm | Inch | mm | Inch | mm | Inch | lbs. |
| 26102 | 000 | 40 | 1.6 | 2.0 | .08 | 120 | 4.7 | .02 |
| 26100 | 00 | 40 | 1.6 | 2.0 | .08 | 120 | 4.7 | .02 |
| 26101 | 00 | 75 | 3.0 | 2.0 | .08 | 155 | 6.1 | .02 |
| 26105 | 0 | 50 | 2.0 | 3.0 | .12 | 145 | 5.7 | .02 |
| 26108 | 0 | 75 | 3.0 | 3.0 | .12 | 170 | 6.7 | .03 |
| 26107 | 0 | 100 | 3.9 | 3.0 | .12 | 195 | 7.6 | .05 |
| 26109 | 0 | 150 | 5.9 | 3.0 | .12 | 245 | 9.6 | .06 |
| 26110 | 1 | 60 | 2.4 | 4.0 | .16 | 170 | 6.7 | .05 |
| 26113 | 1 | 80 | 3.1 | 4.0 | .16 | 190 | 7.5 | .05 |
| 26114 | 1 | 100 | 3.9 | 4.0 | .16 | 210 | 8.2 | .06 |
| 26115 | 1 | 150 | 5.9 | 4.0 | .16 | 260 | 10.2 | .07 |

*Metric dimensions actual - Inch dimensions approximate



26190 8pc Precision Slotted & Phillips Screwdrivers and Industrial Long Nose Pliers Set

| Item No. | Slotted: | Phillips: | Industrial Long Nose Pliers |
|----------|-----------------------------|--------------------|-----------------------------|
| 26190 | 2.0, 2.5 x 40mm | 00 x 40mm | 6.3"/160mm OAL |
| | 2.0, 2.5 x 50mm, 3.0 x 60mm | 0 x 50mm, 1 x 40mm | |



26197 7pc Precision Slotted & Phillips Set Blade high alloy CVM steel.

| Item No. | Slotted: | Phillips: |
|----------|-----------------------------|--------------------|
| 26197 | 2.0, 2.5 x 40mm | 00 x 40mm |
| | 2.0, 2.5 x 50mm, 3.0 x 60mm | 0 x 50mm, 1 x 60mm |



26199 8pc Precision Slotted/Phillips Set


| Item No. | Slotted: | Phillips: | lbs. |
|----------|---|------------------------------------|------|
| 26199 | 1.0, 2.0 x 40mm, 3.0 x 50mm, 4.0 x 60mm | 000, 00 x 40mm, 0 x 50mm, 1 x 60mm | .55 |

Wiha Precision Slotted/Phillips Drivers



26092 7pc Precision Slotted & Phillips

Set Blade high alloy chrome-vanadium-molybdenum steel.

| Item No. | |  |
|--------------|-----------------------|---|
| 26092 | Slotted: | lbs. |
| | 2.5 x 50mm, | .30 |
| | 2.5, 3.0, 4.0 x 100mm | |
| | 3.0, 4.0 x 150mm | |
| | Phillips: | |
| | 0 x 75mm | |



26194 4pc Precision Phillips Set


Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

| Item No. | Phillips: |  |
|--------------|--------------------|---|
| No. | 000, 00 x 40mm | lbs. |
| 26194 | 0 x 50mm, 1 x 60mm | .18 |



26192 5pc Precision Slotted & Phillips


Set Blade high alloy chrome-vanadium-molybdenum steel.

| Item No. | Slotted: |  |
|--------------|-----------------------|---|
| No. | 2.5, 3.0, 4.0 x 150mm | lbs. .44 |
| 26192 | Phillips: | |
| | 0, 1 x 150mm | |

Wiha Pozidriv® Precision Series



262 Pozidriv® Screwdriver, With


Precision Handle Blade high alloy chrome-vanadium-molybdenum steel.  Pkg. 10










| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. |
|--------------|------|----|------|-----|------|-----|------|------|
| 26205 | 0 | 50 | 2.0 | 3.0 | .12 | 145 | 5.7 | .03 |
| 26210 | 1 | 60 | 2.4 | 4.0 | .16 | 170 | 6.7 | .05 |

*Metric dimensions actual - Inch dimensions approximate

Wiha Hex Inch & Metric Precision Series










263 Inch **Inch Hex Driver, With Precision Handle** Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel.  Pkg. 10

| Item No. |  |  |  |  |  |  |  |  |  |
|--------------|---|---|---|---|---|---|---|---|---|
| No. | Inch | mm | mm | Inch | mm | Inch | lbs. | | |
| 26307 | 0.028 | 0.7 | 40 | 1.6 | 120 | 4.7 | .02 | | |
| 26309 | 0.035 | 0.9 | 40 | 1.6 | 120 | 4.7 | .02 | | |
| 26313 | 0.05 | 1.3 | 40 | 1.6 | 120 | 4.7 | .02 | | |
| 26316 | 1/16 | - | 50 | 2.0 | 145 | 5.7 | .03 | | |
| 26320 | 5/64 | 2.0 | 50 | 2.0 | 145 | 5.7 | .03 | | |
| 26323 | 3/32 | - | 60 | 2.4 | 170 | 6.7 | .04 | | |
| 26327 | 7/64 | - | 60 | 2.4 | 170 | 6.7 | .04 | | |
| 26331 | 1/8 | - | 60 | 2.4 | 170 | 6.7 | .04 | | |
| 26333 | 9/64 | | 60 | 2.4 | 170 | 6.7 | .05 | | |
| 26336 | 5/32 | | 60 | 2.4 | 170 | 6.7 | .05 | | |

*Metric dimensions actual - Inch dimensions approximate



263 Metric **Metric Hex Driver, With Precision Handle** Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.



| Item No. |  |  |  |  |  |  |  | | |
|--------------|---|---|---|---|---|---|---|---|---|
| No. | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. | |
| 26307 | .7 | .028 | 40 | 1.6 | 120 | 4.7 | .02 | 10 | |
| 26309 | .9 | .035 | 40 | 1.6 | 120 | 4.7 | .02 | 10 | |
| 26313 | 1.3 | .050 | 40 | 1.6 | 120 | 4.7 | .02 | 10 | |
| 26315 | 1.5 | - | 50 | 2.0 | 145 | 5.7 | .03 | 10 | |
| 26320 | 2.0 | 5/64 | 50 | 2.0 | 145 | 5.7 | .03 | 10 | |
| 26325 | 2.5 | - | 60 | 2.4 | 170 | 6.7 | .04 | 10 | |
| 26330 | 3.0 | - | 60 | 2.4 | 170 | 6.7 | .04 | 10 | |
| 26340 | 4.0 | - | 60 | 2.4 | 170 | 6.7 | .05 | 10 | |

*Metric dimensions actual - Inch dimensions approximate



26391 8pc Precision Hex Driver Set -



Inch Blade high alloy chrome-vanadium-molybdenum steel.

| Item No. |  |  |
|--------------|---|---|
| 26391 | Hex Inch: | lbs. |
| | .028, .035, .050 x 1.6" | .32 |
| | 1/16, 5/64 x 2.0" | |
| | 3/32, 7/64, 1/8 x 2.4" | |



26390 7pc Precision Hex Driver Set -


Metric Blade high alloy chrome-vanadium-molybdenum steel.

| Item No. |  |  |
|--------------|---|---|
| 26390 | Hex Metric: | lbs. |
| | .7, .9, 1.3 x 40mm | .28 |
| | 1.5, 2.0 x 50mm | |
| | 2.5, 3.0 x 60mm | |



26399 8pc Precision Hex Driver Set - Inch

Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch

| Item No. | Hex Inch: |  |
|--------------|---|---|
| 26399 | .028, .035, .050 x 1.6" | lbs. .55 |
| | 1/16, 5/64 x 2.0", 3/32, 7/64, 1/8 x 2.4" | |

Y-Type Precision Driver

Y-Type








(Used in iPhone 7 or higher series)



26601 Y-Type Precision Screwdriver


Blade high alloy CVM steel.

Hard chrome finished.

| Item No. |  |  |  |  |  |  |  |
|--------------|---|---|---|---|---|---|---|
| No. | Size | mm | Inch | mm | Inch | mm | Inch |
| 26601 | 000 | 40 | 1.6 | 2.0 | .08 | 120 | 4.75 |



Wiha Ball End Precision Series




264 Inch Ball End Hex Inch Screwdriver

With Precision Handle Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

| Item | No. | Inch | mm | Inch | mm | Inch | lbs. | Pkg. |
|------|-------|------|----|------|-----|------|------|------|
| | 26413 | .050 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| | 26416 | 1/16 | 50 | 2.0 | 145 | 5.7 | .03 | 10 |
| | 26419 | 5/64 | 50 | 2.0 | 145 | 5.7 | .03 | 10 |
| | 26423 | 3/32 | 50 | 2.0 | 145 | 5.7 | .03 | 10 |
| | 26427 | 7/64 | 60 | 2.4 | 170 | 6.7 | .03 | 10 |
| | 26431 | 1/8 | 60 | 2.4 | 170 | 6.7 | .05 | 10 |
| | 26436 | 9/64 | 60 | 2.4 | 170 | 6.7 | .05 | 10 |
| | 26439 | 5/32 | 60 | 2.4 | 170 | 6.7 | .05 | 10 |

*Metric dimensions actual - Inch dimensions approximate



264 Metric Ball End Hex Metric Screwdriver

With Precision Handle Angle entry up to 30°. Blade high alloy CVM steel.

| Item | No. | mm | Inch | mm | Inch | mm | Inch | lbs. | Pkg. |
|------|-------|-----|------|----|------|-----|------|------|------|
| | 26413 | 1.3 | .050 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| | 26415 | 1.5 | - | 50 | 2.0 | 145 | 5.7 | .03 | 10 |
| | 26420 | 2.0 | - | 50 | 2.0 | 145 | 5.7 | .03 | 10 |
| | 26425 | 2.5 | - | 60 | 2.4 | 170 | 6.7 | .04 | 10 |
| | 26430 | 3.0 | - | 60 | 2.4 | 170 | 6.7 | .05 | 10 |
| | 26440 | 4.0 | - | 60 | 2.4 | 170 | 6.7 | .05 | 10 |

*Metric dimensions actual - Inch dimensions approximate



26491 5pc Ball End Hex Driver Set - Metric

Angle entry up to 30°.

Blade high alloy chrome-vanadium-molybdenum-steel.

| Item | No. | Ball End Hex Metric: | lbs. |
|------|-------|----------------------|------|
| | 26491 | 1.3 x 40mm | .25 |
| | | 1.5, 2.0 x 50mm | |
| | | 2.5, 3.0 x 60mm | |



26490 8 Piece Ball End Hex Driver Set - Inch

Angle entry up to 30°.

Blade high alloy chrome-vanadium-molybdenum steel.

| Item | No. | Hex Inch: | lbs. |
|------|-------|--|------|
| | 26490 | 1/16, 5/64, 3/32 x 2.0, 7/64, 1/8, 9/64, 5/32 x 2.4" | .28 |



26499 8pc Ball End Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

| Item | Ball End Hex Inch: | lbs. | |
|------|--------------------|------------------------------|-----|
| | 26499 | .050 x 1.6" | .62 |
| | | 1/16, 5/64, 3/32 x 2.0" | |
| | | 7/64, 1/8, 9/64, 5/32 x 2.4" | |

Wiha TORX® Precision Series



26792 7pc TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

| Item | No. | TORX®: | lbs. |
|------|-------|-----------------------|------|
| | 26792 | T5, T6, T7, T8 x 40mm | .33 |
| | | T9, T10 x 50mm | |
| | | T15 x 60mm | |

Wiha TORX® Precision Series



267 TORX® Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

| Item | No. | Size | mm | Inch | mm | Inch | lbs. | pkg. |
|------|-------|------|----|------|-----|------|------|------|
| | 26701 | T1 | 40 | 1.6 | 120 | 4.7 | .01 | 10 |
| | 26702 | T2 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| | 26703 | T3 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| | 26704 | T4 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| | 26705 | T5 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| | 26706 | T6 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| | 26707 | T7 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| | 26708 | T8 | 40 | 1.6 | 120 | 4.7 | .03 | 10 |
| | 26709 | T9 | 50 | 2.0 | 145 | 5.7 | .03 | 10 |
| | 26710 | T10 | 50 | 2.0 | 145 | 5.7 | .03 | 10 |
| | 26715 | T15 | 60 | 2.4 | 170 | 6.7 | .05 | 10 |
| | 26720 | T20 | 60 | 2.4 | 170 | 6.7 | .05 | 10 |

*Metric dimensions actual - Inch dimensions approximate



26790 6pc TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

| Item | No. | TORX®: | lbs. |
|------|-------|-------------------|------|
| | 26790 | T6, T7, T8 x 40mm | .30 |
| | | T9, T10 x 50mm | |
| | | T15 x 60mm | |

26791 8pc TORX® Screwdriver Set

| Item No. | TORX®: |
|----------|--------------------------------|
| 26791 | T1, T2, T3, T4, T5, T6, T7, T8 |



26799 8pc TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

| Item | No. | TORX®: | lbs. |
|------|-------|-------------------------------|------|
| | 26799 | T3, T4, T5, T6, T7, T8 x 40mm | .50 |
| | | T9 x T10 x 50mm | |

Wiha Pentalobe Precision Series

Wiha Pentalobe drivers will fit fasteners used in "Apple" brand products including iPhone, Mac Book & Mac Air

- Exact fit precision machined tips
- High performance CRM72 tool steel
- Hard chromed finish blades & tips
- Tapered ergonomic handle
- Easy spin finger tip control cap



267 Pentalobe Screwdrivers, With

Precision Handle Blade high alloy chrome-vanadium-molybdenum steel.

| Item No. | Size | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|----|------|-----|------|------|------|
| 26761 | PL1 | 40 | 1.6 | 120 | 4.7 | .01 | 1 |
| 26762 | PL2 | 40 | 1.6 | 120 | 4.7 | .02 | 1 |
| 26763 | PL3 | 40 | 1.6 | 120 | 4.7 | .02 | 1 |
| 26764 | PL4 | 40 | 1.6 | 120 | 4.7 | .02 | 1 |
| 26765 | PL5 | 40 | 1.6 | 120 | 4.7 | .02 | 1 |
| 26766 | PL6 | 40 | 1.6 | 120 | 4.7 | .02 | 1 |

*Metric dimensions actual - Inch dimensions approximate



26794 6pc Precision Pentalobe

Screwdriver Set Blade high alloy CVM steel. Hard chrome finished. Super hardened best wear resistance long life.

| Item No. | Pentalobe Drivers: | lbs. |
|----------|------------------------------|------|
| 26794 | PL1, PL2, PL3, PL4, PL5, PL6 | .35 |

Wiha Nut Driver Precision Series



265 Metric Metric Nut Driver With Precision

Handle Metric sizes. Blade CVM steel. Hard chrome finished.

| Item No. | mm | mm | Inch | mm | Inch | mm | mm | lbs. | Pkg. |
|----------|-----|----|------|-----|------|-----|------|------|------|
| 26510 | 1.5 | 60 | 2.4 | 140 | 5.5 | 2.5 | 3.0 | .03 | 10 |
| 26515 | 1.8 | 60 | 2.4 | 140 | 5.5 | 2.9 | 3.5 | .03 | 10 |
| 26520 | 2.0 | 60 | 2.4 | 140 | 5.5 | 3.2 | 4.0 | .04 | 10 |
| 26525 | 2.5 | 60 | 2.4 | 155 | 6.1 | 4.0 | 4.0 | .04 | 10 |
| 26530 | 3.0 | 60 | 2.4 | 155 | 6.1 | 5.0 | 5.0 | .05 | 10 |
| 26532 | 3.2 | 60 | 2.4 | 155 | 6.1 | 5.0 | 5.0 | .05 | 10 |
| 26535 | 3.5 | 60 | 2.4 | 155 | 6.1 | 5.3 | 6.0 | .05 | 10 |
| 26540 | 4.0 | 60 | 2.4 | 155 | 6.1 | 5.5 | 6.0 | .05 | 10 |
| 26545 | 4.5 | 60 | 2.4 | 155 | 6.1 | 6.2 | 7.0 | .05 | 10 |
| 26550 | 5.0 | 60 | 2.4 | 155 | 6.1 | 6.8 | 7.0 | .05 | 10 |
| 26555 | 5.5 | 60 | 2.4 | 170 | 6.7 | 7.6 | 8.0 | .06 | 10 |
| 26560 | 6.0 | 60 | 2.4 | 170 | 6.7 | 8.2 | 9.0 | .06 | 10 |
| 26570 | 7.0 | 60 | 2.4 | 170 | 6.7 | 9.6 | 10.0 | .06 | 10 |

*Metric dimensions actual - Inch dimensions approximate



26590 8pc Precision Nut Driver Set - Metric

Blade CVM steel.

| Item No. | Metric Nut Drivers: | lbs. |
|----------|---|------|
| 26590 | 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0 x 60mm | .48 |

26592 7pc Nut Driver Set - Metric

| Item No. | Metric Nut Drivers: | lbs. |
|----------|-------------------------------------|------|
| 26592 | 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm | |



26598 8pc Precision Nut Driver Set - Metric

Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch

| Item No. | Metric Nut Drivers: | lbs. |
|----------|---|------|
| 26598 | 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0 x 60mm | .70 |



265 Inch Inch Nut Driver With Precision

Handle Inch sizes. Blade CVM steel. Hard chrome finished.

| Item No. | Inch | mm | Inch | mm | Inch | mm | mm | lbs. | Pkg. |
|----------|------|----|------|-----|------|-----|-----|------|------|
| 26523 | 3/32 | 60 | 2.4 | 155 | 6.1 | .16 | .16 | .04 | 10 |
| 26527 | 7/64 | 60 | 2.4 | 155 | 6.1 | .20 | .20 | .05 | 10 |
| 26531 | 1/8 | 60 | 2.4 | 155 | 6.1 | .20 | .20 | .05 | 10 |
| 26536 | 9/64 | 60 | 2.4 | 155 | 6.1 | .21 | .24 | .05 | 10 |
| 26539 | 5/32 | 60 | 2.4 | 155 | 6.1 | .22 | .24 | .05 | 10 |
| 26547 | 3/16 | 60 | 2.4 | 155 | 6.1 | .25 | .28 | .05 | 10 |
| 26556 | 7/32 | 60 | 2.4 | 170 | 6.7 | .30 | .32 | .06 | 10 |
| 26563 | 1/4 | 60 | 2.4 | 170 | 6.7 | .34 | .36 | .06 | 10 |

*Metric dimensions actual - Inch dimensions approximate



26591 8pc Precision Nut Driver Set - Inch

Blade CVM steel.

| Item No. | Inch Nut Drivers: | lbs. |
|----------|--|------|
| 26591 | 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4" | .47 |





26599 8pc Precision Nut Driver Set - Inch

Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch


| Item No. | Inch Nut Drivers: | lbs. |
|----------|--|------|
| 26599 | 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4" | .72 |

Wiha Precision Screwdriver Set




| | |
|---|---|
| 92189 | Master Technicians Bench Top Set Metal frame. Equipped with 50 precision drivers. |
| Item No. | Slotted: 1.5, 2.0, 2.5, 3.0, 3.5, 4.0 |
| 92189 | Phillips: #000, #00, #0, #1 |
|  | Pentalobe: PL1, PL2, PL3, PL4 |
| lbs. | TORX®: T1, T2, T3, T4, T5, T6, |
| 3.67 | T7, T8, T9, T10 |
| | Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0 |
| | Inch Hex: .028, .035, .050, 1/16, |
| | 5/64, 3/32, 7/64, 1/8, 9/64, 5/32" |
| | Metric Nut Drivers: 1.5, 1.8, 2.0, |
| | 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5 |
| | 26810 Chip Lifter |



| | |
|---|---|
| 92191 | 51pc Precision Tool Tray Set Tool box tray. Equipped with 51 precision drivers. |
| Item No. | Slotted: .8, 1.0, 1.2, 1.5, 1.8, 2.0, |
| 92191 | 2.5, 3.0, 3.5, 4.0 |
|  | Phillips: #000, #00, #0, #1 |
| lbs. | Torx®: T1, T2, T3, T4, T5, T6, |
| 3.14 | T7, T8, T9, T10 |
| | Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0, 4.0 |
| | Inch Hex: .028, .035, .050, 1/16, |
| | 5/64, 3/32, 7/64, 1/8, 9/64, 5/32" |
| | Metric Nut Drivers: 1.5, 1.8, 2.0, |
| | 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5 |
| | 26810 Chip Lifter |



| | |
|---|---|
| 92190 | Master Technicians Bench Top Set Metal frame. Equipped with 50 precision drivers. |
| Item No. | Slotted: .8, 1.0, 1.2, 1.5, 1.8, 2.0, |
| 92190 | 2.5, 3.0, 3.5, 4.0 |
|  | Phillips: #000, #00, #0, #1 |
| lbs. | TORX®: T1, T2, T3, T4, T5, T6, |
| 3.67 | T7, T8, T9, T10 |
| | Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0 |
| | Inch Hex: .028, .035, .050, 1/16, |
| | 5/64, 3/32, 7/64, 1/8, 9/64, 5/32" |
| | Metric Nut Drivers: 1.5, 1.8, 2.0, |
| | 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5 |
| | 26810 Chip Lifter |

Wiha Magnetizer/Demagnetizer

Magnetize or Demagnetize tools and small parts instantly

Shatterproof Box is made from high quality plastic

Uses 2 C8 industrial permanent magnets




(+) to Magnetize

(-) to Demagnetize

40010 Magnetizer and Demagnetizer
To magnetize and demagnetize steel screwdriver blades, tweezers and similar tools. Box high quality plastic, shock-resistant, green, cadmium free.

Application:

To magnetize, lead tool slowly through the (+) opening, to demagnetize guide tool slowly through the (-) opening.

| | |
|--------------|---|
| Item |  |
| No. | Dimensions lbs. |
| 40010 | 2.1" x 2.0" x 1.1" .30 |

(Parts under 1" Length or 1/8" Diameter may not demagnetize)

Wiha Torque Cable Keys



286 Torque Cable Key For Threaded

Hex Connectors For torque controlled fastening of cable plug connectors with Hex heads. Used with Wiha-TorqueControl Screwdrivers.

| Item No. | Size | mm | mm | mm | Max Nm | lbs. | Pkg. |
|--------------|------|-----|----|-----|--------|------|------|
| 28620 | 8mm | 4.0 | 78 | 218 | 1.0 | .06 | 1 |
| 28622 | 9mm | 4.0 | 78 | 218 | 1.0 | .06 | 1 |
| 28626 | 12mm | 4.0 | 78 | 218 | 1.5 | .06 | 1 |
| 28627 | 13mm | 4.0 | 78 | 218 | 1.5 | .06 | 1 |
| 28629 | 14mm | 4.0 | 78 | 218 | 1.5 | .06 | 1 |
| 28633 | 18mm | 4.0 | 78 | 218 | 1.5 | .06 | 1 |

28644 Torque Cable Key For Threaded

Hex Connectors - Inch

| Item No. | Size | mm | mm | mm | Max Nm | lbs. | Pkg. |
|--------------|------|-----|----|-----|--------|------|------|
| 28644 | 1/2" | 4.0 | 78 | 218 | 1.5 | .06 | 1 |



+/-6% accuracy tolerance
Certificate of calibration

28552 Adjustable TorqueVario-S Handle -

In Newton Meter Scale EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

| Item No. | Newton Meter Scale | Increments | mm | lbs. | Pkg. |
|--------------|--------------------|------------|-----------|------|------|
| 28552 | 0.8 - 2.0Nm | .10 Nm | 126 - 131 | .45 | 1 |

Wiha Soft Grip PicoFinish Precision Screwdrivers

The Comfortable Precision Screwdriver

Soft Grip Handle

Sets In Roll-Up Pouch

CVM tool steel blade, hardened, hard chrome finish

Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control



Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control



26195 5pc Precision Screwdrivers With Precision Soft PicoFinish Handle

| Item | Slotted: | |
|-------|------------------|------|
| No. | 1.5, 2.5, 3.5mm | lbs. |
| 26195 | Phillips: #0, #1 | .25 |

* No Pouch - In clamshell



26196 5pc Precision Screwdrivers With Precision Soft PicoFinish Handle

| Item | Phillips: #0, #1 | |
|-------|------------------------------------|------|
| No. | Pentalobe: PL1 | lbs. |
| 26196 | Tri-Wing: #000 | .25 |
| | Tweezers: 2a SA ESD Flat Round Tip | |

* No Pouch - In clamshell



26198 11pc Smartphone Precision Screwdrivers With Precision Soft PicoFinish Handle

| Item | Slotted: 1.8mm | |
|-------|------------------------------------|--|
| No. | Phillips: #000, #00, #0 | |
| 26198 | TORX®: T3, T4, T5, T6 | |
| | Pentalobe: PL1 | |
| lbs. | Tri-Wing: #000 | |
| .59 | Tweezers: PSF SA ESD Long Flat Tip | |



260 Slotted Precision Screwdriver, With PicoFinish Handle Blade CVM steel, hardened, hard chromed.

| Item | ↓ | ↓ | ← | ← | ← | ← | |
|-------|-----|------|-----|------|-----|------|------|
| No. | mm | Inch | mm | Inch | mm | Inch | Pkg. |
| 26050 | 0.8 | .03 | 40 | 1.6 | 134 | 5.3 | 10 |
| 26051 | 1.0 | .04 | 40 | 1.6 | 134 | 5.3 | 10 |
| 26052 | 1.2 | .05 | 40 | 1.6 | 134 | 5.3 | 10 |
| 26053 | 1.5 | .06 | 40 | 1.6 | 134 | 5.3 | 10 |
| 26055 | 1.8 | .07 | 40 | 1.6 | 134 | 5.3 | 10 |
| 26060 | 2.0 | .08 | 40 | 1.6 | 140 | 5.5 | 10 |
| 26061 | 2.0 | .08 | 60 | 2.4 | 160 | 6.3 | 10 |
| 26065 | 2.5 | .09 | 50 | 2.0 | 150 | 5.9 | 10 |
| 26066 | 2.5 | .09 | 75 | 3.0 | 175 | 6.9 | 10 |
| 26068 | 2.5 | .09 | 100 | 3.9 | 200 | 7.9 | 10 |
| 26070 | 3.0 | .13 | 50 | 2.0 | 150 | 5.9 | 10 |
| 26072 | 3.0 | .13 | 100 | 3.9 | 200 | 7.9 | 10 |
| 26073 | 3.0 | .13 | 150 | 5.9 | 250 | 9.8 | 10 |
| 26074 | 3.5 | .14 | 60 | 2.4 | 160 | 6.3 | 10 |
| 26076 | 4.0 | .16 | 60 | 2.4 | 160 | 6.3 | 10 |
| 26079 | 4.0 | .16 | 100 | 3.9 | 200 | 7.9 | 10 |
| 26080 | 4.0 | .16 | 150 | 5.9 | 250 | 9.8 | 10 |

*Metric dimensions actual - Inch dimensions approximate



261 Phillips Precision Screwdriver, With Soft PicoFinish Precision Handle Blade high alloy CVM steel. Hard chrome finished.

| Item | + | ← | ← | ← | ← | ← | |
|-------|------|-----|------|-----|------|-----|------|
| No. | Size | mm | Inch | mm | Inch | mm | Inch |
| 26130 | 000 | 40 | 1.6 | 2.0 | .08 | 134 | 5.3 |
| 26132 | 00 | 40 | 1.6 | 2.0 | .08 | 134 | 5.3 |
| 26135 | 0 | 50 | 2.0 | 3.0 | .12 | 150 | 5.9 |
| 26136 | 0 | 75 | 3.0 | 3.0 | .12 | 175 | 6.9 |
| 26140 | 1 | 60 | 2.4 | 4.0 | .16 | 160 | 6.3 |
| 26142 | 1 | 80 | 3.1 | 4.0 | .16 | 180 | 7.1 |
| 26145 | 1 | 150 | 5.9 | 4.0 | .16 | 250 | 9.8 |


*Metric dimensions actual - Inch dimensions approximate



26193 8pc Slotted & Phillips Precision Driver Set, With Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

| Item | Slotted: | |
|-------|------------------------|------|
| No. | 1.0, 1.5, 2.0 x 40mm | lbs. |
| 26193 | 2.5 x 50mm, 3.5 x 60mm | .55 |
| | Phillips: 00 x 40mm | |
| | 0 x 50mm, 1 x 60mm | |



26093 8pc Slotted Precision Screwdriver Set, With Soft PicoFinish Handle

In storage pouch

| Item | | |
|-------|-----------------------------------|------|
| No. | Slotted: .8, 1.2, 1.5, 2.0 x 40mm | lbs. |
| 26093 | 2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm | .54 |

Wiha Pico Soft Grip TORX®



267 TORX® Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

| Item | | | | | | |
|-------|------|----|------|-----|------|------|
| No. | Size | mm | Inch | mm | Inch | Pkg. |
| 26732 | T1 | 40 | 1.6 | 134 | 5.3 | 10 |
| 26733 | T2 | 40 | 1.6 | 134 | 5.3 | 10 |
| 26735 | T3 | 40 | 1.6 | 134 | 5.3 | 10 |
| 26736 | T4 | 40 | 1.6 | 134 | 5.3 | 10 |
| 26737 | T5 | 40 | 1.6 | 134 | 5.3 | 10 |
| 26739 | T6 | 40 | 1.6 | 140 | 5.5 | 10 |
| 26741 | T7 | 40 | 1.6 | 140 | 5.5 | 10 |
| 26743 | T8 | 40 | 1.6 | 140 | 5.5 | 10 |
| 26745 | T9 | 50 | 2.0 | 150 | 5.9 | 10 |
| 26747 | T10 | 50 | 2.0 | 150 | 5.9 | 10 |
| 26749 | T15 | 60 | 2.4 | 160 | 6.3 | 10 |
| 26751 | T20 | 60 | 2.4 | 160 | 6.3 | 10 |

*Metric dimensions actual - Inch dimensions approximate

In storage pouch



26793 8pc TORX® Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

| Item | TORX®: | |
|-------|-----------------|------|
| No. | T1, T2, T3, T4, | lbs. |
| 26793 | T5, T6, T7, T8 | .50 |

In storage pouch



26796 8pc TORX® Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

| Item | TORX®: | |
|-------|---------------------------------|----------|
| No. | T5, T6, T7, T8 x 40mm | lbs. .57 |
| 26796 | T9, T10 x 50mm, T15, T20 x 60mm | |

Pico Soft Grip Hex Inch & Metric



263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

| Item | | | | | | |
|-------|------------|----|------|-----|------|------|
| No. | Inch | mm | Inch | mm | Inch | Pkg. |
| 26341 | 0.028(0.7) | 40 | 1.6 | 134 | 5.3 | 10 |
| 26343 | 0.035(0.9) | 40 | 1.6 | 134 | 5.3 | 10 |
| 26345 | 0.05(1.3) | 40 | 1.6 | 134 | 5.3 | 10 |
| 26349 | 5/64(2.0) | 50 | 2.0 | 150 | 5.9 | 10 |
| 26363 | 1/16 | 50 | 2.0 | 144 | 5.7 | 10 |
| 26367 | 3/32 | 60 | 2.4 | 160 | 6.3 | 10 |
| 26369 | 7/64 | 60 | 2.4 | 160 | 6.3 | 10 |
| 26371 | 1/8 | 60 | 2.4 | 160 | 6.3 | 10 |

*Metric dimensions actual - Inch dimensions approximate



In storage pouch



26392 8pc Hex Inch Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed.

| Item | Hex Inch: | |
|-------|---|-----|
| No. | .028, .035, .050 x 1.6" | .24 |
| 26392 | 5/64, 1/16 x 2.0", 3/32, 7/64, 1/8 x 2.4" | |



263 Hex Metric Driver, With Precision Soft PicoFinish Handle

| Item | | | | | | |
|-------|-----------|----|------|-----|------|------|
| No. | mm | mm | Inch | mm | Inch | Pkg. |
| 26341 | .7(.028) | 40 | 1.6 | 134 | 5.3 | 10 |
| 26343 | .9(.035) | 40 | 1.6 | 134 | 5.3 | 10 |
| 26345 | 1.3(.050) | 40 | 1.6 | 134 | 5.3 | 10 |
| 26347 | 1.5 | 50 | 2.0 | 144 | 5.7 | 10 |
| 26349 | 2.0(5/64) | 50 | 2.0 | 150 | 5.9 | 10 |
| 26351 | 2.5 | 60 | 2.4 | 160 | 6.3 | 10 |
| 26353 | 3.0 | 60 | 2.4 | 160 | 6.3 | 10 |

*Metric dimensions actual - Inch dimensions approximate



In storage pouch



26393 7pc Hex Metric Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed.

| Item No. | Hex Metric: | |
|----------|----------------------------------|-----|
| 26393 | .7, .9, 1.3 x 40mm | .22 |
| | 1.5, 2.0 x 50mm, 2.5, 3.0 x 60mm | |

Pico Soft Grip Ball End Inch & Metric



264 Ball End Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

| Item | | | | | | |
|-------|------|------|----|------|-----|------|
| No. | Inch | Inch | mm | Inch | mm | pkg. |
| 26455 | 1/16 | 2.0 | 50 | 5.9 | 150 | 10 |
| 26457 | 5/64 | 2.0 | 50 | 5.9 | 150 | 10 |
| 26459 | 3/32 | 2.0 | 50 | 5.9 | 150 | 10 |
| 26461 | 7/64 | 2.4 | 60 | 6.3 | 160 | 10 |
| 26463 | 1/8 | 2.4 | 60 | 6.3 | 160 | 10 |
| 26465 | 9/64 | 2.4 | 60 | 6.3 | 160 | 10 |
| 26467 | 5/32 | 2.4 | 60 | 6.3 | 160 | 10 |

*Metric dimensions actual - Inch dimensions approximate



26493 7pc Inch Ball End Hex Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

| Item | |
|-------|---|
| No. | Ball End Hex Inch: .27 |
| 26493 | 1/16, 5/64, 3/32 x 2.0" 7/64, 1/8, 9/64, 5/32 x 2.4" |



264 Ball End Hex Metric Screwdriver, With Precision Soft PicoFinish Handle. Blade high alloy CVM tool steel, hardened, hard chrome finish.

| Item | | | | | | |
|-------|-----|----|------|-----|------|------|
| No. | mm | mm | Inch | mm | Inch | pkg. |
| 26441 | 1.3 | 40 | 1.6 | 134 | 5.3 | 10 |
| 26443 | 1.5 | 50 | 2.0 | 150 | 5.9 | 10 |
| 26445 | 2.0 | 50 | 2.0 | 150 | 5.9 | 10 |
| 26447 | 2.5 | 60 | 2.4 | 160 | 6.3 | 10 |
| 26449 | 3.0 | 60 | 2.4 | 160 | 6.3 | 10 |

*Metric dimensions actual - Inch dimensions approximate

Pico Soft Grip Nut Drivers Inch & Metric



265 Inch Nut Drivers, With Precision Soft PicoFinish Handle Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

| Item | | | | | | |
|-------|------|------|----|------|-----|------|
| No. | Inch | Inch | mm | Inch | mm | pkg. |
| 26571 | 3/32 | 2.4 | 60 | 6.3 | 160 | 10 |
| 26572 | 7/64 | 2.4 | 60 | 6.3 | 160 | 10 |
| 26573 | 1/8 | 2.4 | 60 | 6.3 | 160 | 10 |
| 26574 | 9/64 | 2.4 | 60 | 6.3 | 160 | 10 |
| 26575 | 5/32 | 2.4 | 60 | 6.3 | 160 | 10 |
| 26576 | 3/16 | 2.4 | 60 | 6.3 | 160 | 10 |
| 26577 | 7/32 | 2.4 | 60 | 6.3 | 160 | 10 |
| 26578 | 1/4 | 2.4 | 60 | 6.3 | 160 | 10 |

*Metric dimensions actual - Inch dimensions approximate



265 Metric Nut Drivers, With Precision PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

| Item | | | | | | |
|-------|-----|----|------|-----|------|------|
| No. | mm | mm | Inch | mm | Inch | pkg. |
| 26579 | 1.5 | 60 | 2.4 | 160 | 6.3 | 10 |
| 26581 | 2.0 | 60 | 2.4 | 160 | 6.3 | 10 |
| 26582 | 2.5 | 60 | 2.4 | 160 | 6.3 | 10 |
| 26583 | 3.0 | 60 | 2.4 | 160 | 6.3 | 10 |
| 26584 | 3.5 | 60 | 2.4 | 160 | 6.3 | 10 |
| 26585 | 4.0 | 60 | 2.4 | 160 | 6.3 | 10 |
| 26586 | 4.5 | 60 | 2.4 | 160 | 6.3 | 10 |
| 26587 | 5.0 | 60 | 2.4 | 160 | 6.3 | 10 |
| 26588 | 5.5 | 60 | 2.4 | 160 | 6.3 | 10 |
| 26589 | 6.0 | 60 | 2.4 | 160 | 6.3 | 10 |

*Metric dimensions actual - Inch dimensions approximate



26593 8pc Inch Nut Driver Set, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish. Chrom-Top finish on tip for a perfect fit. In storage pouch

| Item | Inch Nut Drivers: | | lbs. | .72 |
|-------|-------------------------------|--|------|-----|
| No. | 3/32, 7/64, 1/8, 9/64, | | | |
| 26593 | 5/32, 3/16, 7/32, 1/4" x 2.4" | | | |



26596 8pc Metric Nut Driver Set, With Precision Soft PicoFinish Handle

| Item | Metric Nut Drivers: | |
|-------|--------------------------|------|
| No. | 2.0, 2.5, 3.0, 3.5, 4.0, | lbs. |
| 26596 | 4.5, 5.0, 5.5 x 60mm | .66 |

Pico Soft Grip Pentalobe



267 Pentalobe Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

| Item | | | | | | |
|-------|------|------|----|------|-----|------|
| No. | Size | Inch | mm | Inch | mm | pkg. |
| 26771 | PL1 | 1.6 | 40 | 5.5 | 140 | 10 |
| 26772 | PL2 | 1.6 | 40 | 5.5 | 140 | 10 |
| 26773 | PL3 | 1.6 | 40 | 5.5 | 140 | 10 |
| 26774 | PL4 | 1.6 | 40 | 5.5 | 140 | 10 |
| 26775 | PL5 | 1.6 | 40 | 5.5 | 140 | 10 |
| 26776 | PL6 | 1.6 | 40 | 5.5 | 140 | 10 |

*Metric dimensions actual - Inch dimensions approximate



26795 6pc Precision Pentalobe Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel. Hard chrome finished.

| Item No. | Pentalobe Drivers: | |
|----------|------------------------------|----------|
| 26795 | PL1, PL2, PL3, PL4, PL5, PL6 | lbs. .40 |

Pico Soft Grip Precision Chip Lifter



26815 Soft PicoFinish Precision Chip Lifter Blade CVM steel, hardened, hard chromed.

| Item | | | | | | | |
|-------|----|-----|----|-----|------|------|------|
| No. | mm | mm | mm | mm | Inch | lbs. | Pkg. |
| 26815 | 1 | 3.5 | 50 | 150 | 5.9 | .03 | 1 |

Standard Soft PicoFinish handle

Pico Soft Grip Y-Type Precision Driver

Y-Type

(Used in iphone 7 or higher series)



266 Y-Type Precision Screwdriver, With Soft PicoFinish Precision Handle Blade high alloy CVM steel. Hard chrome finished.

| Item | | | | | | | |
|-------|------|----|------|-----|------|-----|------|
| No. | Size | mm | Inch | mm | Inch | mm | Inch |
| 26631 | 000 | 40 | 1.6 | 2.0 | .08 | 140 | 5.5 |



75973 23pc Micro Bit Set, With Soft PicoFinish Handle CVM steel Micro Bits, hardened, on 4 mm hex stock. Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control.

| Item | Slotted: | 1.5, 2.0, 2.5, 3.0, 3.5mm |
|-------|-------------------------------|---|
| No. | Phillips: | 000, 00, 0, 1, 2 |
| 75973 | TORX®: | T1, T2, T3, T4, T5, T6, T7, T8, T9, T10 |
| lbs. | PicoFinish® Precision Handle | |
| .82 | Micro Bit Holder - 100mm | |
| | Micro Bit Socket Adapter 1/4" | |

PicoFinish MagicSpring Precision Screwdrivers



267 MagicSpring Screw Holding **TORX®** Screwdriver, With Wiha-Precision Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips.

| Item | Icon | Icon | Icon | Icon | Icon | Icon | |
|-------|------|------|------|------|------|------|------|
| No. | Size | mm | Inch | mm | Inch | lbs. | Pkg. |
| 26721 | T6 | 40 | 1.6 | 140 | 5.5 | .03 | 10 |
| 26723 | T7 | 40 | 1.6 | 140 | 5.5 | .03 | 10 |
| 26725 | T8 | 40 | 1.6 | 140 | 5.5 | .03 | 10 |
| 26727 | T9 | 50 | 2.0 | 150 | 5.9 | .04 | 10 |
| 26729 | T10 | 50 | 2.0 | 150 | 5.9 | .04 | 10 |
| 26731 | T15 | 60 | 2.4 | 160 | 6.3 | .04 | 10 |

*Metric dimensions actual - Inch dimensions approximate



26798 6pc MagicSpring Screw Holding **TORX®** Screwdriver Set, With Wiha-Precision Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips. In storage pouch

| Item | Icon | Icon |
|-------|--|------|
| No. | MagicSpring TORX® : | lbs. |
| 26798 | T6, T7, T8 x 40mm T9, T10, T15 x 50mm | .45 |



91118 Rugged Polyester Canvas Storage Pouch Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

| Item | Icon | Icon | |
|-------|----------------------|------|------|
| No. | Size | lbs. | pkg. |
| 91118 | 14 1/2" W x 7 3/4" L | .13 | 1 |

Insulated PicoFinish Precision Screwdrivers

1000Volt



320 Insulated Slotted PicoFinish Screwdrivers. Individually Tested Protective Insulation 1000Volt AC, VDE & GS Tested.

High quality CV steel, through hardened, black finish. Rotating cap for precise turning and control with fingertip.

| Item | Icon | Icon | Icon | Icon | Icon | Icon |
|-------|------|------|------|------|------|------|
| No. | mm | Inch | mm | mm | lbs. | Pkg. |
| 32000 | 1.5 | .06 | 40 | 154 | .05 | 1 |
| 32001 | 2.0 | .08 | 40 | 154 | .07 | 1 |
| 32002 | 2.5 | .10 | 60 | 160 | .07 | 1 |
| 32003 | 3.0 | .12 | 60 | 160 | .08 | 1 |
| 32004 | 3.5 | .14 | 60 | 160 | .08 | 1 |

1000Volt



321 Insulated Phillips PicoFinish Screwdrivers. Individually Tested Protective Insulation 1000Volt AC, VDE & GS Tested.

| Item | Icon | Icon | Icon | Icon | Icon |
|-------|------|------|------|------|------|
| No. | Size | mm | mm | lbs. | Pkg. |
| 32106 | 00 | 40 | 154 | .05 | 1 |
| 32107 | 0 | 60 | 160 | .07 | 1 |
| 32108 | 1 | 60 | 160 | .08 | 1 |

1000Volt



Individually Tested Protective Insulation 1000Volt AC, VDE and GS Tested

32088 8pc Slotted/Phillips PicoFinish Set

| Item | Icon | Icon |
|-------|------------------------------------|------|
| No. | Slotted: 1.5, 2.0, 2.5, 3.0, 3.5mm | lbs. |
| 32088 | Phillips: #00, #0, #1 | .35 |


1000Volt



32085 5pc Slotted/Phillips PicoFinish Set

| Item | Icon | Icon |
|-------|--------------------------|------|
| No. | Slotted: 1.5, 2.5, 3.5mm | lbs. |
| 32085 | Phillips: #0, #1 | .26 |

Wiha Protturn Precision Screwdrivers



62994 14pc Inch/Metric Ball End Hex

Work Tech Pack Protturn precision ball retainer handle & 13 Wiha interchangeable blades.

62994 Set includes the following blades:

Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm

lbs. .66

Set in canvas storage pouch



96800 Protturn Precision Chip Lifter

Molded on precision handle. Blade CVM tool steel, hardened, black finish.

| Item | Icon | Icon | Icon | Icon | Icon | Icon |
|-------|------|------|------|------|------|------|
| No. | Size | mm | mm | Inch | lbs. | pkg. |
| 96800 | 1.0 | 50 | 145 | 5.7 | .07 | 1 |

Wiha SYSTEM 4 Precision Handles and Blades

Rotating Cap
for precise turning & control

Tapered Handle
allows rapid rotation, requires less clearance

Blades
chrome-vanadium-molybdenum steel, hardened, hard chromed. On 4mm Hex shafts

Tips
Exact fit, precision machined

Precision Handle
high quality plastic, cadmium free. ESD Safe or Standard styles

15mm
Collet Lock Handle adjustable blade length from 15 to 95mm / .6" to 3.75"
95mm



26900 SYS 4 Standard Precision Handle, with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant. Ball retainer hold. 110mm/4.3" OAL

| Item | | | | | |
|-------|-----|-------|------|------|------|
| No. | mm | Inch | mm | Inch | lbs. |
| 26900 | 4.0 | .1574 | 14.0 | .55 | .04 |



28000 ESD Safe Dissipative Precision Handle with rotating control cap. Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

| Item | | | | | |
|-------|-----|-------|------|------|------|
| No. | mm | Inch | mm | Inch | lbs. |
| 28000 | 4.0 | .1574 | 14.0 | .55 | .04 |



269 SYSTEM 4 Slotted Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

| Item | | | | | |
|-------|-----------|-----|-----|------|------|
| No. | mm | mm | mm | Inch | lbs. |
| 26903 | 1.5 + 3.0 | 120 | 4.7 | .05 | |
| 26904 | 2.0 + 3.5 | 120 | 4.7 | .05 | |
| 26905 | 2.5 + 4.0 | 120 | 4.7 | .06 | |



269 SYSTEM 4 Pozidriv® Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

| Item | | | | | |
|-------|-------|------|-----|------|------|
| No. | Size | Size | mm | Inch | lbs. |
| 26922 | 0 + 1 | 120 | 4.7 | .03 | |

Notes:

Blank lines for notes.



269 SYSTEM 4 Phillips Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

| Item | | | | | |
|-------|----------|------|-----|------|------|
| No. | Size | Size | mm | Inch | lbs. |
| 26911 | 000 + 00 | 120 | 4.7 | .03 | |
| 26912 | 0 + 1 | 120 | 4.7 | .03 | |



269 SYS 4 TORX® Reversible Blade High alloy CVM steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

| Item | | | |
|-------|-----------|------|------|
| No. | Size | Size | lbs. |
| 26951 | T6 + T8 | .03 | |
| 26952 | T7 + T9 | .03 | |
| 26953 | T10 + T15 | .03 | |
| 26954 | T15 + T20 | .03 | |



269 SYSTEM 4 Combined Slotted/Phillips Reversible Blade High alloy CVM steel, hardened, hard chromed.

| Item | | | | | |
|-------|------|------|-----|------|------|
| No. | mm | Size | mm | Inch | lbs. |
| 26971 | 1.5+ | 000 | 120 | 4.7 | .05 |
| 26972 | 2.0+ | 00 | 120 | 4.7 | .05 |
| 26973 | 3.0+ | 0 | 120 | 4.7 | .05 |
| 26974 | 4.0+ | 1 | 120 | 4.7 | .06 |







269 SYSTEM 4 TORX® Interchangeable Blade High alloy CVM steel, hardened, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL

| Item | | |
|-------|------|------|
| No. | Size | lbs. |
| 26955 | T3 | .03 |
| 26956 | T4 | .03 |
| 26957 | T5 | .03 |

Wiha SYSTEM 4 Precision Blades








269 SYSTEM 4 Inch Hex Sizes, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Inch | mm | Inch | lbs. |
| 26921 | .050 | 120 | 4.7 | .06 |
| 26923 | 1/16 | 120 | 4.7 | .06 |
| 26924 | 5/64 | 120 | 4.7 | .06 |
| 26925 | 3/32 | 120 | 4.7 | .06 |
| 26926 | 7/64 | 120 | 4.7 | .06 |
| 26927 | 1/8 | 120 | 4.7 | .06 |
| 26928 | 9/64 | 120 | 4.7 | .06 |
| 26929 | 5/32 | 120 | 4.7 | .06 |








269 SYSTEM 4 Metric Hex Sizes, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | mm | mm | Inch | lbs. |
| 26913 | 0.7 | 120 | 4.7 | .06 |
| 26914 | 0.9 | 120 | 4.7 | .06 |
| 26916 | 1.5 | 120 | 4.7 | .06 |
| 26917 | 2.0 | 120 | 4.7 | .06 |
| 26918 | 2.5 | 120 | 4.7 | .06 |
| 26919 | 3.0 | 120 | 4.7 | .06 |
| 26920 | 4.0 | 120 | 4.7 | .06 |








280 SYSTEM 4 Inch Ball End Hex Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Inch | mm | Inch | lbs. |
| 28021 | .050 | 120 | 4.7 | .06 |
| 28023 | 1/16 | 120 | 4.7 | .06 |
| 28024 | 5/64 | 120 | 4.7 | .06 |
| 28026 | 7/64 | 120 | 4.7 | .06 |
| 28027 | 1/8 | 120 | 4.7 | .06 |
| 28028 | 9/64 | 120 | 4.7 | .06 |
| 28029 | 5/32 | 120 | 4.7 | .06 |







280 SYSTEM 4 Metric Ball End Hex Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

| Item |  |  |  |  |  |
|-------|---|---|---|---|---|
| No. | mm | mm | Inch | lbs. | pkg. |
| 28033 | 1.5 | 120 | 4.7 | .06 | 1 |
| 28034 | 2.0 | 120 | 4.7 | .06 | 1 |
| 28035 | 2.5 | 120 | 4.7 | .06 | 1 |
| 28036 | 3.0 | 120 | 4.7 | .06 | 1 |
| 28037 | 4.0 | 120 | 4.7 | .06 | 1 |







269 SYSTEM 4 Nut Driver Inch, Interchangeable Blade High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. 120mm/4.7" OAL

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Inch | Inch | Inch | lbs. |
| 26962 | 3/32 | .16 | .16 | .04 |
| 26963 | 7/64 | .20 | .20 | .04 |
| 26964 | 1/8 | .20 | .20 | .04 |
| 26965 | 9/64 | .21 | .24 | .04 |
| 26966 | 5/32 | .22 | .24 | .04 |
| 26968 | 7/32 | .30 | .32 | .04 |
| 26969 | 1/4 | 1.34 | .36 | .04 |








269 SYSTEM 4 Nut Driver Metric, Interchangeable Blade High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. 120mm/4.7" OAL

| Item |  |  |  |  |
|-------|--|--|--|--|
| No. | mm | mm | Inch | lbs. |
| 26940 | 1.5 + 1.8 | .12 | .12 | .03 |
| 26941 | 2.0 + 2.5 | .16 | .16 | .03 |
| 26938 | 1.5 - | .11 | .11 | .04 |
| 26939 | 1.8 - | .12 | .12 | .04 |
| 26949 | 2.0 - | .13 | .13 | .06 |
| 26950 | 2.5 - | .16 | .16 | .06 |
| 26942 | 3.0 - | .20 | .20 | .06 |
| 26943 | 3.2 - | .20 | .20 | .06 |
| 26944 | 3.5 - | .22 | .24 | .06 |
| 26945 | 4.0 - | .22 | .24 | .06 |
| 26946 | 4.5 - | .25 | .28 | .06 |
| 26947 | 5.0 - | .27 | .28 | .06 |
| 26948 | 5.5 - | .30 | .32 | .06 |

Notes:



269 SYS 4 Metric Ball End & Standard Hex, Reversible Blade CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips. One side hex, other side ballpoint hex.






| Item |  |  |  |  |  |
|-------|---|---|---|---|---|
| No. | mm | mm | mm | Inch | lbs. |
| 26932 | 1.3 + 1.3 | 120 | 4.7 | .05 | |
| 26934 | 2.0 + 2.0 | 120 | 4.7 | .06 | |
| 26935 | 2.5 + 2.5 | 120 | 4.7 | .06 | |
| 26936 | 3.0 + 3.0 | 120 | 4.7 | .06 | |
| 26937 | 4.0 + 4.0 | 120 | 4.7 | .06 | |

Notes:

Wiha SYSTEM 4 Drive-Loc Precision Locking Tools








26906 SoftFinish® Cushion Grip Drive-Loc Handle 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

| Item |  |  |  |  |  |
|-------|---|---|---|---|---|
| No. | mm | Inch | mm | Inch | lbs. |
| 26906 | 4.0 | .1574 | 23 | .91 | .08 |







26961 ESD Safe Dissipative Precision Drive-Loc Handle Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

| Item |  |  |  |  |  |
|-------|--|--|--|--|--|
| No. | mm | Inch | mm | Inch | lbs. |
| 26961 | 4.0 | .1574 | 23 | .91 | .08 |







269 SYSTEM 4 Slotted Drive-Loc Reversible Locking Blades
On 4mm Hex blades

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | mm | mm | lbs. | |
| 26958 | 1.5 | + 3.0 | .02 | |
| 26959 | 2.0 | + 3.5 | .02 | |
| 26960 | 2.5 | + 4.0 | .02 | |






269 SYSTEM 4 Phillips Drive-Loc Reversible Locking Blades
On 4mm Hex blades

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | Size | lbs. | |
| 26975 | 000 | + 00 | .02 | |
| 26976 | 0 | + 1 | .02 | |






280 SYSTEM 4 Pozidriv® Drive-Loc Reversible Locking Blades
On 4mm Hex blades

| Item |  |  |  |
|-------|---|---|---|
| No. | Size | Size | lbs. |
| 28002 | 0 | + 1 | .02 |






269 SYSTEM 4 TORX® Drive-Loc Reversible Locking Blades
On 4mm Hex blades

| Item |  |  |  |
|-------|---|---|---|
| No. | Size | Size | lbs. |
| 26977 | T1 | + T2 | .02 |
| 26978 | T3 | + T4 | .02 |
| 26979 | T5 | + T6 | .02 |
| 26980 | T6 | + T8 | .02 |
| 26981 | T7 | + T9 | .02 |
| 26982 | T10 | + T15 | .02 |
| 26983 | T15 | + T20 | .02 |






280 SYSTEM 4 Metric Hex Drive-Loc Reversible Locking Blades
On 4mm Hex blades

| Item |  |  |  |
|-------|---|---|---|
| No. | mm | mm | lbs. |
| 28003 | 1.3 | + 1.3 | .02 |
| 28004 | 1.5 | + 1.5 | .02 |
| 28005 | 2.0 | + 2.0 | .02 |
| 28006 | 2.5 | + 2.5 | .02 |
| 28007 | 3.0 | + 3.0 | .02 |
| 28008 | 4.0 | + 4.0 | .02 |




280 SYSTEM 4 Metric Nut Drivers Drive-Loc Reversible Locking Blades
On 4mm Hex blades


| Item |  |  |  |
|-------|---|---|---|
| No. | mm | mm | lbs. |
| 28012 | 3.2 | + - | .02 |



26985 12pc Drive-Loc IV Precision ESD Safe Set In storage pouch

Item No. **26985 ESD Safe Drive-Loc Handle**

 **Slotted:** 1.5x3.0, 2.0x3.5, 2.5x4.0 lbs. .44


 **Phillips:** 000x00, 0x1

TORX®: T1xT2, T3xT4, T5xT6, T6xT8, T7xT9, T10xT15



26930 7pc Drive-Loc IV TORX® Precision ESD Safe Set In storage pouch

Item No. **26930 ESD Safe Drive-Loc Handle**


 **TORX®:** T3xT4, T5xT6, lbs. .56

T6xT8, T7xT9, T10xT15, T15xT20

Micro Bits Made in Germany

Wiha SYSTEM 4 Micro Bits - 10 Bit Packs

CVM steel, hardened,
on 4 mm hex stock.







Bits High alloy
CVM steel,
hardened

Tips Exact fit,
precision machined

Use bits directly in handle or
with 4" bit extension







756 SYSTEM 4 Hex Metric Micro Bits

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | mm | mm | Inch | lbs. |
| 75616 | .7 | 28 | 1.1 | .06 |
| 75617 | .9 | 28 | 1.1 | .06 |
| 75618 | 1.3 | 28 | 1.1 | .06 |
| 75619 | 1.5 | 28 | 1.1 | .07 |
| 75620 | 2.0 | 28 | 1.1 | .07 |
| 75621 | 2.5 | 28 | 1.1 | .07 |
| 75622 | 3.0 | 28 | 1.1 | .08 |
| 75623 | 4.0 | 28 | 1.1 | .08 |







756 SYSTEM 4 TORX® Micro Bits

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | Inch | lbs. |
| 75660 | T1 | 28 | 1.1 | .06 |
| 75661 | T2 | 28 | 1.1 | .06 |
| 75662 | T3 | 28 | 1.1 | .06 |
| 75663 | T4 | 28 | 1.1 | .06 |
| 75664 | T5 | 28 | 1.1 | .06 |
| 75665 | T6 | 28 | 1.1 | .06 |
| 75666 | T7 | 28 | 1.1 | .06 |
| 75667 | T8 | 28 | 1.1 | .07 |
| 75668 | T9 | 28 | 1.1 | .07 |
| 75669 | T10 | 28 | 1.1 | .07 |
| 75670 | T15 | 28 | 1.1 | .08 |
| 75671 | T20 | 28 | 1.1 | .08 |







756 SYSTEM 4 Slotted Micro Bits

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | mm | mm | Inch | lbs. |
| 75602 | 0.8 | 28 | 1.1 | .06 |
| 75603 | 1.2 | 28 | 1.1 | .06 |
| 75604 | 1.5 | 28 | 1.1 | .06 |
| 75605 | 1.8 | 28 | 1.1 | .06 |
| 75606 | 2.0 | 28 | 1.1 | .07 |
| 75607 | 2.5 | 28 | 1.1 | .07 |
| 75608 | 3.0 | 28 | 1.1 | .07 |
| 75609 | 3.5 | 28 | 1.1 | .07 |
| 75610 | 4.0 | 28 | 1.1 | .08 |







756 SYSTEM 4 Hex Inch Micro Bits

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Inch | mm | Inch | lbs. |
| 75628 | .028 | 28 | 1.1 | .06 |
| 75629 | .035 | 28 | 1.1 | .06 |
| 75630 | .050 | 28 | 1.1 | .06 |
| 75631 | 1/16 | 28 | 1.1 | .06 |
| 75632 | 5/64 | 28 | 1.1 | .06 |
| 75633 | 3/32 | 28 | 1.1 | .07 |
| 75634 | 7/64 | 28 | 1.1 | .07 |
| 75635 | 1/8 | 28 | 1.1 | .07 |
| 75636 | 9/64 | 28 | 1.1 | .08 |
| 75637 | 5/32 | 28 | 1.1 | .08 |







756 SYSTEM 4 Security TORX® Micro Bits

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | Inch | lbs. |
| 75681 | T10s | 28 | 1.1 | .07 |
| 75683 | T20s | 28 | 1.1 | .08 |







756 SYSTEM 4 Phillips Micro Bits

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | Inch | lbs. |
| 75611 | 000 | 28 | 1.1 | .06 |
| 75612 | 00 | 28 | 1.1 | .06 |
| 75613 | 0 | 28 | 1.1 | .06 |
| 75614 | 1 | 28 | 1.1 | .07 |
| 75615 | 2 | 28 | 1.1 | .07 |







756 SYS 4 Metric Security Hex Micro Bits

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | mm | mm | Inch | lbs. |
| 75624 | 2.0 | 28 | 1.1 | .06 |
| 75626 | 3.0 | 28 | 1.1 | .07 |
| 75627 | 4.0 | 28 | 1.1 | .08 |







756 SYSTEM 4 Inch Nut Setters

| Item No. |  |  |  |  |
|----------|---|---|---|---|
| Inch | Inch | mm | Inch | lbs. |
| 75644 | 5/64 | 30 | 1.2 | .07 |
| 75645 | 3/32 | 30 | 1.2 | .07 |
| 75646 | 7/64 | 30 | 1.2 | .07 |
| 75647 | 1/8 | 30 | 1.2 | .07 |
| 75648 | 9/64 | 30 | 1.2 | .08 |
| 75649 | 5/32 | 30 | 1.2 | .08 |
| 75650 | 3/16 | 30 | 1.2 | .08 |
| 75651 | 7/32 | 30 | 1.2 | .09 |







756 SYSTEM 4 Pentalobe Micro Bits

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | Inch | lbs. |
| 75672 | PL1 | 28 | 1.1 | .06 |
| 75673 | PL2 | 28 | 1.1 | .06 |
| 75674 | PL3 | 28 | 1.1 | .07 |
| 75675 | PL4 | 28 | 1.1 | .07 |
| 75676 | PL5 | 28 | 1.1 | .07 |







756 SYS 4 Security Hex Inch Micro Bits

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Inch | mm | Inch | lbs. |
| 75638 | 5/64 | 28 | 1.1 | .06 |
| 75639 | 3/32 | 28 | 1.1 | .06 |
| 75641 | 1/8 | 28 | 1.1 | .07 |



756 SYSTEM 4 Metric Nut Setters

| Item No. |  |  |  |  |
|----------|---|---|---|---|
| Metric | mm | mm | Inch | lbs. |
| 75652 | 2.0 | 30 | 1.2 | .07 |
| 75653 | 2.5 | 30 | 1.2 | .07 |
| 75654 | 3.0 | 30 | 1.2 | .07 |
| 75655 | 3.5 | 30 | 1.2 | .07 |
| 75656 | 4.0 | 30 | 1.2 | .08 |
| 75657 | 4.5 | 30 | 1.2 | .08 |
| 75658 | 5.0 | 30 | 1.2 | .08 |
| 75659 | 5.5 | 30 | 1.2 | .09 |

Wiha SYSTEM 4 Micro Bits

SYSTEM 4 Handles & Micro Bits



Rotating Cap for precise turning and control





Tips
Exact fit, precision machined


Tapered Handle allows rapid rotation, requires less clearance

Bits High alloy CVM steel, hardened

Use bits directly in handle or with 4" bit extension






75800 SYSTEM 4 Standard Precision Bit Handle Accepts all SYSTEM 4 Series bits. 110mm/4.3" OAL

| Item |  |  |  |  |  |
|-------|---|---|---|---|---|
| No. | mm | Inch | mm | Inch | lbs. |
| 75800 | 4.0 | .1574 | 14.0 | .55 | .06 |

75801 SYSTEM 4 ESD Safe  Dissipative Precision Bit Handle 110mm/4.3" OAL




Advantages:

- For working in ESD sensitive applications Surface resistant 10⁶-10⁹ Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits





| Item |  |  |  |  |  |
|-------|---|---|---|---|---|
| No. | mm | Inch | mm | Inch | lbs. |
| 75801 | 4.0 | .1574 | 14.0 | .55 | .06 |

SYSTEM 4 Micro Bit Extension Blades





75900 Extension Blade For SYS 4 Micro Bits Shaft CVM steel, hardened, corrosion protected. Ball retainer bit extension for 4mm bits.

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | mm | lbs. |
| 75900 | 4.0 | 100 | 4.0 | .07 |





75901 Magnetic Bit Extension Blade For SYS 4 Micro Bits Shaft CVM steel, hardened, corrosion protected. Magnetic bit holder.

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | mm | lbs. |
| 75901 | 4.0 | 100 | 4.0 | .04 |





750 SYSTEM 4 Slotted Micro Bits CVM steel, hardened, on 4 mm hex stock.

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | mm | mm | Inch | lbs. |
| 75008 | 0.8 | 28 | 1.1 | .01 |
| 75012 | 1.2 | 28 | 1.1 | .01 |
| 75015 | 1.5 | 28 | 1.1 | .01 |
| 75018 | 1.8 | 28 | 1.1 | .01 |
| 75020 | 2.0 | 28 | 1.1 | .01 |
| 75025 | 2.5 | 28 | 1.1 | .01 |
| 75030 | 3.0 | 28 | 1.1 | .01 |
| 75035 | 3.5 | 28 | 1.1 | .01 |
| 75040 | 4.0 | 28 | 1.1 | .01 |





751 SYSTEM 4 Phillips Micro Bits CVM steel, hardened, on 4 mm hex stock.

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | Inch | lbs. |
| 75105 | 000 | 28 | 1.1 | .01 |
| 75110 | 00 | 28 | 1.1 | .01 |
| 75115 | 0 | 28 | 1.1 | .01 |
| 75120 | 1 | 28 | 1.1 | .01 |
| 75125 | 2 | 28 | 1.1 | .02 |





753 SYSTEM 4 Hex Metric Micro Bits CVM steel, hardened, on 4 mm hex stock.

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | mm | mm | Inch | lbs. |
| 75307 | .7 | 28 | 1.1 | .01 |
| 75309 | .9 | 28 | 1.1 | .01 |
| 75313 | 1.3 | 28 | 1.1 | .01 |
| 75315 | 1.5 | 28 | 1.1 | .01 |
| 75320 | 2.0 | 28 | 1.1 | .01 |
| 75325 | 2.5 | 28 | 1.1 | .01 |
| 75330 | 3.0 | 28 | 1.1 | .01 |
| 75340 | 4.0 | 28 | 1.1 | .01 |





753 SYSTEM 4 Hex Inch Micro Bits CVM steel, hardened, on 4 mm hex stock.

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Inch | mm | Inch | lbs. |
| 75307 | .028 | 28 | 1.1 | .01 |
| 75309 | .035 | 28 | 1.1 | .01 |
| 75313 | .050 | 28 | 1.1 | .01 |
| 75350 | 1/16 | 28 | 1.1 | .01 |
| 75352 | 5/64 | 28 | 1.1 | .01 |
| 75354 | 3/32 | 28 | 1.1 | .01 |
| 75356 | 7/64 | 28 | 1.1 | .01 |
| 75358 | 1/8 | 28 | 1.1 | .01 |
| 75360 | 9/64 | 28 | 1.1 | .01 |
| 75340 | 5/32 | 28 | 1.1 | .01 |





757 SYSTEM 4 TORX® Micro Bits CVM steel, hardened, on 4 mm stock.

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | Inch | lbs. |
| 75701 | T1 | 28 | 1.1 | .01 |
| 75702 | T2 | 28 | 1.1 | .01 |
| 75703 | T3 | 28 | 1.1 | .01 |
| 75704 | T4 | 28 | 1.1 | .01 |
| 75705 | T5 | 28 | 1.1 | .01 |
| 75706 | T6 | 28 | 1.1 | .01 |
| 75707 | T7 | 28 | 1.1 | .01 |
| 75708 | T8 | 28 | 1.1 | .01 |
| 75709 | T9 | 28 | 1.1 | .01 |
| 75710 | T10 | 28 | 1.1 | .01 |
| 75715 | T15 | 28 | 1.1 | .01 |
| 75720 | T20 | 28 | 1.1 | .01 |





757 SYSTEM 4 Security TORX® Micro Bits

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | Inch | lbs. |
| 75735 | T10s | 28 | 1.1 | .01 |
| 75742 | T20s | 28 | 1.1 | .01 |

753 SYS 4 Metric Security Hex Micro Bits CVM steel, hardened, on 4 mm hex stock.





| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | mm | mm | Inch | lbs. |
| 75322 | 2.0 | 28 | 1.1 | .01 |
| 75332 | 3.0 | 28 | 1.1 | .01 |
| 75342 | 4.0 | 28 | 1.1 | .01 |

753 SYS 4 Security Hex Inch Micro Bits

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Inch | mm | Inch | lbs. |
| 75362 | 5/64 | 28 | 1.1 | .01 |
| 75364 | 3/32 | 28 | 1.1 | .01 |
| 75366 | 7/64 | 28 | 1.1 | .01 |
| 75368 | 1/8 | 28 | 1.1 | .01 |
| 75370 | 9/64 | 28 | 1.1 | .01 |
| 75372 | 5/32 | 28 | 1.1 | .01 |

Micro Bit 1/4" Drive Power Tool Adapter For 4mm Bits

75902 Micro Bit 1/4" Drive Power Tool Adapter CVM steel, hardened, corrosion protected.

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | mm | lbs. |
| 75902 | 4.0 | 60 | 4.0 | .07 |

Wiha SYSTEM 4 Micro Bits



757 SYSTEM 4 Pentalobe Micro Bits CVM steel, hardened, on 4 mm hex stock.

| Item No. | Size | mm | Inch | lbs. |
|----------|------|----|------|------|
| 75743 | PL1 | 28 | 1.1 | .01 |
| 75744 | PL2 | 28 | 1.1 | .01 |
| 75745 | PL3 | 28 | 1.1 | .01 |
| 75746 | PL4 | 28 | 1.1 | .01 |
| 75747 | PL5 | 28 | 1.1 | .01 |
| 75748 | PL6 | 28 | 1.1 | .01 |




758 SYSTEM 4 Metric & Inch Nut Setters CVM steel, hardened, on 4 mm hex stock.

| Item No. | Metric | mm | mm | Inch | lbs. |
|----------|--------|----|-----|------|------|
| 75820 | 2.0 | 30 | 1.2 | .01 | |
| 75821 | 2.5 | 30 | 1.2 | .01 | |
| 75822 | 3.0 | 30 | 1.2 | .01 | |
| 75823 | 3.5 | 30 | 1.2 | .01 | |
| 75824 | 4.0 | 30 | 1.2 | .01 | |
| 75825 | 4.5 | 30 | 1.2 | .01 | |
| 75826 | 5.0 | 30 | 1.2 | .01 | |
| 75827 | 5.5 | 30 | 1.2 | .01 | |

| Item No. | Inch | Inch | mm | Inch | lbs. |
|----------|------|------|-----|------|------|
| 75810 | 5/64 | 30 | 1.2 | .01 | |
| 75811 | 3/32 | 30 | 1.2 | .01 | |
| 75812 | 7/64 | 30 | 1.2 | .01 | |
| 75813 | 1/8 | 30 | 1.2 | .01 | |
| 75814 | 9/64 | 30 | 1.2 | .01 | |
| 75815 | 5/32 | 30 | 1.2 | .01 | |
| 75816 | 3/16 | 30 | 1.2 | .01 | |
| 75817 | 7/32 | 30 | 1.2 | .01 | |

Micro Bit Replacement Packs On 4mm Hex Stock



75982 10pc SYSTEM 4 Hex Inch Micro Bit Replacement Pack


CVM steel, hardened, on 4 mm hex stock.

Item No.

75982 SYSTEM 4 Micro Bit Set

Hex Inch: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

lbs. .06



75987 10pc SYSTEM 4 Slotted & Phillips Micro Bit Replacement Pack

CVM steel, hardened, on 4 mm hex stock.

Item No.

75987 SYSTEM 4 Micro Bit Set

Slotted: 1.5, 2.0, 2.5, 3.0, 3.5mm

Phillips: #000, 00, 0, 1

lbs. .06



75984 10pc SYSTEM 4 Slotted Micro Bit Replacement Pack


CVM steel, hardened, on 4 mm hex stock.

Item No.

75984 SYSTEM 4 Micro Bit Set

Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm

lbs. .06



75988 10pc SYSTEM 4 TORX Micro Bit Replacement Pack

CVM steel, hardened, on 4 mm hex stock.

Item No.

75988 SYSTEM 4 Micro Bit Set

TORX: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10

lbs. .06



75986 10pc SYSTEM 4 Phillips & Pentalobe Micro Bit Replacement Pack

CVM steel, hardened, on 4 mm hex stock.

Item No.

75986 SYSTEM 4 Micro Bit Set

Phillips: #000, 00, 0, 1

Pentalobe: PL1, PL2, PL3, PL4, PL5, PL6

lbs. .06

1/4" Drive Micro Bit Tool Adapters



75802 Micro Bit To 1/4" Drive Insert Bit Adapter magnets to hold 4mm Micro Bits

| Item No. | Size | mm | mm | lbs. |
|----------|------|----|-----|------|
| 75802 | 4.0 | 25 | 4.0 | .01 |



75803 Long Micro Bit To 1/4" Drive Insert Bit Adapter Uses spring clip non-magnetic to hold 4mm Micro Bits

| Item No. | Size | mm | mm | lbs. |
|----------|------|----|-----|------|
| 75803 | 4.0 | 38 | 4.0 | .02 |


Micro Bit 4mm To 1/4" Socket Adapter



75806 Micro Bit 4mm to 1/4" Socket Adapter CVM steel, hardened.

| Item No. | mm | Inch | lbs. |
|----------|----|-------|------|
| 75806 | 28 | 1.125 | .02 |

Wiha SYS 4 Micro Bits & Compact Bit Sets




26 Pc. Set

75999 26pc SYS 4 Slotted, Phillips, Hex Inch & Metric Precision Interchangeable Bit Set. In Compact Fold Out Box. Precision handle, bit extension & 24 interchangeable bits.

Item No. Combination Bit Set
75999 Set with Standard Precision Handle

Set includes the following bits:


- ↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⬠ **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- ⬠ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- **100mm Bit Extension**
- ↔ **lbs. .64**




26 Pc. Set

75995 26pc SYSTEM 4 Precision Interchangeable Bit Set. In Compact Fold Out Box Sets includes Wiha precision handle, bit extension & 24 Wiha interchangeable bits.

Item SYSTEM 4 Micro Bit Set
No. Set with ESD Safe Precision Handle
75995 and the following bits:

- ⊗ **TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
- ⊗ **Pentalobe:** PL1, PL2, PL3, PL4, PL5, PL6
- ↓  **Slotted:** 1.5, 2.0, 2.5, 3.0mm
- ⊕ **Phillips:** #000, 00, 0, 1
- **100mm Bit Extension**
- ↔ **lbs. .54**




27 Pc. Set

75994 27pc SYSTEM 4 Slotted/Phillips/Hex Metric/ TORX® Precision Interchangeable Bit Set. In Compact Fold Out Box. Set includes Wiha precision handle, bit extension and 25 Wiha interchangeable bits.

Item SYSTEM 4
No. Combination Bit Set
75994 Set with ESD Safe Precision Handle

Set includes the following bits:

- ↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⊗ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- ⬠ **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- **100mm Bit Extension**
- ↔ **lbs. .64**




18 Pc. Set

75395 18pc SYS 4 Hex Inch & Metric Precision Interchangeable Bit Set. In Compact Fold Out Box. Wiha precision handle, bit extension and 16 Wiha interchangeable bits.

Item No. Combination Bit Set
75395 Set with Standard Precision Handle

Includes the following bits:

- ⬠ **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- ⬠ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- **100mm Bit Extension**
- ↔ **lbs. .58**





27 Pc. Set

759 sets 27pc SYSTEM 4 Slotted/Phillips/Hex Inch/ TORX® Precision Interchangeable Bit Set. In Compact Fold Out Box. Sets include your choice of Wiha precision handle, bit extension & 25 Wiha interchangeable bits.

Item Handle Options for SYSTEM 4
No. Combination Bit Sets
75991 Set with Standard Precision Handle
75992 Set with ESD Safe Precision Handle

Sets include the following bits:

- ↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⊗ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- ⬠ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- **100mm Bit Extension**
- ↔ **lbs. .64**




40 Pc. Set

75996 40pc SYSTEM 4 Interchangeable Bit Set. Includes Wiha precision handle, bit extension & 38 interchangeable bits.

Item SYSTEM 4
No. Combination Bit Set
75996 Set with ESD Safe Precision Handle

Set includes the following bits:

- ↓  **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⊗ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- ⬠ **Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- ⬠ **Hex Inch:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- **100mm Bit Extension**
- ↔ **lbs. 1.04**

Technicians MicroBit Sets

- Micro Precision Bits on 4mm Hex Drive
- Bits of Exclusive CRM-72 Tool Steel
- Handle uses non-magnetic ball retainer
- Use bits in extension only
- Standard extension adds 4" to length
- Non-magnetic bit extension

Surface resistance of handles is 10⁹ - 10¹⁰ Ohms

Rotation cap

Light weight & compact

Handle tapered for precise control

Bits hardened for extreme durability



75093 16pc SYSTEM 4 Slotted, Phillips, TORX® Compact ESD Precision Interchangeable Bit Set

Item No. Combination Bit Set

75093 Set with ESD Safe Precision Handle

↓ ⚡ Slotted: 1.5, 2.0, 2.5, 3.0mm

↶ ⚡ Phillips: 00, 0, 1

lbs. ⚡ TORX®: T6, T7, T8, T9, T10, T15, T20

.17 ⚡ 100mm Bit Extension



75094 16pc SYSTEM 4 Slotted, Phillips, Hex Inch Compact ESD Precision Interchangeable Bit Set

Item No. Combination Bit Set

75094 Set with ESD Safe Precision Handle


↓ ⚡ Slotted: 1.5, 2.0, 2.5, 3.0mm

⚡ Phillips: 00, 0, 1

↶ ⚡ Hex Inch: .035, .050, 1/16, 5/64,

lbs. 3/32, 7/64, 1/8"

.17 ⚡ 100mm Bit Extension



75095 16pc SYSTEM 4 Slotted, Phillips, Hex Metric Compact ESD Precision Interchangeable Bit Set

Item No. Combination Bit Set

75095 Set with ESD Safe Precision Handle

↓ ⚡ Slotted: 1.5, 2.0, 2.5, 3.0mm

⚡ Phillips: 00, 0, 1

↶ ⚡ Hex Metric: .9, 1.3, 1.5, 2.0, 2.5,

lbs. 3.0, 4.0mm

.17 ⚡ 100mm Bit Extension



75096 16pc SYSTEM 4 Hex Inch & Metric Compact ESD Precision Interchangeable Bit Set


Item No. Combination Bit Set

75096 Set with ESD Safe Precision Handle

⚡ Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

↶ ⚡ Hex Metric: .9, 1.3, 1.5, 2.0, 2.5, lbs. 3.0, 4.0mm

.17 ⚡ 100mm Bit Extension



75097 16pc SYSTEM 4 Slotted, Phillips, Pentalobe Compact ESD Precision Interchangeable Bit Set

Item No. Combination Bit Set

75097 Set with ESD Safe Precision Handle

↓ ⚡ Slotted: 1.2, 1.5, 2.0, 2.5, 3.0mm

↶ ⚡ Phillips: 000, 00, 0, 1, 2

lbs. ⚡ Pentalobe: PL1, PL2, PL3, PL4

.17 ⚡ 100mm Bit Extension



91109 Black Cartridge Holder

Holds 14 Micro bits 4mm. 1" OAL

| Item No. | mm | mm | lbs. |
|----------|-----|------|------|
| 91109 | 4.0 | 25.4 | .01 |



75965 65pc SYSTEM 4 Master Tech ESD & Ratchet With Micro Bits. In Storage Box.

Includes Wiha precision ESD Safe handle, micro bit extension, 72 tooth ratchet & 62 interchangeable micro bits.

Item No. ↶ lbs. 1.16

75965 Includes the following micro bits:

Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm

Phillips: 000, 00, 0, 1

TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15, T20

Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"


Nut Drivers Metric: 2.0 - 5.5mm

Nut Drivers Inch: 5/64 - 7/32"


Pentalobe: PL1, PL2, PL3, PL4, PL5, PL6

Magnetic 1/4" to 4mm Adapter

SYSTEM 4 Interchangeable Bit Sets



Includes Dust Cover



75968 68pc SYSTEM 4 Micro Bit Set

Includes ESD handle, Micro bit storage handle, micro bit extension & 65 micro bits.

Item No.

75968 Includes the following micro bits:

↶ ⚡ Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, lbs. 3.0, 3.5, 4.0mm

.70 ⚡ Phillips: 000, 00, 0, 1, 2

⚡ TORX®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10, T15, T20

⚡ Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

⚡ Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

⚡ Nut Drivers Metric: 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm

⚡ Nut Drivers Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"

⚡ Pentalobe: PL1, PL2, PL3, PL4, PL5, PL6
Magnetic 1/4" to 4mm Adapter

* Does not include storage box



75971 68pc SYSTEM 4 Micro Bit Set

Includes ESD handle, Micro bit storage handle, micro bit extension & 65 micro bits.

Item No. Set In Zipper Case

75971 Includes the following micro bits:

↶ ⚡ Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, lbs. 3.0, 3.5, 4.0mm

.96 ⚡ Phillips: 000, 00, 0, 1, 2

⚡ TORX®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10, T15, T20

⚡ Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

⚡ Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

⚡ Nut Drivers Metric: 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm

⚡ Nut Drivers Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"

⚡ Pentalobe: PL1, PL2, PL3, PL4, PL5, PL6
Magnetic 1/4" to 4mm Adapter







SYSTEM 4
Interchangeable Bit Sets



75980 68pc SYSTEM 4 Master Tech Micro Bit Set. Includes Wiha ESD Safe Precision Handle, 1/4" to 4mm Adapter, 100mm Bit Extension & 36 Micro Bits.

Item No. SYSTEM 4 Micro Bit Set

75980 Includes The Following Bits:





- ↓  **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
 -  **Phillips:** 000, 00, 0, 1, 2
 -  **TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
 -  **Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
 -  **Pentalobe:** PL1, PL2, PL3, PL4, PL5, PL6
-  **lbs. .38**



75993 28pc SYSTEM 4 Premium ESD Safe Micro Bit Set. Includes Wiha ESD Safe Precision Handle, 1/4" to 4mm Adapter, 100mm Bit Extension, ESD Safe Tweezers & 21 Micro Bits.

Item No. SYSTEM 4 Micro Bit Set

75993 Micro Bits:

- ↓  **Slotted:** 0.8, 1.5, 2.0, 2.5, 3.0, 3.5mm
 -  **Phillips:** 000, 00, 0, 1, 2
 -  **TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
- ESD Safe Tweezers:**
5SA ESD, 7aSA ESD, 2ASA ESD, AASA ESD, OOSA ESD
-  **lbs. .95**

Micro Bit Handle Storage Sets



Micro precision bits on 4mm hex drive

Storage handle

Bits hardened for extreme durability

Bits of exclusive CRM-72 tool steel






75981 7pc Micro Bit Handle Storage Slotted & Phillips Bit Set

Wiha precision storage handle & 6 Micro Bit interchangeable 4mm bits.

Item Set with Micro Bit Precision

No. Storage Handle

- 75981** ↓  **Slotted:** 1.2, 1.5, 2.0mm
-  **Phillips:** 000, 00, 0
-  **lbs. .08**





75985 7pc Micro Bit Handle Storage TORX® Bit Set

Wiha precision storage handle & 6 Micro Bit interchangeable 4mm bits.

Item Set with Micro Bit Precision




No. Storage Handle

- 75985**  **TORX®** T3, T4, T5, T6, T7, T8
-  **lbs. .08**



75805 SYSTEM 4 Micro Bit Storage Handle

Accepts all SYSTEM 4 Series bits. 108mm / 4.25" OAL

| Item |  |  |  |
|--------------|---|---|---|
| No. | mm | Inch | lbs. |
| 75805 | 4.0 | .1574 | .05 |




75983 7pc Micro Bit Handle Storage Hex Inch Bit Set

Wiha precision storage handle & 6 Micro Bit interchangeable 4mm bits.

Item Set with Micro Bit Precision

No. Storage Handle

- 75983**  **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8"
-  **lbs. .08**



The Comfortable Precision Pliers & Cutters

Electronics pliers with cutting edges are designed especially for cutting soft to medium hard wires.



Precision ground cutting edges for smooth cuts

Glare free black finish

Lay-on, riveted precision joint

Light weight design for maximum user comfort in production work

C70 tool steel HR60 hardness



Electronic Diagonal Cutters



56812 Precision Electronic Diagonal Cutters, Narrow Shape Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. For absolutely flush cutting of copper wires in difficult to access locations. \approx lbs. .19

| Item No. | mm | Inch | Cut Capacity | Pkg. |
|----------|-----|------|--------------|------|
| 56812 | 118 | 4.5 | 0.8mm/16AWG | 1 |

Electronic Oblique 48° Cutter



56833 Electronic Oblique 48° Cutter Wide pointed head. Cutting edge - full flush. With cutting edge at 48° for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

| Item No. | mm | Inch | Cut Capacity | lbs. | Pkg. |
|----------|-----|------|--------------|------|------|
| 56833 | 138 | 5.5 | 1.3mm/16AWG | .22 | 1 |

Electronic Diagonal Cutters



56818 Precision Electronic Diagonal Cutters, Wide Pointed Head Cutting edge - full flush. With return spring. C70 special tool steel. For an absolutely flush cut of copper wire.

| Item No. | mm | Inch | Cut Capacity | lbs. | Pkg. |
|----------|-----|------|--------------|------|------|
| 56818 | 138 | 5.5 | 1.3mm/16AWG | .22 | 1 |

Electronic Diagonal Cutters



56813 Precision Electronic Diagonal Full Flush Cutters With Wire Trapping Spring Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

| Item No. | mm | Inch | Cut Capacity | lbs. | Pkg. |
|----------|-----|------|--------------|------|------|
| 56813 | 128 | 5.0 | 1.0mm/16AWG | .19 | 1 |

Narrow Front Cutter/Long Nose Pliers



56830 Electronic Narrow 30° Front Cutter / Long Nose Pliers Extremely narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. Edge at 30° to face end of pliers for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

| Item No. | mm | Inch | Cut Capacity | lbs. | Pkg. |
|----------|-----|------|--------------|------|------|
| 56830 | 118 | 4.5 | 0.6mm/16AWG | .19 | 1 |

Electronic Diagonal Cutters



56815 Precision Electronic Diagonal Cutters, Wide Pointed Head Cutting edge - semi flush. With return spring. C70 special tool steel. Universal small diagonal cutter for cutting copper wires. \approx lbs. .23

| Item No. | mm | Inch | Cut Capacity | Hard Wire | Pkg. |
|----------|-----|------|--------------|-----------|------|
| 56815 | 138 | 5.5 | 2.0mm/16AWG | 0.8 | 1 |

Electronic Diagonal Cutters



56825 Precision Electronic Diagonal Cutters, Wide Shape With Wire Holding Spring Wide, Pointed head. Cutting edge - full flush. With return spring & fixture for holding ends of wires that have been cut off. For an absolutely flush cut of copper wire.

| Item No. | mm | Inch | Cut Capacity | lbs. | Pkg. |
|----------|-----|------|--------------|------|------|
| 56825 | 138 | 5.5 | 1.3mm/16AWG | .23 | 1 |

Electronic Stripping Pliers



56871 Electronic Stripping Pliers Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. With opening spring and locking mechanism. Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10.

| #56871 | mm | Inch | Ø | AWG | lbs. | Pkg. |
|--------|-----|------|-----------|-------|------|------|
| | 180 | 7.0 | 0.81-2.59 | 20-10 | .15 | 1 |

Electronic Pointed Pliers



56801 Electronic Short Nose Precision Pliers Narrow, short head. Smooth jaws. Width at tip is only 1.2mm. C70 special tool steel. For holding small components as well as for holding and angling wires.

| Item No. | mm | Inch | Pkg. | lbs. |
|----------|-----|------|------|------|
| 56801 | 138 | 5.5 | 1 | .23 |

Professional Quality ESD Tweezers

ESD SAFE • STATIC DISSIPATIVE • HYPO ALLERGENIC COATED • TEXTURED GRIPPING SURFACE



Universal Fine Point Tweezers

| Item No. | Description | wt. |
|----------|-------------------|-----|
| 44501 | AA SA ESD - 130mm | .09 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Very Fine Points/Tapered To Tip

| Item No. | Description | wt. |
|----------|------------------|-----|
| 44508 | 4 SA ESD - 110mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Angled 3.5 to 7mm Diameter

| Item No. | Description | wt. |
|----------|-------------------|-----|
| 44515 | 54 SA ESD - 120mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Long Narrow Body Low Force

| Item No. | Description | wt. |
|----------|-------------------|-----|
| 44503 | SS SA ESD - 135mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Extra Fine Points/Tapered To Tip

| Item No. | Description | wt. |
|----------|------------------|-----|
| 44509 | 5 SA ESD - 110mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Narrow Rounded Tip Serrated, Guide Pin

| Item No. | Description | wt. |
|----------|-------------------|-----|
| 44518 | 22 SA ESD - 150mm | .10 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Reduced Body To Medium Point

| Item No. | Description | wt. |
|----------|------------------|-----|
| 44504 | 2 SA ESD - 120mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Curved Extra Fine Rounded Tips

| Item No. | Description | wt. |
|----------|-------------------|-----|
| 44510 | 7a SA ESD - 120mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Universal Blunt Tip Serrated

| Item No. | Description | wt. |
|----------|-------------------|-----|
| 44520 | 40 SA ESD - 145mm | .11 |


Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Flat Round Tip Smooth Sides

| Item No. | Description | wt. |
|----------|-------------------|-----|
| 44505 | 2a SA ESD - 120mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Holds 0.8 to 2mm Diameter

| Item No. | Description | wt. |
|----------|-------------------|-----|
| 44511 | 50 SA ESD - 120mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



MicroTip 45° Hook 1x1x2mm

| Item No. | Description | wt. |
|----------|---------------------|-----|
| 44521 | 12 SA-SMD ESD-120mm | .09 |


Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Fine Round Points For Assembly

| Item No. | Description | wt. |
|----------|------------------|-----|
| 44506 | 3 SA ESD - 120mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Holds 1.5 to 3mm Diameter

| Item No. | Description | wt. |
|----------|-------------------|-----|
| 44512 | 51 SA ESD - 130mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



10pc ESD Safe Tweezers Set

| Item No. | Description | wt. |
|----------|--------------------|------|
| 44593 | 10pc Set Includes: | 1.05 |

AA SA Fine Point, 2a SA Flat Round Tip, 3 SA Round Point, 3c SA Fine Round Points Shorter, 4 SA Very Fine Points, 7a SA Curved Extra Fine, PSF SA Flat-1.0mm Wide, 7abb SA Curved Extra Fine, 5bb SA Extra Fine Bent, 4b SA Very Fine Point 40°



Fine Round Points Shorter

| Item No. | Description | wt. |
|----------|-------------------|-----|
| 44507 | 3c SA ESD - 110mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Holds 6.5 to 10mm Diameter

| Item No. | Description | wt. |
|----------|-------------------|-----|
| 44514 | 53 SA ESD - 120mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.

Wiha Professional Quality ESD Safe Tweezers



MicroTip For Chips Angled 1.6 x 1 x 1mm

| Item No. | Description | wt. |
|----------|-------------------|-----|
| 44522 | 13 SA ESD - 120mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Flat Bent 35° - 2mm Diameter Grip Radius

| Item No. | Description | wt. |
|----------|---------------------|-----|
| 44530 | 59 SA-SMD ESD-117mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Narrow Body, Bent, Long Guide Pin, Serrated

| Item No. | Description | wt. |
|----------|--------------------|-----|
| 55532 | 22b SA ESD - 155mm | .10 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Long Flat to 1.0mm Wide No Serration

| Item No. | Description | wt. |
|----------|------------------|-----|
| 44523 | PSF SA ESD-125mm | .09 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



ESD Safe General Purpose Fine Point

| Item No. | Description | wt. |
|----------|------------------|-----|
| 44531 | 1 SA ESD - 120mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Blunt Tips - 1.0mm Wide Serrated

| Item No. | Description | wt. |
|----------|---------------------|-----|
| 55533 | PSF SA ESD S -125mm | .09 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Curved Extra Fine, 3mm Long Straight Tip

| Item No. | Description | wt. |
|----------|---------------------|-----|
| 44525 | 7abb SA ESD - 120mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Heavy Duty Strong Tweezers Tapered To Strong Point

| Item No. | Description | wt. |
|----------|-------------------|-----|
| 44532 | 00 SA ESD - 120mm | .09 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Flat and Broad Tips 3mm Wide

| Item No. | Description | wt. |
|----------|------------------|-----|
| 55534 | F SA ESD - 120mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Angled Extra Fine Points Bent 30° - 3mm Long Tips

| Item No. | Description | wt. |
|----------|---------------------|-----|
| 44527 | 5abb SA ESD - 117mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Angled & Slightly Bent With Extra Fine Tips

| Item No. | Description | wt. |
|----------|------------------|-----|
| 44533 | 7 SA ESD - 120mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



MicroTip Straight & 0.5mm Slot Milled

| Item No. | Description | wt. |
|----------|----------------------|-----|
| 55535 | 8ab SA-SMD ESD-120mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Extra Fine Points Bent 30° - 3mm Long Tips

| Item No. | Description | wt. |
|----------|------------------|-----|
| 44528 | 5bb SA ESD-107mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



MicroTip 30° Bend & 0.5mm Slot Milled

| Item No. | Description | wt. |
|----------|--------------------|-----|
| 55531 | 11SA-SMD ESD-117mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



MicroTip 30° Bent & Angled With 0.5 Slot

| Item No. | Description | wt. |
|----------|---------------------|-----|
| 55536 | 19 SA-SMD ESD-120mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.

Wiha Professional Quality ESD Safe Tweezers



Chip Holding Curved Fine MicroTip

| Item No. | Description | ↕↔ wt. |
|----------|------------------------|--------|
| 55537 | R10 SA SMD ESD - 117mm | .07 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Very Fine Points 40° Tapered To Tip

| Item No. | Description | ↕↔ wt. |
|----------|-------------------|--------|
| 55539 | 4b SA ESD - 110mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Wafer Tweezer

| Item No. | Description | ↕↔ wt. |
|----------|--------------|--------|
| 55538 | 72a SA ESD - | .07 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



9mm Wide With Back Stop Pins - Wafer

| Item No. | Description | ↕↔ wt. |
|----------|-------------------|--------|
| 55546 | 89 SA ESD - 125mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.



Angled 12mm Wide Flat, Back Stop - Wafer

| Item No. | Description | ↕↔ wt. |
|----------|-------------------|--------|
| 55547 | 91 SA ESD - 125mm | .08 |

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommeloy. Special stainless steel, anti-magnetic and acid resistant.

Inspection Mirrors All Stainless Detachable & Boilable

Inspection Mirrors - Detachable All Stainless

For Visual Checks and Fault Finding at Inaccessible Locations

Natural Finish, Stainless Steel



Inspection Mirror - Stainless 10mm

| Item No. | Description | ↕↔ wt. |
|----------|---------------|--------|
| 40410 | #0 IM - 216mm | .09 |



Inspection Mirror - Stainless 26mm

| Item No. | Description | ↕↔ wt. |
|----------|---------------|--------|
| 40426 | #6 IM - 229mm | .10 |



Inspection Mirror - Stainless 14mm

| Item No. | Description | ↕↔ wt. |
|----------|---------------|--------|
| 40414 | #0 IM - 216mm | .09 |




Inspection Mirror - Stainless 30mm

| Item No. | Description | ↕↔ wt. |
|----------|---------------|--------|
| 40430 | #8 IM - 232mm | .10 |



Inspection Mirror - Stainless 20mm

| Item No. | Description | ↕↔ wt. |
|----------|---------------|--------|
| 40420 | #3 IM - 224mm | .09 |



Inspection Mirror - Stainless 22mm Short Stem

| Item No. | Description | ↕↔ wt. |
|----------|---------------|--------|
| 40422 | #4 IM - 224mm | .10 |



Inspection Mirror - Stainless 24mm Short Stem

| Item No. | Description | ↕↔ wt. |
|----------|---------------|--------|
| 40424 | #5 IM - 225mm | .10 |



7pc Inspection Mirror Set

| Item No. | Description | ↕↔ wt. |
|----------|---|--------|
| 40490 | 7pc Set Includes: 10mm, 14mm, 20mm, 22mm 24mm, 26mm, 30mm | .67 |




Disposable Inspection Mirrors

| Item No. | Description | ↕↔ wt. |
|----------|------------------|--------|
| 40425 | 5 Pack - Plastic | .10 |

Set includes: White disposable inspection mirror #5 Inspection Mirrors - 24mm x 146mm

| Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page |
|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|
| 26000 | 4 | 26145 | 9 | 26449 | 10 | 26631 | 11 | 26911 | 13 | 26975 | 15 |
| 26001 | 4 | 26190 | 4 | 26455 | 10 | 26701 | 6 | 26912 | 13 | 26976 | 15 |
| 26008 | 4 | 26192 | 5 | 26457 | 10 | 26702 | 6 | 26913 | 14 | 26977 | 15 |
| 26010 | 4 | 26193 | 9 | 26459 | 10 | 26703 | 6 | 26914 | 14 | 26978 | 15 |
| 26012 | 4 | 26194 | 5 | 26461 | 10 | 26704 | 6 | 26916 | 14 | 26979 | 15 |
| 26015 | 4 | 26195 | 9 | 26463 | 10 | 26705 | 6 | 26917 | 14 | 26980 | 15 |
| 26018 | 4 | 26196 | 9 | 26465 | 10 | 26706 | 6 | 26918 | 14 | 26981 | 15 |
| 26020 | 4 | 26197 | 4 | 26467 | 10 | 26707 | 6 | 26919 | 14 | 26982 | 15 |
| 26022 | 4 | 26198 | 9 | 26490 | 6 | 26708 | 6 | 26920 | 14 | 26983 | 15 |
| 26023 | 4 | 26199 | 4 | 26491 | 6 | 26709 | 6 | 26921 | 14 | 26985 | 15 |
| 26025 | 4 | 26205 | 5 | 26493 | 10 | 26710 | 6 | 26922 | 13 | 28000 | 13 |
| 26027 | 4 | 26210 | 5 | 26499 | 6 | 26715 | 6 | 26923 | 14 | 28002 | 15 |
| 26028 | 4 | 26307 | 5 | 26510 | 7 | 26720 | 6 | 26924 | 14 | 28003 | 15 |
| 26030 | 4 | 26309 | 5 | 26515 | 7 | 26721 | 12 | 26925 | 14 | 28004 | 15 |
| 26032 | 4 | 26313 | 5 | 26520 | 7 | 26723 | 12 | 26926 | 14 | 28005 | 15 |
| 26033 | 4 | 26315 | 5 | 26523 | 7 | 26725 | 12 | 26927 | 14 | 28006 | 15 |
| 26034 | 4 | 26316 | 5 | 26525 | 7 | 26727 | 12 | 26928 | 14 | 28007 | 15 |
| 26035 | 4 | 26320 | 5 | 26527 | 7 | 26729 | 12 | 26929 | 14 | 28008 | 15 |
| 26040 | 4 | 26323 | 5 | 26530 | 7 | 26731 | 12 | 26930 | 15 | 28012 | 15 |
| 26041 | 4 | 26325 | 5 | 26531 | 7 | 26732 | 10 | 26932 | 14 | 28021 | 14 |
| 26042 | 4 | 26327 | 5 | 26532 | 7 | 26733 | 10 | 26934 | 14 | 28023 | 14 |
| 26050 | 9 | 26330 | 5 | 26535 | 7 | 26735 | 10 | 26935 | 14 | 28024 | 14 |
| 26051 | 9 | 26331 | 5 | 26536 | 7 | 26736 | 10 | 26936 | 14 | 28026 | 14 |
| 26052 | 9 | 26333 | 5 | 26539 | 7 | 26737 | 10 | 26937 | 14 | 28027 | 14 |
| 26053 | 9 | 26336 | 5 | 26540 | 7 | 26739 | 10 | 26938 | 14 | 28028 | 14 |
| 26055 | 9 | 26340 | 5 | 26545 | 7 | 26741 | 10 | 26939 | 14 | 28029 | 14 |
| 26060 | 9 | 26341 | 10 | 26547 | 7 | 26743 | 10 | 26940 | 14 | 28033 | 14 |
| 26061 | 9 | 26343 | 10 | 26550 | 7 | 26745 | 10 | 26941 | 14 | 28034 | 14 |
| 26065 | 9 | 26345 | 10 | 26555 | 7 | 26747 | 10 | 26942 | 14 | 28035 | 14 |
| 26066 | 9 | 26347 | 10 | 26556 | 7 | 26749 | 10 | 26943 | 14 | 28036 | 14 |
| 26068 | 9 | 26349 | 10 | 26560 | 7 | 26751 | 10 | 26944 | 14 | 28037 | 14 |
| 26070 | 9 | 26351 | 10 | 26563 | 7 | 26761 | 7 | 26945 | 14 | 28552 | 8 |
| 26072 | 9 | 26353 | 10 | 26570 | 7 | 26762 | 7 | 26946 | 14 | 28620 | 8 |
| 26073 | 9 | 26363 | 10 | 26571 | 11 | 26763 | 7 | 26947 | 14 | 28622 | 8 |
| 26074 | 9 | 26367 | 10 | 26572 | 11 | 26764 | 7 | 26948 | 14 | 28624 | 8 |
| 26076 | 9 | 26369 | 10 | 26573 | 11 | 26765 | 7 | 26949 | 14 | 28626 | 8 |
| 26079 | 9 | 26371 | 10 | 26574 | 11 | 26766 | 7 | 26950 | 14 | 28627 | 8 |
| 26080 | 9 | 26390 | 5 | 26575 | 11 | 26771 | 11 | 26951 | 13 | 28629 | 8 |
| 26090 | 4 | 26391 | 5 | 26576 | 11 | 26772 | 11 | 26952 | 13 | 28632 | 8 |
| 26092 | 5 | 26392 | 10 | 26577 | 11 | 26773 | 11 | 26953 | 13 | 28633 | 8 |
| 26093 | 9 | 26393 | 10 | 26578 | 11 | 26774 | 11 | 26954 | 13 | 28637 | 8 |
| 26099 | 4 | 26399 | 5 | 26579 | 11 | 26775 | 11 | 26955 | 13 | 28644 | 8 |
| 26100 | 4 | 26413 | 6 | 26581 | 11 | 26776 | 11 | 26956 | 13 | 32000 | 12 |
| 26101 | 4 | 26415 | 6 | 26582 | 11 | 26790 | 6 | 26957 | 13 | 32001 | 12 |
| 26102 | 4 | 26416 | 6 | 26583 | 11 | 26791 | 6 | 26958 | 15 | 32002 | 12 |
| 26105 | 4 | 26419 | 6 | 26584 | 11 | 26792 | 6 | 26959 | 15 | 32003 | 12 |
| 26107 | 4 | 26420 | 6 | 26585 | 11 | 26793 | 10 | 26960 | 15 | 32004 | 12 |
| 26108 | 4 | 26423 | 6 | 26586 | 11 | 26794 | 7 | 26961 | 15 | 32085 | 12 |
| 26109 | 4 | 26425 | 6 | 26587 | 11 | 26795 | 11 | 26962 | 14 | 32088 | 12 |
| 26110 | 4 | 26427 | 6 | 26588 | 11 | 26796 | 10 | 26963 | 14 | 32106 | 12 |
| 26113 | 4 | 26430 | 6 | 26589 | 11 | 26798 | 12 | 26964 | 14 | 32107 | 12 |
| 26114 | 4 | 26431 | 6 | 26590 | 7 | 26799 | 6 | 26965 | 14 | 32108 | 12 |
| 26115 | 4 | 26436 | 6 | 26591 | 7 | 26810 | 4 | 26966 | 14 | 40010 | 8 |
| 26130 | 9 | 26439 | 6 | 26592 | 7 | 26815 | 11 | 26968 | 14 | 40410 | 25 |
| 26132 | 9 | 26440 | 6 | 26593 | 11 | 26900 | 13 | 26969 | 14 | 40414 | 25 |
| 26135 | 9 | 26441 | 10 | 26596 | 11 | 26903 | 13 | 26971 | 13 | 40420 | 25 |
| 26136 | 9 | 26443 | 10 | 26598 | 7 | 26904 | 13 | 26972 | 13 | 40422 | 25 |
| 26140 | 9 | 26445 | 10 | 26599 | 7 | 26905 | 13 | 26973 | 13 | 40424 | 25 |
| 26142 | 9 | 26447 | 10 | 26601 | 5 | 26906 | 15 | 26974 | 13 | 40425 | 25 |

| Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page |
|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|
| 40426 | 25 | 75093 | 20 | 75628 | 16 | 75735 | 17 | 75994 | 19 | | |
| 40430 | 25 | 75094 | 20 | 75629 | 16 | 75742 | 17 | 75995 | 19 | | |
| 40490 | 25 | 75095 | 20 | 75630 | 16 | 75743 | 18 | 75996 | 19 | | |
| 44501 | 23 | 75096 | 20 | 75631 | 16 | 75744 | 18 | 75999 | 19 | | |
| 44503 | 23 | 75097 | 20 | 75632 | 16 | 75745 | 18 | 91109 | 20 | | |
| 44504 | 23 | 75105 | 17 | 75633 | 16 | 75746 | 18 | 91118 | 11 | | |
| 44505 | 23 | 75110 | 17 | 75634 | 16 | 75747 | 18 | 92189 | 8 | | |
| 44506 | 23 | 75115 | 17 | 75635 | 16 | 75748 | 18 | 92190 | 8 | | |
| 44507 | 23 | 75120 | 17 | 75636 | 16 | 75800 | 17 | 92191 | 8 | | |
| 44508 | 23 | 75125 | 17 | 75637 | 16 | 75801 | 17 | 96800 | 12 | | |
| 44509 | 23 | 75307 | 17 | 75638 | 16 | 75802 | 18 | | | | |
| 44510 | 23 | 75309 | 17 | 75639 | 16 | 75803 | 18 | | | | |
| 44511 | 23 | 75313 | 17 | 75641 | 16 | 75805 | 21 | | | | |
| 44512 | 23 | 75315 | 17 | 75644 | 16 | 75806 | 18 | | | | |
| 44514 | 23 | 75320 | 17 | 75645 | 16 | 75810 | 18 | | | | |
| 44515 | 23 | 75322 | 17 | 75646 | 16 | 75811 | 18 | | | | |
| 44518 | 23 | 75325 | 17 | 75647 | 16 | 75812 | 18 | | | | |
| 44520 | 23 | 75330 | 17 | 75648 | 16 | 75813 | 18 | | | | |
| 44521 | 23 | 75332 | 17 | 75649 | 16 | 75814 | 18 | | | | |
| 44522 | 24 | 75340 | 17 | 75650 | 16 | 75815 | 18 | | | | |
| 44523 | 24 | 75342 | 17 | 75651 | 16 | 75816 | 18 | | | | |
| 44525 | 24 | 75350 | 17 | 75652 | 16 | 75817 | 18 | | | | |
| 44527 | 24 | 75352 | 17 | 75653 | 16 | 75820 | 18 | | | | |
| 44528 | 24 | 75354 | 17 | 75654 | 16 | 75821 | 18 | | | | |
| 44530 | 24 | 75356 | 17 | 75655 | 16 | 75822 | 18 | | | | |
| 44531 | 24 | 75358 | 17 | 75657 | 16 | 75823 | 18 | | | | |
| 44532 | 24 | 75360 | 17 | 75658 | 16 | 75824 | 18 | | | | |
| 44533 | 24 | 75362 | 17 | 75659 | 16 | 75825 | 18 | | | | |
| 44593 | 23 | 75364 | 17 | 75660 | 16 | 75826 | 18 | | | | |
| 55531 | 24 | 75366 | 17 | 75661 | 16 | 75827 | 18 | | | | |
| 55532 | 24 | 75368 | 17 | 75662 | 16 | 75900 | 17 | | | | |
| 55533 | 24 | 75370 | 17 | 75663 | 16 | 75901 | 17 | | | | |
| 55534 | 24 | 75372 | 17 | 75664 | 16 | 75902 | 17 | | | | |
| 55535 | 24 | 75395 | 19 | 75665 | 16 | 75965 | 20 | | | | |
| 55536 | 24 | 75602 | 16 | 75666 | 16 | 75968 | 20 | | | | |
| 55537 | 25 | 75603 | 16 | 75667 | 16 | 75971 | 20 | | | | |
| 55538 | 25 | 75604 | 16 | 75668 | 16 | 75973 | 11 | | | | |
| 55539 | 25 | 75605 | 16 | 75669 | 16 | 75980 | 21 | | | | |
| 55546 | 25 | 75606 | 16 | 75670 | 16 | 75981 | 21 | | | | |
| 55547 | 25 | 75607 | 16 | 75671 | 16 | 75982 | 18 | | | | |
| 56801 | 22 | 75608 | 16 | 75672 | 16 | 75983 | 21 | | | | |
| 56812 | 22 | 75609 | 16 | 75673 | 16 | 75993 | 21 | | | | |
| 56813 | 22 | 75610 | 16 | 75674 | 16 | 75984 | 18 | | | | |
| 56815 | 22 | 75611 | 16 | 75675 | 16 | 75985 | 21 | | | | |
| 56818 | 22 | 75612 | 16 | 75676 | 16 | 75986 | 18 | | | | |
| 56825 | 22 | 75613 | 16 | 75681 | 16 | 75987 | 18 | | | | |
| 56830 | 22 | 75614 | 16 | 75683 | 16 | 75988 | 18 | | | | |
| 56833 | 22 | 75615 | 16 | 75701 | 17 | 75991 | 19 | | | | |
| 56871 | 22 | 75616 | 16 | 75702 | 17 | 75992 | 19 | | | | |
| 62994 | 12 | 75617 | 16 | 75703 | 17 | | | | | | |
| 75008 | 17 | 75618 | 16 | 75704 | 17 | | | | | | |
| 75012 | 17 | 75619 | 16 | 75705 | 17 | | | | | | |
| 75015 | 17 | 75620 | 16 | 75706 | 17 | | | | | | |
| 75018 | 17 | 75621 | 16 | 75707 | 17 | | | | | | |
| 75020 | 17 | 75622 | 16 | 75708 | 17 | | | | | | |
| 75025 | 17 | 75623 | 16 | 75709 | 17 | | | | | | |
| 75030 | 17 | 75624 | 16 | 75710 | 17 | | | | | | |
| 75035 | 17 | 75626 | 16 | 75715 | 17 | | | | | | |
| 75040 | 17 | 75627 | 16 | 75720 | 17 | | | | | | |

 **Prop65 WARNING:** This product could expose you to chemicals including Vinyl Chloride, Ethylene Glycol, Ni or CrVI, which are known to the state of California to cause cancer or reproductive harm. For more information go to www.P65warnings.ca.gov/



PROFESSIONAL TECH TOOLS



(800) 494-6104
 fax: (800) 494-7456
 cservice@wihatools.com
 www.wihatools.com



Wiha Quality Tools
 1348 Dundas Circle
 Monticello, MN 55362
 tel: 763.295.6591
 fax: 763.295.6598

Wiha Tools Canada Ltd.
 www.wihatools.ca
 Brampton, ONT L6T 4X4
 tel: 866.494.0096 or 763.295.6591
 fax: 763.295.6598



To:

Catalog Item No. 99006 .wo
 version - 9/1/19

Subject to change without notice

©2019 Willi Hahn Corporation

®Torx is a registered trademark of
 Acument Intellectual Properties LLC.



99934.wo - Hex Tools Catalog



99914.wo - TORX Catalog



99001.wo - TorqueControl Catalog



99951.wo - Bits Catalog



99919.wo - Insulated Catalog



99002.wo - Screwdrivers Catalog




99004.wo - Shop Tools Catalog



99977.wo - Pliers/Crimpers Catalog



99945.wo - ESD Catalog



99007.wo - Merchandise Catalog

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Hand Tools](#) category:

Click to view products by [Wiha](#) manufacturer:

Other Similar products are found below :

[58284-1](#) [662908-1](#) [68764-0001](#) [690619-6](#) [D20419-189](#) [7-354778-7](#) [768531-1](#) [821903-5](#) [822253-1](#) [854183-1](#) [854358-1](#) [992258-1](#) [1-21046-3](#)
[1-22278-0](#) [1-22278-2](#) [1-24954-2](#) [125529-5](#) [126513-1](#) [1320846-1](#) [1338618-1](#) [1338968-2](#) [1-354779-0](#) [1-354779-2](#) [1-354779-4](#) [1424443-1](#)
[1424289-1](#) [1424444-1](#) [MS24256A16](#) [1-525442-0](#) [1532195-2](#) [1538773-2](#) [1-59681-8](#) [1-59907-5](#) [1-692134-3](#) [1725760-1](#) [HT-920A-124-](#)
[HTELE-RPL-KIT](#) [1976923-1](#) [1976969-1](#) [2063794-1](#) [2063795-1](#) [2-21002-1](#) [2-21002-3](#) [2-21002-4](#) [2-21002-7](#) [2-21002-9](#) [2-21004-0](#) [229399-](#)
[2](#) [229707-1](#) [911737-2](#) [2598-5027-54](#)