

Torque screwdriver iTorque® with digital scale (36888) 1,0-5,0 Nm, 9-44 in.lbs, 4 mm



Article No.: 36888

GTIN: 4010995368883

Price Gross: 190,86 EUR

Unit: Piece

Meets your requirements: A variably settable torque which covers a large range of usage.

Lowers your costs: The correct torque protects you from warranty claims.

Increases your efficiency: The correct torque avoids damaging material and no follow-up work is necessary.

Increases your productivity: Utmost process safety thanks to integrated ClickControl counting function and calibration alarm.

Standards: DIN EN ISO 6789.

Tolerance	6%
Hex	4 mm
Handle_length	134 mm
Handle_diameter	40 mm
Nm	1,0-5,0 Nm
Weight	373 g
lbs	9-44 in.lbs
Serie	2.835
Anwendungsszenarien	For applications where recommended torque settings are important. Use in combination with a Wiha torque interchangeable blade.
Customs tariff number	82054000
Product group	36888

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [wiha](#) manufacturer:

Other Similar products are found below :

[56818](#) [00573](#) [01030](#) [75802](#) [21248](#) [26307](#) [27302](#) [27835](#) [28050](#) [28084](#) [28390](#) [28501](#) [28507](#) [26113](#) [26539](#) [26626](#) [26629](#) [26804](#) [28522](#)
[28882](#) [32573](#) [32705](#) [32712](#) [32752](#) [32954](#) [34700](#) [36268](#) [36791](#) [38043](#) [43618](#) [44506](#) [54095](#) [31705](#) [31890](#) [32090](#) [32093](#) [32714](#) [32793](#)
[36453](#) [37225](#) [39104](#) [41106](#) [44503](#) [45811](#) [46796](#) [66991](#) [74586](#) [74732](#) [27235](#) [28551](#)