

2019



wiha 

Tools that work for you

PROFESSIONAL TORX® TOOLS


























COMPLETE TORX® FOR TOOLING PROGRAM
















TorqueFix • TorqueVario • TorqueControl Blades • TorqueFix Wing
EasyTorque • iTorque • Adapters • Cable Keys • Insulated TorqueVario
ESD Safe TorqueVario • T-handle Torque • TorqueControl Sets • Micro Bits

Torx® Index





|  | DESCRIPTION | Page |
|--|--------------------------------------|-------------|
|  | SoftFinish® Cushion Grip | 5 |
|  | ESD Safe SoftFinish® Cushion Grip | 6 |
|  | Insulated Cushion Grip | 7 |
|  | MicroFinish Non-Slip Grip | 7 |
|  | Powerhandle | 8 |
|  | Protturn | 8 |
|  | 3K Series | 9 |
|  | Drive-Loc VI Blades | 10 |
|  | T-handle & ComfortGrip | 13 |
|  | L-Keys Offset Screwdrivers | 12-13 11 |
|  | PocketStar Fold Outs | 11 |
|  | Wing Handle | 14 |
|  | Flag Handle | 14 |
|  | TorqueControl Blades | 20-22 |
| Precision Tools | | |
|  | Standard | 23 |
|  | PicoFinish | 23 |
|  | ESD Safe | 24 |
|  | SYSTEM 4 Blades | 24 |
|  | SYSTEM 4 Micro Bits | 25 |
|  | Bit Sets | 26-27 |
|  | Insert & Power Bits | 29-32 |
|  | Bit Sockets & Sets | 35-36 |

* Standard TORX® are not for use in TORXPlus® fasteners

TorxPlus® Index

|  | DESCRIPTION | Page |
|--|-----------------------------|-------|
|  | Wing Handle | 16 |
|  | Flag Handle | 16 |
|  | PocketStar Fold Outs | 16 |
|  | SoftFinish® Cushion Grip | 17 |
|  | T-handles | 17 |
|  | L-Keys Short/Long Arm | 18 |
|  | TorqueControl Blade | 20-22 |
|  | ESD Safe Precision | 24 |
|  | Bit-Selectors | 27 |
|  | Insert Bits | 34 |
|  | Power Bits | 34 |
|  | Bit Sockets & Sets | 35,37 |

Ball End Torx® Index

|  | DESCRIPTION | Page |
|--|------------------------------------|------|
|  | SoftFinish Drivers Cushion Grip | 15 |
|  | L-Keys | 15 |
|  | Power Bits | 15 |

Security Torx® Index

| | DESCRIPTION | Page |
|--|--------------------------------------|-------|
| | SoftFinish® Cushion Grip & Insulated | 6,11 |
| | Drive-Loc VI Blades | 10 |
| | L-Keys | 12 |
| | PocketStar Fold Outs | 11 |
| | SYSTEM 4 Micro Bits | 25 |
| | Bit Sets | 26-27 |
| | Insert Bits - 1/4" & 5/16" | 33 |
| | Power Bits | 33 |
| | Bit Sockets | 35,37 |

MagicSpring Screw Holding

| | DESCRIPTION | Page |
|--|--|------|
| | SoftFinish® Screw Holding Cushion Grip | 19 |
| | PicoFinish Soft Grip Screw Holding | 19 |
| | L-keys Screw Holding | 18 |
| | Wing Handle Screw Holding | 19 |
| | TorqueControl Blades Screw Holding | 20 |
| | Power Bits | 34 |

Wing/Flag & L-keys Index

| | DESCRIPTION | Page |
|--|--|----------|
| | L-Keys | 12-13 |
| | Offset Screwdrivers | 11 |
| | Wing Handle Torx®, TorxPlus® & MagicSpring | 14,16,19 |
| | Flag Handle Torx® & TorxPlus® | 14,16 |

Screwdrivers Index

| | DESCRIPTION | Page |
|--|---|--------------|
| | SoftFinish® CushionGrip Torx®, Security Torx®, TorxPlus®, MagicSpring | 5-6,15,17,19 |
| | ESD Safe SoftFinish® Cushion Grip - Torx® | 6 |
| | Insulated Torx® & Security Torx® | 7,11 |
| | MicroFinish Non-Slip Grip - Torx® | 7 |
| | Powerhandle- Torx® | 8 |
| | Protturn - Torx® | 8 |
| | 3K Series - Torx® | 8 |
| | Offset Screwdrivers | 11 |
| | T-handle/ComfortGrip Torx® & TorxPlus® | 13,17 |
| | Precision Tools | |
| | Standard | 23 |
| | PicoFinish | 23 |
| | ESD Safe | 24 |










Drive-Loc VI Interchangeable

| | DESCRIPTION | Page |
|--|---|------|
| | Drive-Loc VI Handle SoftFinish® Cushion Grip | 10 |
| | Drive-Loc VI Handle ESD Safe Cushion Grip | 10 |
| | Drive-Loc VI Handle MicroFinish Non-Slip Grip | 10 |
| | Drive-Loc VI Blades Torx® / Security Torx® | 10 |

Fold Outs Index

| | DESCRIPTION | Page |
|--|---|-------|
| | PocketStars Torx, Security Torx, TorxPlus | 11,16 |










TorqueControl Index

| DESCRIPTION | Page |
|--|------|
|  TorqueVario Handle | 20 |
|  Torx® / TorxPlus® Blades | 20 |
|  Insulated Torque Tools | 21 |
|  Easy Torque Tools | 21 |
|  ESD Safe TorqueControl | 22 |
|  ESD Safe Torx® Blades | 22 |
|  T-handle Torque Tools | 22 |
|  Interchangeable Blades For Torque T-handle | 22 |
|  TorqueControl Sets | 22 |






Standard Bits Index

| DESCRIPTION | Page |
|---|-------|
|  Torx® Insert/Power Bits | 30-32 |

Specialty Bits Index


| DESCRIPTION | Page |
|--|------|
|   Ball End Torx® | 15 |
|   Torx® Align Bits Insert/Power Bits | 32 |
|   Security Torx® Insert/Power Bits | 33 |
|   TorxPlus® Bits Insert/Power Bits | 34 |
|   Security Pentalobe | 34 |

Bit Sets Index








| DESCRIPTION | Page |
|---|------|
|  Six-in-One Bit Sets | 26 |
|  Bit Selector Sets | 27 |
|  Power Bit Belt Packs | 27 |
|  SYSTEM 4 Sets Micro Bits & Interchangeable Blades | 25 |
|  XSelectors | 27 |

 See Bit Holders on Pg. 26-28

ESD Blade Set Index

| DESCRIPTION | Page |
|---|-------|
|  Interchangeable Blade Set | 24-25 |

Sockets Index

| DESCRIPTION | Page |
|--|-------|
|  Torx® 1/4" Drive | 35-37 |
|  Torx® 3/8" Drive | 35-37 |
|  Torx® 3/8" - 5/16" Bits | 35-37 |
|  Security Torx® 3/8", 1/2" | 35,37 |
|  External Torx® Sockets 1/4", 3/8", 1/2" | 36 |
|  6" Bit Sockets 1/4" & 3/8" Drive | 36 |
|  Bit Socket Sets | 36-37 |

Wiha TORX® SoftFinish® Screwdrivers - Ergonomic Cushion Grip Handle



TORX®

Extra large diameter to achieve high torque

Improved torque zone. For all working conditions with molded on soft cushion grips

Flat surfaces give roll-off protection



Handle is molded directly onto the blade for a permanent bond



362 TORX® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|-----|------|-----|------|------|------|
| 36264 | T5 | 60 | 2.4 | 2.5 | .098 | 164 | 6.5 | .05 | 10 |
| 36266 | T6 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 | 10 |
| 36268 | T7 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 | 10 |
| 36270 | T8 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 | 10 |
| 36272 | T9 | 60 | 2.4 | 4.0 | .157 | 171 | 6.7 | .10 | 10 |
| 36274 | T10 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 | 10 |
| 36276 | T15 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 | 10 |
| 36278 | T20 | 100 | 3.9 | 4.0 | .157 | 211 | 8.3 | .11 | 10 |
| 36280 | T25 | 100 | 3.9 | 4.5 | .177 | 211 | 8.3 | .12 | 10 |
| 36282 | T27 | 115 | 4.5 | 5.5 | .216 | 233 | 9.2 | .19 | 10 |
| 36284 | T30 | 115 | 4.5 | 6.0 | .236 | 233 | 9.2 | .20 | 10 |
| 36286 | T40 | 130 | 5.1 | 7.0 | .275 | 254 | 10.0 | .27 | 10 |
| 36288 | T45 | 130 | 5.1 | 8.0 | .315 | 254 | 10.0 | .31 | 10 |



36294 8 Pcs. TORX® Set

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

| Item No. | Size | mm | Size | mm | lbs. |
|----------|------|----|------|-----|------|
| 36294 | T6 | 60 | T20 | 100 | 1.24 |
| | T8 | 60 | T25 | 100 | |
| | T10 | 80 | T27 | 115 | |
| | T15 | 80 | T30 | 115 | |



36291 6 Pcs. TORX® Set

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

| Item No. | Size | mm | Size | mm | lbs. |
|----------|------|----|------|----|------|
| 36291 | T6 | 60 | T9 | 60 | .77 |
| | T7 | 60 | T10 | 80 | |
| | T8 | 60 | T15 | 80 | |



36201 6 Pcs. TORX® Set

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

| Item No. | Size | mm | Size | mm | lbs. |
|----------|------|----|------|-----|------|
| 36201 | T6 | 60 | T15 | 80 | .83 |
| | T8 | 60 | T20 | 100 | |
| | T10 | 80 | T25 | 100 | |



36267 Set 12 Pcs. TORX® Round

blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

| Item No. | Size | mm | Size | mm | lbs. |
|----------|------|----|------|-----|------|
| 36267 | T5 | 60 | T15 | 80 | 2.03 |
| | T6 | 60 | T20 | 100 | |
| | T7 | 60 | T25 | 100 | |
| | T8 | 60 | T27 | 115 | |
| | T9 | 60 | T30 | 115 | |
| | T10 | 80 | T40 | 130 | |



Wiha Security TORX® Drivers



362 Security TORX® Screwdriver With Wiha-SoftFinish® Handle

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

| Item | ⚙️ | ➡️ | ➡️ | ⬆️ | ⬆️ | ➡️ | ➡️ | ⚖️ | 📦 |
|-------|------|-----|------|-----|------|-----|------|------|------|
| No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
| 36269 | T7s | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 | 10 |
| 36271 | T8s | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 | 10 |
| 36273 | T9s | 60 | 2.4 | 4.0 | .157 | 171 | 6.7 | .10 | 10 |
| 36275 | T10s | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 | 10 |
| 36277 | T15s | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 | 10 |
| 36279 | T20s | 100 | 3.9 | 4.0 | .157 | 211 | 8.3 | .11 | 10 |
| 36281 | T25s | 100 | 3.9 | 4.5 | .177 | 211 | 8.3 | .11 | 10 |
| 36283 | T27s | 115 | 4.5 | 5.5 | .216 | 233 | 9.2 | .19 | 10 |
| 36285 | T30s | 115 | 4.5 | 6.0 | .236 | 233 | 9.2 | .20 | 10 |
| 36287 | T40s | 130 | 5.1 | 7.0 | .275 | 254 | 10.0 | .28 | 10 |



36298 7 Pcs. Security TORX® Set

| Item | ⚙️ | ➡️ | ⚙️ | ➡️ | ⚖️ |
|-------|------|----|------|-----|------|
| No. | Size | mm | Size | mm | lbs. |
| 36298 | T7s | 60 | T15s | 80 | .95 |
| | T8s | 60 | T20s | 100 | |
| | T9s | 60 | T25s | 100 | |
| | T10s | 80 | | | |



36259 10 Pcs. Security TORX® Set

| Item | ⚙️ | ➡️ | ⚙️ | ➡️ | ⚖️ |
|-------|------|----|------|-----|------|
| No. | Size | mm | Size | mm | lbs. |
| 36259 | T7s | 60 | T20s | 100 | 1.5 |
| | T8s | 60 | T25s | 100 | |
| | T9s | 60 | T27s | 115 | |
| | T10s | 80 | T30s | 115 | |
| | T15s | 80 | T40s | 130 | |

Wiha SoftFinish® ESD Safe Handle



ESD Safe (10⁶-10⁹ Ohm)

362 ESD Safe TORX® Driver, Wiha-SoftFinish® Handle DIN EN 61340-5-1/61340-5-2

Round blade, CVM steel, hardened, hard chromed. Offers protection against electrostatic discharge. Dissipative SoftFinish® cushion grip handle, multi-component.

| Item | ⚙️ | ➡️ | ➡️ | ⬆️ | ⬆️ | ➡️ | ➡️ | ⚖️ | 📦 |
|-------|------|-----|------|-----|------|-----|------|------|------|
| No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
| 36260 | T3 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 | 10 |
| 36204 | T4 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 | 10 |
| 36200 | T5 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 | 10 |
| 36206 | T6 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 | 10 |
| 36208 | T8 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 | 10 |
| 36209 | T9 | 60 | 2.4 | 4.0 | .157 | 171 | 6.7 | .10 | 10 |
| 36218 | T10 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 | 10 |
| 36219 | T15 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 | 10 |
| 36224 | T20 | 100 | 3.9 | 4.0 | .157 | 211 | 8.3 | .11 | 10 |

Wiha ESD Safe Interchangeable Blade Set

In Durable Pouch



10893 ESD Safe 5 Piece TORX®

Interchangeable Blade Set Includes ESD Safe handle & 4 interchangeable blades.

| Item | ⚖️ | lbs. |
|---|----|------|
| No. 10893 | | .75 |
| TORX®: T6, T7, T8, T9, T10, T15, T20, T25 | | |
| Wiha ESD Safe Handle | | |

ESD Safe (10⁶-10⁹ Ohm)



36289 Set 6 Pcs. ESD Safe TORX® Screwdrivers

| Item No. | TORX® | ⚖️ | lbs. |
|----------|---------------------------|----|------|
| 36289 | T6, T8, T9, T10, T15, T20 | | .81 |

Wiha Insulated TORX® Screwdrivers

 1000Volt



325 TORX® Screwdriver, With Wiha-SoftFinish® Handle Insulation According to ASTM F-1505-10, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E, up to 1000 Volt. Individually Tested.

Blade high alloy cvm steel, hardened, black finish. Insulation molded directly onto blade.

| Item No. | Size | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|-----|------|------|------|
| 32505 | T5 | 60 | 2.4 | 164 | 6.5 | .06 | 10 |
| 32511 | T6 | 60 | 2.4 | 164 | 6.5 | .06 | 10 |
| 32516 | T7 | 60 | 2.4 | 164 | 6.5 | .06 | 10 |
| 32521 | T8 | 60 | 2.4 | 164 | 6.5 | .06 | 10 |
| 32526 | T9 | 60 | 2.4 | 164 | 6.5 | .06 | 10 |
| 32531 | T10 | 60 | 2.4 | 164 | 6.5 | .06 | 10 |
| 32536 | T15 | 80 | 3.1 | 191 | 7.5 | .12 | 10 |
| 32541 | T20 | 80 | 3.1 | 191 | 7.5 | .12 | 10 |
| 32546 | T25 | 80 | 3.1 | 198 | 7.8 | .17 | 10 |
| 32551 | T27 | 100 | 3.9 | 218 | 8.6 | .20 | 10 |
| 32556 | T30 | 100 | 3.9 | 218 | 8.6 | .20 | 10 |
| 32561 | T40 | 150 | 5.9 | 274 | 10.8 | .30 | 10 |
| 32566 | T45 | 150 | 5.9 | 274 | 10.8 | .35 | 10 |

 1000Volt



32590 Set 6 Pcs. TORX®

| Item No. | Size | mm | Size | mm | lbs. |
|----------|------|----|------|----|------|
| 32590 | T8 | 60 | T15 | 80 | .83 |
| | T9 | 60 | T20 | 80 | |
| | T10 | 60 | T25 | 80 | |



 1000Volt



32592 Set 10 Pcs. TORX®

| Item No. | Size | mm | Size | mm | lbs. |
|----------|------|----|------|-----|------|
| 32592 | T6 | 60 | T15 | 80 | 1.2 |
| | T7 | 60 | T20 | 80 | |
| | T8 | 60 | T25 | 80 | |
| | T9 | 60 | T27 | 100 | |
| | T10 | 60 | T30 | 100 | |

Wiha TORX® MicroFinish Handle Non-Slip Grip

Wiha MicroFinish handle has a patented non-slip surface - it won't peel, crack or deteriorate when exposed to petroleum solvents. Oil and moisture flow away from the handle surface for a powerful, non-slip grip. You get maximum force and comfort with dry, oily or wet hands.

Exact fit precision ground tips

Blades are hardened & hard chromed

MicroFinish Handle with patented non-slip surface. Ergo handle shape for maximum comfort & exceptional torque transfer

Safe, high density material, eliminates risk of sharp objects becoming embedded in the handle



527 TORX® Screwdriver, With Wiha-MicroFinish Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|-----|------|-----|------|------|------|
| 52711 | T9 | 60 | 2.4 | 4.0 | .157 | 171 | 6.7 | .15 | 10 |
| 52713 | T10 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .15 | 10 |
| 52716 | T15 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .15 | 10 |
| 52719 | T20 | 100 | 3.9 | 4.0 | .157 | 211 | 8.3 | .15 | 10 |
| 52722 | T25 | 100 | 3.9 | 4.5 | .177 | 211 | 8.3 | .16 | 10 |
| 52726 | T27 | 115 | 4.5 | 5.5 | .216 | 233 | 9.2 | .25 | 10 |
| 52729 | T30 | 115 | 4.5 | 6.0 | .236 | 233 | 9.2 | .27 | 10 |
| 52732 | T40 | 130 | 5.1 | 7.0 | .275 | 254 | 10.0 | .40 | 10 |



52790 Set 5 Pcs. TORX®

| Item No. | Size | mm | Size | mm | lbs. |
|----------|------|-----|------|-----|------|
| 52790 | T10 | 80 | T25 | 100 | 1.0 |
| | T15 | 80 | T30 | 115 | |
| | T20 | 100 | | | |



52791 Set 8 Pcs. TORX®

| Item No. | Size | mm | Size | mm | lbs. |
|----------|------|-----|------|-----|------|
| 52791 | T9 | 60 | T25 | 100 | 1.89 |
| | T10 | 80 | T27 | 115 | |
| | T15 | 80 | T30 | 115 | |
| | T20 | 100 | T40 | 130 | |



Wiha Powerhandle TORX®



362 TORX® Screwdriver, With Wiha-Powerhandle

CVM steel blade, hardened, hard chromed. Wiha-powerhandle cellulose-acetate.

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|-----|------|-----|------|------|------|
| 36205 | T5 | 50 | 2.0 | 2.5 | .098 | 110 | 4.3 | .03 | 10 |
| 36210 | T6 | 50 | 2.0 | 3.5 | .139 | 125 | 4.9 | .06 | 10 |
| 36212 | T7 | 50 | 2.0 | 3.5 | .139 | 125 | 4.9 | .06 | 10 |
| 36215 | T8 | 60 | 2.4 | 3.5 | .139 | 135 | 5.3 | .06 | 10 |
| 36220 | T9 | 60 | 2.4 | 4.0 | .157 | 140 | 5.5 | .09 | 10 |
| 36225 | T10 | 80 | 3.1 | 4.0 | .157 | 170 | 6.7 | .13 | 10 |
| 36230 | T15 | 80 | 3.1 | 4.0 | .157 | 170 | 6.7 | .13 | 10 |
| 36235 | T20 | 100 | 3.9 | 4.0 | .157 | 200 | 7.9 | .17 | 10 |
| 36240 | T25 | 100 | 3.9 | 4.5 | .177 | 200 | 7.9 | .18 | 10 |
| 36245 | T27 | 115 | 4.5 | 5.5 | .216 | 215 | 8.5 | .20 | 10 |
| 36250 | T30 | 115 | 4.5 | 6.0 | .236 | 225 | 8.9 | .28 | 10 |



36292 8 Pcs. Set TORX® With Wiha-Powerhandle

| | | |
|----------|-------------------------|------|
| Item No. | TORX® T6, T8, T10, T15, | lbs. |
| 36292 | T20, T25, T27, T30 | 1.45 |




36293 6 Pcs. Set TORX® With Wiha-Powerhandle

| | | |
|----------|-----------------------|------|
| Item No. | TORX® T6, T7, T8, T9, | lbs. |
| 36293 | T10, T15 | .78 |

Wiha TORX® Protturn Screwdrivers

protturn

TORX®



Molded on ergonomic handle proportioned to blade sizes

Black finish blades

Through hardened for optimum wear resistance

High performance tool steel



455 TORX® Screwdriver, With Wiha-Protturn Handle Blade high alloy CVM steel, hardened, black finish. Molded on ergonomic Wiha-Protturn handle, impact resistant.

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|-----|------|-----|------|------|------|
| 45505 | T6 | 50 | 2.0 | 3.5 | .139 | 129 | 5.1 | .05 | 10 |
| 45506 | T7 | 50 | 2.0 | 3.5 | .139 | 129 | 5.1 | .05 | 10 |
| 45511 | T8 | 60 | 2.4 | 3.5 | .139 | 139 | 5.5 | .06 | 10 |
| 45516 | T9 | 60 | 2.4 | 4.0 | .157 | 149 | 5.8 | .08 | 10 |
| 45521 | T10 | 80 | 3.1 | 4.0 | .157 | 170 | 6.7 | .10 | 10 |
| 45526 | T15 | 80 | 3.1 | 4.0 | .157 | 170 | 6.7 | .10 | 10 |
| 45531 | T20 | 100 | 3.9 | 4.0 | .157 | 190 | 7.5 | .11 | 10 |
| 45536 | T25 | 100 | 3.9 | 4.5 | .177 | 190 | 7.5 | .11 | 10 |
| 45541 | T27 | 115 | 4.5 | 5.5 | .216 | 215 | 8.4 | .11 | 10 |
| 45546 | T30 | 115 | 4.5 | 6.0 | .236 | 215 | 8.4 | .20 | 10 |
| 45551 | T40 | 130 | 5.1 | 7.0 | .275 | 240 | 9.4 | .28 | 10 |
| 45561 | T50 | 130 | 5.1 | 9.0 | .354 | 240 | 9.4 | .31 | 10 |




45591 6 Pcs. TORX® Set

| | | |
|----------|-------------------|------|
| Item No. | TORX® T7, T8, T9, | lbs. |
| 45591 | T10, T15, T20 | .72 |



45592 8 Pcs. TORX® Set

| | | |
|----------|-------------------------|------|
| Item No. | TORX® T8, T9, T10, T15, | lbs. |
| 45592 | T20, T25, T27, T30 | 1.07 |



45589 11 Pcs. TORX® Set


| | | |
|----------|--------------------------------------|------|
| Item No. | T6, T7, T8, T9, | lbs. |
| 45589 | T10x80, T15, T20, T25, T27, T30, T40 | 2.2 |

Wiha TORX® 3K Series Drivers and Sets

3K Series

Blade high alloy CVM steel, hardened

Hole for hanging

















Molded on soft grip ergonomic handle, impact resistant

Precision black tip



455 TORX® Screwdriver, With Wiha-3K Series Handle Blade high alloy CVM steel, hardened, precision black tip. Molded on ergonomic Wiha-3K Series handle, impact resistant.

45593 Set 5 Pcs. TORX® Blade CVM steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.

| Item |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. | | | | | |
| 45504 | T6 | 60 | 2.4 | 3.2 | 9/64 | 145 | 5.7 | .06 | 10 | | | | | |
| 45508 | T8 | 60 | 2.4 | 3.5 | 9/64 | 139 | 5.5 | .06 | 10 | | | | | |
| 45509 | T9 | 60 | 2.4 | 4.0 | 5/32 | 149 | 5.8 | .08 | 10 | | | | | |
| 45525 | T25 | 100 | 3.9 | 6.0 | 1/4 | 215 | 8.4 | .20 | 10 | | | | | |
| 45527 | T27 | 115 | 4.5 | 7.0 | 9/32 | 240 | 9.4 | .28 | 10 | | | | | |
| 45530 | T30 | 115 | 4.5 | 6.0 | 1/4 | 233 | 9.1 | .21 | 10 | | | | | |
| 45540 | T40 | 130 | 5.1 | 7.0 | 9/32 | 248 | 9.7 | .25 | 10 | | | | | |
| 45550 | T50 | 130 | 5.1 | 9.0 | 3/8 | 249 | 9.8 | .33 | 10 | | | | | |

| Item No. | TORX® |  lbs. |
|----------|------------------------|--|
| 45593 | T8, T10, T15, T20, T25 | .86 |










Wiha Bit Holders











48401 1/4" Bit holding Screwdriver, With Wiha-Ergo 3K Handle Magnetic, holds bit & screw. Retainer out of stainless steel. CVM tool steel, nickel plated.



48400 1/4" Bit holding Screwdriver, With Wiha-Proturn Handle Magnetic, holds bit & screw. Retainer out of stainless steel. Shaft CVM tool steel, nickel plated.

| Item |  |  |  |  |  |  |  |  |  | |
|-------|---|---|---|---|---|---|---|---|---|--|
| No. | Size | mm | Inch | mm | Inch | lbs. | pkg. | | | |
| 48401 | 1/4" | 125 | 5.0 | 211 | 8.3 | .24 | 1 | | | |

| Item |  |  |  |  |  |  |  |  | |
|-------|---|---|---|---|---|---|--|---|--|
| No. | Size | mm | Inch | mm | Inch | lbs. | pkg. | | |
| 48400 | 1/4" | 125 | 5.0 | 243 | 9.6 | .24 | 10 | | |

Wiha Drive-Loc VI Handles, Blades & Sets



28488 Drive-Loc VI Cushion Grip Handle
 Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold & rapid blade exchange.

| Item No. | mm | mm | Inch | mm | Inch | lbs. |
|----------|-----|-----|------|------|------|------|
| 28488 | 6.0 | 115 | 4.5 | 36.0 | 1.41 | .20 |



28486 ESD Safe Drive-Loc VI Cushion Grip Handle
 Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange. Static Dissipative

| Item No. | mm | mm | Inch | mm | Inch | lbs. |
|----------|-----|-----|------|------|------|------|
| 28486 | 6.0 | 115 | 4.5 | 36.0 | 1.41 | .20 |



28487 Drive-Loc VI MicroFinish Non-Slip Grip Handle
 Wiha-MicroFinish handle, won't peel, crack or deteriorate when exposed to petroleum solvents. Ideal for Hex, TORX® & Nut Drivers. Ergonomic handle shape for maximum comfort, mechanism guarantees a secure hold & rapid blade exchange.

| Item No. | mm | mm | Inch | mm | Inch | lbs. |
|----------|-----|-----|------|------|------|------|
| 28487 | 6.0 | 115 | 4.5 | 36.0 | 1.41 | .20 |



10810 Drive-Loc VI Standard Narrow Profile Tech Handle
 Dynamic non-locking, impact resistant, friction hold. Fits all Drive-Loc blades. Does not have locking feature.

| Item No. | mm | mm | Inch | mm | Inch | lbs. |
|----------|-----|-----|------|------|------|------|
| 10810 | 6.0 | 135 | 5.3 | 15.2 | .60 | .16 |



Drive-Loc VI

For Adjustable Length Locking Blades

Locking mechanism allows blade length to be adjusted from 40mm-120mm. (1.7 to 4.7" In 1/8" increments)

Blades high quality CVM steel, hard chrome finish.

Ergonomic handles in ESD Safe, cushioned & non-slip grip.



281 TORX® Drive-Loc VI Interchangeable Blade
 High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

| Item No. | Size + Size | lbs. | pkg. |
|----------|-------------|------|------|
| 28126 | T6 T8 | .09 | 1 |
| 28127 | T7 T9 | .09 | 1 |
| 28128 | T10 T15 | .10 | 1 |
| 28129 | T20 T25 | .10 | 1 |
| 28130 | T30 T40 | .10 | 1 |



28197 Drive-Loc VI Interchangeable Blade Set, 6 Pcs. In Durable Pouch
 Set includes Drive-Loc VI handle & 5 interchangeable blades.
Item No. Security **TORX®**
28197 T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s
 lbs. SoftFinish® Cushion Grip Blade
 .83 Lock Handle



281 Security TORX® Drive-Loc VI
 Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

| Item No. | Size + Size | lbs. | pkg. |
|----------|-------------|------|------|
| 28132 | T6s T8s | .09 | 1 |
| 28133 | T7s T9s | .09 | 1 |
| 28134 | T10s T15s | .10 | 1 |
| 28135 | T20s T25s | .10 | 1 |
| 28136 | T30s T40s | .10 | 1 |



28189 15Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch
 Set includes Drive-Loc VI handle & 14 interchangeable blades.
Item No. 28189 lbs. 1.28
Slotted: 3.5+4.5, 5.5+6.5
Phillips: 1+2
 Security **TORX®:** T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s
Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16
Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0mm
 Wiha SoftFinish® Cushion Grip Blade Lock Handle



28485 5 Pack Drive-Loc VI Interchangeable Blade Set
 Over all blade length 150mm/5.9"
Item No. **TORX®**
28485 T6+T8, T7+T9, T10+T15, T20+T25, T30+T40 lbs. .35










28477 5 Pack Drive-Loc VI Interchangeable Blade Set
Item No. **TORX®** T6s+T8s,
28477 T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s lbs. .35


Wiha SlimLine Security TORX® SoftFinish® Screwdrivers




  1000Volt

325 Insulated Security TORX® SlimLine Drivers Insulation According to ASTM, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA,  up to 1000 Volt. Individually Tested to 10,000Volts.

| Item |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|
| No. | Size | mm | mm | lbs. | Pkg. | |
| 32512 | T10s | 100 | 204 | .08 | 1 | |
| 32513 | T15s | 100 | 211 | .12 | 1 | |
| 32514 | T20s | 100 | 211 | .12 | 1 | |
| 32515 | T25s | 125 | 243 | .18 | 1 | |
| 32517 | T27s | 125 | 243 | .21 | 1 | |
| 32518 | T30s | 125 | 243 | .21 | 1 | |
| 32519 | T40s | 150 | 268 | .26 | 1 | |



  1000Volt

32596 6 Pc. Insulated SlimLine Security TORX® Screwdrivers. Insulation According to ASTM F-1505, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA,  up to 1000 Volt. Individually Tested to 10,000Volts. High quality CV steel, through hardened. SlimLine blades have up to 33% narrower insulation diameter than standard insulated tools.

| Item | Security TORX® | Size | lbs. |
|-------|---|------|------|
| No. | T10s, T15s, T20s, T25s, T27s, T30s | | |
| 32596 |  | | 1.18 |







Wiha Insulated SlimLine Tools

Insulation according to EN/IE, ASTM, VDE, DIN, NFPA70E & CSA specification



28301 SlimLine Blade Holder, With Wiha-SoftFinish® Handle Insulation

Chrome-vanadium steel, through-hardened. Insulation molded directly onto blade. Friction hold blade holder. Wiha-SoftFinish® handle, multi-component, cushion grip.

| Item |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|
| No. | Size | mm | Inch | mm | Inch | lbs. pkg. |
| 28301 | 1/4" | 50 | 2.0 | 160 | 6.3 | .15 1 |




Wiha SlimTECHNOLOGY

Achieves blade diameters up to 33% narrower utilizing integrated insulation




283 Insulated TORX® SlimLine Blades

High quality CV steel, through hardened.

| Item |  | Slim | Max | Inch/ |  |  |
|-------|---|------|-----|-------|---|---|
| No. | Size | Dia. | Nm | lbs. | lbs. | Pkg. |
| 28339 | T8 | 4.0 | 1.3 | 11.5 | .02 | 1 |
| 28344 | T9 | 4.0 | 1.3 | 11.5 | .02 | 1 |
| 28340 | T10 | 4.0 | 3.8 | 33.6 | .02 | 1 |
| 28341 | T15 | 6.0 | 5.5 | 48.7 | .02 | 1 |
| 28342 | T20 | 6.0 | 5.5 | 48.7 | .02 | 1 |
| 28343 | T25 | 6.0 | 5.5 | 48.7 | .02 | 1 |

Wiha PocketStar Fold Outs



36396 TORX® PocketStar Fold Outs, 7 Pc. Set High alloy CVM steel, hardened, molded ergonomic handle. OAL 3.8"

| Item No. | TORX® | lbs. |
|----------|--------------------------------|------|
| 36396 | T7, T8, T9, T10, T15, T20, T25 | .22 |




36395 Security TORX® PocketStar Fold Outs, 7 Pc. Set High alloy CVM steel, hardened, molded ergonomic handle. OAL 3.8"

| Item No. | TR TORX® | lbs. |
|----------|---------------------------------------|------|
| 36395 | T7s, T8s, T9s, T10s, T15s, T20s, T25s | .22 |



36398 TORX® PocketStar Fold Outs, 8 Pc. Set High alloy CVM steel, hardened, molded ergonomic handle. OAL 4.74"

| Item No. | TORX® | lbs. |
|----------|---------------------------------------|------|
| 36398 | T9, T10, T15, T20, T25, T27, T30, T40 | .24 |



36397 Security TORX® PocketStar Fold Outs, 8 Pc. Set High alloy CVM steel, hardened, molded ergonomic handle. OAL 4.74"




| Item No. | TR TORX® | lbs. |
|----------|---|------|
| 36397 | T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s | .24 |

Wiha Offset Screwdrivers



207 TORX® Offset Screwdriver With



Molded Handle For working in confined spaces. Blade CVM special steel, hardened, black finish.

| Item |  |  |  |
|-------|---|---|---|
| No. | Size | lbs. | pkg. |
| 20756 | T6 + T8 | .02 | 1 |
| 20757 | T7 + T9 | .02 | 1 |
| 20758 | T10 + T15 | .02 | 1 |
| 20759 | T20 + T25 | .07 | 1 |
| 20760 | T27 + T30 | .10 | 1 |



20799 TORX® Offset Screwdriver Set,

5 Pcs. With Molded Handle Blade CVM special steel, hardened, black finish.

| Item | Set Includes: |  |  |
|-------|----------------------------------|---|---|
| No. | T7+T9, T10+T15, T20+T25, T27+T30 | lbs. | pkg. |
| 20799 | | .24 | 1 |

TORX® Short Arm L-keys



363 TORX® L-key, Short Arm

High alloy CVM steel, hardened, black finish.

| Item | | | | | | |
|-------|------|-----|------|----|------|------|
| No. | Size | mm | Inch | mm | Inch | lbs. |
| 36305 | T5 | 37 | 1.5 | 16 | .6 | .01 |
| 36306 | T6 | 39 | 1.5 | 16 | .6 | .01 |
| 36307 | T7 | 42 | 1.7 | 16 | .6 | .01 |
| 36308 | T8 | 45 | 1.8 | 16 | .6 | .01 |
| 36309 | T9 | 48 | 1.9 | 16 | .6 | .01 |
| 36310 | T10 | 51 | 2.0 | 17 | .7 | .01 |
| 36315 | T15 | 54 | 2.1 | 19 | .7 | .01 |
| 36320 | T20 | 58 | 2.3 | 19 | .7 | .01 |
| 36325 | T25 | 63 | 2.5 | 21 | .8 | .02 |
| 36327 | T27 | 67 | 2.6 | 22 | .9 | .03 |
| 36330 | T30 | 73 | 2.9 | 24 | .9 | .05 |
| 36340 | T40 | 79 | 3.1 | 26 | 1.0 | .06 |
| 36345 | T45 | 82 | 3.2 | 28 | 1.1 | .09 |
| 36350 | T50 | 95 | 3.7 | 32 | 1.3 | .13 |
| 36355 | T55 | 108 | 4.3 | 35 | 1.4 | .27 |
| 36360 | T60 | 120 | 4.7 | 38 | 1.5 | .40 |

TORX® Long Arm L-keys



366 TORX® L-key, Long Arm

High alloy CVM steel, hardened, black finish.

| Item | | | | | | |
|-------|------|-----|------|----|------|------|
| No. | Size | mm | Inch | mm | Inch | lbs. |
| 36645 | T5 | 71 | 2.8 | 12 | .5 | .06 |
| 36646 | T6 | 78 | 3.1 | 13 | .5 | .07 |
| 36647 | T7 | 87 | 3.4 | 16 | .6 | .10 |
| 36648 | T8 | 99 | 3.9 | 18 | .7 | .13 |
| 36649 | T9 | 106 | 4.2 | 18 | .7 | .17 |
| 36650 | T10 | 118 | 4.6 | 21 | .8 | .23 |
| 36651 | T15 | 131 | 5.2 | 23 | .9 | .33 |
| 36652 | T20 | 144 | 5.7 | 25 | 1.0 | .44 |
| 36653 | T25 | 158 | 6.2 | 28 | 1.1 | .65 |
| 36654 | T27 | 169 | 6.7 | 30 | 1.2 | .98 |
| 36655 | T30 | 184 | 7.2 | 32 | 1.3 | 1.27 |
| 36659 | T40 | 201 | 7.9 | 35 | 1.4 | 2.09 |
| 36660 | T45 | 222 | 8.7 | 40 | 1.6 | 2.70 |
| 36661 | T50 | 213 | 8.4 | 40 | 1.6 | 3.14 |

Wiha Security TORX® L-keys



Security Torx® L-Keys

363 Security TORX® L-key, Short Arm

High alloy CVM steel, hardened, black finish.

| Item | | | | | | |
|-------|------|-----|------|----|------|------|
| No. | Size | mm | Inch | mm | Inch | lbs. |
| 36323 | T8s | 45 | 1.8 | 16 | .6 | .01 |
| 36326 | T9s | 48 | 1.9 | 16 | .6 | .01 |
| 36328 | T10s | 51 | 2.0 | 17 | .7 | .01 |
| 36329 | T15s | 54 | 2.1 | 19 | .7 | .01 |
| 36332 | T20s | 58 | 2.3 | 19 | .7 | .02 |
| 36335 | T25s | 63 | 2.5 | 21 | .8 | .02 |
| 36337 | T27s | 67 | 2.6 | 22 | .9 | .03 |
| 36339 | T30s | 73 | 2.9 | 24 | .9 | .04 |
| 36342 | T40s | 79 | 3.1 | 26 | 1.0 | .06 |
| 36346 | T45s | 82 | 3.2 | 28 | 1.1 | .09 |
| 36352 | T50s | 95 | 3.7 | 35 | 1.3 | .13 |
| 36357 | T55s | 108 | 4.3 | 38 | 1.4 | .27 |



36392 TORX® Set, 7 Pc. In Plastic Holder

Equipped with T6, T7, T8, T9, T10, T15, T20

| Item | | |
|-------|------|------|
| No. | lbs. | pkg. |
| 36392 | .10 | 1 |

36394 TORX® Set, 9 Pc. In Plastic Holder

T8, T9, T10, T15, T20, T25, T27, T30, T40

| Item | | |
|-------|------|------|
| No. | lbs. | pkg. |
| 36394 | .30 | 1 |

36399 TORX® Set, 16 Pc.

Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T50, T55, T60

| Item | | |
|-------|------|------|
| No. | lbs. | pkg. |
| 36399 | 1.14 | 1 |



36390 TORX® Set, 9 Pc. In Metal Stand

Equipped with T10, T15, T20, T25, T30, T40, T50, T55, T60

| Item No. | lbs. | pkg. |
|----------|------|------|
| 36390 | 1.86 | 1 |



36699 Long Arm TORX® Set, 13 Pc. in Molded Holder

Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T50

| Item No. | lbs. | pkg. |
|----------|------|------|
| 36699 | 1.13 | 1 |



36698 Long Arm TORX® Set, 10 Pc. In Molded Holder

Equipped with T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

| Item No. | lbs. | pkg. |
|----------|------|------|
| 36698 | 1.04 | 1 |



36694 26 Piece Combo Pack Long Arm TORX® And Hex Inch L-key Sets, In Pouch

Set includes: 36699-13pc set T5-T50 and 36991-13pc set .050 - 3/8"

| Item No. | lbs. | pkg. |
|----------|------|------|
| 36694 | 2.13 | 1 |



Security Torx® L-Key Sets



36393 Security TORX® Set, 9 Pcs. In Plastic Holder

Equipped with T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s

| Item No. | lbs. | pkg. |
|----------|------|------|
| 36393 | .30 | 1 |



36391 Security TORX® Set, 6 Pcs.

T10s, T15s, T20s, T25s, T27s, T30s

| Item No. | lbs. | pkg. |
|----------|------|------|
| 36391 | .16 | 1 |

Wiha "Rust Free" Finish TORX® L-keys

Pacified Zinc Chromate Finish

96 hour salt bath tested for best corrosion protection



CVM tool steel through hardened and tempered for maximum tool life

36693 TORX® Long Arm Set, 13 Pc.

In ErgoStar Molded Holder Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45

| Item No. | ↔ lbs. | 📦 pkg. |
|----------|--------|--------|
| 36693 | 1.10 | 1 |

Wiha TORX® T-handle

Blade high alloy CVM steel, hardened, hard chrome finish.

Wiha T-handle high quality plastic, impact resistant



364 TORX® with Wiha T-handles

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs | pkg. |
|----------|------|-----|------|-----|------|-----|------|-----|------|
| 36409 | T9 | 100 | 3.9 | 4.0 | 5/32 | 80 | 3.1 | .07 | 10 |
| 36410 | T10 | 100 | 3.9 | 4.0 | 5/32 | 80 | 3.1 | .07 | 10 |
| 36415 | T15 | 100 | 3.9 | 4.0 | 5/32 | 80 | 3.1 | .07 | 10 |
| 36417 | T15 | 200 | 7.9 | 5.5 | 7/32 | 80 | 3.1 | .13 | 10 |
| 36420 | T20 | 100 | 3.9 | 4.0 | 5/32 | 100 | 3.9 | .10 | 10 |
| 36422 | T20 | 200 | 7.9 | 5.5 | 7/32 | 100 | 3.9 | .17 | 10 |
| 36425 | T25 | 100 | 3.9 | 4.0 | 5/32 | 100 | 3.9 | .11 | 10 |
| 36427 | T25 | 200 | 7.9 | 5.5 | 7/32 | 100 | 3.9 | .17 | 10 |
| 36430 | T27 | 100 | 3.9 | 5.5 | 7/32 | 100 | 3.9 | .14 | 10 |
| 36432 | T27 | 200 | 7.9 | 5.5 | 7/32 | 100 | 3.9 | .17 | 10 |
| 36435 | T30 | 100 | 3.9 | 7.9 | 6.0 | 100 | 3.9 | .14 | 10 |
| 36437 | T30 | 200 | 7.9 | 6.0 | 1/4 | 100 | 3.9 | .19 | 10 |
| 36440 | T40 | 100 | 3.9 | 7.0 | 9/32 | 100 | 3.9 | .16 | 10 |
| 36442 | T40 | 200 | 7.9 | 7.0 | 9/32 | 100 | 3.9 | .23 | 10 |
| 36445 | T45 | 150 | 5.9 | 8.0 | 5/16 | 120 | 4.7 | .29 | 10 |
| 36450 | T50 | 150 | 5.9 | 9.0 | 3/8 | 120 | 4.7 | .30 | 10 |
| 36452 | T50 | 250 | 9.8 | 9.0 | 3/8 | 120 | 4.7 | .45 | 10 |

Wiha TORX® Soft Grip T-handles & Set

Two Tools In One!



Through the handle side driver

Short and Long Arm In One Powerful Tool

Two component soft grip handle

Torx - Blades of CVM tool steel, through hardened durability, hard chrome finish

Maximum Comfort & Maximum Power

Soft grips are molded on & include through the handle side torque drive



364 Soft Grip TORX® T-handle

| Item No. | Size | mm | lbs. | pkg. |
|----------|------|-----|------|------|
| 36480 | T10 | 100 | .08 | 10 |
| 36481 | T15 | 100 | .08 | 10 |
| 36482 | T20 | 100 | .13 | 10 |
| 36483 | T25 | 150 | .16 | 10 |
| 36484 | T27 | 150 | .19 | 10 |
| 36486 | T30 | 150 | .20 | 10 |
| 36487 | T40 | 150 | .24 | 10 |



36492 TORX® T-handle Set, 7 Pc.

Includes T9, T10, T15, T20, T25, T27, T30

| Item No. | ↔ lbs. | 📦 pkg. |
|----------|--------|--------|
| 36492 | 1.24 | 1 |



36490 TORX® T-handle Set, 7 Pc.

In Metal Stand Equipped with T10, T15, T20, T25, T30, T40, T50

| Item No. | ↔ lbs. | 📦 pkg. |
|----------|--------|--------|
| 36490 | 2.65 | 1 |



36497 7 Piece TORX® Set Soft Grip T-handles

| Item No. | TORX® | ↔ lbs. |
|----------|-----------------------------------|--------|
| 36497 | T10, T15, T20, T25, T27, T30, T40 | 1.53 |



36494 TORX® T-handle Set, 8 Pc. In Metal Stand

Equipped with T9, T10, T15, T20, T25, T27, T30, T40

| Item No. | ↔ lbs. | 📦 pkg. |
|----------|--------|--------|
| 36494 | 3.10 | 1 |

Wiha TORX® Tools Wing Handle 10 Packs & 2 Packs

Ideal for use with indexable carbide tooling and also for working in confined spaces



365 TORX® Screwdriver, With Wing Handle - 10 Pack Blade high alloy CVM steel, hardened, black finish. Wing handle high quality plastic, impact resistant.

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|----|------|----|------|----|------|------|------|
| 36511 | T6 | 35 | 1.4 | 70 | 2.7 | 40 | 1.6 | .02 | 10 |
| 36513 | T7 | 35 | 1.4 | 70 | 2.7 | 40 | 1.6 | .02 | 10 |
| 36514 | T8 | 40 | 1.6 | 75 | 2.9 | 40 | 1.6 | .02 | 10 |
| 36534 | T9 | 40 | 1.6 | 75 | 2.9 | 40 | 1.6 | .02 | 10 |
| 36536 | T10 | 40 | 1.6 | 75 | 2.9 | 40 | 1.6 | .02 | 10 |
| 36537 | T15 | 45 | 1.8 | 80 | 3.1 | 40 | 1.6 | .02 | 10 |
| 36538 | T20 | 45 | 1.8 | 80 | 3.1 | 40 | 1.6 | .02 | 10 |

365 TORX® Screwdriver, With Wing Handle - 2 Pack

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|----|------|----|------|----|------|------|------|
| 36516 | T6 | 35 | 1.4 | 70 | 2.7 | 40 | 1.6 | .02 | 2 |
| 36517 | T7 | 35 | 1.4 | 70 | 2.7 | 40 | 1.6 | .02 | 2 |
| 36518 | T8 | 40 | 1.6 | 75 | 2.9 | 40 | 1.6 | .02 | 2 |
| 36519 | T9 | 40 | 1.6 | 75 | 2.9 | 40 | 1.6 | .02 | 2 |
| 36521 | T10 | 40 | 1.6 | 75 | 2.9 | 40 | 1.6 | .02 | 2 |
| 36522 | T15 | 45 | 1.8 | 80 | 3.1 | 40 | 1.6 | .02 | 2 |
| 36523 | T20 | 45 | 1.8 | 80 | 3.1 | 40 | 1.6 | .02 | 2 |

Wiha TORX® Tools Flag Handle 10 Packs & 2 Packs

Ideal for use with indexable carbide tooling and also for working in confined spaces



370 TORX® Screwdriver, With Flag Handle - 10 Pack Blade high alloy CVM steel, hardened, black finish. Flag handle high quality plastic, impact resistant.

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|----|------|----|------|------|------|------|------|
| 37055 | T5 | 35 | 1.4 | 63 | 2.6 | 15.0 | .75 | .01 | 10 |
| 37056 | T6 | 35 | 1.4 | 63 | 2.6 | 15.0 | .75 | .01 | 10 |
| 37057 | T7 | 35 | 1.4 | 67 | 2.6 | 19.0 | .75 | .01 | 10 |
| 37058 | T8 | 40 | 1.6 | 72 | 2.8 | 19.0 | .75 | .01 | 10 |
| 37059 | T9 | 40 | 1.6 | 74 | 2.9 | 23.5 | .93 | .01 | 10 |
| 37060 | T10 | 40 | 1.6 | 74 | 2.9 | 23.5 | .93 | .01 | 10 |
| 37061 | T15 | 45 | 1.8 | 80 | 3.1 | 28.0 | 1.10 | .02 | 10 |
| 37062 | T20 | 45 | 1.8 | 80 | 3.1 | 28.0 | 1.10 | .02 | 10 |

370 TORX® Screwdriver, With Flag Handle - 2 Pack

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|----|------|----|------|------|------|------|------|
| 37005 | T5 | 35 | 1.4 | 63 | 2.6 | 15.0 | .75 | .01 | 2 |
| 37006 | T6 | 35 | 1.4 | 63 | 2.6 | 15.0 | .75 | .01 | 2 |
| 37007 | T7 | 35 | 1.4 | 67 | 2.6 | 19.0 | .75 | .01 | 2 |
| 37008 | T8 | 40 | 1.6 | 72 | 2.8 | 19.0 | .75 | .01 | 2 |
| 37009 | T9 | 40 | 1.6 | 74 | 2.9 | 23.5 | .93 | .01 | 2 |
| 37010 | T10 | 40 | 1.6 | 74 | 2.9 | 23.5 | .93 | .01 | 2 |
| 37011 | T15 | 45 | 1.8 | 80 | 3.1 | 28.0 | 1.10 | .02 | 2 |
| 37012 | T20 | 45 | 1.8 | 80 | 3.1 | 28.0 | 1.10 | .02 | 2 |



36591 Wing Handle TORX® Set, 7 Pc.

Set includes: T6, T7, T8, T9, T10, T15, T20

wt. .16



36590 Wing Handle TORX® Set, 7 Pc. In Metal Stand

Set includes: T6, T7, T8, T9, T10, T15, T20

wt. .32



37091 Flag Handle TORX® Set, 7 Pc.

Set includes: T6, T7, T8, T9, T10, T15, T20

wt. .14



37090 Flag Handle TORX® Set, 7 Pc. In Metal Stand

Set includes: T6, T7, T8, T9, T10, T15, T20

wt. .31

Wiha Ball End TORX® Screwdrivers

- Ball End For 25° Angle Driving
- Precision Machined Exact Fit Tips
- Through Hardened For Maximum Durability
- WIHA High Performance CRM-72 Tool Steel
- Guaranteed Quality Made By Wiha



362 Ball End TORX® Screwdriver, With Wiha-SoftFinish® Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

| Item | | | | | | | | | |
|-------|------|-----|------|-----|------|-----|------|------|------|
| No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
| 36216 | T9 | 60 | 2.4 | 4.0 | .157 | 164 | 6.5 | .10 | 10 |
| 36217 | T10 | 60 | 2.4 | 4.0 | .157 | 184 | 7.2 | .11 | 10 |
| 36221 | T15 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 | 10 |
| 36222 | T20 | 80 | 3.1 | 4.0 | .157 | 211 | 8.3 | .11 | 10 |
| 36226 | T25 | 100 | 3.9 | 4.5 | .177 | 218 | 8.6 | .12 | 10 |
| 36227 | T27 | 115 | 4.5 | 5.5 | .216 | 233 | 9.2 | .19 | 10 |
| 36236 | T30 | 115 | 4.5 | 6.0 | .236 | 233 | 9.2 | .20 | 10 |



36237 Set 7 Pcs. TORX® Blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. SoftFinish® handle, multi-component, cushion grips.

| Item | | | | |
|-------|------|----|------|------|
| No. | Size | mm | Size | lbs. |
| 36237 | T9 | 60 | T25 | 1.24 |
| | T10 | 60 | T27 | 1.15 |
| | T15 | 80 | T30 | 1.15 |
| | T20 | 80 | | |

Wiha Ball End TORX® L-keys



366 Ball End TORX® L-key, Long Arm

High alloy CVM steel, hardened, black finish.

| Item | | | | | | |
|-------|------|-----|------|----|------|-----------|
| No. | Size | mm | Inch | mm | Inch | lbs. pkg. |
| 36631 | T9 | 111 | 4.4 | 21 | .83 | .17 10 |
| 36632 | T10 | 121 | 4.8 | 23 | .91 | .23 10 |
| 36633 | T15 | 136 | 5.4 | 27 | 1.1 | .33 10 |
| 36634 | T20 | 148 | 5.8 | 29 | 1.1 | .44 10 |
| 36635 | T25 | 163 | 6.4 | 33 | 1.3 | .65 10 |
| 36636 | T27 | 176 | 6.9 | 36 | 1.4 | .98 10 |
| 36637 | T30 | 191 | 7.5 | 38 | 1.5 | 1.27 10 |
| 36638 | T40 | 210 | 8.3 | 43 | 1.7 | 2.09 10 |
| 36639 | T45 | 232 | 9.1 | 50 | 2.0 | 2.34 10 |



36692 Ball End TORX® L-key Set, 8 Pc.

in Plastic Holder Equipped with T9, T10, T15, T20, T25, T27, T30, T40

| Item | | |
|-------|------|------|
| No. | lbs. | pkg. |
| 36692 | 6.16 | 1 |

Ball End TORX® Power Bits



745 Ball End TORX® Power Bits

1/4" Hex Drive, Length 2.0"/50mm

| Item | | | | |
|-------|------|----|------|------|
| No. | Size | mm | pkg. | lbs. |
| 74524 | T9 | 50 | 10 | .18 |
| 74526 | T10 | 50 | 10 | .18 |
| 74528 | T15 | 50 | 10 | .18 |
| 74532 | T20 | 50 | 10 | .18 |
| 74534 | T25 | 50 | 10 | .18 |
| 74537 | T27 | 50 | 10 | .18 |
| 74539 | T30 | 50 | 10 | .18 |
| 74541 | T40 | 50 | 10 | .18 |



745 Ball End TORX® Power Bit Packs, 1"

| Item | | | |
|-------|------|----|------|
| No. | Size | mm | lbs. |
| 74505 | T9 | 50 | .05 |
| 74520 | T10 | 50 | .05 |
| 74522 | T15 | 50 | .05 |
| 74543 | T20 | 50 | .05 |
| 74545 | T25 | 50 | .06 |
| 74547 | T27 | 50 | .06 |
| 74549 | T30 | 50 | .08 |
| 74550 | T40 | 50 | .08 |

Wiha ErgoStar Ball End TORX® Long L-keys




36689 ErgoStar TORX® Long Arm Set,

13 Pc. In Molded Holder Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45

| Item No. | | lbs. | | pkg. |
|----------|--|------|--|------|
| 36689 | | 1.08 | | 1 |

The TORXPlus® Advantage

The TorxPlus® Drive System offers 100% improvement in driver bit fatigue & 25% average improvement in driver bit torsional strength. In addition its unique design provides optimum torque transfer & eliminates the need for excessive end load pressure while driving the fastener. The TorxPlus® configuration also virtually eliminates tool "camout" & slippage that can damage the head of the fastener and cause reduced tool life.




Not for use in standard Torx fasteners

- Broad Surface For Driving
- Features 0° Drive Angle Between The Fastener & Driver
- Greater Engagement Depth



Wiha PocketStar Fold Out



 Push button key release

36697 TORXPlus® PocketStar Fold

Outs, 8 Pc. Set High alloy CVM steel, hardened, molded ergonomic handle.

Item No.  lbs. .31

36697 : IP6, IP7, IP8, IP9, IP10, IP15, IP20, IP25

Wiha TORXPlus® Tools 2 Packs & 10 Packs

TORXPlus®

 Not for use in standard Torx fasteners



370 TORXPlus® Screwdriver, With Flag Handle - 2 & 10 Packs

Ideal for use with indexable carbide tooling and also for working in confined spaces. Blade high alloy CVM steel, hardened, black finish. Flag handle high quality plastic, impact resistant.

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|----|------|----|------|------|------|------|------|
| 37063 | IP5 | 35 | 1.4 | 63 | 2.6 | 15.0 | .75 | .01 | 10 |
| 37064 | IP6 | 35 | 1.4 | 63 | 2.6 | 15.0 | .75 | .01 | 10 |
| 37065 | IP7 | 35 | 1.4 | 67 | 2.6 | 19.0 | .75 | .01 | 10 |
| 37066 | IP8 | 40 | 1.6 | 72 | 2.8 | 19.0 | .75 | .01 | 10 |
| 37067 | IP9 | 40 | 1.6 | 74 | 2.9 | 23.5 | .93 | .01 | 10 |
| 37068 | IP10 | 40 | 1.6 | 74 | 2.9 | 23.5 | .93 | .01 | 10 |
| 37069 | IP15 | 45 | 1.8 | 80 | 3.1 | 28.0 | 1.10 | .02 | 10 |
| 37070 | IP20 | 45 | 1.8 | 80 | 3.1 | 28.0 | 1.10 | .02 | 10 |

| Item No. | Size | pkg. |
|----------|------|------|
| 37014 | IP5 | 2 |
| 37015 | IP6 | 2 |
| 37017 | IP7 | 2 |
| 37018 | IP8 | 2 |
| 37021 | IP9 | 2 |
| 37023 | IP10 | 2 |
| 37024 | IP15 | 2 |
| 37027 | IP20 | 2 |



37092 Flag Handle TORXPlus® Set, 7 Pc. in Metal Stand

Set includes:  lbs. .31
IP6, IP7, IP8, IP9, IP10, IP15, IP20




36592 TORXPlus® 7 Pc. Wing Handle

Set In Metal Stand. Equipped with IP6, IP7, IP8, IP9, IP10, IP15, IP20

| Item No. | lbs. | pkg. |
|----------|------|------|
| 36592 | .38 | 1 |

TORXPlus®

 Not for use in standard Torx fasteners

365 TORXPlus® Screwdriver, With Wing Handle - 2 & 10 Packs

Blade high alloy CVM steel, hardened, black finish. Wing handle high quality plastic, impact resistant.


| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|----|------|----|------|----|------|------|------|
| 36539 | IP5 | 35 | 1.4 | 70 | 2.7 | 40 | 1.6 | .02 | 10 |
| 36541 | IP6 | 35 | 1.4 | 70 | 2.7 | 40 | 1.6 | .02 | 10 |
| 36543 | IP7 | 35 | 1.4 | 70 | 2.7 | 40 | 1.6 | .02 | 10 |
| 36545 | IP8 | 40 | 1.6 | 75 | 3.0 | 40 | 1.6 | .02 | 10 |
| 36547 | IP9 | 40 | 1.6 | 75 | 3.0 | 40 | 1.6 | .02 | 10 |
| 36549 | IP10 | 40 | 1.6 | 75 | 3.0 | 40 | 1.6 | .02 | 10 |
| 36551 | IP15 | 45 | 1.8 | 80 | 3.1 | 40 | 1.6 | .02 | 10 |
| 36553 | IP20 | 45 | 1.8 | 80 | 3.1 | 40 | 1.6 | .02 | 10 |

| Item No. | Size | pkg. |
|----------|------|------|
| 36524 | IP5 | 2 |
| 36526 | IP6 | 2 |
| 36527 | IP7 | 2 |
| 36528 | IP8 | 2 |
| 36529 | IP9 | 2 |
| 36531 | IP10 | 2 |
| 36532 | IP15 | 2 |
| 36533 | IP20 | 2 |



Wiha TORXPlus® Cushion Grip Drivers



 Not for use in standard Torx fasteners

362 TORXPlus® Screwdriver With Wiha SoftFinish Handle
Round blade high alloy CVM tool steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|-----|------|-----|------|------|------|
| 36211 | IP6 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 | 10 |
| 36223 | IP7 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 | 10 |
| 36228 | IP8 | 60 | 2.4 | 4.0 | .157 | 171 | 6.7 | .10 | 10 |
| 36229 | IP9 | 60 | 2.4 | 4.0 | .157 | 171 | 6.7 | .11 | 10 |
| 36233 | IP10 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 | 10 |
| 36238 | IP15 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 | 10 |
| 36239 | IP20 | 100 | 3.9 | 4.5 | .177 | 211 | 8.3 | .11 | 10 |
| 36243 | IP25 | 100 | 3.9 | 5.5 | .216 | 211 | 8.3 | .19 | 10 |
| 36248 | IP27 | 115 | 4.5 | 6.0 | .236 | 233 | 9.2 | .20 | 10 |
| 36253 | IP30 | 115 | 4.5 | 7.0 | .275 | 233 | 9.2 | .28 | 10 |
| 36255 | IP40 | 130 | 5.1 | 7.0 | .275 | 254 | 10.0 | .28 | 10 |

362 TORXPlus® Screwdriver With Wiha SoftFinish Handle In Clamshell
Round blade high alloy CVM tool steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|-----|------|-----|------|------|------|
| 36214 | IP6 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 | 1 |
| 36231 | IP7 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .06 | 1 |
| 36232 | IP8 | 60 | 2.4 | 4.0 | .157 | 171 | 6.7 | .10 | 1 |
| 36241 | IP9 | 60 | 2.4 | 4.0 | .157 | 171 | 6.7 | .11 | 1 |
| 36242 | IP10 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 | 1 |
| 36246 | IP15 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 | 1 |
| 36247 | IP20 | 100 | 3.9 | 4.5 | .177 | 211 | 8.3 | .11 | 1 |
| 36252 | IP25 | 100 | 3.9 | 5.5 | .216 | 211 | 8.3 | .19 | 1 |
| 36262 | IP27 | 115 | 4.5 | 6.0 | .236 | 233 | 9.2 | .20 | 1 |
| 36263 | IP30 | 115 | 4.5 | 7.0 | .275 | 233 | 9.2 | .28 | 1 |
| 36265 | IP40 | 130 | 5.1 | 7.0 | .275 | 254 | 10.0 | .28 | 1 |

Wiha T-handle TORXPlus®

Not for use in standard Torx fasteners




 **364 TORXPlus® Screwdriver, With Wiha T-handle**

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha T-handle high quality plastic, impact resistant.


| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|-----|------|-----|------|------|------|
| 36461 | IP9 | 100 | 3.9 | 4.0 | .157 | 80 | 3.1 | .07 | 10 |
| 36463 | IP10 | 100 | 3.9 | 4.0 | .157 | 80 | 3.1 | .07 | 10 |
| 36466 | IP15 | 100 | 3.9 | 4.0 | .157 | 80 | 3.1 | .07 | 10 |
| 36469 | IP20 | 100 | 3.9 | 4.0 | .157 | 80 | 3.1 | .10 | 10 |
| 36472 | IP25 | 150 | 5.9 | 8.0 | .315 | 120 | 4.7 | .13 | 10 |
| 36474 | IP27 | 150 | 5.9 | 8.0 | .315 | 120 | 4.7 | .14 | 10 |
| 36476 | IP30 | 150 | 5.9 | 8.0 | .315 | 120 | 4.7 | .16 | 10 |
| 36478 | IP40 | 150 | 5.9 | 8.0 | .315 | 120 | 4.7 | .20 | 10 |



 **36296 Set 6 Pcs. TORXPlus® Blade** high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.


| Item No. | TORXPlus® | lbs. |
|----------|----------------------------------|------|
| 36296 | IP6, IP7, IP8, IP9 IP10, IP15 | .72 |



 **36299 Set 7 Pcs. TORXPlus® Blade** high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.


| Item No. | TORXPlus® | lbs. |
|----------|--|------|
| 36299 | IP8, IP10, IP15, IP20, IP25, IP30, IP40 | 1.23 |



 **36297 Set 8 Pcs. TORXPlus® Blade** high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.

| Item No. | TORXPlus® | lbs. |
|----------|--|------|
| 36297 | IP6, IP7, IP8, IP9 IP10, IP15, IP20, IP25 | 1.35 |




 **36496 Set 6 Pc. TORXPlus® T-handles** Blade CVM steel, hardened, hard chromed. Chromtop blade tips. Wiha T-handle high quality plastic, impact resistant.

| Item No. | Size | mm | Size | mm | lbs. |
|----------|------|-----|------|-----|------|
| 36496 | IP10 | 100 | IP25 | 150 | 1.01 |
| | IP15 | 100 | IP27 | 150 | |
| | IP20 | 100 | IP30 | 150 | |


TORXPlus®

For Improved Torque and Longer Tool Life



361 TORXPlus® L-key, Short Arm
High alloy CVM steel, hardened, black finish.

| Item No. | Size | mm | Inch | mm | Inch | lbs. |
|----------|------|----|------|----|------|------|
| 36106 | IP6 | 39 | 1.5 | 16 | .6 | .01 |
| 36107 | IP7 | 42 | 1.7 | 16 | .6 | .01 |
| 36108 | IP8 | 45 | 1.8 | 16 | .6 | .01 |
| 36109 | IP9 | 48 | 1.9 | 16 | .6 | .01 |
| 36110 | IP10 | 51 | 2.0 | 17 | .7 | .01 |
| 36115 | IP15 | 55 | 2.2 | 19 | .7 | .01 |
| 36120 | IP20 | 58 | 2.3 | 19 | .7 | .01 |
| 36125 | IP25 | 63 | 2.5 | 21 | .8 | .01 |
| 36127 | IP27 | 68 | 2.7 | 22 | .9 | .02 |
| 36130 | IP30 | 73 | 2.9 | 24 | .9 | .03 |
| 36140 | IP40 | 81 | 3.2 | 26 | 1.0 | .05 |



366 TORXPlus® L-key, Long Arm
High alloy CVM steel, hardened, black finish.

| Item No. | Size | mm | Inch | mm | Inch | lbs. |
|----------|------|-----|------|----|------|------|
| 36606 | IP6 | 64 | 2.5 | 14 | .6 | .01 |
| 36607 | IP7 | 68 | 2.7 | 14 | .6 | .01 |
| 36608 | IP8 | 74 | 2.9 | 15 | .6 | .01 |
| 36609 | IP9 | 78 | 3.1 | 16 | .6 | .01 |
| 36610 | IP10 | 83 | 3.3 | 18 | .7 | .01 |
| 36615 | IP15 | 88 | 3.5 | 18 | .7 | .02 |
| 36620 | IP20 | 94 | 3.7 | 18 | .7 | .02 |
| 36625 | IP25 | 98 | 3.9 | 19 | .7 | .03 |
| 36627 | IP27 | 107 | 4.2 | 23 | .9 | .05 |
| 36630 | IP30 | 114 | 4.5 | 24 | .9 | .06 |
| 36640 | IP40 | 118 | 4.6 | 27 | 1.0 | .09 |

36197 TORXPlus® L-key, Short Arm, 7 Pc. Set In Holder
High alloy CVM steel, hardened, black finish.

| Item No. | lbs. | Set includes the following L-keys: |
|----------|------|--------------------------------------|
| 36197 | .10 | IP6, IP7, IP8, IP9, IP10, IP15, IP20 |

36690 TORXPlus® L-key, Long Arm, 7 Pc. Set In Holder
High alloy CVM steel, hardened, black finish.

| Item No. | lbs. | Set includes the following L-keys: |
|----------|------|--------------------------------------|
| 36690 | .22 | IP6, IP7, IP8, IP9, IP10, IP15, IP20 |

36199 TORXPlus® L-key, Short Arm, 9 Pc. Set In Holder

| Item No. | lbs. | Set includes the following L-keys: |
|----------|------|--|
| 36199 | .30 | IP8, IP9, IP10, IP15, IP20, IP25, IP27, IP30, IP40 |

36691 TORXPlus® L-key, Long Arm, 9 Pc. Set In Holder


| Item No. | lbs. | Set includes the following L-keys: |
|----------|------|--|
| 36691 | .35 | IP8, IP9, IP10, IP15, IP20, IP25, IP27, IP30, IP40 |

MagicSpring TORX® Tools



371 MagicSpring Screw Holding TORX® L-key, Long Arm
High alloy CVM steel, hardened, black finish.

| Item No. | Size | mm | Inch | mm | Inch | lbs. |
|----------|------|----|------|-----|------|------|
| 37106 | T6 | 14 | .55 | 80 | 3.1 | .001 |
| 37107 | T7 | 16 | .63 | 88 | 3.5 | .002 |
| 37108 | T8 | 18 | .71 | 101 | 4.0 | .003 |
| 37109 | T9 | 19 | .75 | 111 | 4.4 | .005 |
| 37110 | T10 | 21 | .83 | 121 | 4.8 | .007 |
| 37115 | T15 | 22 | .87 | 136 | 5.4 | .009 |
| 37120 | T20 | 25 | .98 | 148 | 5.8 | .01 |
| 37125 | T25 | 28 | 1.1 | 163 | 6.4 | .02 |
| 37127 | T27 | 30 | 1.2 | 176 | 6.9 | .03 |
| 37130 | T30 | 34 | 1.3 | 191 | 7.5 | .04 |
| 37140 | T40 | 36 | 1.4 | 210 | 8.3 | .07 |



37190 MagicSpring Long Arm Screw Holding TORX® Set, 7 Pc. in Plastic Holder
Equipped with T6, T7, T8, T9, T10, T15, T20

| Item No. | lbs. | pkg. |
|----------|------|------|
| 37190 | .20 | 1 |



37192 MagicSpring Long Arm Screw Holding TORX® Set, 10 Pc. in Plastic Holder
T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

| Item No. | lbs. | pkg. |
|----------|------|------|
| 37192 | .35 | 1 |

Laser Welded MagicSpring Assembly



Wiha MagicSpring TORX® Tools

- Laser welded assembly
- Holds screws securely
- Won't damage screws
- Doesn't weaken tool
- Exact fit tips
- Hardened tool steel blades
- Holds standard Torx screws*

Screw Holding TORX®




Stainless Rotary Spring



Wiha-Chromtop finish on tips

Wiha-SoftFinish® handle, multi-component, cushion grips



36290 Set 6 Pcs. MagicSpring Screw Holding TORX® SoftFinish Screwdrivers
Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips. Molded on.

| Item No. | Size | mm | Size | mm | lbs. |
|----------|------|----|------|-----|------|
| 36290 | T8 | 60 | T20 | 100 | .98 |
| | T10 | 80 | T25 | 100 | |
| | T15 | 80 | T30 | 115 | |

*MagicSpring tools will hold Torx® screws made to CamCar Textron Torx® specifications

362 MagicSpring Screw Holding TORX® Driver, With Wiha-SoftFinish® Handle

Round blade high alloy CVM steel, hardened, hard chromed.

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|-----|------|-----|------|-----|------|------|------|
| 36202 | T6 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .07 | 10 |
| 36203 | T7 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .07 | 10 |
| 36207 | T8 | 60 | 2.4 | 3.5 | .139 | 164 | 6.5 | .07 | 10 |
| 36234 | T9 | 60 | 2.4 | 4.0 | .157 | 171 | 6.7 | .11 | 10 |
| 36244 | T10 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 | 10 |
| 36249 | T15 | 80 | 3.1 | 4.0 | .157 | 191 | 7.5 | .11 | 10 |
| 36254 | T20 | 100 | 3.9 | 4.0 | .157 | 211 | 8.3 | .16 | 10 |
| 36256 | T25 | 100 | 3.9 | 4.5 | .177 | 211 | 8.3 | .17 | 10 |
| 36257 | T27 | 115 | 4.5 | 5.5 | .216 | 233 | 9.2 | .20 | 10 |
| 36258 | T30 | 115 | 4.5 | 6.0 | .236 | 233 | 9.2 | .21 | 10 |



267 MagicSpring Screw Holding TORX® Driver, With Wiha-Precision PicoFinish Handle
Blade high alloy CVM steel, hardened, hard chromed. Molded on ergo Wiha-Pico Finish precision handle, molded on, soft grips.

| Item No. | Size | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|----|------|-----|------|------|------|
| 26721 | T6 | 40 | 1.6 | 140 | 5.5 | .03 | 10 |
| 26723 | T7 | 40 | 1.6 | 140 | 5.5 | .03 | 10 |
| 26725 | T8 | 40 | 1.6 | 140 | 5.5 | .03 | 10 |
| 26727 | T9 | 50 | 2.0 | 150 | 5.9 | .04 | 10 |
| 26729 | T10 | 50 | 2.0 | 150 | 5.9 | .04 | 10 |
| 26731 | T15 | 60 | 2.4 | 160 | 6.3 | .04 | 10 |



Stainless Rotary Spring



365 MagicSpring Screw Holding TORX® driver, With Wing Handle Ideal for use with

indexable carbide tooling and also for working in confined spaces. Blade high alloy CVM steel, hardened, black finish. Wing handle high quality plastic, impact resistant. Molded on.

| Item No. | Size | mm | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
|----------|------|----|------|----|------|----|------|------|------|
| 36556 | T6 | 35 | 1.4 | 70 | 2.7 | 40 | 1.6 | .01 | 10 |
| 36557 | T7 | 35 | 1.4 | 70 | 2.7 | 40 | 1.6 | .02 | 10 |
| 36558 | T8 | 40 | 1.6 | 75 | 3.0 | 40 | 1.6 | .02 | 10 |
| 36559 | T9 | 40 | 1.6 | 75 | 3.0 | 40 | 1.6 | .02 | 10 |
| 36560 | T10 | 40 | 1.6 | 75 | 3.0 | 40 | 1.6 | .02 | 10 |
| 36561 | T15 | 45 | 1.8 | 80 | 3.1 | 40 | 1.6 | .02 | 10 |
| 36562 | T20 | 45 | 1.8 | 80 | 3.1 | 40 | 1.6 | .02 | 10 |



26798 Set 6 Pcs. MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-Pico Finish precision handle, molded on, soft grips.

| Item No. | Size | mm | Size | mm | lbs. |
|----------|------|----|------|----|------|
| 26798 | T6 | 40 | T9 | 50 | .45 |
| | T7 | 40 | T10 | 50 | |
| | T8 | 40 | T15 | 60 | |



Screw Holding Tools



36598 MagicSpring Screw Holding TORX® Wing Handle Set, Pc. in Metal Stand
Equipped with T6, T7, T8, T9, T10, T15, T20
⚖️ .36 lbs.

Wiha TorqueControl Screwdrivers

Molded cushion grip two component handles allow for maximum achievable torque to be reached with comfort


Precise repeatability!

All TorqueVario tools are tested and comply with:

- EN ISO 6789
- BS EN 26789
- ASME B107.14M

Each tool has unique serial number and certificate of calibration

See 4mm Micro Bits on Page 25



Direct Reading Scale



+/-6% accuracy tolerance
Certificate of calibration

285 Adjustable TorqueVario With Direct Reading Scale EN ISO 6789, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle. Pkg. 1

| Item No. | Range | Inch lbs. | Increments | mm |
|----------|----------------|------------|------------|----|
| 28501 | 15 - 80(in/oz) | 2.5 In.oz. | 127 | |
| 28502 | 5 - 10 | .5 In.lbs. | 127 | |
| 28506 | 10 - 50 | 2 In.lbs. | 138 | |

* 28501 +/- 10% (This unit only)*

| Item No. | Range | Inch lbs. | Increments | mm |
|----------|---------|------------|------------|----|
| 28404 | 5 - 18 | .5 in/lbs. | 131 | |
| 28408 | 18 - 62 | 2 In.lbs. | 142 | |

+/-6% accuracy tolerance
Certificate of calibration



285 Adjustable TorqueVario-S Handle In Newton Meter Scale EN ISO 6789, BS EN 26789, ASME B107.14M. Ergo molded multi-component handle, light & compact. Handle sizes proportioned to optimize torque range. Audible & perceptible click when the torque setting has been attained, automatically resets for next torque cycle. Pkg. 1

| Item No. | Newton Meter Scale | Increments | mm |
|----------|--------------------|------------|-----|
| 28550 | 0.1 - 0.6Nm | .02 Nm | 127 |
| 28551 | 0.4 - 1.0Nm | .05 Nm | 127 |
| 28552 | 0.5 - 2.0Nm | .10 Nm | 131 |
| 28553 | 0.8 - 5.0Nm | .20 Nm | 138 |
| 28655 | 2.0 - 7.0Nm | .25 Nm | 142 |

* +/- 10% (This unit only)



285 TORX Interchangeable Blades For TorqueFix & TorqueVario TORX tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

| Item No. | Size | mm | mm | lbs. | Nm | pkg. |
|----------|------|-----|-----|------|-----|------|
| 28561 | T5 | 175 | 4.0 | .07 | 0.4 | 1 |
| 28562 | T6 | 175 | 4.0 | .07 | 0.6 | 1 |
| 28563 | T7 | 175 | 4.0 | .07 | 0.9 | 1 |
| 28564 | T8 | 175 | 4.0 | .07 | 1.3 | 1 |
| 28565 | T9 | 175 | 4.0 | .07 | 2.5 | 1 |
| 28566 | T10 | 175 | 4.0 | .07 | 3.8 | 1 |
| 28567 | T15 | 175 | 4.0 | .07 | 5.5 | 1 |
| 28568 | T20 | 175 | 4.0 | .07 | 8.0 | 1 |
| 28569 | T25 | 175 | 4.0 | .07 | 8.0 | 1 |



285 TORXPlus Blades For TorqueFix & TorqueVario TORXPlus tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

| Item No. | Size | mm | mm | lbs. | Nm | pkg. |
|----------|------|-----|-----|------|-----|------|
| 28571 | IP5 | 175 | 4.0 | .07 | 0.5 | 1 |
| 28572 | IP6 | 175 | 4.0 | .07 | 0.8 | 1 |
| 28573 | IP7 | 175 | 4.0 | .07 | 1.3 | 1 |
| 28574 | IP8 | 175 | 4.0 | .07 | 2.0 | 1 |
| 28575 | IP9 | 175 | 4.0 | .07 | 3.0 | 1 |
| 28576 | IP10 | 175 | 4.0 | .07 | 4.5 | 1 |
| 28577 | IP15 | 175 | 4.0 | .07 | 6.6 | 1 |
| 28578 | IP20 | 175 | 4.0 | .07 | 8.0 | 1 |
| 28579 | IP25 | 175 | 4.0 | .07 | 8.0 | 1 |



285 MagicSpring TORX Blades For TorqueFix & TorqueVario blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

| Item No. | Size | mm | mm | lbs. | Nm | pkg. |
|----------|------|-----|-----|------|-----|------|
| 28512 | T6 | 175 | 4.0 | .07 | 0.6 | 1 |
| 28527 | T7 | 175 | 4.0 | .07 | 0.9 | 1 |
| 28528 | T8 | 175 | 4.0 | .07 | 1.3 | 1 |
| 28529 | T9 | 175 | 4.0 | .07 | 2.5 | 1 |
| 28530 | T10 | 175 | 4.0 | .07 | 3.8 | 1 |
| 28531 | T15 | 175 | 4.0 | .07 | 5.5 | 1 |
| 28532 | T20 | 175 | 4.0 | .07 | 8.0 | 1 |
| 28533 | T25 | 175 | 4.0 | .07 | 8.0 | 1 |



286 MagicSpring TORXPlus Interchangeable Blades For TorqueFix & TorqueVario blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

| Item No. | Size | mm | mm | lbs. | Nm | pkg. |
|----------|------|-----|-----|------|-----|------|
| 28611 | IP6 | 175 | 4.0 | .07 | 0.8 | 1 |
| 28612 | IP7 | 175 | 4.0 | .07 | 1.3 | 1 |
| 28613 | IP8 | 175 | 4.0 | .07 | 2.0 | 1 |
| 28614 | IP9 | 175 | 4.0 | .07 | 3.0 | 1 |
| 28616 | IP10 | 175 | 4.0 | .07 | 4.5 | 1 |
| 28617 | IP15 | 175 | 4.0 | .07 | 6.6 | 1 |
| 28618 | IP20 | 175 | 4.0 | .07 | 8.0 | 1 |
| 28619 | IP25 | 175 | 4.0 | .07 | 8.0 | 1 |

*None of the blades featured on this page will function in a TorqueVario Insulated Handle

Wiha Easy Torque Handles



292 easyTorque Screwdriver Handle

With TORX® Blades easyTorque value pre-set. Release accuracy +/- 10%. Internal mechanism clicks when torque value has been attained. Cushion grip comfortable handle for good power transfer.

| Item No. | Pre-Sets Size | Inch/lbs. | Nm | lbs. | pkg. |
|----------|---------------|-----------|-----|------|------|
| 29232 | T5 | 4.4 | 0.5 | .24 | 1 |
| 29233 | T6 | 5.3 | 0.6 | .24 | 1 |
| 29234 | T7 | 8.0 | 0.9 | .24 | 1 |
| 29236 | T8 | 10.6 | 1.2 | .25 | 1 |
| 29237 | T9 | 12.4 | 1.4 | .25 | 1 |
| 29239 | T10 | 17.7 | 2.0 | .26 | 1 |
| 29242 | T15 | 26.6 | 3.0 | .26 | 1 |
| 29243 | T20 | 35.4 | 4.0 | .26 | 1 |
| 29244 | T25 | 44.2 | 5.0 | .28 | 1 |

* No Calibration Certificates



292 easyTorque Screwdriver Handle

With TORXPlus® Blades easyTorque value pre-set. Release accuracy +/- 10%. Internal mechanism clicks when torque value has been attained. Cushion grip comfortable handle for good power transfer.

| Item No. | Pre-Sets Size | Inch/lbs. | Nm | lbs. | pkg. |
|----------|---------------|-----------|-----|------|------|
| 29246 | IP5 | 4.4 | 0.5 | .24 | 1 |
| 29247 | IP6 | 5.3 | 0.6 | .24 | 1 |
| 29248 | IP7 | 8.0 | 0.9 | .24 | 1 |
| 29249 | IP8 | 10.6 | 1.2 | .25 | 1 |
| 29252 | IP9 | 12.4 | 1.4 | .25 | 1 |
| 29253 | IP10 | 17.7 | 2.0 | .26 | 1 |
| 29254 | IP15 | 26.6 | 3.0 | .26 | 1 |
| 29255 | IP20 | 35.4 | 4.0 | .26 | 1 |
| 29256 | IP25 | 44.2 | 5.0 | .28 | 1 |

* No Calibration Certificates

TorqueFix Key Wing Handles & Blades

EN ISO 6789,
BS EN 26789, ASME
B107.14M

+/- 6% Accuracy



Includes Calibration Certificate

283 TorqueFix Wing Handles

Audible & perceptible click when torque setting has been attained.

| Item No. | Nm | mm | Inch | pkg. | lbs. |
|----------|-----|----|------|------|------|
| 28349 | 0.5 | 68 | 2.7 | 1 | .28 |
| 28351 | 0.6 | 68 | 2.7 | 1 | .28 |
| 28352 | 0.9 | 68 | 2.7 | 1 | .28 |
| 28353 | 1.1 | 68 | 2.7 | 1 | .28 |
| 28354 | 1.2 | 68 | 2.7 | 1 | .28 |
| 28355 | 1.4 | 68 | 2.7 | 1 | .28 |
| 28356 | 2.0 | 68 | 2.7 | 1 | .28 |
| 28357 | 2.5 | 68 | 2.7 | 1 | .28 |
| 28358 | 3.0 | 68 | 2.7 | 1 | .28 |
| 28359 | 3.8 | 68 | 2.7 | 1 | .28 |
| 28360 | 4.0 | 68 | 2.7 | 1 | .28 |



Compact design specially used for hard to reach screws and confined spaces

CVM steel, through-hardened,
titanium silver blades



283 TORX® Blades For TorqueFix Wing Handles

| Item No. | Size | Max Nm | Inch | pkg. |
|----------|------|--------|------|------|
| 28374 | T6 | 0.6 | 3.0 | 1 |
| 28375 | T7 | 0.9 | 3.0 | 1 |
| 28376 | T8 | 1.3 | 3.0 | 1 |
| 28377 | T9 | 2.5 | 3.0 | 1 |
| 28378 | T10 | 3.8 | 3.0 | 1 |
| 28379 | T15 | 5.5 | 3.0 | 1 |
| 28380 | T20 | 8.0 | 3.0 | 1 |
| 28381 | T25 | 8.0 | 3.0 | 1 |



283 TORXPlus® Blades For TorqueFix Wing Handles

| Item No. | Size | Max Nm | Inch | pkg. |
|----------|------|--------|------|------|
| 28382 | IP6 | 0.8 | 3.0 | 1 |
| 28383 | IP7 | 1.3 | 3.0 | 1 |
| 28384 | IP8 | 2.0 | 3.0 | 1 |
| 28385 | IP9 | 3.0 | 3.0 | 1 |
| 28386 | IP10 | 4.5 | 3.0 | 1 |
| 28387 | IP15 | 6.6 | 3.0 | 1 |
| 28388 | IP20 | 8.0 | 3.0 | 1 |
| 28389 | IP25 | 8.0 | 3.0 | 1 |

Wiha Insulated TorqueControl Tools



* Includes Certificate

* Includes SlimLine blade holder #28350

* Requires SlimLine Blades

1000Volt



287 Insulated TorqueVario-S, With Window Scale Insulation up to 1000Volt

EN ISO, BS EN, ASME, VDE, ASTM & NFPA70E standards, +/- 6% Accuracy. Handle sizes proportioned to optimize torque range. Audible and perceptible click when torque setting has been attained. Includes SlimLine blade holder.

| Item No. | Range | Inch lbs. | Increments | mm | lbs. | pkg. |
|----------|---------|-----------|------------|-----|------|------|
| 28750 | 5 - 18 | .5 | In.lbs. | 131 | .43 | 1 |
| 28751 | 10 - 50 | 2 | In.lbs. | 138 | .40 | 1 |
| 28752 | 18 - 62 | 2 | In.lbs. | 142 | .69 | 1 |

Each TorqueVario handle has unique serial number and certificate of calibration

287 Insulated TorqueVario-S Handle - In Newton Meter Scale

Includes SlimLine blade holder

| Item No. | Range Nm | mm | lbs. | pkg. |
|----------|-----------|-----|------|------|
| 28740 | 0.5 - 2.0 | 131 | .45 | 1 |
| 28741 | 1.0 - 5.0 | 138 | .45 | 1 |
| 28742 | 2.0 - 7.0 | 142 | .72 | 1 |



283 Insulated TORX® SlimLine Blades

High quality CV steel, through hardened. SlimLine blades have up to 33% narrower insulation diameter than standard insulated tools.

| Item No. | Size | Slim Dia. | Max Nm | Inch/ lbs. | lbs. | pkg. |
|----------|------|-----------|--------|------------|------|------|
| 28339 | T8 | 4.0 | 1.3 | 11.5 | .02 | 1 |
| 28344 | T9 | 4.0 | 1.3 | 11.5 | .02 | 1 |
| 28340 | T10 | 4.0 | 3.8 | 33.6 | .02 | 1 |
| 28341 | T15 | 6.0 | 5.5 | 48.7 | .02 | 1 |
| 28342 | T20 | 6.0 | 5.5 | 48.7 | .02 | 1 |
| 28343 | T25 | 6.0 | 5.5 | 48.7 | .02 | 1 |

Wiha TorqueControl Tool Sets



28597 8 Pc. TorqueControl Set With

TORX® Blades Certified to EN ISO 6789, BS EN 26789, ASME B107.14M

28597 lbs. 1.01

TORX®: T7, T8, T9, T10, T15, T20

28506 - Handle Range 10 - 50 In/lbs.

With Certificate of Calibration



28598 8 Piece TorqueControl Set With

TORXPlus® Blades Certified to EN ISO 6789, BS EN 26789, ASME B107.14M

28598 lbs. 1.00

TORXPlus®: IP7, IP8, IP9, IP10, IP15, IP20

28506 - Handle Range 10 - 50 In/lbs.

With Certificate of Calibration



28599 4 Piece TorqueControl Set With

TORX® & TORXPlus® Blades Certified to EN ISO 6789, BS EN 26789, ASME B107.14M.

Set includes Ergonomic multi-component adjustable TorqueVario-S handle, 12 blades & Torque adjustment tool. Packed in a durable canvas pouch.

TORXPlus®: lbs. 1.25

IP7, IP8, IP9, IP10, IP15, IP20

TORX®: T7, T8, T9, T10, T15, T20

28506 - Handle Range 10 - 50 In/lbs.

With Certificate of Calibration

T-handle TorqueControl Tools

Each TorqueFix T-handle has unique serial number and certificate of calibration



Includes Calibration Certificate

289 TorqueFix T-handle EN ISO 6789, BS EN 26789, ASME B107.14M, +/- 6%

| Item No. | Torque In-lbs. | Torque Nm | Shaft Size mm x mm | Weight lbs. | Pkg. |
|----------|----------------|-----------|--------------------|-------------|------|
| 28931 | 53.1 | 6 | 56 x 120 | .81 | 1 |
| 28933 | 70.8 | 8 | 56 x 120 | .82 | 1 |
| 28935 | 88.5 | 10 | 56 x 120 | .79 | 1 |
| 28937 | 106.2 | 12 | 56 x 120 | .79 | 1 |
| 28938 | 110.6 | 12.5 | 56 x 120 | .80 | 1 |
| 28939 | 123.9 | 14 | 56 x 120 | .80 | 1 |



Accuracy Ergonomic multi-component handle, light & compact

Includes Calibration Certificate

28940 Adjustable TorqueVario STplus

T-handle EN ISO 6789, BS EN 26789, ASME B107.14M, +/- 6%

| Item No. | Torque Nm | Torque In-lbs. | Shaft Size mm x mm | Weight lbs. | Pkg. |
|----------|-----------|----------------|--------------------|-------------|------|
| 28940 | 5-14 | 44.3-123.9 | 56 x 120 | .81 | 1 |

* (1 Nm 8.8507) (Scale is shown in Nm only)



289 TORX® Interchangeable Blades

For TorqueFix T-Handle **TORX®** tip blades on 6mm Hex shafts. High alloy CVM steel, hardened, hard chromed.

| Item No. | Size | mm | Inch | mm | Weight lbs. | Pkg. |
|----------|------|-----|------|-----|-------------|------|
| 28903 | T15 | 130 | 5.1 | 6.0 | .10 | 1 |
| 28904 | T20 | 130 | 5.1 | 6.0 | .10 | 1 |
| 28905 | T25 | 130 | 5.1 | 6.0 | .11 | 1 |
| 28906 | T27 | 130 | 5.1 | 6.0 | .11 | 1 |
| 28907 | T30 | 130 | 5.1 | 6.0 | .11 | 1 |
| 28908 | T40 | 130 | 5.1 | 6.0 | .11 | 1 |



289 TORXPlus® Interchangeable Blades

For TorqueFix T-Handle **TORXPlus®** tip blades on 6mm Hex shafts. High alloy CVM steel, hardened, hard chromed.

| Item No. | Size | mm | Inch | mm | Weight lbs. | Pkg. |
|----------|------|-----|------|-----|-------------|------|
| 28910 | IP15 | 130 | 5.1 | 6.0 | .10 | 1 |
| 28911 | IP20 | 130 | 5.1 | 6.0 | .10 | 1 |
| 28912 | IP25 | 130 | 5.1 | 6.0 | .11 | 1 |
| 28913 | IP27 | 130 | 5.1 | 6.0 | .11 | 1 |
| 28914 | IP30 | 130 | 5.1 | 6.0 | .11 | 1 |
| 28915 | IP40 | 130 | 5.1 | 6.0 | .11 | 1 |

ESD Safe Adjustable TorqueControl Tools

Each TorqueVario handle has unique serial number and certificate of calibration



Includes Certificate

285 ESD Safe TorqueVario-S, With

Window Scale EN ISO 6789, BS EN 26789, ASME B107.14M, +/- 6% Accuracy.

Ergonomic multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible & perceptible click when torque setting has been attained.

With Certificate of accuracy. Pkg. 1

| Item No. | Range | Increments | mm | lbs. | Pkg. |
|----------|--------------|------------|---------|------|------|
| 28522* | 15-80(in/oz) | 2.5 In.oz. | 122-127 | .33 | |
| 28524 | 5-10 | .2 In.lbs. | 122-127 | .34 | |
| 28526 | 7.5-20 | .5 In.lbs. | 126-131 | .42 | |

| Item No. | Range | mm | Inch | lbs. | Pkg. |
|----------|-----------|-----|--------|------|------|
| 28500* | .04 - .46 | 124 | 4.875" | .35 | 1 |

* +/- 10% (This unit only)



288 ESD Safe TORX® Interchangeable

Blades For TorqueVario-S **TORX®** tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, hard chromed.

| Item No. | Size | mm | mm | Nm | lbs. | Pkg. |
|----------|------|-----|-----|-----|------|------|
| 28825 | T5 | 175 | 4.0 | 0.4 | .07 | 1 |
| 28827 | T7 | 175 | 4.0 | 0.9 | .07 | 1 |
| 28829 | T9 | 175 | 4.0 | 2.5 | .07 | 1 |



288 ESD Pentalobe Interchangeable

Blades For TorqueVario-S Newton Meter Handle tip blades on narrow 5/32 Hex shafts.

| Item No. | Size | mm | mm | lbs. | Pkg. |
|----------|------|-----|-----|------|------|
| 28818 | PL1 | 175 | 4.0 | .07 | 1 |

Wiha TORX® Precision Series

Wiha TORX® Pico Soft Grip



267 TORX® Screwdriver, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel.

| Item | No. | Size | mm | Inch | mm | Inch | lbs. | pkg. |
|------|-------|------|----|------|-----|------|------|------|
| | 26701 | T1 | 40 | 1.6 | 120 | 4.7 | .01 | 10 |
| | 26702 | T2 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| | 26703 | T3 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| | 26704 | T4 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| | 26705 | T5 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| | 26706 | T6 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| | 26707 | T7 | 40 | 1.6 | 120 | 4.7 | .02 | 10 |
| | 26708 | T8 | 40 | 1.6 | 120 | 4.7 | .03 | 10 |
| | 26709 | T9 | 50 | 2.0 | 145 | 5.7 | .03 | 10 |
| | 26710 | T10 | 50 | 2.0 | 145 | 5.7 | .03 | 10 |
| | 26715 | T15 | 60 | 2.4 | 170 | 6.7 | .05 | 10 |
| | 26720 | T20 | 60 | 2.4 | 170 | 6.7 | .05 | 10 |

*Metric dimensions actual - Inch dimensions approximate



26791 8 Pcs. TORX® Screwdriver Set

| | |
|----------|-----------------|
| Item No. | T1, T2, T3, T4, |
| 26791 | T5, T6, T7, T8 |



26799 8 Pc. TORX® Screwdriver Set
Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

| Item | TORX® | Size | lbs. |
|-------|-------------------|------|------|
| No. | T3, T4, T5, | | |
| 26799 | T6, T7, T8 x 40mm | | |
| | T9 x T10 x 50mm | | .50 |



267 TORX® Driver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

| Item | No. | Size | mm | Inch | mm | Inch | Pkg. |
|------|-------|------|----|------|-----|------|------|
| | 26732 | T1 | 40 | 1.6 | 134 | 5.3 | 10 |
| | 26733 | T2 | 40 | 1.6 | 134 | 5.3 | 10 |
| | 26735 | T3 | 40 | 1.6 | 134 | 5.3 | 10 |
| | 26736 | T4 | 40 | 1.6 | 134 | 5.3 | 10 |
| | 26737 | T5 | 40 | 1.6 | 134 | 5.3 | 10 |
| | 26739 | T6 | 40 | 1.6 | 140 | 5.5 | 10 |
| | 26741 | T7 | 40 | 1.6 | 140 | 5.5 | 10 |
| | 26743 | T8 | 40 | 1.6 | 140 | 5.5 | 10 |
| | 26745 | T9 | 50 | 2.0 | 150 | 5.9 | 10 |
| | 26747 | T10 | 50 | 2.0 | 150 | 5.9 | 10 |
| | 26749 | T15 | 60 | 2.4 | 160 | 6.3 | 10 |
| | 26751 | T20 | 60 | 2.4 | 160 | 6.3 | 10 |

*Metric dimensions actual - Inch dimensions approximate



26790 6 Pc. TORX® Screwdriver Set
Blade high alloy chrome-vanadium-molybdenum steel.

| Item | No. | TORX® | Size | lbs. |
|-------|-----|-------------------|------|------|
| 26790 | | T6, T7, T8 x 40mm | | .30 |
| | | T9, T10 x 50mm | | |
| | | T15 x 60mm | | |



26793 8 Pc. TORX® Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

| Item | No. | TORX® | Size | lbs. |
|-------|-----|-----------------|------|------|
| 26793 | | T1, T2, T3, T4, | | |
| | | T5, T6, T7, T8 | | .50 |



26792 7 Pc. TORX® Screwdriver Set
Blade high alloy chrome-vanadium-molybdenum steel.

| Item | No. | TORX® | Size | lbs. |
|-------|-----|-----------------------|------|------|
| 26792 | | T5, T6, T7, T8 x 40mm | | .33 |
| | | T9, T10 x 50mm | | |
| | | T15 x 60mm | | |



91118 Rugged Polyester Canvas Storage Pouch Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

| Item | No. | Size | lbs. | pkg. |
|-------|-----|----------------------|------|------|
| 91118 | | 14-1/2" W x 7-3/4" L | .13 | 1 |



26796 8 Pc. TORX® Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.



| Item | No. | TORX® | Size | lbs. |
|-------|-----|---------------------------------|------|------|
| 26796 | | T5, T6, T7, T8 x 40mm | | .57 |
| | | T9, T10 x 50mm, T15, T20 x 60mm | | |

ESD Safe Dissipative Precision Screwdrivers

Surface resistance of handles is $10^6 - 10^9$ Ohms



278 TORX® Screwdriver, With Precision ESD Safe Dissipative Handle Blade high alloy CVM steel. Hard chrome finished. Handle impact resistant, dissipative material. ESD standard IEC 61340-5-1.

| Item |  |  |  |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|---|---|---|
| No. | Size | mm | Inch | mm | Inch | lbs. | pkg. | | |
| 27801 | T1 | 40 | 1.6 | 120 | 4.7 | .03 | 10 | | |
| 27802 | T2 | 40 | 1.6 | 120 | 4.7 | .03 | 10 | | |
| 27803 | T3 | 40 | 1.6 | 120 | 4.7 | .03 | 10 | | |
| 27804 | T4 | 40 | 1.6 | 120 | 4.7 | .03 | 10 | | |
| 27805 | T5 | 40 | 1.6 | 120 | 4.7 | .03 | 10 | | |
| 27811 | T6 | 40 | 1.6 | 120 | 4.7 | .03 | 10 | | |
| 27817 | T7 | 40 | 1.6 | 120 | 4.7 | .03 | 10 | | |
| 27823 | T8 | 40 | 1.6 | 120 | 4.7 | .03 | 10 | | |
| 27829 | T9 | 50 | 2.0 | 145 | 5.7 | .04 | 10 | | |
| 27835 | T10 | 50 | 2.0 | 145 | 5.7 | .04 | 10 | | |
| 27841 | T15 | 60 | 2.4 | 170 | 6.7 | .07 | 10 | | |
| 27847 | T20 | 60 | 2.4 | 170 | 6.7 | .07 | 10 | | |



*Metric dimensions actual - Inch dimensions approximate



ESD standard IEC 61340-5-1

27890 Set 7 Pcs. TORX® Precision ESD Safe Dissipative Handle



Blade high alloy CVM steel, hardened, hard chromed. Handle manufactured from impact resistant, dissipative material.

| Item | TORX® : |  |  |
|-------|-----------------------------|---|---|
| No. | T4, T5, T6, T7, T8, T9, T10 | lbs. | |
| 27890 | | .31 | |

ESD standard IEC 61340-5-1












27899 Set 8 Pcs. TORX® Precision ESD Safe Dissipative Handle Set In Pouch Blade high alloy CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. In storage pouch.

| Item | TORX® : |  |  |
|-------|----------------------------|---|---|
| No. | T1, T2, T3, T4, T5, T6, T7 | lbs. | |
| 27899 | Chip Lifter | .47 | |



278 TORXPlus® Screwdriver, With Precision ESD Safe Dissipative Handle Blade high alloy CVM steel, hardened, hard chromed. ESD standard IEC 61340-5-1.



| Item |  |  |  |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|---|---|---|
| No. | Size | mm | Inch | mm | Inch | lbs. | pkg. | | |
| 27850 | IP4 | 40 | 1.6 | 120 | 4.7 | .03 | 10 | | |
| 27851 | IP5 | 40 | 1.6 | 120 | 4.7 | .03 | 10 | | |
| 27852 | IP6 | 40 | 1.6 | 120 | 4.7 | .03 | 10 | | |
| 27853 | IP7 | 40 | 1.6 | 120 | 4.7 | .03 | 10 | | |
| 27854 | IP8 | 40 | 1.6 | 120 | 4.7 | .03 | 10 | | |
| 27855 | IP9 | 50 | 2.0 | 145 | 5.7 | .04 | 10 | | |
| 27856 | IP10 | 50 | 2.0 | 145 | 5.7 | .04 | 10 | | |
| 27857 | IP15 | 60 | 2.4 | 170 | 6.7 | .07 | 10 | | |

*Metric dimensions actual - Inch dimensions approximate



ESD standard IEC 61340-5-1









27894 Set 7 Pcs. TORXPlus® Precision ESD Safe Dissipative Handle

| Item | TORXPlus® : |  |  |
|-------|--------------------|---|---|
| No. | IP5, IP6, IP7, IP8 | lbs. | |
| 27894 | IP9, IP10, IP15 | .27 | |

ESD Safe SYS 4 Drive-Loc Handle & Blades










26961 ESD Safe Dissipative Precision Drive-Loc Handle Surface resistant 10^6-10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

| Item |  |  |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|---|---|
| No. | mm | Inch | mm | Inch | lbs. | | | |
| 26961 | 4.0 | .1574 | 23 | .91 | .08 | | | |



269 SYSTEM 4 TORX® Drive-Loc Reversible Locking Blades On 4mm Hex








| Item |  |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|---|
| No. | Size | Size | lbs. | | | | |
| 26977 | T1 + T2 | | .02 | | | | |
| 26978 | T3 + T4 | | .02 | | | | |
| 26979 | T5 + T6 | | .02 | | | | |
| 26980 | T6 + T8 | | .02 | | | | |
| 26981 | T7 + T9 | | .02 | | | | |
| 26982 | T10 + T15 | | .02 | | | | |
| 26983 | T15 + T20 | | .02 | | | | |

ESD Safe Precision Handles & Blades



28000 ESD Safe Dissipative Precision Handle with rotating control cap. Surface resistant 10^6-10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades.








Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

| Item |  |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|---|
| No. | mm | Inch | mm | Inch | lbs. | | |
| 28000 | 4.0 | .1574 | 14.0 | .55 | .04 | | |









28001 ESD Safe Dissipative Precision Adjustable Handle with rotating control cap.

- Use in ESD sensitive applications. Surface resistant 10^6-10^9 Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

| Item |  |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|---|
| No. | mm | Inch | mm | Inch | lbs. | | |
| 28001 | 4.0 | .1574 | 14.0 | .55 | .04 | | |






269 SYS 4 TORX® Reversible Blade High alloy chrome-vanadium-molybdenum steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL

| Item |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|
| No. | Size | Size | lbs. | | | |
| 26951 | T6 + T8 | | .03 | | | |
| 26952 | T7 + T9 | | .03 | | | |
| 26953 | T10 + T15 | | .03 | | | |
| 26954 | T15 + T20 | | .03 | | | |



269 SYS 4 TORX® Interchangeable Blade 120mm/4.7" OAL

| Item |  |  |  |
|-------|---|---|---|
| No. | Size | lbs. | |
| 26955 | T3 | .03 | |
| 26956 | T4 | .03 | |
| 26957 | T5 | .03 | |

SYSTEM 4 Handles & Micro Bits

Bits CVM steel, hardened

Tips
Exact fit, precision machined

Tapered Handle

allows rapid rotation, requires less clearance. Static Dissipative $10^6 - 10^9$ ohms

Rotating Cap
for precise turning & control

Use bits directly in handle or with 4" bit extension



75801 **SYS 4 ESD Safe** **Dissipative**
Precision Bit Handle 110mm/4.3" OAL

Advantages:

- For working in ESD sensitive applications
Surface resistant 10^6-10^9 Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits

| Item | | | | | |
|--------------|-----|-------|------|------|------|
| No. | mm | Inch | mm | Inch | lbs. |
| 75801 | 4.0 | .1574 | 14.0 | .55 | .06 |

Notes:

High alloy CVM steel, hardened, on 4 mm stock



| 757 SYSTEM 4 TORX® Micro Bits | | | | | |
|---|------|----|------|------|--|
| Item | | | | | |
| No. | Size | mm | Inch | lbs. | |
| 75701 | T1 | 28 | 1.1 | .01 | |
| 75702 | T2 | 28 | 1.1 | .01 | |
| 75703 | T3 | 28 | 1.1 | .01 | |
| 75704 | T4 | 28 | 1.1 | .01 | |
| 75705 | T5 | 28 | 1.1 | .01 | |
| 75706 | T6 | 28 | 1.1 | .01 | |
| 75707 | T7 | 28 | 1.1 | .01 | |
| 75708 | T8 | 28 | 1.1 | .01 | |
| 75709 | T9 | 28 | 1.1 | .01 | |
| 75710 | T10 | 28 | 1.1 | .01 | |
| 75715 | T15 | 28 | 1.1 | .01 | |
| 75720 | T20 | 28 | 1.1 | .01 | |



| 757 SYS 4 Security TORX® Micro Bits | | | | | |
|---|------|----|------|------|--|
| Item | | | | | |
| No. | Size | mm | Inch | lbs. | |
| 75735 | T10s | 28 | 1.1 | .01 | |
| 75742 | T20s | 28 | 1.1 | .01 | |

10 Bit Pack



| 756 SYSTEM 4 TORX® Micro Bits | | | | | |
|---|------|----|------|------|--|
| Item | | | | | |
| No. | Size | mm | Inch | lbs. | |
| 75660 | T1 | 28 | 1.1 | .06 | |
| 75661 | T2 | 28 | 1.1 | .06 | |
| 75662 | T3 | 28 | 1.1 | .06 | |
| 75663 | T4 | 28 | 1.1 | .06 | |
| 75664 | T5 | 28 | 1.1 | .06 | |
| 75665 | T6 | 28 | 1.1 | .06 | |
| 75666 | T7 | 28 | 1.1 | .06 | |
| 75667 | T8 | 28 | 1.1 | .07 | |
| 75668 | T9 | 28 | 1.1 | .07 | |
| 75669 | T10 | 28 | 1.1 | .07 | |
| 75670 | T15 | 28 | 1.1 | .08 | |
| 75671 | T20 | 28 | 1.1 | .08 | |

10 Bit Pack



| 756 SYS 4 Security TORX® Micro Bits | | | | | |
|---|------|----|------|------|--|
| Item | | | | | |
| No. | Size | mm | Inch | lbs. | |
| 75681 | T10s | 28 | 1.1 | .07 | |
| 75683 | T20s | 28 | 1.1 | .08 | |



| 75988 SYSTEM 4 TORX® Micro Bit Replacement Pack, 10 Pcs. | |
|--|--|
| CVM steel, hardened, on 4 mm hex stock. | |
| Item No. | SYSTEM 4 Micro Bit Set |
| 75988 | TORX® : T1, T2, T3, T4, T5, T6, T7, T8, T9, T10 |
| | lbs. .06 |



| 75093 SYS 4 Slotted, Phillips, TORX® Compact ESD Precision Interchangeable Bit Set, 16 Pcs. | |
|---|--|
| Wiha precision handle, bit extension & 14 interchangeable bits. | |
| Item No. | Combination Bit Set |
| 75093 | Set with ESD Safe Precision Handle |
| | Slotted : 1.5, 2.0, 2.5, 3.0mm |
| | Phillips : 00, 0, 1 |
| lbs. | TORX® : T6, T7, T8, T9, T10, T15, T20 |
| .17 | 100mm Bit Extension |



| 75985 Micro Bit Handle Storage TORX® Bit Set, 7 Pcs. | |
|--|--|
| Wiha precision storage handle & 6 interchangeable bits. | |
| Item No. | Set with Precision Storage Handle |
| 75985 | TORX® : T3, T4, T5, T6, T7, T8 |
| | lbs. .12 |



CushionGrip Stubby Bit Holders



38045 **TORX® SoftFinish® CushionGrip Stubby Bit Holder** with Wiha cushion grip handle and CVM tool steel shaft.
Includes The Following 1/4" Bits:
 lbs. **TORX®**: T8, T10, T15, .20 T20, T25, T30



38047 **Security TORX® SoftFinish® CushionGrip Stubby Bit Holder** with Wiha cushion grip handle and CVM tool steel shaft.
Includes The Following 1/4" Bits: lbs. .20
Security TORX®: T8s, T10s, T15s, T20s, T25s, T30s

For working in confined spaces



28103 **Magnetic 1/4" Bit Holder With Wiha SoftFinish® Stubby Handle** Stainless steel with strong magnet. Wiha-SoftFinish® handle multi-component, cushion grips.

| Item | ○ | — | — | ↔ | — |
|-------|------|----|------|------|------|
| No. | Inch | mm | Inch | lbs. | pkg. |
| 28103 | 1/4" | 57 | 2.2 | .11 | 1 |

Wiha Cushion Grip Pop-Up Bit Holder Set



Bit holder stainless steel, magnetic 75mm Bits
38042 **Security TORX® Pop-Up Bit Screwdriver Set** Wiha Cushion Grip handle, multi-component. Compact storage for 6 bits in the handle. lbs. .44
Includes The Following 75mm 1/4" Bits:
Security TORX®: T10s, T15s, T20s, T25s, T27s, T30s

Wiha Pop-Up Bit Screwdriver Sets



Bit holder stainless steel, magnetic
38044 **TORX® Pop-Up Bit Screwdriver Set** with Wiha Cushion Grip handle, multi-component. Compact storage holds 12 bits.
Set includes the following 1/4" bits:
 lbs. **TORX®**: T5, T6, T7, T8, T9, T10, .42 T15, T20, T25, T27, T30, T40



Bit holder stainless steel, magnetic
38046 **Security TORX® Pop-Up Bit Screwdriver Set** Wiha Cushion Grip handle, multi-component. Compact storage for 12 bits in the handle. lbs. .42
Includes The Following 1/4" Bits:
TORX®: T5, T6
Security TORX®: T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s

Wiha Insert Bit & Socket Set



72590 **11 Piece TORX® Insert Bit Pack & Socket Set** CVM S2 modified tool steel.
 1/4" to 3/8" Drive Socket
1/4" Bits: T10, T15, T20, T25, T27, T30
 5/16" to 3/8" Drive Socket
5/16" Bits: T40, T45, T50

Wiha Insert Bit Blister Pack




72595 **10 Pack TORX® Insert Bit Pack** CVM S2 modified tool steel.
72595 lbs.
TORX®: T7, T8, T9, T10, .16 T15, T20, T25, T27, T30, T40 x 1"

Wiha Insert Bit Selectors




79242 Bit-Selector With **TORX®** Bits
Includes Universal Magnetic 1/4" Bit Holder
& The Following 10 Insert Bits:


| | |
|------|------------------------------------|
| lbs. | TORX® : T5, T6, T7, T8, T9, |
| .32 | T10, T15, T20, T25, T30 |



79245 Bit-Selector With **TORX®** Bits
Includes Auto Lock Magnetic 1/4" Bit Holder
& The Following 10 Insert Bits:


| | |
|------|---------------------------------|
| lbs. | TORX® : T7, T8, T9, T10, |
| .34 | T15, T20, T25, T27, T30, T40 |



79247 Bit-Selector With Security **TORX®** Bits, Includes Magnetic 1/4" Bit Holder
& The Following 10 Bits:  lbs. .32

Security TORX®:


| | |
|------------------------------|--|
| T7s, T8s, T9s, T10s, T15s, | |
| T20s, T25s, T27s, T30s, T40s | |




70190 Bit-Selector With Security **TORX®** Bits, Includes The Following 7 Insert Bits:


Security TORX®:

| | |
|------------------------|------|
| T7s, T8s, T9s, | lbs. |
| T10s, T15s, T20s, T25s | .21 |




71690 Bit-Selector With **TORXPlus®** Bits
Set Includes Magnetic 1/4" Bit Holder
& The Following 10 Bits:

| |
|--|
|  TORXPlus® : IP7, IP8, IP9, |
| lbs. IP10, IP15, IP20, IP25 |
| .31 IP27, IP30, IP40 |



71692 Bit-Selector With **TORXPlus®** Bits
Set Includes Magnetic 1/4" Bit Holder
& The Following 10 Bits:


| |
|---|
|  TORXPlus® : IP3, IP4, |
| lbs. IP5, IP6, IP7, IP8, IP9, |
| .31 IP10, IP15, IP20 |

Wiha Power Bit Belt Packs




74985 Power Bit Belt Pack W/**TORX®** Bits
Includes the following 10 bits:  lbs. .28

TORX®: T6, T7, T8, T9,
T10, T15, T20, T25, T27, T30



74981 Power Bit Belt Pack With **TORX®** Align Bits
Set includes the following 10 bits:

TORX® Align: T6, T7, T8, T9,
T10, T15, T20, T25, T27, T30


 lbs. .28




74987 Power Bit Belt Pack With Security **TORX®** Bits, Includes the following 10 bits:

Security TORX®:


| |
|--|
|  T7s, T8s, T9s, |
| lbs. T10s, T15s, T20s, |
| .29 T25s, T27s, T30s, T40s |



74982 Power Bit Belt Pack W/**TORXPlus®** Bits
Includes The Following 10 Bits:

| |
|--|
|  TORXPlus® : IP6, IP7, |
| lbs. IP8, IP9, IP10, IP15, |
| .28 IP20, IP25, IP27, IP30 |


Wiha XSelector Bit Sets




79445 XSelector Bit Set With **TORX®** Bits
Set Includes Quick Release Holder
& the following 10 bits:

lbs. **TORX®**: T7, T8, T9, T10, T15,
.29 T20, T25, T27, T30, T40

Easy bit access with hinged cover





79447 XSelector Bit Set With Security **TORX®** Bits, Includes Quick Release Holder
& The Following 10 Bits:  lbs. .27

Security TORX®: T7s, T8s,
T9s, T10s, T15s, T20s, T25s,
T27s, T30s, T40s

XSelector Pocket Sized
3 1/8" x 2 1/8" x 1/2"

Wiha Insert PokitPaks



71195 PokitPak - **TORX®** Insert Bits In Molded Case - Includes 6 - 1/4" Insert Bits
& Magnetic Bit Holder  lbs. .16

TORX®:

| |
|-----------------------------|
| T8, T10, T15, T20, T25, T30 |
|-----------------------------|




79283 PokitPak - **TORX®** Align Insert Bits In Molded Case -

| |
|---|
|  Set Includes 6 - 1/4" Insert Bits |
| lbs. TORX® Align: T10, T15, |
| .12 T20, T25, T30, T40 |

Wiha Terminator TORX® Impact Bits - Insert & Power

Up To 30X Performance Over Standard Screwdriver Bits



Dual material impact absorbing torsion zone

Impact rated bits for long life in impact applications

Provide up to 30 times impact performance over standard bits

Standard 1/4" drive - No special adaptor required


Wiha enhanced bi-material torsion zone

Precision machined exact fit tips

Wiha exclusive CVM tool steel

Guaranteed to out perform impact imposters

1/4" Drive Insert & Power Bits



765 TORX® Terminator Impact Bits, 1/4" Insert - 10 Bit Pack

| Item No. | Size | mm | pkg. |
|----------|------|----|------|
| 76510 | T10 | 29 | 10 |
| 76511 | T15 | 29 | 10 |
| 76512 | T20 | 29 | 10 |
| 76513 | T25 | 29 | 10 |
| 76514 | T27 | 29 | 10 |
| 76516 | T30 | 29 | 10 |
| 76517 | T40 | 29 | 10 |



76877 10 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm

76877 Set includes the following bits:

- Torx®: T10, T15, T20 (2), T25 (2), T27, T30 (2), T40



765 TORX® Terminator Impact Bits, 1/4" Power - 10 Bit Pack

| Item No. | Size | mm | pkg. |
|----------|------|----|------|
| 76553 | T10 | 49 | 10 |
| 76554 | T15 | 49 | 10 |
| 76555 | T20 | 49 | 10 |
| 76556 | T25 | 49 | 10 |
| 76557 | T27 | 49 | 10 |
| 76558 | T30 | 49 | 10 |
| 76559 | T40 | 49 | 10 |



768 TORX® Terminator Impact Bits, 1/4" Insert - 2 Bit Pack

| Item No. | Size | mm | pkg. |
|----------|------|----|------|
| 76810 | T10 | 29 | 2 |
| 76811 | T15 | 29 | 2 |
| 76812 | T20 | 29 | 2 |
| 76813 | T25 | 29 | 2 |
| 76814 | T27 | 29 | 2 |
| 76816 | T30 | 29 | 2 |
| 76817 | T40 | 29 | 2 |



76895 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm

76895 Set includes the following bits:

- Torx®: T10, T15, T20, T25, T27, T30, T40
- Includes magnetic bit holder



768 TORX® Terminator Impact Bits, 1/4" Power - 2 Bit Pack

| Item No. | Size | mm | pkg. |
|----------|------|----|------|
| 76853 | T10 | 49 | 2 |
| 76854 | T15 | 49 | 2 |
| 76855 | T20 | 49 | 2 |
| 76856 | T25 | 49 | 2 |
| 76857 | T27 | 49 | 2 |
| 76858 | T30 | 49 | 2 |
| 76859 | T40 | 49 | 2 |



Identification on bits allows quick bit selection



76896 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm

76896 Set includes the following bits:

- Torx®: T10, T15, T20, T25, T27, T30, T40

TORX® 1/4" Insert Bits

TORX® Bits

The ideal multi-purpose bits for all around quality & performance
Made in Germany - Production Quality

Highly resistant to wear & tear for a long tool life



Impact resistant modified CVM, tool steel, hardened

Suitable for all applications for both manual & machine Hardness HRC 59-61



2 bit pack



715 TORX® Insert Bit Packs, 1"

CVM S2 modified tool steel.

| Item No. | Size | mm | lbs. | pkg. |
|----------|------|----|------|------|
| 71548 | T3 | 25 | .03 | 2 |
| 71549 | T4 | 25 | .03 | 2 |
| 71550 | T5 | 25 | .03 | 2 |
| 71551 | T6 | 25 | .03 | 2 |
| 71552 | T7 | 25 | .03 | 2 |
| 71553 | T8 | 25 | .03 | 2 |
| 71554 | T9 | 25 | .03 | 2 |
| 71555 | T10 | 25 | .03 | 2 |
| 71556 | T15 | 25 | .03 | 2 |
| 71557 | T20 | 25 | .03 | 2 |
| 71558 | T25 | 25 | .03 | 2 |
| 71559 | T27 | 25 | .04 | 2 |
| 71560 | T30 | 25 | .04 | 2 |
| 71561 | T40 | 25 | .04 | 2 |



2 bit pack



777 TORX® Double End 1/4" Insert Bit Packs CVM S2 modified tool steel. 2 bit pack

| Item No. | Size | mm | pkg. |
|----------|---------|----|------|
| 77701 | T6+T7 | 30 | 2 |
| 77702 | T8+T9 | 30 | 2 |
| 77703 | T10+T15 | 30 | 2 |
| 77704 | T20+T25 | 30 | 2 |
| 77705 | T27+T30 | 30 | 2 |

Torx® Profiles



10 Piece Contractor Grade Bits



| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 71523 | T3 | 25 | 10 | .12 |
| 71524 | T4 | 25 | 10 | .12 |
| 71505 | T5 | 25 | 10 | .12 |
| 71506 | T6 | 25 | 10 | .12 |
| 71507 | T7 | 25 | 10 | .12 |
| 71508 | T8 | 25 | 10 | .12 |
| 71509 | T9 | 25 | 10 | .12 |
| 71510 | T10 | 25 | 10 | .12 |
| 71515 | T15 | 25 | 10 | .12 |
| 71520 | T20 | 25 | 10 | .12 |
| 71525 | T25 | 25 | 10 | .12 |
| 71527 | T27 | 25 | 10 | .13 |
| 71530 | T30 | 25 | 10 | .14 |
| 71540 | T40 | 25 | 10 | .15 |

100 Piece Contractor Grade Bits



| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 72238 | T15 | 25 | 100 | 1.5 |
| 72239 | T20 | 25 | 100 | 1.5 |
| 72240 | T25 | 25 | 100 | 1.5 |
| 72241 | T27 | 25 | 100 | 1.5 |
| 72142 | T30 | 25 | 100 | 1.5 |

250 Piece Contractor Grade Bits



| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 72338 | T15 | 25 | 250 | 7.5 |
| 72339 | T20 | 25 | 250 | 7.5 |
| 72340 | T25 | 25 | 250 | 7.5 |
| 72341 | T27 | 25 | 250 | 7.5 |
| 72342 | T30 | 25 | 250 | 7.5 |

30 Piece Contractor Grade Bit Boxes



With a purchase of 10 bit boxes

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 72572 | T7 | 25 | 30 | .36 |
| 72573 | T8 | 25 | 30 | .36 |
| 72574 | T9 | 25 | 30 | .36 |
| 72575 | T10 | 25 | 30 | .36 |
| 72576 | T15 | 25 | 30 | .36 |
| 72577 | T20 | 25 | 30 | .36 |
| 72578 | T25 | 25 | 30 | .36 |
| 72579 | T27 | 25 | 30 | .36 |
| 72580 | T30 | 25 | 30 | .36 |
| 72581 | T40 | 25 | 30 | .36 |

Wiha TORX® Bit Packs



71571 TORX® Insert Bit Packs, 1" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71571 Set includes the following bits:

TORX® Sizes:

T15, T20, T25, T27, wt. .08 T30, T40 x 1" (25mm)

71570 TORX® Insert Bit Packs, 1" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc bit pack.

71570 Set includes the following bits:

TORX® Sizes:


T5, T6, T7, T8, T9, wt. .07 T10 x 1" (25mm)

TORX® 1/4" Power Bits



| 745 TORX® Power Bit Packs, 2" | | | | |
|-------------------------------|------|----|------|--|
| Item No. | Size | mm | lbs. | |
| 74525 | T1 | 50 | .05 | |
| 74527 | T2 | 50 | .05 | |
| 74530 | T3 | 50 | .05 | |
| 74540 | T4 | 50 | .05 | |
| 74559 | T5 | 50 | .05 | |
| 74501 | T6 | 50 | .05 | |
| 74502 | T7 | 50 | .05 | |
| 74503 | T8 | 50 | .05 | |
| 74504 | T9 | 50 | .05 | |
| 74506 | T10 | 50 | .05 | |
| 74508 | T15 | 50 | .05 | |
| 74510 | T20 | 50 | .05 | |
| 74514 | T25 | 50 | .06 | |
| 74515 | T27 | 50 | .06 | |
| 74516 | T30 | 50 | .06 | |
| 74518 | T40 | 50 | .06 | |

10 Piece Contractor Grade Bits



| 745 TORX® Power Bits | | | | |
|--|------|----|------|------|
| 1/4" Hex Drive, Length 2.0"/50mm. In clamshell | | | | |
| Item No. | Size | mm | pkg. | lbs. |
| 74511 | T6 | 50 | 10 | .18 |
| 74512 | T7 | 50 | 10 | .18 |
| 74513 | T8 | 50 | 10 | .18 |
| 74517 | T9 | 50 | 10 | .18 |
| 74519 | T10 | 50 | 10 | .18 |
| 74521 | T15 | 50 | 10 | .18 |
| 74523 | T20 | 50 | 10 | .18 |
| 74529 | T25 | 50 | 10 | .18 |
| 74531 | T27 | 50 | 10 | .18 |
| 74533 | T30 | 50 | 10 | .18 |
| 74535 | T40 | 50 | 10 | .18 |


15 Piece Contractor Grade Bit Boxes



With a purchase of 10 Bit boxes


| 745 TORX® Bits, 1/4" Bit Box Packs | | | | |
|------------------------------------|------|----|------|------|
| Item No. | Size | mm | pkg. | lbs. |
| 74592 | T15 | 50 | 15 | .36 |
| 74593 | T20 | 50 | 15 | .36 |
| 74594 | T25 | 50 | 15 | .36 |
| 74596 | T27 | 50 | 15 | .36 |
| 74597 | T30 | 50 | 15 | .36 |

100 Piece Contractor Grade Bits




| 722 TORX® Bits, 1/4" Power Bits | | | | |
|---------------------------------|------|----|------|------|
| Item No. | Size | mm | pkg. | lbs. |
| 72279 | T15 | 50 | 100 | 1.5 |
| 72280 | T20 | 50 | 100 | 1.5 |
| 72281 | T25 | 50 | 100 | 1.5 |
| 72282 | T27 | 50 | 100 | 1.5 |
| 72283 | T30 | 50 | 100 | 1.5 |


250 Piece Contractor Grade Bits




| 723 TORX® Bits, 1/4" Power Bits | | | | |
|---------------------------------|------|----|------|------|
| Item No. | Size | mm | pkg. | lbs. |
| 72379 | T15 | 50 | 250 | 7.5 |
| 72381 | T20 | 50 | 250 | 7.5 |
| 72382 | T25 | 50 | 250 | 7.5 |
| 72383 | T27 | 50 | 250 | 7.5 |
| 72384 | T30 | 50 | 250 | 7.5 |



| 745 TORX® Power Bits | | | | |
|-----------------------------------|------|----|------|------|
| 1/4" Hex Drive, Length 2.75"/70mm | | | | |
| Item No. | Size | mm | pkg. | lbs. |
| 74536 | T6 | 70 | 1 | .02 |
| 74538 | T7 | 70 | 1 | .02 |
| 74542 | T8 | 70 | 1 | .02 |
| 74544 | T9 | 70 | 1 | .02 |
| 74546 | T10 | 70 | 1 | .02 |
| 74548 | T15 | 70 | 1 | .02 |
| 74551 | T20 | 70 | 1 | .03 |
| 74553 | T25 | 70 | 1 | .03 |
| 74556 | T27 | 70 | 1 | .04 |
| 74558 | T30 | 70 | 1 | .04 |
| 74561 | T40 | 70 | 1 | .04 |




| 745 TORX® Power Bits | | | | |
|----------------------------------|------|----|------|------|
| 1/4" Hex Drive, Length 3.5"/90mm | | | | |
| Item No. | Size | mm | pkg. | lbs. |
| 74563 | T6 | 90 | 1 | .03 |
| 74565 | T7 | 90 | 1 | .03 |
| 74567 | T8 | 90 | 1 | .03 |
| 74569 | T9 | 90 | 1 | .03 |
| 74571 | T10 | 90 | 1 | .03 |
| 74573 | T15 | 90 | 1 | .03 |
| 74575 | T20 | 90 | 1 | .04 |
| 74577 | T25 | 90 | 1 | .04 |
| 74579 | T27 | 90 | 1 | .04 |
| 74581 | T30 | 90 | 1 | .04 |
| 74583 | T40 | 90 | 1 | .04 |




| 745 TORX® Power Bits | | | | |
|-----------------------------------|------|-----|------|------|
| 1/4" Hex Drive, Length 6.0"/150mm | | | | |
| Item No. | Size | mm | pkg. | lbs. |
| 74580 | T6 | 150 | 10 | .04 |
| 74582 | T7 | 150 | 10 | .04 |
| 74584 | T8 | 150 | 10 | .04 |
| 74585 | T9 | 150 | 10 | .04 |
| 74586 | T10 | 150 | 10 | .04 |
| 74587 | T15 | 150 | 10 | .04 |
| 74588 | T20 | 150 | 10 | .04 |
| 74589 | T25 | 150 | 10 | .04 |
| 74590 | T27 | 150 | 10 | .04 |
| 74591 | T30 | 150 | 10 | .04 |

Wiha Double End TORX® Bits



| 744 TORX® Double End Bits | | | | | |
|-----------------------------------|------|------|----|------|------|
| 1/4" Hex Drive, Length 2.56"/65mm | | | | | |
| Item No. | Size | Size | mm | pkg. | lbs. |
| 74413 | T7 | T7 | 65 | 10 | .32 |
| 74415 | T8 | T8 | 65 | 10 | .32 |
| 74417 | T9 | T9 | 65 | 10 | .32 |
| 74419 | T10 | T10 | 65 | 10 | .32 |
| 74431 | T27 | T27 | 65 | 10 | .34 |
| 74433 | T30 | T30 | 65 | 10 | .35 |
| 74435 | T40 | T40 | 65 | 10 | .38 |







| 744 TORX® Double End Bits | | | | | |
|-----------------------------------|------|------|----|------|--|
| 1/4" Hex Drive, Length 2.56"/65mm | | | | | |
| Item No. | Size | Size | mm | lbs. | |
| 74461 | T7 | T7 | 65 | .05 | |
| 74462 | T8 | T8 | 65 | .05 | |
| 74463 | T9 | T9 | 65 | .05 | |
| 74464 | T10 | T10 | 65 | .05 | |
| 74465 | T15 | T15 | 65 | .05 | |
| 74468 | T27 | T27 | 65 | .05 | |
| 74469 | T30 | T30 | 65 | .05 | |
| 74470 | T40 | T40 | 65 | .05 | |

Wiha TORX® 5/16" Insert Bits





10 bit pack



| 725 TORX® Bits, 5/16" | | | | |
|-----------------------|---|---|---|---|
| Item |  |  |  |  |
| No. | Size | mm | pkg. | lbs. |
| 72525 | T25 | 35 | 10 | .27 |
| 72527 | T27 | 35 | 10 | .27 |
| 72530 | T30 | 35 | 10 | .27 |
| 72540 | T40 | 35 | 10 | .28 |
| 72545 | T45 | 35 | 10 | .31 |
| 72550 | T50 | 35 | 10 | .32 |
| 72555 | T55 | 35 | 10 | .52 |
| 72570 | T60 | 35 | 10 | .52 |



2 bit pack





| 725 TORX® Insert Bit Packs, 5/16" | | | | |
|-----------------------------------|---|---|---|---|
| Item |  |  |  |  |
| No. | Size | mm | lbs. | |
| 72528 | T25 | 35 | .28 | |
| 72529 | T27 | 35 | .28 | |
| 72531 | T30 | 35 | .28 | |
| 72541 | T40 | 35 | .28 | |
| 72546 | T45 | 35 | .31 | |
| 72551 | T50 | 35 | .32 | |
| 72556 | T55 | 35 | .52 | |
| 72569 | T60 | 35 | .52 | |

Stainless Steel TORX® Bits





Stainless Steel

High-quality, non-rusting stainless steel, completely vacuum-hardened.



| 715 Stainless Steel TORX® Bits, 1/4" | | | | |
|--------------------------------------|---|---|---|---|
| Item |  |  |  |  |
| No. | Size | mm | pkg. | |
| 71500 | T8 | 25 | 10 | |
| 71502 | T10 | 25 | 10 | |
| 71513 | T40 | 25 | 10 | |



| 704 Stainless Steel TORX® Power Bits 1/4" Hex Drive, Length 2.0"/50mm | | | | |
|---|---|---|---|---|
| Item |  |  |  |  |
| No. | Size | mm | pkg. | |
| 70411 | T15 | 50 | 10 | |
| 70414 | T25 | 50 | 10 | |
| 70416 | T30 | 50 | 10 | |
| 70417 | T40 | 50 | 10 | |

Wiha TORX® Align Insert Bits and Power Bits

Torx® Align Tapered For Snug Fit In Screw





Highly resistant to wear and tear for a long tool life

Impact resistant modified chrome-vanadium-molybdenum, tool steel, hardened

Made in Germany - Production Quality





Suitable for all applications for both manual and machine Hardness HRC 59-61



| 715 TORX® Align Bits, 1/4" | | | | |
|----------------------------|---|---|---|---|
| Item |  |  |  |  |
| No. | Size | mm | pkg. | lbs. |
| 71536 | T6 | 25 | 10 | .12 |
| 71537 | T7 | 25 | 10 | .12 |
| 71538 | T8 | 25 | 10 | .12 |
| 71541 | T10 | 25 | 10 | .12 |
| 71542 | T15 | 25 | 10 | .12 |
| 71543 | T20 | 25 | 10 | .12 |
| 71544 | T25 | 25 | 10 | .13 |
| 71545 | T27 | 25 | 10 | .13 |
| 71546 | T30 | 25 | 10 | .14 |
| 71547 | T40 | 25 | 10 | .15 |

*Also Known As Torx Wedge Fit







| 747 TORX® Align Bits, 1/4" Hex Drive, Length 2.0"/50mm | | | | |
|--|---|---|---|---|
| Item |  |  |  |  |
| No. | Size | mm | pkg. | lbs. |
| 74711 | T6 | 50 | 10 | .18 |
| 74714 | T7 | 50 | 10 | .18 |
| 74717 | T8 | 50 | 10 | .18 |
| 74721 | T9 | 50 | 10 | .18 |
| 74724 | T10 | 50 | 10 | .18 |
| 74728 | T15 | 50 | 10 | .20 |
| 74732 | T20 | 50 | 10 | .22 |
| 74736 | T25 | 50 | 10 | .22 |
| 74739 | T27 | 50 | 10 | .22 |
| 74742 | T30 | 50 | 10 | .22 |

*Also Known As Torx Wedge Fit







2 bit pack

| 733 TORX® Align Insert Bit Packs, 1" | | | | |
|--------------------------------------|---|---|---|---|
| CVM S2 modified tool steel | | | | |
| Item |  |  |  |  |
| No. | Size | mm | lbs. | |
| 73310 | T6 | 25 | .03 | |
| 73311 | T7 | 25 | .03 | |
| 73312 | T8 | 25 | .03 | |
| 73313 | T9 | 25 | .03 | |
| 73314 | T10 | 25 | .03 | |
| 73315 | T15 | 25 | .03 | |
| 73316 | T20 | 25 | .03 | |
| 73317 | T25 | 25 | .03 | |
| 73318 | T27 | 25 | .03 | |
| 73319 | T30 | 25 | .03 | |
| 73320 | T40 | 25 | .04 | |



2 bit pack

| 747 TORX® Align Power Bit Packs, 2" | | | | |
|-------------------------------------|---|---|---|---|
| Item |  |  |  |  |
| No. | Size | mm | lbs. | |
| 74760 | T6 | 50 | .05 | |
| 74761 | T7 | 50 | .05 | |
| 74762 | T8 | 50 | .05 | |
| 74763 | T9 | 50 | .05 | |
| 74764 | T10 | 50 | .05 | |
| 74765 | T15 | 50 | .05 | |
| 74766 | T20 | 50 | .06 | |
| 74767 | T25 | 50 | .06 | |
| 74768 | T27 | 50 | .06 | |
| 74769 | T30 | 50 | .06 | |

Wiha Security TORX® Insert Bits and Power Bits

Security Torx®

Made in Germany - Production Quality

Impact resistant modified CVM tool steel, hardened

Highly resistant to wear and tear for a long tool life

Suitable for all applications for both manual & machine Hardness HRC 59-61



701 Security TORX® Bits, 1/4"

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 70127 | T7s | 25 | 10 | .12 |
| 70128 | T8s | 25 | 10 | .12 |
| 70129 | T9s | 25 | 10 | .12 |
| 70135 | T10s | 25 | 10 | .12 |
| 70139 | T15s | 25 | 10 | .12 |
| 70142 | T20s | 25 | 10 | .12 |
| 70148 | T25s | 25 | 10 | .12 |
| 70160 | T27s | 25 | 10 | .13 |
| 70163 | T30s | 25 | 10 | .13 |
| 70168 | T40s | 25 | 10 | .14 |



2 bit pack

701 Security TORX® Insert Bit Packs, 1" CVM S2 modified tool steel.

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 70150 | T7s | 25 | .03 |
| 70151 | T8s | 25 | .03 |
| 70152 | T9s | 25 | .03 |
| 70153 | T10s | 25 | .03 |
| 70154 | T15s | 25 | .03 |
| 70155 | T20s | 25 | .03 |
| 70156 | T25s | 25 | .03 |
| 70157 | T27s | 25 | .03 |
| 70158 | T30s | 25 | .03 |
| 70159 | T40s | 25 | .03 |



705 Security TORX® Power Bits, 1/4" Hex Drive, Length 2.0"/50mm

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 70507 | T7s | 50 | 10 | .18 |
| 70508 | T8s | 50 | 10 | .18 |
| 70509 | T9s | 50 | 10 | .18 |
| 70510 | T10s | 50 | 10 | .19 |
| 70515 | T15s | 50 | 10 | .19 |
| 70520 | T20s | 50 | 10 | .21 |
| 70525 | T25s | 50 | 10 | .23 |
| 70527 | T27s | 50 | 10 | .23 |
| 70530 | T30s | 50 | 10 | .23 |
| 70540 | T40s | 50 | 10 | .23 |
| 70545 | T45s | 50 | 10 | .33 |
| 70550 | T50s | 50 | 10 | .37 |



Made in Taiwan

745 Protturn Security TORX® Power Bits 1/4" Hex Drive, Length 3.0"/75mm

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 74566 | T10s | 75 | 5 | .01 |
| 74568 | T15s | 75 | 5 | .01 |
| 74570 | T20s | 75 | 5 | .01 |
| 74572 | T25s | 75 | 5 | .02 |
| 74574 | T27s | 75 | 5 | .02 |
| 74576 | T30s | 75 | 5 | .03 |



705 Security TORX® Power Bits, 1/4" Hex Drive, Length 3.5"/90mm

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 70533 | T10s | 90 | 5 | .20 |
| 70534 | T15s | 90 | 5 | .20 |
| 70535 | T20s | 90 | 5 | .20 |
| 70536 | T25s | 90 | 5 | .21 |
| 70537 | T27s | 90 | 5 | .21 |
| 70538 | T30s | 90 | 5 | .23 |
| 70539 | T40s | 90 | 5 | .25 |



2 bit pack



705 Security TORX® Power Bit Packs, 2"

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 70556 | T7s | 50 | .07 |
| 70557 | T8s | 50 | .07 |
| 70558 | T9s | 50 | .07 |
| 70559 | T10s | 50 | .07 |
| 70560 | T15s | 50 | .07 |
| 70561 | T20s | 50 | .07 |
| 70562 | T25s | 50 | .07 |
| 70563 | T27s | 50 | .07 |
| 70564 | T30s | 50 | .07 |
| 70565 | T40s | 50 | .07 |
| 70566 | T45s | 50 | .07 |
| 70567 | T50s | 50 | .07 |
| 70568 | T55s | 50 | .07 |



5/16"

725 Security TORX® Bits, 5/16"

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 72514 | T25s | 35 | 10 | .26 |
| 72515 | T27s | 35 | 10 | .27 |
| 72516 | T30s | 35 | 10 | .28 |
| 72542 | T40s | 35 | 10 | .28 |
| 72547 | T45s | 35 | 10 | .32 |
| 72552 | T50s | 35 | 10 | .34 |
| 72557 | T55s | 35 | 10 | .52 |
| 72558 | T60s | 35 | 10 | .65 |



2 bit pack



725 Security TORX® Bits, 5/16" 2 Bit Pack

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 72559 | T25s | 35 | .26 |
| 72560 | T27s | 35 | .27 |
| 72561 | T30s | 35 | .28 |
| 72562 | T40s | 35 | .28 |
| 72563 | T45s | 35 | .29 |
| 72564 | T50s | 35 | .30 |
| 72567 | T55s | 35 | .32 |
| 72568 | T60s | 35 | .35 |

Wiha TORXPlus® Insert Bits and Power Bits

TORXPlus®

Made in Germany -
Production Quality

Highly resistant to wear and tear for a long tool life

Impact resistant modified CVM, tool steel, hardened

Suitable for all applications for both manual & machine Hardness HRC 59-61



716 TORXPlus® Insert Bit Packs, 1"

CVM S2 modified tool steel

| Item | Icon | Icon | Icon | Icon |
|-------|------|------|------|------|
| No. | Size | mm | lbs. | |
| 71631 | IP3 | 25 | .03 | |
| 71632 | IP4 | 25 | .03 | |
| 71633 | IP5 | 25 | .03 | |
| 71634 | IP6 | 25 | .03 | |
| 71635 | IP7 | 25 | .03 | |
| 71636 | IP8 | 25 | .03 | |
| 71637 | IP9 | 25 | .03 | |
| 71638 | IP10 | 25 | .03 | |
| 71639 | IP15 | 25 | .03 | |
| 71641 | IP20 | 25 | .03 | |
| 71642 | IP25 | 25 | .03 | |
| 71643 | IP27 | 25 | .03 | |
| 71644 | IP30 | 25 | .03 | |
| 71645 | IP40 | 25 | .04 | |



716 TORXPlus® Insert Bits, 1/4" Hex, 1"

| Item | Icon | Icon | Icon | Icon |
|-------|------|------|------|------|
| No. | Size | mm | pkg. | lbs. |
| 71603 | IP3 | 25 | 10 | .12 |
| 71604 | IP4 | 25 | 10 | .12 |
| 71605 | IP5 | 25 | 10 | .12 |
| 71606 | IP6 | 25 | 10 | .12 |
| 71607 | IP7 | 25 | 10 | .12 |
| 71608 | IP8 | 25 | 10 | .12 |
| 71609 | IP9 | 25 | 10 | .12 |
| 71610 | IP10 | 25 | 10 | .12 |
| 71615 | IP15 | 25 | 10 | .12 |
| 71620 | IP20 | 25 | 10 | .12 |
| 71625 | IP25 | 25 | 10 | .12 |
| 71627 | IP27 | 25 | 10 | .13 |
| 71630 | IP30 | 25 | 10 | .13 |
| 71640 | IP40 | 25 | 10 | .15 |



746 TORXPlus® Power Bits, 1/4" Hex, 2"

| Item | Icon | Icon | Icon | Icon |
|-------|------|------|------|------|
| No. | Size | mm | pkg. | lbs. |
| 74601 | IP5 | 50 | 10 | .18 |
| 74602 | IP6 | 50 | 10 | .18 |
| 74603 | IP7 | 50 | 10 | .18 |
| 74604 | IP8 | 50 | 10 | .18 |
| 74608 | IP9 | 50 | 10 | .18 |
| 74612 | IP10 | 50 | 10 | .20 |
| 74616 | IP15 | 50 | 10 | .20 |
| 74620 | IP20 | 50 | 10 | .20 |
| 74624 | IP25 | 50 | 10 | .20 |
| 74628 | IP27 | 50 | 10 | .25 |
| 74632 | IP30 | 50 | 10 | .25 |
| 74636 | IP40 | 50 | 10 | .25 |



746 TORXPlus® Power Bit Packs, 2"

| Item | Icon | Icon | Icon | Icon |
|-------|------|------|------|------|
| No. | Size | mm | lbs. | |
| 74611 | IP1 | 50 | .05 | |
| 74613 | IP2 | 50 | .05 | |
| 74614 | IP3 | 50 | .05 | |
| 74617 | IP4 | 50 | .05 | |
| 74659 | IP5 | 50 | .05 | |
| 74660 | IP6 | 50 | .05 | |
| 74661 | IP7 | 50 | .05 | |
| 74662 | IP8 | 50 | .05 | |
| 74663 | IP9 | 50 | .05 | |
| 74664 | IP10 | 50 | .05 | |
| 74665 | IP15 | 50 | .05 | |
| 74666 | IP20 | 50 | .05 | |
| 74667 | IP25 | 50 | .05 | |
| 74668 | IP27 | 50 | .05 | |
| 74669 | IP30 | 50 | .05 | |
| 74670 | IP40 | 50 | .05 | |

Wiha Ball End TORX® Bits



See additional Ball End TORX Tools on Page 15

Wiha Security Pentalobe 5 Point Insert Bit



716 Security Pentalobe 5 Point Insert Bits, 1/4" Hex, 1" OAL

| Item | Icon | Icon | Icon | Icon |
|-------|-------|------|------|------|
| No. | Size | mm | pkg. | lbs. |
| 71648 | PLS8 | 25 | 1 | .11 |
| 71650 | PLS10 | 25 | 1 | .11 |
| 71652 | PLS15 | 25 | 1 | .11 |
| 71654 | PLS20 | 25 | 1 | .12 |
| 71656 | PLS25 | 25 | 1 | .13 |
| 71657 | PLS27 | 25 | 1 | .13 |
| 71658 | PLS30 | 25 | 1 | .14 |
| 71660 | PLS40 | 35 | 1 | .14 |



XSelector
Pocket Sized
3 1/8" x 2 1/8" x 1/2"

79450 XSelector Bit Set With Security Pentalobe 5 Point Bits

Set Includes Quick Release Holder

lbs. and the following 7 bits:

.18 Security Pentalobe 5 Point Sizes:
PLS8, PLS10, PLS15, PLS20,
PLS25, PLS27, PLS30

Wiha TORX® MagicSpring Screw Holding Power Bits

Screw Holding TORX Bits



Stainless rotary spring

745 TORX® MagicSpring Screw Holding Power Bits, 1/4" Hex Drive, 2.0"/50mm OAL

| Item | Icon | Icon | Icon | Icon |
|-------|------|------|------|------|
| No. | Size | mm | pkg. | lbs. |
| 74552 | T10 | 50 | 2 | .05 |
| 74554 | T15 | 50 | 2 | .05 |
| 74555 | T20 | 50 | 2 | .05 |
| 74557 | T25 | 50 | 2 | .05 |
| 74562 | T30 | 50 | 2 | .05 |
| 74564 | T40 | 50 | 2 | .05 |

Wiha Sockets



Set Screw Replaceable Bit

761 TORX® Sockets 1/4" Square Drive

| Item | | | |
|-------|------|----|------|
| No. | Size | mm | lbs. |
| 76106 | T6 | 38 | .04 |
| 76107 | T7 | 38 | .04 |
| 76109 | T8 | 38 | .04 |
| 76111 | T9 | 38 | .04 |
| 76113 | T10 | 38 | .04 |
| 76117 | T15 | 38 | .04 |
| 76119 | T20 | 38 | .04 |
| 76121 | T25 | 38 | .04 |
| 76123 | T27 | 38 | .04 |
| 76129 | T30 | 38 | .05 |
| 76131 | T40 | 38 | .05 |



763 TORX® Sockets 3/8" Square Drive, Set Screw Replaceable Bit. 1/4" bits

| Item | | | |
|-------|------|----|------|
| No. | Size | mm | lbs. |
| 76312 | T9 | 42 | .09 |
| 76314 | T10 | 42 | .09 |
| 76316 | T15 | 42 | .09 |
| 76318 | T20 | 42 | .09 |
| 76322 | T25 | 42 | .09 |
| 76324 | T27 | 42 | .09 |
| 76326 | T30 | 42 | .09 |
| 76328 | T40 | 42 | .09 |



763 TORX® Sockets 3/8" Square Drive, Set Screw Replaceable Bit. 5/16" Bit. 2" OAL

| Item | | | |
|-------|------|----|------|
| No. | Size | mm | lbs. |
| 76346 | T40 | 51 | .11 |
| 76348 | T45 | 51 | .11 |
| 76352 | T50 | 51 | .11 |
| 76354 | T55 | 51 | .13 |



716 TORXPlus® Sockets 1/4" Square Drive, Set Screw Replaceable Bit. 1/4" bits

| Item | | | |
|-------|------|----|------|
| No. | Size | mm | lbs. |
| 71661 | IP6 | 38 | .04 |
| 71662 | IP7 | 38 | .04 |
| 71663 | IP8 | 38 | .04 |
| 71664 | IP9 | 38 | .04 |
| 71665 | IP10 | 38 | .04 |
| 71666 | IP15 | 38 | .04 |
| 71667 | IP20 | 38 | .04 |
| 71668 | IP25 | 38 | .04 |
| 71669 | IP27 | 38 | .04 |
| 71670 | IP30 | 38 | .04 |
| 71671 | IP40 | 38 | .04 |



716 TORXPlus® Sockets 3/8" Square Drive, Set Screw Replaceable Bit. 1/4" bits

| Item | | | |
|-------|------|----|------|
| No. | Size | mm | lbs. |
| 71673 | IP9 | 42 | .09 |
| 71674 | IP10 | 42 | .09 |
| 71675 | IP15 | 42 | .09 |
| 71676 | IP20 | 42 | .09 |
| 71677 | IP25 | 42 | .09 |
| 71678 | IP27 | 42 | .09 |
| 71680 | IP30 | 42 | .09 |
| 71681 | IP40 | 42 | .09 |



Set Screw Replaceable Bit

763 Security TORX® Sockets 1/4" Square drive, 1/4" bits

| Item | | | |
|-------|------|----|--|
| No. | Size | mm | |
| 76329 | T7s | 38 | |
| 76330 | T8s | 38 | |
| 76331 | T9s | 38 | |
| 76332 | T10s | 38 | |
| 76333 | T15s | 38 | |
| 76334 | T20s | 38 | |
| 76335 | T25s | 38 | |
| 76335 | T27s | 38 | |
| 76337 | T30s | 38 | |
| 76338 | T40s | 38 | |



Set Screw Replaceable Bit

701 Security TORX® Sockets 3/8" Square drive, 1/4" bits. 2" OAL

| Item | | | |
|-------|------|----|------|
| No. | Size | mm | lbs. |
| 70107 | T7s | 42 | .09 |
| 70108 | T8s | 42 | .09 |
| 70109 | T9s | 42 | .09 |
| 70110 | T10s | 42 | .09 |
| 70113 | T15s | 42 | .09 |
| 70115 | T20s | 42 | .09 |
| 70117 | T25s | 42 | .09 |
| 70119 | T27s | 42 | .09 |
| 70121 | T30s | 42 | .09 |
| 70123 | T40s | 42 | .09 |



Set Screw Replaceable Bit

763 Security TORX® Sockets 3/8" Square drive, 5/16" bits

| Item | | | |
|-------|------|----|--|
| No. | Size | mm | |
| 76339 | T40s | 51 | |
| 76340 | T45s | 51 | |
| 76341 | T50s | 51 | |
| 76342 | T55s | 51 | |

1/2" Square Drive Sockets



Set Screw Replaceable Bit

764 TORX® Sockets 1/2" Square Drive

| Item | | | |
|-------|------|----|-----------|
| No. | Size | mm | lbs. pkg. |
| 76403 | T30 | 59 | .10 1 |
| 76404 | T40 | 59 | .10 1 |
| 76405 | T45 | 59 | .10 1 |
| 76406 | T50 | 59 | .10 1 |
| 76407 | T55 | 59 | .11 1 |
| 76408 | T60 | 59 | .18 1 |



Set Screw Replaceable Bit

764 Security TORX® Sockets 1/2" Square Drive

| Item | | | |
|-------|------|----|-----------|
| No. | Size | mm | lbs. pkg. |
| 76411 | T40s | 59 | .11 1 |
| 76412 | T45s | 59 | .11 1 |
| 76413 | T50s | 59 | .11 1 |
| 76414 | T55s | 59 | .12 1 |

Wiha Long Blade Sockets



| 771 TORX® Sockets | | | | |
|-------------------------------|------|------|------|--|
| 1/4" Drive 6" Long Bit Socket | | | | |
| Item No. | Size | Inch | lbs. | |
| 77151 | T8 | 6 | .12 | |
| 77153 | T9 | 6 | .12 | |
| 77152 | T10 | 6 | .12 | |
| 77154 | T15 | 6 | .12 | |
| 77156 | T20 | 6 | .12 | |
| 77158 | T25 | 6 | .12 | |
| 77160 | T27 | 6 | .12 | |
| 77162 | T30 | 6 | .12 | |
| 77164 | T40 | 6 | .12 | |

| 77193 7 Pc. TORX® Socket Blade Set | | | | |
|--|--|--|--|--|
| TORX®: T10, T15, T20, T25, T27, T30, T40 | | | | |
| wt. .69 | | | | |



| 771 TORX® Sockets | | | | |
|-------------------------------|------|------|------|--|
| 3/8" Drive 6" Long Bit Socket | | | | |
| Item No. | Size | Inch | lbs. | |
| 77101 | T8 | 6 | .12 | |
| 77103 | T9 | 6 | .12 | |
| 77105 | T10 | 6 | .12 | |
| 77107 | T15 | 6 | .12 | |
| 77109 | T20 | 6 | .12 | |
| 77111 | T25 | 6 | .12 | |
| 77113 | T27 | 6 | .12 | |
| 77115 | T30 | 6 | .12 | |
| 77117 | T40 | 6 | .12 | |

| 77195 9 Pc. TORX® Socket Blade Set | | | | |
|--|--|--|--|--|
| TORX®: T8, T9, T10, T15, T20, T25, T27, T30, T40 | | | | |
| wt. 1.08 | | | | |

Wiha External Sockets



| 773 TORX® External Sockets | | | | |
|----------------------------|------|----|------|--|
| 1/4" Square drive socket. | | | | |
| Item No. | Size | mm | lbs. | |
| 77304 | E4 | 25 | .03 | |
| 77305 | E5 | 25 | .03 | |
| 77306 | E6 | 25 | .03 | |
| 77308 | E8 | 25 | .04 | |

| 773 TORX® External Sockets | | | | |
|----------------------------|------|----|------|--|
| 3/8" Square drive socket. | | | | |
| Item No. | Size | mm | lbs. | |
| 77331 | E8 | 28 | .07 | |
| 77333 | E10 | 28 | .07 | |
| 77335 | E12 | 28 | .07 | |
| 77337 | E14 | 28 | .08 | |



| 773 TORX® External Sockets | | | | |
|----------------------------|------|----|------|--|
| 1/2" Square drive socket. | | | | |
| Item No. | Size | mm | lbs. | |
| 77341 | E12 | 37 | .12 | |
| 77343 | E14 | 37 | .12 | |
| 77345 | E16 | 37 | .14 | |
| 77347 | E18 | 37 | .14 | |
| 77349 | E20 | 37 | .15 | |
| 77353 | E24 | 40 | .24 | |



| 77390 22 pc. TORX® Set 1/4" Drive Socket | | | | |
|--|------|--|--|--|
| Ratchet 5.5", extension 2" & 4", swivel & hand driver in steel box. Hard chromed and polished. | | | | |
| Item No. | lbs. | Set includes the following: | | |
| 77390 | 2.14 | E4, E5, E6, E7, E8, E10, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 | | |

Wiha Socket Sets On Molded Rails



| 76191 10 pc. TORX® Socket Set | | | | |
|--|------|---|--|--|
| 1/4" Square Drive Replaceable Bit Sockets. Bits CVM tool steel. OAL 1.5" | | | | |
| Item No. | lbs. | Set Includes: | | |
| 76191 | .49 | T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 | | |



| 76194 6 pc. TORX® Socket Set | | | | |
|---|------|------------------------------|--|--|
| 1/4" Square Drive Replaceable Bit Sockets. Bits CVM tool steel. | | | | |
| Item No. | lbs. | Set Includes: | | |
| 76194 | .20 | T10, T15, T20, T25, T27, T30 | | |



| 76395 8 pc. TORX® Socket Set | | | | |
|--|------|---------------------------------------|--|--|
| 3/8" Square Drive Replaceable Bit Sockets. Bits CVM tool steel. OAL 1.5" | | | | |
| Item No. | lbs. | Set Includes: | | |
| 76395 | .75 | T9, T10, T15, T20, T25, T27, T30, T40 | | |



| 76396 8 pc. TORX® Socket Set | | | | |
|--|------|---|--|--|
| 3/8" Square Drive Replaceable Bit Sockets. 1/4" & 5/16" Bits CVM tool steel. OAL 1.65" | | | | |
| Item No. | lbs. | Set Includes: | | |
| 76396 | .87 | 1/4": T20, T25, T27, T30, T40 5/16": T45, T50, T55 | | |



| 76490 6 pc. TORX® Socket Set | | | | |
|---|------|------------------------------|--|--|
| 1/2" Square Drive Replaceable Bit Sockets. Bits CVM tool steel. | | | | |
| Item No. | lbs. | Set Includes: | | |
| 76490 | 1.06 | T30, T40, T45, T50, T55, T60 | | |

**Wiha Socket Sets
On Molded Rails**

Security Torx®



70195 10 pc. Security TORX® Socket Set

1/4" Square drive replaceable bit sockets.
1/4" Bits CVM tool steel.

| Item No. | Weight | Set Includes: |
|----------|----------|---|
| 70195 | lbs. .48 | T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s |



76397 9 pc. Security TORX® Socket Set

1/4" & 3/8" Square Drive Replaceable Bit
Sockets. 1/4" & 5/16" Bits CVM tool steel.

| Item No. | Weight | Set Includes: |
|----------|----------|--|
| 76397 | lbs. .85 | 1/4": T10s, T15s, T20s, T25s, T27s, T30s 3/8": T40s (1/4" bit) 3/8": T45s, T50s (5/16" bit) |



76399 12 pc. Security TORX® Socket Set

Set 1/4" & 3/8" Square Drive Replaceable Bit
Sockets. 1/4" & 5/16" Bits CVM tool steel.

| Item No. | Weight | Set Includes: |
|----------|----------|--|
| 76399 | lbs. .80 | 1/4": T7s, T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s 5/16": T45s, T50s, T55s |



71698 8 pc. TORXPlus® Socket Set On Rail, In Vinyl Pouch

1/4" & 3/8" Square Drive
Replaceable Bit Sockets. Bits CVM tool steel.

| Item No. | Weight | Set Includes: |
|----------|----------|---|
| 71698 | lbs. .60 | 1/4": IP9, IP10, IP15, IP20 3/8": IP25, IP27, IP30, IP40 |

Item No. Page

| | |
|-------|----|
| 10810 | 10 |
| 10893 | 6 |
| 20756 | 11 |
| 20757 | 11 |
| 20758 | 11 |
| 20759 | 11 |
| 20760 | 11 |
| 20799 | 11 |
| 26701 | 23 |
| 26702 | 23 |
| 26703 | 23 |
| 26704 | 23 |
| 26705 | 23 |
| 26706 | 23 |
| 26707 | 23 |
| 26708 | 23 |
| 26709 | 23 |
| 26710 | 23 |
| 26715 | 23 |
| 26720 | 23 |
| 26721 | 19 |
| 26723 | 19 |
| 26725 | 19 |
| 26727 | 19 |
| 26729 | 19 |
| 26731 | 19 |
| 26732 | 23 |
| 26733 | 23 |
| 26735 | 23 |
| 26736 | 23 |
| 26737 | 23 |
| 26739 | 23 |
| 26741 | 23 |
| 26743 | 23 |
| 26745 | 23 |
| 26747 | 23 |
| 26749 | 23 |
| 26751 | 23 |
| 26790 | 23 |
| 26791 | 23 |
| 26792 | 23 |
| 26793 | 23 |
| 26796 | 23 |
| 26798 | 19 |
| 26799 | 23 |
| 26951 | 24 |
| 26952 | 24 |
| 26953 | 24 |
| 26954 | 24 |
| 26955 | 24 |
| 26956 | 24 |
| 26957 | 24 |
| 26961 | 24 |
| 26977 | 24 |
| 26978 | 24 |
| 26979 | 24 |
| 26980 | 24 |
| 26981 | 24 |
| 26982 | 24 |
| 26983 | 24 |
| 27801 | 24 |
| 27802 | 24 |
| 27803 | 24 |
| 27804 | 24 |
| 27805 | 24 |
| 27811 | 24 |
| 27817 | 24 |
| 27823 | 24 |
| 27829 | 24 |
| 27835 | 24 |
| 27841 | 24 |
| 27847 | 24 |
| 27850 | 24 |
| 27851 | 24 |
| 27852 | 24 |
| 27853 | 24 |
| 27854 | 24 |
| 27855 | 24 |

Item No. Page

| | |
|-------|-------|
| 27856 | 24 |
| 27857 | 24 |
| 27890 | 24 |
| 27894 | 24 |
| 27899 | 24 |
| 28000 | 24 |
| 28001 | 24 |
| 28103 | 26 |
| 28126 | 10 |
| 28127 | 10 |
| 28128 | 10 |
| 28129 | 10 |
| 28130 | 10 |
| 28132 | 10 |
| 28133 | 10 |
| 28134 | 10 |
| 28135 | 10 |
| 28136 | 10 |
| 28189 | 10 |
| 28197 | 10 |
| 28301 | 11 |
| 28339 | 11,21 |
| 28340 | 11,21 |
| 28341 | 11,21 |
| 28342 | 11,21 |
| 28343 | 11,21 |
| 28344 | 11,21 |
| 28349 | 21 |
| 28351 | 21 |
| 28352 | 21 |
| 28353 | 21 |
| 28354 | 21 |
| 28355 | 21 |
| 28356 | 21 |
| 28357 | 21 |
| 28358 | 21 |
| 28359 | 21 |
| 28360 | 21 |
| 28374 | 21 |
| 28375 | 21 |
| 28376 | 21 |
| 28377 | 21 |
| 28378 | 21 |
| 28379 | 21 |
| 28380 | 21 |
| 28381 | 21 |
| 28382 | 21 |
| 28383 | 21 |
| 28384 | 21 |
| 28385 | 21 |
| 28386 | 21 |
| 28387 | 21 |
| 28388 | 21 |
| 28389 | 21 |
| 28404 | 20 |
| 28408 | 20 |
| 28477 | 10 |
| 28485 | 10 |
| 28486 | 10 |
| 28487 | 10 |
| 28488 | 10 |
| 28489 | 28 |
| 28500 | 22 |
| 28501 | 20 |
| 28502 | 20 |
| 28506 | 20 |
| 28512 | 20 |
| 28522 | 22 |
| 28524 | 22 |
| 28526 | 22 |
| 28527 | 20 |
| 28528 | 20 |
| 28529 | 20 |
| 28530 | 20 |
| 28531 | 20 |
| 28532 | 20 |
| 28533 | 20 |
| 28550 | 20 |

Item No. Page

| | |
|-------|----|
| 28551 | 20 |
| 28552 | 20 |
| 28553 | 20 |
| 28554 | 20 |
| 28561 | 20 |
| 28562 | 20 |
| 28563 | 20 |
| 28564 | 20 |
| 28565 | 20 |
| 28566 | 20 |
| 28567 | 20 |
| 28569 | 20 |
| 28571 | 20 |
| 28572 | 20 |
| 28573 | 20 |
| 28574 | 20 |
| 28575 | 20 |
| 28576 | 20 |
| 28577 | 20 |
| 28578 | 20 |
| 28579 | 20 |
| 28597 | 22 |
| 28598 | 22 |
| 28599 | 22 |
| 28611 | 20 |
| 28612 | 20 |
| 28613 | 20 |
| 28614 | 20 |
| 28616 | 20 |
| 28617 | 20 |
| 28618 | 20 |
| 28619 | 20 |
| 28740 | 21 |
| 28741 | 21 |
| 28742 | 21 |
| 28750 | 21 |
| 28751 | 21 |
| 28752 | 21 |
| 28818 | 22 |
| 28825 | 22 |
| 28827 | 22 |
| 28829 | 22 |
| 28903 | 22 |
| 28904 | 22 |
| 28905 | 22 |
| 28906 | 22 |
| 28907 | 22 |
| 28908 | 22 |
| 28910 | 22 |
| 28911 | 22 |
| 28912 | 22 |
| 28913 | 22 |
| 28914 | 22 |
| 28915 | 22 |
| 28931 | 22 |
| 28933 | 22 |
| 28935 | 22 |
| 28937 | 22 |
| 28938 | 22 |
| 28939 | 22 |
| 28940 | 22 |
| 29232 | 21 |
| 29233 | 21 |
| 29234 | 21 |
| 29236 | 21 |
| 29237 | 21 |
| 29237 | 21 |
| 29239 | 21 |
| 29242 | 21 |
| 29243 | 21 |
| 29244 | 21 |
| 29246 | 21 |
| 29247 | 21 |
| 29248 | 21 |
| 29249 | 21 |
| 29252 | 21 |
| 29253 | 21 |
| 29254 | 21 |


Item No. Page

| | |
|-------|----|
| 29255 | 21 |
| 29256 | 21 |
| 32505 | 7 |
| 32511 | 7 |
| 32512 | 11 |
| 32513 | 11 |
| 32514 | 11 |
| 32515 | 11 |
| 32516 | 7 |
| 32517 | 11 |
| 32518 | 11 |
| 32519 | 11 |
| 32521 | 7 |
| 32526 | 7 |
| 32531 | 7 |
| 32536 | 7 |
| 32541 | 7 |
| 32546 | 7 |
| 32551 | 7 |
| 32556 | 7 |
| 32561 | 7 |
| 32566 | 7 |
| 32590 | 7 |
| 32592 | 7 |
| 32596 | 11 |
| 36106 | 18 |
| 36107 | 18 |
| 36108 | 18 |
| 36109 | 18 |
| 36110 | 18 |
| 36115 | 18 |
| 36120 | 18 |
| 36125 | 18 |
| 36127 | 18 |
| 36130 | 18 |
| 36140 | 18 |
| 36197 | 18 |
| 36199 | 18 |
| 36200 | 6 |
| 36201 | 5 |
| 36202 | 19 |
| 36203 | 19 |
| 36204 | 6 |
| 36205 | 8 |
| 36206 | 6 |
| 36207 | 19 |
| 36208 | 6 |
| 36209 | 6 |
| 36210 | 8 |
| 36211 | 17 |
| 36212 | 8 |
| 36214 | 17 |
| 36215 | 8 |
| 36216 | 15 |
| 36217 | 15 |
| 36218 | 6 |
| 36219 | 6 |
| 36220 | 8 |
| 36221 | 15 |
| 36222 | 15 |
| 36223 | 17 |
| 36224 | 6 |
| 36225 | 8 |
| 36226 | 15 |
| 36227 | 15 |
| 36228 | 17 |
| 36229 | 17 |
| 36230 | 8 |
| 36231 | 17 |
| 36232 | 17 |
| 36233 | 17 |
| 36234 | 19 |
| 36235 | 8 |
| 36236 | 15 |
| 36237 | 15 |
| 36238 | 17 |
| 36239 | 17 |
| 36240 | 8 |

38 Tools that work for you

| Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page |
|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|
| 36241 | 17 | 36346 | 12 | 36545 | 16 | 37026 | 14 | 52732 | 7 | 71506 | 30 |
| 36242 | 17 | 36350 | 12 | 36547 | 16 | 37027 | 16 | 52790 | 7 | 71507 | 30 |
| 36243 | 17 | 36352 | 12 | 36549 | 16 | 37029 | 14 | 52791 | 7 | 71508 | 30 |
| 36244 | 19 | 36355 | 12 | 36551 | 16 | 37032 | 14 | 70107 | 35 | 71509 | 30 |
| 36245 | 8 | 36357 | 12 | 36553 | 16 | 37036 | 14 | 70108 | 35 | 71510 | 30 |
| 36246 | 17 | 36360 | 12 | 36556 | 19 | 37055 | 14 | 70109 | 35 | 71512 | 32 |
| 36247 | 17 | 36390 | 12 | 36557 | 19 | 37056 | 14 | 70110 | 35 | 71513 | 32 |
| 36248 | 17 | 36391 | 12 | 36558 | 19 | 37057 | 14 | 70113 | 35 | 71515 | 30 |
| 36249 | 19 | 36392 | 12 | 36559 | 19 | 37058 | 14 | 70115 | 35 | 71516 | 30 |
| 36250 | 8 | 36393 | 12 | 36560 | 19 | 37059 | 14 | 70117 | 35 | 71517 | 30 |
| 36252 | 17 | 36394 | 12 | 36561 | 19 | 37060 | 14 | 70119 | 35 | 71518 | 30 |
| 36253 | 17 | 36395 | 11 | 36562 | 19 | 37061 | 14 | 70121 | 35 | 71520 | 30 |
| 36254 | 19 | 36396 | 11 | 36590 | 14 | 37062 | 14 | 70123 | 35 | 71521 | 30 |
| 36255 | 17 | 36397 | 11 | 36591 | 14 | 37063 | 16 | 70127 | 33 | 71522 | 30 |
| 36256 | 19 | 36398 | 11 | 36592 | 16 | 37064 | 16 | 70128 | 33 | 71523 | 30 |
| 36257 | 19 | 36399 | 12 | 36598 | 19 | 37065 | 16 | 70129 | 33 | 71524 | 30 |
| 36258 | 19 | 36409 | 13 | 36606 | 18 | 37066 | 16 | 70135 | 33 | 71525 | 30 |
| 36259 | 6 | 36410 | 13 | 36607 | 18 | 37067 | 16 | 70139 | 33 | 71527 | 30 |
| 36260 | 6 | 36415 | 13 | 36608 | 18 | 37068 | 16 | 70142 | 33 | 71530 | 30 |
| 36262 | 17 | 36417 | 13 | 36609 | 18 | 37069 | 16 | 70148 | 33 | 71536 | 32 |
| 36263 | 17 | 36420 | 13 | 36610 | 18 | 37070 | 16 | 70150 | 33 | 71537 | 32 |
| 36264 | 5 | 36422 | 13 | 36615 | 18 | 37090 | 14 | 70151 | 33 | 71538 | 32 |
| 36265 | 17 | 36425 | 13 | 36620 | 18 | 37091 | 14 | 70152 | 33 | 71540 | 30 |
| 36266 | 5 | 36427 | 13 | 36625 | 18 | 37092 | 16 | 70153 | 33 | 71541 | 32 |
| 36267 | 5 | 36430 | 13 | 36627 | 18 | 37106 | 18 | 70154 | 33 | 71542 | 32 |
| 36268 | 5 | 36432 | 13 | 36630 | 18 | 37107 | 18 | 70155 | 33 | 71543 | 32 |
| 36269 | 6 | 36435 | 13 | 36631 | 15 | 37108 | 18 | 70156 | 33 | 71544 | 32 |
| 36270 | 5 | 36437 | 13 | 36632 | 15 | 37109 | 18 | 70157 | 33 | 71545 | 32 |
| 36271 | 6 | 36440 | 13 | 36633 | 15 | 37110 | 18 | 70158 | 33 | 71546 | 32 |
| 36272 | 5 | 36442 | 13 | 36634 | 15 | 37115 | 18 | 70159 | 33 | 71547 | 32 |
| 36273 | 6 | 36445 | 13 | 36635 | 15 | 37120 | 18 | 70160 | 33 | 71548 | 31 |
| 36274 | 5 | 36450 | 13 | 36636 | 15 | 37125 | 18 | 70163 | 33 | 71549 | 31 |
| 36275 | 6 | 36452 | 13 | 36637 | 15 | 37127 | 18 | 70168 | 33 | 71550 | 31 |
| 36276 | 5 | 36461 | 17 | 36638 | 15 | 37130 | 18 | 70190 | 27 | 71551 | 31 |
| 36277 | 6 | 36463 | 17 | 36639 | 15 | 37140 | 18 | 70195 | 37 | 71552 | 31 |
| 36278 | 5 | 36466 | 17 | 36640 | 18 | 37190 | 18 | 70411 | 32 | 71553 | 31 |
| 36279 | 6 | 36469 | 17 | 36645 | 12 | 37192 | 18 | 70414 | 32 | 71554 | 31 |
| 36280 | 5 | 36472 | 17 | 36646 | 12 | 38042 | 26 | 70416 | 32 | 71555 | 31 |
| 36281 | 6 | 36474 | 17 | 36647 | 12 | 38044 | 26 | 70417 | 32 | 71556 | 31 |
| 36282 | 5 | 36476 | 17 | 36648 | 12 | 38045 | 26 | 70507 | 33 | 71557 | 31 |
| 36283 | 6 | 36478 | 17 | 36649 | 12 | 38046 | 26 | 70508 | 33 | 71558 | 31 |
| 36284 | 5 | 36480 | 13 | 36650 | 12 | 38047 | 26 | 70509 | 33 | 71559 | 31 |
| 36285 | 6 | 36481 | 13 | 36651 | 12 | 38450 | 28 | 70510 | 33 | 71560 | 31 |
| 36286 | 5 | 36482 | 13 | 36652 | 12 | 38460 | 28 | 70515 | 33 | 71561 | 31 |
| 36287 | 6 | 36483 | 13 | 36653 | 12 | 45504 | 9 | 70520 | 33 | 71563 | 30 |
| 36288 | 5 | 36484 | 13 | 36654 | 12 | 45505 | 8 | 70525 | 33 | 71564 | 30 |
| 36289 | 6 | 36486 | 13 | 36655 | 12 | 45506 | 8 | 70527 | 33 | 71565 | 30 |
| 36290 | 19 | 36487 | 13 | 36659 | 12 | 45508 | 9 | 70530 | 33 | 71566 | 30 |
| 36291 | 5 | 36490 | 13 | 36660 | 12 | 45509 | 9 | 70533 | 33 | 71567 | 30 |
| 36292 | 8 | 36492 | 13 | 36661 | 12 | 45511 | 8 | 70534 | 33 | 71568 | 30 |
| 36293 | 8 | 36494 | 13 | 36689 | 15 | 45516 | 8 | 70535 | 33 | 71569 | 30 |
| 36294 | 5 | 36496 | 17 | 36690 | 18 | 45521 | 8 | 70536 | 33 | 71570 | 31 |
| 36296 | 17 | 36497 | 13 | 36691 | 18 | 45525 | 9 | 70537 | 33 | 71571 | 31 |
| 36298 | 6 | 36511 | 14 | 36692 | 15 | 45526 | 8 | 70538 | 33 | 71576 | 30 |
| 36297 | 17 | 36513 | 14 | 36693 | 13 | 45527 | 9 | 70539 | 33 | 71578 | 30 |
| 36299 | 17 | 36514 | 14 | 36694 | 12 | 45530 | 9 | 70540 | 33 | 71582 | 30 |
| 36305 | 12 | 36516 | 14 | 36697 | 16 | 45531 | 8 | 70545 | 33 | 71585 | 30 |
| 36306 | 12 | 36517 | 14 | 36698 | 12 | 45536 | 8 | 70550 | 33 | 71587 | 30 |
| 36307 | 12 | 36518 | 14 | 36699 | 12 | 45540 | 9 | 70556 | 33 | 71588 | 30 |
| 36308 | 12 | 36519 | 14 | 37005 | 14 | 45541 | 8 | 70557 | 33 | 71603 | 34 |
| 36309 | 12 | 36521 | 14 | 37006 | 14 | 45546 | 8 | 70558 | 33 | 71604 | 34 |
| 36310 | 12 | 36522 | 14 | 37007 | 14 | 45550 | 9 | 70559 | 33 | 71605 | 34 |
| 36315 | 12 | 36523 | 14 | 37008 | 14 | 45551 | 8 | 70560 | 33 | 71606 | 34 |
| 36320 | 12 | 36524 | 16 | 37009 | 14 | 45556 | 8 | 70561 | 33 | 71607 | 34 |
| 36323 | 12 | 36526 | 16 | 37010 | 14 | 45561 | 8 | 70562 | 33 | 71608 | 34 |
| 36325 | 12 | 36527 | 16 | 37011 | 14 | 45589 | 8 | 70563 | 33 | 71609 | 34 |
| 36326 | 12 | 36528 | 16 | 37012 | 14 | 45591 | 8 | 70564 | 33 | 71610 | 34 |
| 36327 | 12 | 36529 | 16 | 37013 | 14 | 45592 | 8 | 70565 | 33 | 71615 | 34 |
| 36328 | 12 | 36531 | 16 | 37014 | 16 | 45593 | 9 | 70566 | 33 | 71620 | 34 |
| 36329 | 12 | 36532 | 16 | 37015 | 16 | 48400 | 9,28 | 70567 | 33 | 71625 | 34 |
| 36330 | 12 | 36533 | 16 | 37016 | 14 | 48401 | 9,28 | 70568 | 33 | 71627 | 34 |
| 36332 | 12 | 36534 | 14 | 37017 | 16 | 52711 | 7 | 71195 | 27 | 71630 | 34 |
| 36335 | 12 | 36536 | 14 | 37018 | 16 | 52713 | 7 | 71480 | 28 | 71631 | 34 |
| 36337 | 12 | 36537 | 14 | 37019 | 14 | 52716 | 7 | 71491 | 28 | 71632 | 34 |
| 36339 | 12 | 36538 | 14 | 37021 | 16 | 52719 | 7 | 71494 | 28 | 71633 | 34 |
| 36340 | 12 | 36539 | 16 | 37022 | 14 | 52722 | 7 | 71500 | 32 | 71634 | 34 |
| 36342 | 12 | 36541 | 16 | 37023 | 16 | 52726 | 7 | 71502 | 32 | 71635 | 34 |
| 36345 | 12 | 36543 | 16 | 37024 | 16 | 52729 | 7 | 71505 | 30 | 71636 | 34 |

| Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page |
|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|
| 71637 | 34 | 72556 | 32 | 74530 | 31 | 74628 | 34 | 76117 | 35 | 76856 | 29 |
| 71638 | 34 | 72557 | 33 | 74531 | 31 | 74632 | 34 | 76119 | 35 | 76857 | 29 |
| 71639 | 34 | 72558 | 32 | 74532 | 15 | 74636 | 34 | 76121 | 35 | 76858 | 29 |
| 71640 | 34 | 72559 | 33 | 74533 | 31 | 74659 | 34 | 76123 | 35 | 76859 | 29 |
| 71641 | 34 | 72560 | 33 | 74534 | 15 | 74660 | 34 | 76129 | 35 | 76877 | 29 |
| 71642 | 34 | 72561 | 33 | 74535 | 31 | 74661 | 34 | 76131 | 35 | 76895 | 29 |
| 71643 | 34 | 72562 | 33 | 74536 | 31 | 74662 | 34 | 76191 | 36 | 76896 | 29 |
| 71644 | 34 | 72563 | 33 | 74537 | 15 | 74663 | 34 | 76194 | 36 | 77101 | 36 |
| 71645 | 34 | 72564 | 33 | 74538 | 31 | 74664 | 34 | 76312 | 35 | 77103 | 36 |
| 71648 | 34 | 72567 | 33 | 74539 | 15 | 74665 | 34 | 76314 | 35 | 77105 | 36 |
| 71650 | 34 | 72568 | 33 | 74540 | 31 | 74666 | 34 | 76316 | 35 | 77107 | 36 |
| 71652 | 34 | 72569 | 32 | 74541 | 15 | 74667 | 34 | 76318 | 35 | 77109 | 36 |
| 71654 | 34 | 72570 | 32 | 74542 | 31 | 74668 | 34 | 76322 | 35 | 77111 | 36 |
| 71656 | 34 | 72572 | 30 | 74543 | 15 | 74669 | 34 | 76324 | 35 | 77113 | 36 |
| 71657 | 34 | 72573 | 30 | 74544 | 31 | 74670 | 34 | 76326 | 35 | 77115 | 36 |
| 71658 | 34 | 72574 | 30 | 74545 | 15 | 74711 | 32 | 76328 | 35 | 77117 | 36 |
| 71660 | 34 | 72575 | 30 | 74546 | 31 | 74714 | 32 | 76329 | 35 | 77151 | 36 |
| 71661 | 35 | 72576 | 30 | 74547 | 15 | 74717 | 32 | 76330 | 35 | 77152 | 36 |
| 71662 | 35 | 72577 | 30 | 74548 | 31 | 74721 | 32 | 76331 | 35 | 77153 | 36 |
| 71663 | 35 | 72578 | 30 | 74549 | 15 | 74724 | 32 | 76332 | 35 | 77154 | 36 |
| 71664 | 35 | 72579 | 30 | 74550 | 15 | 74728 | 32 | 76333 | 35 | 77156 | 36 |
| 71665 | 35 | 72580 | 30 | 74551 | 31 | 74732 | 32 | 76334 | 35 | 77158 | 36 |
| 71666 | 35 | 72581 | 30 | 74552 | 34 | 74736 | 32 | 76335 | 35 | 77160 | 36 |
| 71667 | 35 | 72590 | 26 | 74553 | 31 | 74739 | 32 | 76336 | 35 | 77162 | 36 |
| 71668 | 35 | 72595 | 26 | 74554 | 34 | 74742 | 32 | 76337 | 35 | 77164 | 36 |
| 71669 | 35 | 73310 | 32 | 74555 | 34 | 74760 | 32 | 76338 | 35 | 77193 | 36 |
| 71670 | 35 | 73311 | 32 | 74556 | 31 | 74761 | 32 | 76339 | 35 | 77195 | 36 |
| 71671 | 35 | 73312 | 32 | 74557 | 34 | 74762 | 32 | 76340 | 35 | 77304 | 36 |
| 71673 | 35 | 73313 | 32 | 74558 | 31 | 74763 | 32 | 76341 | 35 | 77305 | 36 |
| 71674 | 35 | 73314 | 32 | 74559 | 31 | 74764 | 32 | 76342 | 35 | 77306 | 36 |
| 71675 | 35 | 73315 | 32 | 74561 | 31 | 74765 | 32 | 76346 | 35 | 77308 | 36 |
| 71676 | 35 | 73316 | 32 | 74562 | 34 | 74766 | 32 | 76348 | 35 | 77331 | 36 |
| 71677 | 35 | 73317 | 32 | 74563 | 31 | 74767 | 32 | 76352 | 35 | 77333 | 36 |
| 71678 | 35 | 73318 | 32 | 74564 | 34 | 74768 | 32 | 76354 | 35 | 77335 | 36 |
| 71680 | 35 | 73319 | 32 | 74565 | 31 | 74769 | 32 | 76395 | 36 | 77337 | 36 |
| 71681 | 35 | 73320 | 32 | 74566 | 33 | 74981 | 27 | 76396 | 36 | 77341 | 36 |
| 71690 | 27 | 74413 | 31 | 74567 | 31 | 74982 | 27 | 76397 | 37 | 77343 | 36 |
| 71692 | 27 | 74415 | 31 | 74568 | 33 | 74985 | 27 | 76399 | 37 | 77345 | 36 |
| 71698 | 37 | 74417 | 31 | 74569 | 31 | 74987 | 27 | 76403 | 35 | 77347 | 36 |
| 72238 | 30 | 74419 | 31 | 74570 | 33 | 75093 | 25 | 76404 | 35 | 77349 | 36 |
| 72239 | 30 | 74431 | 31 | 74571 | 31 | 75660 | 25 | 76405 | 35 | 77353 | 36 |
| 72240 | 30 | 74433 | 31 | 74572 | 33 | 75661 | 25 | 76406 | 35 | 77390 | 36 |
| 72241 | 30 | 74435 | 31 | 74573 | 33 | 75662 | 25 | 76407 | 35 | 77701 | 30 |
| 72242 | 30 | 74461 | 31 | 74574 | 31 | 75663 | 25 | 76408 | 35 | 77702 | 30 |
| 72279 | 31 | 74462 | 31 | 74575 | 31 | 75664 | 25 | 76411 | 35 | 77703 | 30 |
| 72280 | 31 | 74463 | 31 | 74576 | 33 | 75665 | 25 | 76412 | 35 | 77704 | 30 |
| 72281 | 31 | 74464 | 31 | 74577 | 31 | 75666 | 25 | 76413 | 35 | 77705 | 30 |
| 72282 | 31 | 74465 | 31 | 74579 | 31 | 75667 | 25 | 76414 | 35 | 79242 | 27 |
| 72283 | 31 | 74468 | 31 | 74580 | 31 | 75668 | 25 | 76490 | 36 | 79245 | 27 |
| 72338 | 30 | 74469 | 31 | 74581 | 31 | 75669 | 25 | 76510 | 29 | 79247 | 27 |
| 72339 | 30 | 74470 | 31 | 74582 | 31 | 75670 | 25 | 76511 | 29 | 79283 | 27 |
| 72340 | 30 | 74501 | 31 | 74583 | 31 | 75671 | 25 | 76512 | 29 | 79445 | 27 |
| 72341 | 30 | 74502 | 31 | 74584 | 31 | 75679 | 25 | 76513 | 29 | 79447 | 27 |
| 72342 | 30 | 74503 | 31 | 74585 | 31 | 75681 | 25 | 76514 | 29 | 79450 | 34 |
| 72379 | 31 | 74504 | 31 | 74586 | 31 | 75683 | 25 | 76516 | 29 | 91118 | 23 |
| 72381 | 31 | 74505 | 15 | 74587 | 31 | 75701 | 25 | 76517 | 29 | | |
| 72382 | 31 | 74506 | 31 | 74588 | 31 | 75702 | 25 | 76553 | 29 | | |
| 72383 | 31 | 74508 | 31 | 74589 | 31 | 75703 | 25 | 76554 | 29 | | |
| 72384 | 31 | 74510 | 31 | 74590 | 31 | 75704 | 25 | 76555 | 29 | | |
| 72514 | 33 | 74511 | 31 | 74591 | 31 | 75705 | 25 | 76556 | 29 | | |
| 72515 | 33 | 74512 | 31 | 74592 | 31 | 75706 | 25 | 76558 | 29 | | |
| 72516 | 33 | 74513 | 31 | 74593 | 31 | 75707 | 25 | 76557 | 29 | | |
| 72525 | 33 | 74514 | 31 | 74594 | 31 | 75708 | 25 | 76559 | 29 | | |
| 72527 | 33 | 74515 | 31 | 74596 | 31 | 75709 | 25 | 76810 | 29 | | |
| 72528 | 32 | 74516 | 31 | 74597 | 31 | 75710 | 25 | 76811 | 29 | | |
| 72529 | 32 | 74517 | 31 | 74601 | 34 | 75715 | 25 | 76812 | 29 | | |
| 72530 | 33 | 74518 | 31 | 74602 | 34 | 75720 | 25 | 76813 | 29 | | |
| 72531 | 32 | 74519 | 31 | 74603 | 34 | 75728 | 25 | 76814 | 29 | | |
| 72540 | 33 | 74520 | 15 | 74604 | 34 | 75735 | 25 | 76816 | 29 | | |
| 72541 | 32 | 74521 | 31 | 74608 | 34 | 75742 | 25 | 76817 | 29 | | |
| 72542 | 33 | 74522 | 15 | 74611 | 34 | 75801 | 25 | 76853 | 29 | | |
| 72545 | 32 | 74523 | 31 | 74612 | 34 | 75985 | 25 | 76854 | 29 | | |
| 72546 | 32 | 74524 | 15 | 74613 | 34 | 75988 | 25 | 76855 | 29 | | |
| 72547 | 33 | 74525 | 31 | 74614 | 34 | 76106 | 35 | | | | |
| 72550 | 32 | 74526 | 15 | 74616 | 34 | 76107 | 35 | | | | |
| 72551 | 32 | 74527 | 31 | 74617 | 34 | 76109 | 35 | | | | |
| 72552 | 33 | 74528 | 15 | 74620 | 34 | 76111 | 35 | | | | |
| 72555 | 32 | 74529 | 31 | 74624 | 34 | 76113 | 35 | | | | |

 **Prop65 WARNING:** This product could expose you to chemicals including Vinyl Chloride, Ethylene Glycol, Ni or CrVI, which are known to the state of California to cause cancer or reproductive harm. For more information go to www.P65warnings.ca.gov/

MANUFACTURING
EXCELLENCE
AWARD
BESTES KMU
2014

WIHA – WINNER OF THE
MX AWARD 2014.
GERMANY'S BEST SME.

wiha 
Tools that work for you

PROFESSIONAL TORX® TOOLS



(800) 494-6104
fax: (800) 494-7456
cservice@wihatools.com
www.wihatools.com

Catalog Item No. 99914 .wo
version - 3/1/19

Subject to change
without notice

©2019 Willi Hahn Corporation

®Torx is a registered trademark of
Acument Intellectual Properties LLC.



Wiha Quality Tools

1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.

www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 866.494.0096 or 763.295.6591
fax: 763.295.6598



To:



99977.wo - Pliers/Crimpers Catalog



99934.wo - Hex Tools Catalog



99001.wo - TorqueControl Catalog



99951.wo - Bits Catalog



99919.wo - Insulated Catalog



99002.wo - Screwdrivers Catalog




99004.wo - Shop Tools Catalog



99006.wo - Tech Tools Catalog



99945.wo - ESD Catalog



99007.wo - Merchandise Catalog

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Screwdrivers, Nut Drivers & Socket Drivers](#) category:

Click to view products by [Wiha International](#) manufacturer:

Other Similar products are found below :

[1406504-2](#) [272012M](#) [271001M](#) [HMM-HH](#) [00-8987-YWPP](#) [9918560000](#) [32024](#) [92270](#) [72820](#) [72905](#) [72741](#) [32061](#) [30751](#) [KLEIN TOOLS](#)
[SCREWDRIVER 4-IN-1](#) [612020B](#) [35-045](#) [6951](#) [83](#) [9977](#) [EMF](#) [99833](#) [S3166V](#) [X103V](#) [XTD10TP](#) [HS7N](#) [HS618N](#) [LN25MMN](#)
[XST1010N](#) [P4N](#) [P12SN](#) [R5324N](#) [99764N](#) [P8N](#) [99312N](#) [R3163N](#) [SX101N](#) [LN22N](#) [XTD10N](#) [9955MMN](#) [995MMN](#) [996MMN](#) [LN25N](#)
[THS9N](#) [R3166N](#) [R144N](#) [RB2N](#) [HS10N](#) [99964BPN](#) [HS11N](#) [HS12N](#)