

# MUR1010CTR – MUR1060CTR

## 10 Amps Super Fast Recovery




### MUR1010CTR – MUR1060CTR

#### Features:

- High surge capacity
- Low Forward Voltage Drop.
- High Current Capability.
- Super Fast Switching Speed For High Efficiency



TO-220



1.Cathode 2.Anode 3. Cathode

#### Absolute Maximum Ratings (Ta=25°C unless otherwise noted)

Parameter	Symbol	MUR 1010 CTR	MUR 1015 CTR	MUR 1020 CTR	MUR 1040 CTR	MUR 1060 CTR	Unit
Peak Repetitive Reverse Voltage	$V_{RRM}$	100	150	200	400	600	V
Working Peak Reverse Voltage	$V_{RWM}$	70	105	140	280	420	V
DC Blocking Voltage	$V_{R(DC)}$	100	150	200	400	600	V
Average Rectified Forward Current	$I_{F(AV)}$	Per Leg		5			A
		Total Device		10			
Peak Rectified Forward Current	$I_{FM}$				10		A
Nonrepetitive Peak Surge Current(Surge applied at rated load conditions half wave, single phase, 60 Hz)	$I_{FSM}$				150		A
Operating Junction Temperature and Storage Temperature	TJ, Tstg				-55 to +150		°C
Maximum Thermal Resistance, Junction-to-Case(Per Leg)	$R_{\theta JC}$				2.0		°C/W

#### ELECTRICAL CHARACTERISTICS (Per Diode Leg)

Parameter	Symbol	MUR 1010 CTR	MUR 1015 CTR	MUR 1020 CTR	MUR 1040 CTR	MUR 1060 CTR	Unit
Forward Voltage (Note 1) ( $I_F = 5A, T_C = 25^\circ C$ )	$V_F$	0.975			1.3	1.70	V
Maximum Instantaneous Reverse Current (Note 1) (Rated DC Voltage, $T_C = 25^\circ C$ ) (Rated DC Voltage, $T_C = 125^\circ C$ )	$I_R$				10 500		$\mu A$
Maximum Reverse Recovery Time ( $I_F = 0.5 A, I_R = 1.0 A, I_{REC} = 0.25 A$ )	$T_{RR}$				35		ns

Note 1.Pulse Test: Pulse Width = 300  $\mu$ s, Duty Cycle  $\leq 2.0\%$

Typical Characteristics









Diagram of circuit and Testing wave form of reverse recovery time



**Package Dimension**

TO-220

Unit: mm



Dimensions in inches and (millimeters)

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Rectifiers](#) category:*

*Click to view products by [Wild Goose](#) manufacturer:*

Other Similar products are found below :

[70HFR40](#) [FR105 R0](#) [RL252-TP](#) [1N5397](#) [1N4005-TR](#) [1N4007-BP](#) [UFS120Je3/TR13](#) [20ETS12S](#) [RRE02VS6SGTR](#) [MS306](#) [A1N5404G-G](#)  
[CRF02\(T5L,TEMQ\)](#) [ACGRB207-HF](#) [CLH07\(TE16L,Q\)](#) [CLH03\(TE16L,Q\)](#) [1N5395-TP](#) [UES1302](#) [ACGRC307-HF](#) [ACEFC304-HF](#) [DZ-](#)  
[1380](#) [85HFR60](#) [40HFR60](#) [70HF120](#) [85HFR80](#) [SCF7500](#) [SM100](#) [ACGRA4001-HF](#) [SKN70/08](#) [NTE5819](#) [NTE5827](#) [NTE5828](#) [NTE5911](#)  
[NTE5915](#) [NTE6104](#) [NTE6163](#) [NTE6164](#) [NTE6165](#) [NTE6364](#) [TSD3G](#) [SET130312](#) [NRVUS110VT3G](#) [UES1106](#) [UES1306](#)  
[NRVUS240VT3G](#) [D5FE60-5063](#) [R4000GPS-TP](#) [D4015L56TP](#) [UES1306HR2](#) [FX20K120](#) [D20XB60-7101](#)