

# Deburrer for Plasterboard, Ø 68 mm



For flush installation of hollow wall boxes



## Properties

- deburrer for countersinking the edges of Ø 68 mm boreholes in plasterboard
- special countersinking angle for flush installation of customary hollow wall boxes
- 3 sharp, replaceable blades for clean cutting edges
- ergonomic geometry for easy countersinking in no time
- robust plastic design for durability
- replacement blades optionally available (art. no.: 5893000) for renewing when necessary

## Suitable for material

Suitable for material                      Gypsum plasterboard

## Technical data




Working diameter Ø                      68 mm  
Number of cutting edges                      3  
Direction of rotation                      Clockwise rotation

## Accessories

5893000

# Deburrer for Plasterboard, Ø 68 mm



Article number	Contents	Working diameter Ø	EAN-Code
5892000	1	68 mm	 4 006885 589209 4006885589209
5892000	1	68 mm	 4 006885 589209 4006885589209
5892000	1	68 mm	 4 006885 589209 4006885589209

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Wolcraft](#) manufacturer:*

Other Similar products are found below :

[1000000](#) [1235000](#) [1237000](#) [1239000](#) [1342000](#) [1344000](#) [1386000](#) [1388000](#) [1389000](#) [1395000](#) [1500000](#) [1502000](#) [1506000](#) [1573000](#)  
[1577000](#) [1579000](#) [1741000](#) [2025000](#) [2072000](#) [2114000](#) [2117000](#) [2127000](#) [2128000](#) [2131000](#) [2133000](#) [2160000](#) [2162000](#) [2164000](#)  
[2171000](#) [2172000](#) [2173000](#) [2174000](#) [2175000](#) [2178000](#) [2200000](#) [2202000](#) [2207000](#) [2208000](#) [2220000](#) [2224000](#) [2265000](#) [2285000](#)  
[2324000](#) [2377000](#) [2381000](#) [2414000](#) [2415000](#) [2419000](#) [2425000](#) [2457000](#)