

Diamond Mounted Point Set, Cylindrical and Tapered to Point, 2 Pcs.



For grinding ceramics, glass, tiles, non-ferrous metals



Properties

- 2 diamond mounted points, Ø 8 mm cylindrical, Ø 3–8 mm tapered to point for deburring and regrinding bores and chamfering edges
- diamond coated for high hardness, dimensional stability and service life when used on ceramics, glass, tiles and non-ferrous metals
- 3 mm shaft for easy mounting in drills, cordless screwdrivers, flexible shafts and miniature rotary tools

Technical data

Shaft diameter	3 mm
Direction of rotation	Clockwise rotation
Material/coating property	Diamond coated
Additional product specification	Ø 8 mm cylindrical Ø 3–8 mm tapered to point

Scope of delivery


- 1 diamond mounted point, Ø 8 mm, cylindrical
- 1 diamond mounted point, Ø 3–8 mm, tapered to point

Diamond Mounted Point Set, Cylindrical and Tapered to Point, 2 Pcs.



Compatible with tool

Power Drill

Article number	Contents	Parts in set	Grinding stone height	Speed of rotation, max.	EAN-Code
5989000	1	2 pcs.	10 mm	25,000 RPM	 4 006885 598904 4006885598904

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Hand Tools](#) category:

Click to view products by [Wolcraft](#) manufacturer:

Other Similar products are found below :

[58284-1](#) [59773-1](#) [662908-1](#) [68764-0001](#) [690619-6](#) [7-354778-7](#) [768531-1](#) [810131](#) [81541-16](#) [854183-1](#) [854358-1](#) [90855-1](#) [992258-1](#) [1-21046-3](#) [1-22278-0](#) [1-22278-2](#) [1-24954-2](#) [125529-5](#) [126513-1](#) [1-305579-8](#) [1-306027-0](#) [1320846-1](#) [1338968-2](#) [1-354779-0](#) [1-354779-2](#) [1-354779-4](#) [1424443-1](#) [1424266-1](#) [1424289-1](#) [1424444-1](#) [1532195-2](#) [1538773-2](#) [1-692134-3](#) [HT-920A-124-HTELE-RPL-KIT](#) [1976923-1](#) [1976969-1](#) [2063795-1](#) [2-21002-1](#) [2-21002-4](#) [2-21002-7](#) [2-21002-9](#) [2-21004-0](#) [229707-1](#) [911737-2](#) [91348-2](#) [925980-R](#) [301185-9](#) [983533-1](#) [1-694433-7](#) [AD-1547-1-INSTALL-TOOL](#)