

Tungsten Carbide Cutting Disc „Standard“



Properties

- ideal helper for cutting laminate and parquet, without tearing or discolouring the cutting edge

Suitable for material

Suitable for material Wood, Laminate, Parquet, Plastic

Technical data



Disc thickness	1,2 mm
Cutting edge version	Segmented
Cut qualities	Fine, clean cuts
Cutting speed, max.	80 meter(s) per second
Coating	Tungsten carbide coated

Compatible with tool

Angle Grinder

Tungsten Carbide Cutting Disc „Standard“



Article number	Contents	Working diameter Ø	Receptacle for bore	EAN-Code
8369000	1	115 mm	22.23 mm	 4 006885 836907 4006885836907
8370000	1	125 mm	22.23 mm	 4 006885 837003 4006885837003

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Hand Tools](#) category:

Click to view products by [Wolcraft](#) manufacturer:

Other Similar products are found below :

[58284-1](#) [59773-1](#) [662908-1](#) [68764-0001](#) [690619-6](#) [7-354778-7](#) [768531-1](#) [810131](#) [81541-16](#) [854183-1](#) [854358-1](#) [90855-1](#) [992258-1](#) [1-21046-3](#) [121073-0047](#) [1-22278-0](#) [1-22278-2](#) [1-24954-2](#) [125529-5](#) [126513-1](#) [1-305579-8](#) [1-306027-0](#) [1338968-2](#) [1-354779-0](#) [1-354779-2](#) [1-354779-4](#) [1424443-1](#) [1424266-1](#) [1424289-1](#) [1424444-1](#) [1532195-2](#) [1538773-2](#) [1-692134-3](#) [HT-920A-124-HTELE-RPL-KIT](#) [1976923-1](#) [1976969-1](#) [2063795-1](#) [2-21002-1](#) [2-21002-4](#) [2-21002-7](#) [2-21002-9](#) [2-21004-0](#) [229707-1](#) [911737-2](#) [91348-2](#) [925980-R](#) [301185-9](#) [983533-1](#) [1-694433-7](#) [AD-1547-1-INSTALL-TOOL](#)