




DESIGN KIT

Switches




Content:

- Dip Switches
- Tact Switches
- Rotary Switches
- Slide Switches
- Detector Switches
- Push Button Switches
- Accessories

Order Code 499 001

Version 2.0

Switches



WS-DITV				WS-DISV			
418 117 270 9xx 2.54 mm, Box Type, THT Raised Actuator Pole: 02 / 04 / 06 / 08 / 10 Quantity: 2	418 117 170 9xx 2.54 mm, Box Type, THT Flat Actuator Pole: 02 / 04 / 06 / 08 / 10 Quantity: 2	418 127 270 9xx 2.54 mm, IC Type, THT Raised Actuator Pole: 01 / 02 / 03 / 04 / 06 / 08 / 10 Quantity: 2	418 127 160 9xx 2.54 mm, IC Type, THT Top Tape (washable) Pole: 01 / 02 / 03 / 04 / 06 / 08 / 10 Quantity: 2	418 121 270 8xx 2.54 mm, IC Type, SMD Raised Actuator Pole: 01 / 02 / 03 / 04 / 06 / 08 / 10 Quantity: 2	418 121 160 8xx 2.54 mm, IC Type, SMD Top Tape (washable) Pole: 01 / 02 / 03 / 04 / 06 / 08 / 10 Quantity: 2	416 131 160 8xx 1.27 mm, Half Pitch, SMD Top Tape (washable) Pole: 02 / 04 / 06 / 08 / 10 / 12 Quantity: 2	
WS-TATV		WS-TASV					
430 1x6 0xx 7x6 6 x 6 mm, THT Height: 4.3 / 5 / 7 mm Force: 160 / 260 g Quantity: 2	430 1x2 0xx 8x6 6 x 6 mm, SMD Height: 4.3 / 5 / 7 / 8 mm Force: 160 / 260 / 360 g Quantity: 1	430 4x1 0xx 8x6 6 x 6 mm, SMD, washable Height: 2.5 / 3.1 / 3.5 mm Force: 160 / 260 / 360 g Quantity: 2	430 4x3 0xx 8x6 6 x 6 mm, J-Bend, washable Height: 2.5 / 3.1 / 3.5 mm Force: 160 / 260 / 360 g Quantity: 2	431 4x1 031 8x6 6 x 6 mm, SMD with GND, washable Height: 3.1 mm Force: 160 / 260 / 360 g Quantity: 3	431 1xx 0xx 8x6 5 x 5 mm, SMD / J-Bend with GND Height: 0.8 / 1.5 mm Force: 160 / 260 g Quantity: 2	430 181 038 816 4.5 x 4.5 mm, SMD Height: 3.8 mm Pole: 02 / 04 / 06 / 08 / 10 / 12 Quantity: 5	
WS-TASV	WS-TASU		WS-TATV	WS-TASV	WS-TASV / TATV		Accessories
434 153 017 835 3.5 x 2.9 mm, SMD Height: 1.7 mm Force: 350 g Quantity: 5	434 331 013 822 3.5 x 2.9 mm, SMD Height: 1.35 mm Force: 220 g Quantity: 5	433 3x1 045 8xx 4.7 x 3.5 mm, SMD with / without boss Height: 1.65 mm Force: 160 / 220 g Quantity: 3	430 4x6 0xx 7x6 12 x 12 mm, THT, washable Height: 4.3 / 8.5 mm Force: 160 / 260 g Quantity: 2	430 1x2 0xx 8x6 12 x 12 mm, SMD Height: 4.3 / 8.5 mm Force: 160 / 260 g Quantity: 2	430 xxx 073 xx6 12 x 12 mm, SMD / THT (Square) Height: 7.3 mm Force: 160 / 260 g Quantity: 2		714 30x 050 12 x 12 mm Caps for Square Actuator Tact Switch Quantity: 3
WS-ROSV	WS-ROTV	WS-ROSV / ROTV		WS-ROTV		Accessories	
428 542 320 81x 7 x 7 mm, SMD, washable Positions: 10/16 with real/complement code Actuator: arrow type Quantity: 3	428 547 320 91x 7 x 7 mm, THT, washable Positions: 10/16 with real/complement code Actuator: arrow type Quantity: 3	428 52x 320 xxx 10 x 10 mm, SMD / THT, washable Positions: 8/10/16 with real/complem. code Actuator: arrow type Quantity: 1	428 52x 520 xxx 10 x 10 mm, SMD / THT, washable Positions: 8/10/16 with real/complem. code Actuator: cross type Quantity: 1		428 427 x20 91x 10x10mm, THT Right Angled, 2.54mm, washable Positions: 10/16 with real code, washable Actuator: arrow & cross type Quantity: 2	429 427 x20 91x 10x10mm, THT Right Angled, 5.08 mm, washable Positions: 10/16 with real code, washable Actuator: arrow & cross type Quantity: 2	
428 542 320 81x 7 x 7 mm, SMD, washable Positions: 10/16 with real/complement code Actuator: arrow type Quantity: 3	428 547 320 91x 7 x 7 mm, THT, washable Positions: 10/16 with real/complement code Actuator: arrow type Quantity: 3	428 52x 320 xxx 10 x 10 mm, SMD / THT, washable Positions: 8/10/16 with real/complem. code Actuator: arrow type Quantity: 1	428 52x 520 xxx 10 x 10 mm, SMD / THT, washable Positions: 8/10/16 with real/complem. code Actuator: cross type Quantity: 1		428 427 x20 91x 10x10mm, THT Right Angled, 2.54mm, washable Positions: 10/16 with real code, washable Actuator: arrow & cross type Quantity: 2	429 427 x20 91x 10x10mm, THT Right Angled, 5.08 mm, washable Positions: 10/16 with real code, washable Actuator: arrow & cross type Quantity: 2	
WS-SLTU / SLTU	WS-SLSV	WS-SLSU	WS-DESU	WS-PBSU	WS-PBTU	Accessories	
450 30x 014 0x2 10 x 2.5 mm, THT Opposite Side Connection Quantity: 5	452 403 012 014 7.65 x 5.5 mm, SMD Same Side Connection Quantity: 5	450 404 015 514 6.7 x 2.7 mm, SMD Same Side Connection Quantity: 5	461 011 220 101 4.7 x 3.8 mm SMD Quantity: 5	465 031 712 505 9.8 x 18.5 mm SMD Quantity: 5	465 031 772 505 9.8 x 18.5 mm THT Quantity: 5	714 65x 010 100 Ø 5.1 Caps for WS-PBTU / PBSU Quantity: 5	

EMC COMPONENTS | INDUCTORS | TRANSFORMERS | RF COMPONENTS | CIRCUIT PROTECTION | EMC SHIELDING MATERIAL | CONNECTORS | **SWITCHES** | ASSEMBLY TECHNIQUE | POWER ELEMENTS

Important information: Würth Elektronik's design kits contain reference components. These components correspond with the current product development status on the day of supply. Exchange of the reference components to components with up-to-date product development status is not carried out automatically. No liability is taken for the use of these reference components. Therefore, please request new samples prior to releases for series production and product release.

Please check datasheets on www.we-online.com for specifications. Würth Elektronik eiSos GmbH & Co. KG, EMC & Inductive Solutions. © 2016

www.we-online.com

All products
in stock!

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Switch Contact Blocks / Switch Kits](#) category:

Click to view products by [Wurth](#) manufacturer:

Other Similar products are found below :

[61-8770.17](#) [M2SA-7010](#) [704.905.2](#) [704.915.5](#) [84-8512.2320](#) [A01RTC8](#) [A02504](#) [A02512](#) [A3KJ-7010](#) [BS001](#) [190-17504-003](#) [190-17505-001](#) [190-17508-001](#) [190-17509-002](#) [190-17509-006](#) [A02506](#) [190-17501-001](#) [190-17506-001](#) [190-17509-003](#) [190-17509-005](#) [GLZ304](#) [51401](#) [BS010](#) [BST-D](#) [HW-S01](#) [XESP2021](#) [61-8480.22](#) [61-8650.17](#) [704.908.1](#) [704.908.5](#) [704.915.3](#) [HA-C2V](#) [S4](#) [704.918.4](#) [5.00.100.105/0000](#) [84-8511.5320](#) [A3CA-7121](#) [84-8511.6320](#) [704.902.1](#) [A0310Y](#) [51-971.F22](#) [5.05.510.632/0000](#) [190-17502-003](#) [190-17507-002](#) [190-17500-006](#) [190-17510-001](#) [1.20.119.002/0000](#) [2MN6-1PA224](#) [Kit05-Keylocks](#) [Kit14-Switch Assortment](#)