

Würth Elektronik eiSos GmbH & Co. KG

EMC & Inductive Solutions

Max-Eyth-Straße 1 · 74638 Waldenburg · Germany

Tel. +49 (0) 79 42 945-0 · Fax +49 (0) 79 42 945-400

eiSos@we-online.de · www.we-online.de



Product/Process Change Notice (PCN)

- Major change
 Minor change

PCN #: PCN_ConPSHD_20170621_Update

Product Affected: 6200xx21821

PCN Date: April 3rd, 2017Effective Date: July 3rd, 2017

Contact: Product Management

Phone: +49 (0) 7942 - 945 5001

Fax: +49 (0) 7942 - 945 5179

E-mail: pcn.eican@we-online.de

- Product Mark
 Date Code
 Packaging
 Others

Attachment: Yes No

Samples: Yes

DESCRIPTION AND PURPOSE OF CHANGE:

UPDATE

Würth Elektronik will change the production location.

Products after product change with effective date of 3rd July 2017 are available with lot number beginning with "358".

Lot number of current production line : 298xxxxxxxxxxxx

Lot number of new production line : 358xxxxxxxxxxxx

DETAIL OF CHANGE:

Please find below the design changes details.

This change will affect form, fit, function, quality and reliability.

Samples are available for your approval.

Regarding packaging the unit package dimensions change slightly as well as the quantity of pieces per unit package.

6200xx21821

Before change

Working voltage: 250Vac

A=2x(nb.pin/2-1)

B=2x(nb.pin/2) + 0,5

Würth Elektronik eiSos GmbH & Co. KG Sitz Waldenburg, Registergericht Stuttgart HRA 580801

Komplementär Würth Elektronik eiSos Verwaltungs-GmbH, Sitz Waldenburg, Registergericht Stuttgart HRB 581033 · Geschäftsführer Oliver Konz, Thomas Schrott

Bankverbindungen UniCredit Bank AG Stuttgart, Konto 322 620 136, BLZ 600 202 90, IBAN DE86 6002 0290 0322 6201 36, SWIFT/BIC HYVEDEMM473

USt.-IdNr. DE220618976

Würth Elektronik eiSos GmbH & Co. KG

EMC & Inductive Solutions

Max-Eyth-Straße 1 · 74638 Waldenburg · Germany

Tel. +49 (0) 79 42 945-0 · Fax +49 (0) 79 42 945-400

eiSos@we-online.de · www.we-online.de



PCB LAYOUT - COMPONENT VIEW

INNER CARTON

Pin	Pcs/Tube	Tube/Cartron	Pcs/Cartron	Pin	Pcs/Tube	Tube/Cartron	Pcs/Cartron
4	24	190	25650	44	13	190	2470
6	34	190	17860	46	13	190	2470
8	72	190	13680	48	12	190	2280
10	68	190	11020	50	12	190	2280
12	49	190	9310	52	11	190	2090
14	42	190	7980	54	11	190	2090
16	37	190	7030	56	10	190	1900
18	33	190	6270	58	10	190	1900
20	30	190	5700	60	10	190	1900
22	27	190	5130	62	9	190	1710
24	25	190	4750	64	9	190	1710
26	23	190	4370	66	9	190	1710
28	21	190	3990	68	9	190	1710
30	20	190	3800	70	8	190	1520
32	18	190	3420	72	8	190	1520
34	17	190	3230	74	8	190	1520
36	16	190	3040	76	8	190	1520
38	16	190	3040	78	7	190	1330
40	15	190	2850	80	7	190	1330
42	14	190	2660				

Note:
 1, Dimension: Tube Size: **L=635mm**
 Carton Size: 635(L) x 140(W) x 125(H) (mm)
 2, Quantity: 190 Tube/Cartron

After change

Working voltage: 200Vac
 $PI = 2x(nb.pin/2 - 1)$
 $L = 2x(nb.pin/2) + 0,6$

Würth Elektronik eiSos GmbH & Co. KG Sitz Waldenburg, Registergericht Stuttgart HRA 580801

Komplementär Würth Elektronik eiSos Verwaltungs-GmbH, Sitz Waldenburg, Registergericht Stuttgart HRB 581033 · Geschäftsführer Oliver Konz, Thomas Schrott

Bankverbindungen UniCredit Bank AG Stuttgart, Konto 322 620 136, BLZ 600 202 90, IBAN DE86 6002 0290 0322 6201 36, SWIFT/BIC HYVEDEMM473

USt.-IdNr. DE220618976




Würth Elektronik eiSos GmbH & Co. KG

EMC & Inductive Solutions

Max-Eyth-Straße 1 · 74638 Waldenburg · Germany

Tel. +49 (0) 79 42 945-0 · Fax +49 (0) 79 42 945-400

eiSos@we-online.de · www.we-online.de



Polarity	unit package	unit package dimensions	tube/carton	pcs/carton	carton dimensions
04	130	59x106x600	400	52000	650x330x190
06	88	59x106x600	400	63360	650x330x190
08	68	59x106x600	400	48240	650x330x190
10	55	59x106x600	400	39600	650x330x190
12	46	59x106x600	400	33120	650x330x190
14	40	59x106x600	400	28800	650x330x190
16	35	59x106x600	400	25200	650x330x190
20	28	59x106x600	400	20160	650x330x190
22	25	59x106x600	400	18000	650x330x190
24	23	59x106x600	400	16560	650x330x190
26	21	59x106x600	400	15120	650x330x190
28	20	59x106x600	400	14400	650x330x190
32	17	59x106x600	400	12240	650x330x190
34	16	59x106x600	400	11520	650x330x190
40	14	59x106x600	400	10080	650x330x190
44	13	59x106x600	400	9360	650x330x190
48	11	59x106x600	400	7920	650x330x190

Würth Elektronik eiSos GmbH & Co. KG Sitz Waldenburg, Registergericht Stuttgart HRA 580801

Komplementär Würth Elektronik eiSos Verwaltungs-GmbH, Sitz Waldenburg, Registergericht Stuttgart HRB 581033 · Geschäftsführer Oliver Konz, Thomas Schrott

Bankverbindungen UniCredit Bank AG Stuttgart, Konto 322 620 136, BLZ 600 202 90, IBAN DE86 6002 0290 0322 6201 36, SWIFT/BIC HYVEDEMM473

USt.-IdNr. DE220618976

Würth Elektronik eiSos GmbH & Co. KG

EMC & Inductive Solutions

Max-Eyth-Straße 1 · 74638 Waldenburg · Germany

Tel. +49 (0) 79 42 945-0 · Fax +49 (0) 79 42 945-400

eiSos@we-online.de · www.we-online.de



RELIABILITY / QUALIFICATION SUMMARY:

Product approval is according to the specification and is internally released by the Product Management Department.

DATA SHEET CHANGE:

Yes

No

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [FFC & FPC Connectors](#) category:

Click to view products by [Würth](#) manufacturer:

Other Similar products are found below :

[HFW11R-1STE1H1LF](#) [FH29B-100S-0.2SHW\(99\)](#) [FA5S008HP1](#) [FH29B-120S-0.2SHW\(99\)](#) [FH29B-80S-0.2SHW\(99\)](#) [FHS-16](#) [FPH-2022G](#)
[52610-1075](#) [52610-1275](#) [52610-1934](#) [XF3M\(1\)-1415-1B-R100](#) [501864-3091-TR225](#) [0525594033](#) [086210010340800](#) [086222026001800](#)
[52271-2869-CUT-TAPE](#) [62674-201121DLF](#) [62684-36210E9ALF](#) [52610-1675](#) [52746-1671-TR250](#) [10051922-2810EHLF](#) [6-520415-9](#)
[BD021-09A-A1-0350-0200-0550-LD](#) [SFV6R-1STE9HLF](#) [XF3M-2915-1B-R100](#) [1658549-1](#) [62674-221121ALF](#) [46214008010800](#)
[046298003000883](#) [151660622](#) [842-816-2630-035](#) [AYF530665TA](#) [AYF351525](#) [046296011930846+](#) [AYF352325A](#) [046254020000800+](#)
[FH19C-13S-0.5SH\(99\)](#) [FH39J-51S-0.3SHW\(99\)](#) [AYF355125A](#) [AYF530365TA](#) [FH29B-44S-0.2SHW\(99\)](#) [SFW5R-2STAE9LF](#) [AYF351125A](#)
[AYF350725A](#) [62684-502100AHLF](#) [FH39-61S-0.3SHW\(99\)](#) [AYF414035A](#) [10064555-172520HLF](#) [AYF212335A](#) [504754-2500](#)