

1

2

3

4

5

CHARACTERISTICS:

MATERIAL:

COLOR: BLACK

OPERATING TEMPERATURE: -20°C UP TO 80°C

COMPLIANCE: LEAD FREE AND ROHS


PACKAGING:

10PCS/BAG

WIRE DIMENSION:

AWG: 24

Terminal A



3mm Pre-stripped

Terminal B

Wire Length 150mm\*

Terminal A	649 009 137 22
Terminal B	Pre-stripped

\* Note: Wire UL 1007

RoHS Compliant				PROJECTION:	GENERAL TOLERANCE		DESCRIPTION: WR-MPC4 MALE PRE-CRIMPED CONTACT WERI PART NO: 649 900 124 015	SIZE <b>A4</b>
G					.X = +/- 0.2 .XX = +/- 0.15			
F				APPROVAL: RJ	UNIT: MM	DESCRIPTION: WR-MPC4 MALE PRE-CRIMPED CONTACT WERI PART NO: 649 900 124 015	SIZE <b>A4</b>	
E					SCALE:			
D				APPROVAL: RJ	SHEET: 1/2	DESCRIPTION: WR-MPC4 MALE PRE-CRIMPED CONTACT WERI PART NO: 649 900 124 015	SIZE <b>A4</b>	
C					DRAW: QL			
B								
A	18-OCT-11	PDF	GG					
REV	DATE	FILE	BY					

1

2

3

4

5


A

B

C


D

Note:  
 1.Dimension  
 Carton Size:40\*30\*20(CM)  
 2.Quantity: 5000 Pcs/Carton



RoHS Compliant

PROJECTION:



GENERAL TOLERANCE

.X =  $\pm$  0.2.XX =  $\pm$  0.15

APPROVAL: RJ

UNIT: MM

DESCRIPTION: WR-MPC4 MALE PRE-CRIMPED CONTACT

SIZE

SCALE:

**A4**

SHEET: 2/2

WERI PART NO: 649 900 124 015

DRAW: QL

G							
F							
E							
D							
C							
B							
A							
REV	DATE	FILE	BY				

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Specialised Cables](#) category:*

*Click to view products by [Würth](#) manufacturer:*

Other Similar products are found below :

[603PT6](#) [603SS6L](#) [604PT6](#) [604SS6](#) [706000D02F200](#) [910640](#) [1200740077](#) [1200740114](#) [AC172](#) [ACL-SSI-4](#) [R88ACAKA0015SRE](#)  
[R88ACAWL005SDE](#) [R88ACRGD0R3C](#) [1300150047](#) [1300660036](#) [1302262116](#) [1300150149](#) [1300220020](#) [1300220104](#) [1300220119](#)  
[1301240492](#) [1301810221](#) [1365323-1](#) [1613055](#) [176P12](#) [1971465-2](#) [20240400003](#) [20240400013](#) [2085828-1](#) [20886510030](#) [2-22733-8](#) [22733-](#)  
[8](#) [CB-BATACC-RS](#) [CB-JST3PSW-RS](#) [25AC84](#) [25AK84X](#) [25AU25](#) [25FN82](#) [3011-03](#) [AC118](#) [ACL-HHS-1M\(CAT5E\)](#)  
[SSL009PC2DC012N](#) [FC2A-KC6C](#) [2085828-2](#) [20886510150](#) [CCSFCBF2](#) [R88A-CRWB020N](#) [416216000-3](#) [426062900-3](#) [426064500-3](#)