

1	2	3	4	5	
					_

А

В

С

## **Cautions and Warnings:**

This electronic component is designed and developed with the intention for use

in general electronics equipments.

Before incorporating the components into any equipments in the field such as aerospace, aviation, nuclear control, submarine, transportation, (automotive control, train control, ship control), transportation signal, disaster prevention, medical, public information network etc. where higher safety and reliability are especially required or if there is possibility of direct damage or injury to human body, Wurth Elektronik must be asked for a written approval.

In addition, even electronic component in general electronic equipments, when used in electrical circuits that require high safety, reliability functions or performance, the sufficient reliability evaluation-check for the safety must be performed before by the user before usage.

R	toHS Compliant							
G				PROJECTION:	GENERAL TOLERANCE			1
F					.X = <sup>+</sup> /_ 0.2			
E					.XX = <sup>+</sup> /_ 0.15			
D						WÜRTH ELEKTRONĬK		
С				APPROVAL: JC	UNIT: MM	DESCRIPTION: DISCLAIMER	SIZE	Ъ
В					SCALE:			Γ
Α	10-SEP-14	PDF	QL		SHEET: 2/2	WERI PART NO: DISCLAIMER	<b>A4</b>	
REV	DATE	FILE	BY		DRAW: QL			

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Fixed Terminal Blocks category:

Click to view products by Wurth manufacturer:

Other Similar products are found below :

 MBE-1512
 MBE-154
 MBE-156
 MBES-153
 MBES-156
 MH-2512
 MHE-132
 MHE-163
 MI-272
 880507
 MPT-275

 15602-04-08-21
 ELM023100
 BA311TU
 BA411SU
 MV-152
 MV-252-D
 MV-253/NCNOC
 MV-255
 MV-462
 MV-493
 MVE 

 252
 MVE-253
 MVE-273
 MVEB-153
 1700096
 1705142
 1712417
 1713020
 1713088
 1745195
 1760594
 1776118-2
 1790852
 1-796689-8

 1-796692-6
 1800001
 1800114
 1995279
 20020314-C121B01LF
 CB2-12
 KP03215000J0G
 KP04215000J0G
 S451
 282802-2
 29.007
 29.116

 30.103
 I
 1095279
 20020314-C121B01LF
 CB2-12
 KP03215000J0G
 KP04215000J0G
 S451
 282802-2
 29.007
 29.116