$ \frac{1}{10000} + \frac{1}{10000000000000000000000000000000000$	Dimensions: [mm]				Properties:			
$ \frac{1}{1000} + \frac{1}{10000} + \frac{1}{100000} + \frac{1}{10000000000000000000000000000000000$					Material		Brass	
A T T T A T Contem or tacked [6107/2009] A T T T Contem or tacked [6107/2009] T T A T T T Contem or tacked [6107/2009] T T A T T T Contem or tacked [6107/2009] T T A T T T Contem or tacked [6107/2009] T T A T T T Contem or tacked [6107/2009] T T A T T T T T T T T A T </th <th>A</th> <th></th> <th></th> <th></th> <th>Surface</th> <th></th> <th>Nickel</th>	A				Surface		Nickel	
Image: Tread Length Value Value<					Certification:			
A Image: Transit design from the first set of					RoHS Approval	Compliant [20	11/65/EU&2015/863]	
A ↓ To ↓	\forall				REACh Approval	Conform or decla	lared [(EC)1907/2006]	
A Image: Control of the control of					Halogen Free	Conform [IEC 61249-2-21]	
	A ——				Halogen Free	Conform	[JEDEC 709B]	
$ \begin{array}{c} \hline \\ \hline $								
Article Properties: Image: Markaging in the second state of the second state in		\bigcirc				-55 up	p to +150 °C	
Value Value <th< th=""><th></th><th></th><th></th><th></th><th>packaging)</th><th>C;< 75 % RH</th></th<>					packaging)	C;< 75 % RH		
Article Properties: Properties Value Unit Length 1 35 Inner Thread Ti M4 Outer Thread To M4 Outer Thread Length Ti 9 mm Wrench SW 7 Main With Betrock elso stated A.o. Ko Main Stated Stated A.o. Ko B12 Modick Stated Stated Stated A.o. Ko Main State Stated A.o. Ko Main State State Stated A.o. Ko Wrench SW 7 State State State State A.o. Ko Main State State State A.o. Ko Main State State State A.o. Ko Wrench SW 7 State State State State A.o. Ko Main State State State A.o. Ko Main State State A.o. Ko Ware State State A.o. Ko State State A.o. Ko								
Article Properties: <u>Properties</u> <u>Index Trisead Tri <u>M4 Unit Index Trisead <u>Tri M4 Unit <u>Trisead Tri <u>M4 Unit <u>M4 Unit <u>M4 <u>M4 </u></u></u></u></u></u></u></u>					Packaging	ng Carton		
Inner Thread Ti M4 Outer Thread To M4 Inner Thread Length Ti 9 Outer Thread Length Ti 9 Outer Thread Length Tio 8 Wrench SW 7	Article Properties: Properties							
Outer Thread To M4 Inner Thread Length Ti 9 mm Outer Thread Length Tio 8 mm Wrench SW 7 9					JuSa 001.002 2019-01-10	DIN ISO 2768-1m		
Inner Thread Length Ti 9 mm Outer Thread Length Tio 8 mm Wrench SW 7 9 mm			RoHS REACH HALOGEN COMPLIANT FREE					
Outer Thread Length T _{lo} 8 mm Full Control (Control (Contro) (Control (Control (Control (Contro) (Control (Co	Ŭ			Wirth Elaktronik siGao CmbH 9, Co. 1/C	WA-SBRIE Brass Space			
Wrench SW 7 Germany SEE/TYPE BUSINESS UNIT STATUS PAGE				EMC & Inductive Solutions				
	10			74638 Waldenburg Germany				
WURTH ELEKTRONIK www.e-online.com with Metric Thread, internal/external eiCan Valid 1/2	SW SW	1		Tel. +49 (0) 79 42 945 - 0 www.we-online.com	SIZE/TYPE with Metric Thread, internal/external			

This electronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment only and and and reliability standard and reliability standard and reliability required or where a failure of the product is not authorized for use in equipment only. This product is not authorized for use in equipment where a higher safety standard and reliability standard is especially required or where a failure of the product is reasonably expected to cause severe personal injury or death, unless the parties have executed an agreement specifically governing such use. Moreover Winth Elektronik elSos GmbH & Co KG must be informed about the intent of such usage before the design-in stage. In addition, sufficient reliability evaluation checks for safety reasonably expected to cause severe personal injury or death, unless the parties have executed an agreement specifically governing such use. Moreover Winth Elektronik elSos GmbH & Co KG must be informed about the intent of such usage before the design-in stage. In addition, sufficient reliability evaluation checks for safety must be performed on every electronic component which is used in electrical inclusions or performance.

Important Notes

The following conditions apply to all goods within the product range of Würth Elektronik eiSos GmbH & Co. KG:

1. General Customer Responsibility

Some goods within the product range of Würth Elektronik eiSos GmbH & Co. KG contain statements regarding general suitability for certain application areas. These statements about suitability are based on our knowledge and experience of typical requirements concerning the areas, serve as general guidance and cannot be estimated as binding statements about the suitability for a customer application. The responsibility for the applicability and use in a particular customer design is always solely within the authority of the customer. Due to this fact it is up to the customer to evaluate, where appropriate to investigate and decide whether the device with the specific product characteristics described in the product specification is valid and suitable for the respective customer application or not.

2. Customer Responsibility related to Specific, in particular Safety-Relevant Applications

It has to be clearly pointed out that the possibility of a malfunction of electronic components or failure before the end of the usual lifetime cannot be completely eliminated in the current state of the art, even if the products are operated within the range of the specifications. In certain customer applications requiring a very high level of safety and especially in customer applications in which the malfunction or failure of an electronic component could endanger human life or health it must be ensured by most advanced technological aid of suitable design of the customer application that no injury or damage is caused to third parties in the event of malfunction or failure of an electronic component. Therefore, customer is cautioned to verify that data sheets are current before placing orders. The current data sheets can be downloaded at www.we-online.com.

3. Best Care and Attention

Any product-specific notes, cautions and warnings must be strictly observed. Any disregard will result in the loss of warranty.

4. Customer Support for Product Specifications

Some products within the product range may contain substances which are subject to restrictions in certain jurisdictions in order to serve specific technical requirements. Necessary information is available on request. In this case the field sales engineer or the internal sales person in charge should be contacted who will be happy to support in this matter.

5. Product R&D

Due to constant product improvement product specifications may change from time to time. As a standard reporting procedure of the Product Change Notification (PCN) according to the JEDEC-Standard inform about minor and major changes. In case of further queries regarding the PCN, the field sales engineer or the internal sales person in charge should be contacted. The basic responsibility of the customer as per Section 1 and 2 remains unaffected.

6. Product Life Cycle

Due to technical progress and economical evaluation we also reserve the right to discontinue production and delivery of products. As a standard reporting procedure of the Product Termination Notification (PTN) according to the JEDEC-Standard we will inform at an early stage about inevitable product discontinuance. According to this we cannot guarantee that all products within our product range will always be available. Therefore it needs to be verified with the field sales engineer or the internal sales person in charge about the current product availability expectancy before or when the product for application design-in disposal is considered. The approach named above does not apply in the case of individual agreements deviating from the foregoing for customer-specific products.

7. Property Rights

All the rights for contractual products produced by Würth Elektronik eiSos GmbH & Co. KG on the basis of ideas, development contracts as well as models or templates that are subject to copyright, patent or commercial protection supplied to the customer will remain with Würth Elektronik eiSos GmbH & Co. KG does not warrant or represent that any license, either expressed or implied, is granted under any patent right, copyright, mask work right, or other intellectual property right relating to any combination, application, or process in which Würth Elektronik eiSos GmbH & Co. KG components or services are used.

8. General Terms and Conditions

Unless otherwise agreed in individual contracts, all orders are subject to the current version of the "General Terms and Conditions of Würth Elektronik eiSos Group", last version available at www.we-online.com.

		CHECKED JUSa	REVISION 001.002	DATE (YYYY-MM-DD) 2019-01-10	GENERAL TOLERANCE DIN ISO 2768-1m		PROJECTION METHOD	=	€-
		WA-SBRIE Brass Spacer Stud							
	Wurth Elektronik előss GrnbH & Co. KG EMC & Inductive Solutions Max-Eyth-Str. 1 74638 Waldenburg Germany Tel. +49 (0) 79 42 945 - 0 www.we-online.com elSas@we-online.com					ORDER CODE	350474		
WÜRTH ELEKTRONIK		SIZE/TYPE with Metric Th	read, internal/ext	ernal	BUSINESS UNIT eiCan	status Valid		1	PAGE 2/2

This electronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment where a higher safety standard and reliability standard is especially required or where a failure of the product is reasonably expected to cause severe personal injury or death, unless the parties have executed an agreement specifically governing such use. Moreover Wurth Elektronik elSos GmbH & Co KG products are neither designed on rinended for use in areas such as military, aerospace, availation, nuclear control, train control, ship control, train control, ship control, train control, t

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Wurth manufacturer:

Other Similar products are found below :

 742700
 74270062
 7446222002
 750314624
 750341638
 304055
 31402
 7446321027
 744732100
 744741471
 744772681
 744777

 890334025009
 178050601
 61308021121
 615008138221
 744999
 7446823003
 744028
 66201621822
 691301710003
 7446221012
 744720

 760390015
 760895431
 662006236022
 64900621822
 74436410330
 78438357100
 890334026014
 744839208072
 744762A/RFI
 7449984

 750310346
 861011384014
 750817018
 7449982
 3021717
 3020903
 885342
 2603019321001
 2606039021001

 2608019324001
 2607019213001
 2605039241001
 2605049281001
 2607029291011
 709620200
 709951000