









Order Code (mm) (mm) (mm) Size M 2.5 SW 5 971050155 8,0 5 3,5 971060155 6 8,0 4,0 M 2.5 SW 5 971070155 7 8,0 5,0 M 2.5 SW 5 971080155 8 M 2.5 SW 5 8,0 6,0 971090155 9 8,0 7,0 M 2.5 SW 5 M 2.5 SW 5 971100155 10 8,0 8,0 11 M 2.5 971110155 9,0 SW 5 8,0 10,0 971120155 12 8,0 M 2.5 SW 5 971150155 15 8,0 10,0 M 2.5 SW 5 971160155 20 8,0 10,0 M 2.5 SW 5 971180155 18 8,0 10,0 M 2.5 SW 5 971200155 M 2.5 20 8,0 10,0 SW 5 45 10,0 971450155 8,0 M 2.5 SW 5 971050365 5 8.0 3.0 M 3.0 SW₆ SW₆ 6 8,0 M 3.0 971060365 3,5 971080365 8 8,0 5,0 M 3.0 SW 6 M 3.0 SW 6 971100365 10 8,0 7,0 11 M 3.0 8,0 7,0 SW 6 971110365 971120365 SW 6 12 8,0 9,0 M 3.0 971130365 13 8,0 9,0 M 3.0 SW 6 971140365 8,0 9,0 SW 6 14 M 3.0 971150365 15 8,0 10,0 M 3.0 SW 6 SW₆ M 3.0 971160365 16 8,0 10,0 SW 6 17 8,0 10,0 M 3.0 971170365 971180365 18 8,0 10,0 M 3.0 SW₆ SW 6 971200365 20 8,0 10,0 M 3.0 971250365 25 8,0 10,0 M 3.0 SW 6 M 3.0 971300365 30 8,0 10,0 SW 6 M 3.0 35 8,0 10,0 SW 6 971350365 971400365 40 10,0 M 3.0 SW 6 8,0 971500365 50 8.0 10.0 M 3.0 SW 6 971060385 6 8,0 3,5 M 3.0 SW 8 M 3.0 971070385 8,0 3,5 SW 8 5,0 SW 8 8 8,0 M 3.0 971080385 9 8.0 5.0 M 3.0 SW 8 971090385 7.0 M 3.0 SW 8 971100385 10 8.0 971110385 8,0 7,0 M3.0 SW8 11 971120385 12 8.0 9.0 M 3.0 SW 8 971130385 13 8,0 9.0 M 3.0 SW 8 971140385 14 9,0 SW 8 8,0 M 3.0 971150385 15 10,0 M 3.0 SW 8 8,0 SW 8 971600385 60 8.0 10.0 M 3.0 971070485 8,0 3,5 M 4.0 SW 8 SW 8 971080485 8 8,0 5,0 M 4.0 971090485 9 8,0 6,0 M 4.0 SW 8 971100485 10 M 4.0 SW 8 8,0 7,0 971110485 11 8,0 8,0 M 4.0 SW 8 971120485 12 8,0 9,0 M 4.0 SW 8 971130485 13 8,0 10,0 M 4.0 SW 8 971150485 15 8,0 10,0 M 4.0 SW 8 10,0 971200485 20 8,0 M 4.0 SW 8 971250485 25 8,0 10,0 M 4.0 SW 8 971300485 30 8,0 10,0 M 4.0 SW 8 971350485 35 8,0 10,0 M 4.0 SW 8 SW 8 971400485 40 8,0 10,0 M 4.0 45 M 4.0 SW 8 971450485 8,0 10,0 SW 8 971500485 50 8,0 10,0 M 4.0 971650485 65 8,0 10,0 M 4.0 SW 8 GENERAL TOLERANCE SCALE

 L_1

Thread

SW

G

Flammability according to: UL94-HB

Würth Elektronik eiSos GmbH & Co. KG **EMC & Inductive Solutions**

Max-Eyth-Str. 1 74638 Waldenburg Germany com. +49 79 42 945 - 0

www.we-online.de eiSos@we-online.de

<u></u>	Metric Th
	SIZE
WÜDTU ELEKTRONUK	xxx xxx xxx

C	REATED	CHECKED
	DaF	SKI

DIN ISO 2768-1m

Released

PROJECTION METHOD



PAGE

1 /1

DESCRIPTION AsSPalE **Plastic Spacer Stud** Metric Thread int./ext.

WEIGHT STATUS

MATERIAL PA66, black ORDER CODE

971 xxx xx5 DATE BUSINESS UNIT 2014-12-08 eiCan

This electronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment where a higher safety standard and reliability standard is especially required or where a failure of the product is reasonably expected to cause severe personal injury or death, unless the parties have executed an agreement specifically governing such use.

Moreover Würth Elektronik eiSos GmbH & Co KG products are neither designed nor intended for use in areas such as military, aerospace, aviation, nuclear control, submarine, transportation (automotive control), transportation or control, submarine, transportation (automotive control), transportation signal, disaster prevention, medical, public information network etc. Würth Elektronik eiSos GmbH & Co KG must be informed about the intent of such usage before the design-in stage. In addition, sufficient reliability evaluation checks for safety must be performed on every electronic component which is used in electrical circuits that require high safety and reliability functions or performance.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Wurth manufacturer:

Other Similar products are found below:

742700 74270062 7446222002 750314624 750341638 304058 31402 7446321027 744732100 744741471 744772681 744777

890334025009 178050601 61308021121 615008138221 744999 7446823003 744028 66201621822 691301710003 7446221012 744720

760390015 760895431 662006236022 64900621822 74436410330 78438357100 890334026014 744839208072 744762A/RFI 7449984

750310346 861011384014 750817018 7449982 3021717 3020903 885342 2603019321001 2603019021001 2606039021001

2608019324001 2607019213001 2605039241001 2605049281001 2607029291011 709620200 709951000