



300V 15A
Poles: 2P-22P
Pitch: 5.0mm(.197")5.08mm(.200")

Materials

Housing: PA66(UL 94V-0)
Solder Pin: Brass, Tin Plated.
Nut: M2.5,Brass

序号/RevNo.	更改记录/Revision note	签名/Signature	日期/Date
-----------	--------------------	--------------	---------

设计/Designed by	绘图/Drawing by	审核/Checked by	批准/Approved by	未注公差 General Tolerance																
<table border="1"> <tr> <td>图名/Title</td> <td>文件编号/FILE NO.</td> <td>X: ±0.2</td> <td>X': ±2°</td> </tr> <tr> <td>XY2500R-BS</td> <td></td> <td>.X ±0.1</td> <td>.X' ±1°</td> </tr> <tr> <td>XY2500R-DS</td> <td>页序/Sheet</td> <td>.XX ±0.05</td> <td>.XX' ±0.5°</td> </tr> <tr> <td></td> <td>备注/Remark</td> <td>.XXX ±0.01</td> <td></td> </tr> </table>				图名/Title	文件编号/FILE NO.	X: ±0.2	X': ±2°	XY2500R-BS		.X ±0.1	.X' ±1°	XY2500R-DS	页序/Sheet	.XX ±0.05	.XX' ±0.5°		备注/Remark	.XXX ±0.01		单位/Units: mm
图名/Title	文件编号/FILE NO.	X: ±0.2	X': ±2°																	
XY2500R-BS		.X ±0.1	.X' ±1°																	
XY2500R-DS	页序/Sheet	.XX ±0.05	.XX' ±0.5°																	
	备注/Remark	.XXX ±0.01																		



新莱亚电子
 XINLATIA ELECTRONIC CO., LTD

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Pluggable Terminal Blocks](#) category:

Click to view products by [Xinya](#) manufacturer:

Other Similar products are found below :

[57.510.0053](#) [MC 1.5/ 6-ST-3.5 GY AU](#) [ET02015000J0G](#) [860505](#) [860516](#) [860810](#) [GBPACX-12](#) [93.731.4953.0](#) [PV05-5,08-K](#) [PVP03-3,50](#)
[PVS02-5,00](#) [1-1986160-3](#) [1377680000](#) [1531000000](#) [1546228-5](#) [ELFP03110](#) [ELFP10210](#) [ELFT07250](#) [ELVD12100](#) [ELVF09400](#)
[ELVP03100](#) [ELXH071G0E](#) [1700410](#) [1746952](#) [1760336](#) [1800272](#) [1809474](#) [1855000000](#) [19346](#) [1946309](#) [1950227](#) [1973592](#) [19892](#)
[25.320.4053.1](#) [25.320.4553.9](#) [25.320.4753.1](#) [25.320.5453.1](#) [25.340.0353.1](#) [25.340.1053.1](#) [25.345.3553.0M001](#) [25.640.3553.1](#) [SH02-5,08](#)
[SH06-3,81](#) [SH08-5,08](#) [SH08-5,08-K](#) [SH12-5,08](#) [SHS04-5,00](#) [30.303](#) [30.305](#) [30.306](#)