





REVISIONS		UNSPECIFIED TOLERANCES		REVISIONS		UNSPECIFIED TOLERANCES	
MARK	DESCRIPTION	DATE	REVISED	APPROVED	L > 63	± 0.5	
△ X					16 < L ≤ 63	± 0.4	
△ X					4 < L ≤ 16	± 0.3	
△ X					L ≤ 4	± 0.2	
					ANGULAR	± 5°	

For and on behalf of
XKB INDUSTRIAL PRECISION CO., LIMITED
 香港星坤工業精密有限公司


PART NO	Material	Material(Pin)	Finish(Pin)	Suitable XKB Terminal
X2508WV-XX-N0SN	Nylon 66 UL 94V-0	Brass	Tin-Plated	X2508H



Poles	Dimensions (mm)		
	A	B	C
2	7.50	5.80	2.50
3	10.00	8.30	5.00
4	12.50	10.80	7.50
5	15.00	13.30	10.00
6	17.50	15.80	12.50
7	20.00	18.30	15.00
8	22.50	20.80	17.50
9	25.00	23.30	20.00
10	27.50	25.80	22.50
11	30.00	28.30	25.00
12	32.50	30.80	27.50
13	35.00	33.30	30.00
14	37.50	35.80	32.50
15	40.00	38.30	35.00

DSND	DATE	SCALE: N/A	MODEL TYPE: X2508WV-XX-N0SN
DWN	DATE	VIEW:	PART NO.: 2.50 mm Crimp Style connectors
CHKD	DATE	UNIT: mm	DWG NO.:
APPD	DATE	SIZE: A4	WEIGHT: 1.0g
			SHEET: 1/1
			REVISION: A0

Recommand PCB Layout



- Specifications(规格) :
 - Voltage rating(额定电压) : 250V AC / DC
 - Current rating(额定电流) : 3A AC / DC
 - Withstanding voltage(耐压值) : 150V AC/minute
 - Temperature range(工作温度) : -25°C~+85°C
 - Insulation resistance(绝缘电阻) : ≥500MΩ
 - Contact resistance(接触电阻) : ≤10mΩ
 - After environmental testing(环境测试后) : ≤20mΩ

①系列
 X2508 W V X-XX X-N0 SN XX
 ① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

②类别: W-WAFER类
 ③外观形态: V-180°
 ④成型方式: 空码-DIP
 ⑤PIN数: 单排-XX
 ⑥空PIN位置及特殊码
 ⑦材质: N0-PA66 94V-0
 ⑧电镀类别: G**-镀金 V**-镀合金 *01-1U" *02-2U" *03-3U" *05-5U"
 *10-10U" *15-15U" *30-30U" *50-50U"
 SN-镀亮锡(70-120U") SNI-镀亮锡(120U"Min.)
 SW-镀雾锡 HS-高温锡
 ⑨颜色: 空码-本色或普通色

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [XKB](#) manufacturer:

Other Similar products are found below :

[95000-104TRLF](#) [10135584-644402LF](#) [DF62W-EP2022PCA](#) [95000-106TRLF](#) [DF62W-2022SCA](#) [DF62W-EP2022PC](#) [2203348](#) [DF62W-2022SC](#) [1084018](#) [1029039](#) [1084017](#) [802-10-012-10-002000](#) [1112640](#) [1112639](#) [891-007-9SS-BST1T](#) [000-34000](#) [0008550134](#) [0009482033](#) [0009507031](#) [57102-F02-18ULF](#) [57102-S06-03LF](#) [57202-S52-04LF](#) [PCN6-15S-2.5E](#) [0039019024](#) [58102-G61-06LF](#) [582553-1](#) [0009485154](#) [0009508121](#) [0022285053](#) [0050291907](#) [018731A](#) [LY20-4P-DT1-P1E-BR](#) [02.125.8002.8](#) [60101931](#) [60598-1 \(Cut Strip\)](#) [M1625-3R/100](#) [61062-3](#) [61082-181009](#) [CSU011177004](#) [636-1427](#) [638009-1](#) [641938-9](#) [641991-4](#) [644168-1](#) [644827-2](#) [647662-1](#) [65039-019ELF](#) [65692-001LF](#) [65781-018](#) [65781-047](#)