


[XM-L2 U3 LED]

**Maximum Output 1100Lm,
50000h Lifespan,
Orange Peel Reflector.**





[Glass Lens]

Ultra-clear Tempered Glass Lens with Anti-reflective Coating.

Common Glass: 89-92% Transmittance.

**98.5
%**

Transmittance



Low mode 30Lm
Runtime 75h




Mid mode/Signal 250Lm
Runtime 8.5h(Only Mid mode)



High mode 600Lm
Runtime 3.5h



Turbo mode 1100Lm
Runtime 3.3h



[Lighting Modes]

Wide Beam with Superior Distance.

1. 4 Lighting modes: Low Mid High Turbo.
2. 1 Hidden modes: Signal.
3. Max output 1100Lm.
4. Max Intensity 13225cd.
5. Beam Throw 230m.

XTAR

[Switch]

Rear forward tactical switch.

Environmental friendly waterproof silicone material plus wear-resisting feature.



[Use Method]

Ergonomic design, More comfortable to hold and operate.

1. One switch with double operation method: Click heavily to turn on/off and change modes directly Flip for momentary on, click heavily for locked on.
2. Signal mode: When the B20 Pilot II is closed, Quick double-click to get Hidden signal mode.





[Stainless Steel Clip]

Sturdy and durable.

Anodized aircraft 6N01 aluminum alloy
Type III Hard-anodized anti-abrasive finish.



[Low Heat Design]

**Excellent heat dissipation design.
Extend flashlight lifespan.**



[Appearance design]

Headstand, Tailstand,
Anti-roll.



[Spring, Circuit]

**Dual anti-oxidant Gold-plated spring
Avoid the poor contact.**

- + Transverse conductive, reversive polarity protection, more secure.
High efficiency drive circuit, runtime curve is more stable.



[Battery Type]

**Compatible with
18650 Li-ion battery and 18700 Li-ion battery**





[Waterproof Level]
Waterproof IPX8
(Underwater 2m)




[Application Range]

Versatile.







Max beam throw 230m, Orange Peel Reflector, wide beam, beautiful floodlight, suitable for various usage.





[Size and Net Weight]

Net Weight: 120.0g (Battery excluded).

	Turbo	High	Middle	Low	Signal
 Luminance	1100Lm	600Lm	250Lm	30Lm	250Lm
 Runtime	3.3h	3.5h	8.5h	75h	/
 Beam Throw	230m				
 Max Intensity	13225cd				
 Impact Resistant	1.5m				
 Waterproof	IPX8				
LED	CREE XM-L2 U3				
Material	Anodized aircraft 6N01 aluminium alloy, Type III hard-anodized anti-abrasive finish				
Working Voltage	2.75V~4.2V				
Batteries	1 × 18650				
Switch	Rear Forward Tactical Switch				
Size	Φ34.5mm(Head dia) × Φ25.4mm(Body dia) × Φ25.4mm(Tail dia) × 140.5mm(Length)				
Net Weight	120g (Excluded battery)				
Additional Functions	Memory function, Reverse polarity protection				
Package Contents	Flashlight, Stainless Steel clip, Lanyard, Holster, Spare O-ring, Manual, Warranty Card				
Optional Accessories	Battery or Charger				

XTAR

MCI

Micro USB Li-Ion Battery Charger



XTAR

Warranty Card

Non-accidental damage,
15 days free replacement
two years warranty
if over 24 months,
you may be charged for the
cost of replacement parts.

Please take the receipt and
warranty card to the seller
to get A/S service.

More details, please consult
local dealer or visit
800 815 1111
800 815 1111

To offer better A/S service,
XTAR will do best to solve
your problem within
1 month.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Other Tools](#) category:

Click to view products by [Xtar](#) manufacturer:

Other Similar products are found below :

[CR-05FL7--150R](#) [CR-05FL7--698K](#) [899-2-KT46](#) [899-5-KT46](#) [CR-0AFL4--332K](#) [CR-12FP4--260R](#) [CRCW04021100FRT7](#)
[CRCW04021961FRT7](#) [5800-0090](#) [CRCW04024021FRT7](#) [CRCW040254R9FRT7](#) [CRCW0603102JRT5](#) [59065-5](#) [00-8273-RDPP](#) [00-8729-](#)
[WHPP](#) [593033](#) [593058](#) [593072](#) [593564100](#) [593575](#) [593591](#) [593593](#) [011349-000](#) [LTLA506SBLAMNBL](#) [CRCW08052740FRT1](#) [LUC-](#)
[012S070DSM](#) [LUC-018S070DSP](#) [599-2021-3-NME](#) [599-JJ-2021-03](#) [00-5080-YWPP](#) [5E4750/01-20R0-T/R](#) [LW1A-L1-GL](#) [LW1A-P1-GD](#)
[LW1L-A1C10V-GL](#) [LW1L-M1C70-A](#) [0202-0173](#) [00-9089-RDPP](#) [00-9300-RDPP](#) [CRCW2010331JR02](#) [01-1003W-8/32-10](#) [601-GP-08-](#)
[KT39](#) [601-JJ-06](#) [601-SPB](#) [601YSY](#) [602-JJ-03](#) [602SPB](#) [602Z](#) [603-JJ-07-FP](#) [603-JJY-04](#) [604J](#)