



Output modes switching

It starts charging via QC3.0, USB2 and USB3 by default after connected with power supply.

LCD Screen Display

Shows overload status, charging current, voltage and capacity, tests and monitors the charging status all the time.











Tiny but Beauty, Attractive Appearance


Being treated with gray-black rubber paint, simple and portable, can easily integrate into the using environment.




Support most fast-charging communication protocols of cell phones

QC3.0 port supports Apple 2.4A, DCP 1.5A, Samsung AFC, etc.

Type-C port supports Apple 2.4A, DCP 1.5A, Samsung AFC and Huawei FCP, etc.







The charger shell is made from PC fire-proof and flame-retardant material, which is not only resistant to elevated temperatures, but also can protect the interior structure.

Widely applicable for many countries and regions

Adopting 100-240V broadband voltage enables you to use this charger all over the world



Great Compatibility

With 4 Output ports(QC3.0, 5V 2.4A×2, Type-C), this charger supports most mobile devices, such as smart phones, Nintendo switch, MacBooks, tablets and laptops, etc.





Triple Certifications, Multiple Protections

RoHS F© (E













Specifications

Model	EU4
Input	100-240V~ 50-60Hz 1.5A Max
Output	QC3.0 + Type-C or QC3.0 + 5V 2.4A × 2
Type-C Output	5V3A 9V3A 12V3A 15V3A 20V2.25A
QC3.0 Output	3.6V~6V-3A 6V~9V-2A 9V~12V-1.5A
Operating Temperature	0-45°C
Size	92mm x 66mm x 29mm
Net Weight	250g



Package Contents

EU4 Charger, Power Cord User Manual

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Battery Chargers category:

Click to view products by Xtar manufacturer:

Other Similar products are found below:

149116 2217331-1 CA0002 CH0011 CB1210A PS-034052 CH0015 GP U811+ 4X R6 2100MAH GP X411 AA/AAA + 4X R6 2700MAH RECYKO CB243A CB123A CB1235A CB2420A CB12245A HEP-600C-48 MC1 PLUS NEW MC2 MC1 BQ-CC55E VP4 PLUS DRAGON LCD MULTI CHARGER MINI-CHARGER 5V 2.1A PB320 PB50 PB550 + 4XAA 2700MAH VP2 POCKET-CHARGER + 4XAA 2100MAH PB-300P-12 VC2 79540-5015 MINI CHARGER + 2XAA 2100MAH ENC-360-12 ENC-360-24 ENC-360-48 HEP-600C-12 HEP-600C-24 CHFC3 ENC-120-12 RCP-1600-24 68532-4461 153117 BVL240600003N 68532-4462 BC7217 120 BVL062000003N 68532-4510 PB-120P-54P TSP-BCM48 1073100064-001