





**SPECIFICATION**  
**MATERIAL:**  
 INSULATOR: HIGH TEMPERATURE THERMOPLASTIC,UL 94V-0.  
 CONTACT: C5210  
 SHELL: SUS  
**PLATING:**  
 CONTACT: PLATED 50U" NI OVERALL CONTACT ALL AU 1U  
 SHELL: PLATED 50U" NI OVERALL,PAD AU 1U  
**ELECTRICAL:**  
 CURRENT RATING: 0.5MA AC/DC MAX  
 VOLTAGE RATING: 125V AC/DC  
 AMBIENT TEMPERATURE RANGE: -20°C~+60°C  
 STORAGE TEMPERATURE RANGE: -40°C~+70°C  
 AMBIENT HUMIDITY RANGE: 95% R.H. MAX.  
 CONTACT RESISTANCE: 100M $\Omega$ MAX.  
 INSULATION RESISTANCE: 1000M $\Omega$ MIN./500VDC  
 REFLOW PEAK TEMP: 260°C  $\pm$ 5°C, 3~5 S  
 MATING CYCLES: 3,000 INSERTIONS MIN




NANO SIM CARD	
Pin No.	NAME
C1	VCC OF SIM
C2	RST OF SIM
C3	CLK OF SIM
C5	GND OF SIM
C6	VPP OF SIM
C7	I/O OF SIM
C4/C8	N/A



PAD AREA  
 KEEP OUT AREA  
RECOMMENDED PCB LAYOUT  
GENERAL TOLERANCE  $\pm$ 0.05




MANUFACTURE DWG			东莞市讯普电子科技有限公司 DongGuan XunPu Electronics Co.,Ltd	
UNLESS OTHERWISE SPECIFIED TOLERANCES			TITLE: NANO SIM CARD PUSH PULL 6PIN H1.35 带柱	
DECIMALS:	ANGLES:	PAR	SMN-304	
X.: $\pm$ 0.50	X.': $\pm$ 2'	DWN		
X.X: $\pm$ 0.30	X.X': $\pm$ 1'	CHKD		
X.XX: $\pm$ 0.20	X.XX': $\pm$ 0.5'	APVD		
CUSTOMER COPY		SCALE: 1:1	UNIT: MM	
		SIZE: A4	SHEET: 1F1	REV: A




NOTES

1. NUMBER OF CONNECTORS: 1800PCS/REEL
2. LEAD TAPE LENGTH



3. QUANTITY 18000PCS/CARTON



MANUFACTURE DWG		东莞市讯普电子科技有限公司 DongGuan XunPu Electronics Co., Ltd	
UNLESS OTHERWISE SPECIFIED TOLERANCES		TITLE: NANO SIM CARD PUSH PULL 6PIN H1.35 带柱 包装图 PAR SMN-304	
DECIMALS:	ANGLES:	DWN	
X.: ±0.50	X.: ±2°	CHKD	
X.X: ±0.30	X.X': ±1°	APVD	
X.XX: ±0.20	X.XX': ±0.5°	SCALE: 1:1	UNIT: MM
CUSTOMER COPY		SIZE: A4	SHEET: 1F1
			REV: A

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Standard Card Edge Connectors](#) category:*

*Click to view products by [XUNPU](#) manufacturer:*

Other Similar products are found below :

[CR7E-30DB-3.96E\(72\)](#) [6565204-6](#) [1437274-4](#) [1-582587-1](#) [284-0102-12100](#) [286-0052-12101A](#) [306022901000000](#) [307-012-502-202](#) [307-056-520-300](#) [A6D22DS29C2](#) [1926088-2](#) [287-0032-12101](#) [345-060-559-303](#) [392-008-559-201](#) [534671-1](#) [341-240-317](#) [345-044-500-300](#) [346-240-318](#) [387-012-523-300](#) [395-100-524-300](#) [09-07-2032](#) [10035388-802LF](#) [10115859-011LF](#) [10122859-009LF](#) [101269333204245CLF](#) [530555-1](#) [66925-516LF](#) [5145409-2](#) [73726-0005](#) [66308-1](#) [5036A30](#) [PEC-07-02-T-S-A](#) [346-014-520-801](#) [KSLX-62-BR](#) [307-048-502-202](#) [CE100F26-7-C](#) [CE100F28-3-D](#) [CE100F28-4-D](#) [CE156F18-9-C](#) [CE156F22-5-D](#) [CE156F22-9-C](#) [CT100F22-2-D](#) [CT100F22-3-D](#) [CT100F24-2-D](#) [CT100F24-3-D](#) [CT100F24-6-C](#) [MLSS100-12-C](#) [MLSS100-16-C](#) [SCC100F-11-C](#) [SCC100F-16-C](#)