




NOTE:  
 1.FINISH:  
 1-1.CONTACT: AU 1U" PLATING ON CONTACT AREA, 100~200U" SN PLATING ON SOLDER TAILS, 50U" NICKEL UNDERPLATING VOER ALL;  
 1-2.SHELL: NO PLATING;  
 2.PRODUCT SPECIFICATIONS:  
 2-1.VOLTAGE RATING: 100V  
 2-2.CURRENT RATING: 0.5A  
 2-3.INSULATION RESISTANCE: 1000 MEG.OHM MIN  
 2-4.CONTACT RESISTANCE: 100 MILL.OHM MAX  
 2-5.OPERATION TEMPERATURE: -20° TO +85°





COPLANARITY(Shell&Signal pin)





▨ PAD AREA  
 ■ KEEP OUT AREA

RECOMMENDED PCB LAYOUT  
 GENERAL TOLERANCE ±0.05




TF CARD PIN DEFINE			
PIN NO.	NAME	YYPE	DESCRIPTION
1	DAT2	I/O/PP	DATE LINE(BIT2)
2	CD/DAT3	I/O/PP	CARD DETECT DATE LIN(BIT3)
3	CMD	PP	COMMAND RESPONSE
4	VDD	S	SUPPLY VOLTAGE
5	CLX	I	CLOCK
6	VSS	S	SUPPLY VOLTAGE GROUND
7	DAT0	I/O/PP	DATE LINE(BIT0)
8	DAT1	I/O/PP	DATE LINE(DIT1)



MANUFACTURE DWG		东莞市讯普电子科技有限公司 DongGuan XunPu Electronics Co.,Ltd	
UNLESS OTHERWISE SPECIFIED TOLERANCES			TITLE: T-FLASH CARD HINGED H1.6 掀盖T卡
DECIMALS:	ANGLES:		PAR TF-102-15
X.: ±0.50	X.: ±2°		DWN
X.X: ±0.30	X.X': ±1°		CHKD
X.XX: ±0.20	X.XX': ±0.5°	APVD	SCALE:1:1 UNIT: MM
CUSTOMER COPY		SIZE: A4	SHEET: 1F1 REV: A




1、产品平整包装入载带




天地板

3、11 盘整齐叠放，上下各加一块天地板



4、装箱



NOTE:

1. QUANTITY/1500 PCS

数量/卷: 1500PCS

2. QUANTITY/INNER

CARTON: 1500X11=16500PCS

数量/箱: 1500X10=15000PCS

3. FREE 25 CAVE THE FRONT CARRIER  
ADN FREE

25 CAVE IN THE END CARRIER

包装带内圈空25格，外圈空25格

MANUFACTURE DWG		 东莞市讯普电子科技有限公司 DongGuan XunPu Electronics Co.,Ltd		
UNLESS OTHERWISE SPECIFIED TOLERANCES			TITLE: T-FLASH CARD HINGED H1.6 掀盖T卡	
DECIMALS:	ANGLES:		PAR TF-102-15	
X.: ±0.50	X.°: ±2°		DWN	
X.X: ±0.30	X.X°: ±1°		CHKD	
X.XX: ±0.20	X.XX°: ±0.5°	APVD		
CUSTOMER COPY		SCALE: 1:1	UNIT: MM	
		SIZE: A4	SHEET: 1F1	
			REV: A	

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Standard Card Edge Connectors](#) category:*

*Click to view products by [XUNPU](#) manufacturer:*

Other Similar products are found below :

[CR7E-30DB-3.96E\(72\)](#) [6565204-6](#) [1437274-4](#) [EBT15622B2X](#) [1-582587-1](#) [284-0102-12100](#) [286-0052-12101A](#) [306022901000000](#) [307-012-502-202](#) [307-056-520-300](#) [A6D22DS29C2](#) [1926088-2](#) [287-0032-12101](#) [345-060-559-303](#) [392-008-559-201](#) [534671-1](#) [341-240-317](#) [345-044-500-300](#) [346-240-318](#) [387-012-523-300](#) [395-100-524-300](#) [09-07-2032](#) [10035388-802LF](#) [10115859-011LF](#) [10122859-009LF](#) [101269333204245CLF](#) [530555-1](#) [66925-516LF](#) [5145409-2](#) [73726-0005](#) [66308-1](#) [5036A30](#) [PEC-07-02-T-S-A](#) [346-014-520-801](#) [KSLX-62-BR](#) [307-048-502-202](#) [CE100F26-7-C](#) [CE100F28-3-D](#) [CE100F28-4-D](#) [CE156F18-9-C](#) [CE156F22-5-D](#) [CE156F22-9-C](#) [CT100F22-2-D](#) [CT100F22-3-D](#) [CT100F24-2-D](#) [CT100F24-3-D](#) [CT100F24-6-C](#) [CT156F22-4-D](#) [MLSS100-12-C](#) [MLSS100-16-C](#)