

DATA SHEET

WIRELESS COMPONENTS

Ceramic Antenna
ANT3505B000TWPENA

PENTA-BAND
3505 Series



FEATURES

- Compact Size
- High radiation efficiency
- Multi-band coverage
- Reflow process compatible
- RoHS compliant

APPLICATIONS

- Global cellular network devices
- Telematics
- Cellular broadband access
- M2M module

ORDERING INFORMATION

All part numbers are identified by the series, packing type, material, size, antenna type, working frequency and packing quantity.

PART NUMBER

ANT 3505 B 000 T WPENA
 (1) (2) (3) (4) (5) (6)

(1) PRODUCT

ANT = Antenna

(2) SIZE

3505 = 35 × 5 mm

(3) ANTENNA TYPE

B= Bulk Antenna

(4) SERIAL NO.

000

(5) PACKING STYLE

T = Tray

(6) WORKING FREQUENCY

WPEN=0.8/0.9/1.8/1.9/2.1 GHz

PHYCOMP CTC

CAN4313449009181B

I2NC

431344900918

SPECIFICATION

Table 1

DESCRIPTION	VALUE
Working Frequency	824~960 / 1710~2170 MHz
Bandwidth	140MHz / 470 MHz (Typ.)
Return Loss	6.26 / 5.03 dB min
Polarization	Linear
Azimuth Beamwidth	Omni-directional
Peak Gain	2.91 dBi(Typ.)
Impedance	50 Ω
Operating Temperature	- 40~105 °C
Maximum Power	4 W
Termination	Ag (Environmentally-Friendly Leadless)
Resistance to Soldering Heats	260°C , 10sec.

NOTE

I. The specification is defined on Yageo evaluation board

DIMENSIONS

Table 2 Machinical Dimension

	DIMENSION
L (mm)	35.00 ±0.20
W (mm)	5.00 ±0.20
T (mm)	6.00 ±0.20
A (mm)	2.00 ±0.20
B (mm)	1.50 ±0.20
C (mm)	1.27 ±0.20

OUTLINES




Fig. I Antenna outlines

Table 3 Termination configuration

TERMINAL NAME	FUNCTION
S1	Soldering Point
S2	Soldering Point
S3	GND
S4	Feeding Point

REFERENCE DESIGN OF EVALUATION BOARD




Fig. 2 Outlook and dimension of evaluation board




Fig. 3 Details of soldering Pad

ELECTRICAL PERFORMANCES






Fig. 4 Return loss




Evaluation board and XYZ direction

Model name: 350506 bulk antenna
 Test mode: WWAN
 Test frequency / Polarization: 880.00 MHz / Vector sum
 Test date: 2011/8/22




Max gain=1.72dBi, at (60, 210)
 MEG (mean effective gain)=-2.99dBi
 Directivity(dBi)=3.08
 Efficiency=-1.36dB, 73.11%
 Frequency= 880 MHz
 Max gain = 1.72 dBi, at (60, 210)
 MEG (mean effective gain)= -2.99dBi
 Directivity (dB) = 3.08
 Efficiency = -1.36dB, 73.11%

Model name: 350506 bulk antenna
 Test mode: WWAN
 Test frequency / Polarization: 1880.00 MHz / Vector
 Test date: 2011/8/22



Max gain=4.35dBi, at (150, 240)
 MEG (mean effective gain)=-1.20dBi
 Directivity(dBi)=5.35
 Efficiency=-1.00dB, 79.52%
 Frequency= 1880 MHz
 Max gain = 4.35 dBi, at (150, 240)
 MEG (mean effective gain)= -1.20dBi
 Directivity (dB) = 5.35
 Efficiency = -1.00dB, 79.52%

Model name: 350506 bulk antenna
 Test mode: WWAN
 Test frequency / Polarization: 2140.00 MHz / Vector
 Test date: 2011/8/22



Max gain=1.67dBi, at (120, 240)
 MEG (mean effective gain)=-3.93dBi
 Directivity(dBi)=5.26
 Efficiency=-3.69dB, 42.75%
 Frequency= 2140 MHz
 Max gain = 1.67dBi, at (120, 240)
 MEG (mean effective gain)= -3.93dBi
 Directivity (dB) = 5.36
 Efficiency = -3.69dB, 42.75%

Fig. 5 Radiation pattern

REVISION HISTORYREVISION DATE CHANGE NOTIFICATION DESCRIPTION

Version 0	Feb. 23, 2013	-	New data sheet for SMD type antenna, WWAN application, 3505 series
-----------	---------------	---	--

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Antennas](#) category:

Click to view products by [Yageo](#) manufacturer:

Other Similar products are found below :

[GAN30084EU](#) [930-033-R](#) [GW17.07.0250E](#) [1513563-1](#) [EXE902SM](#) [APAMPG-117](#) [MAF94383](#) [W3908B0100](#) [W6102B0100](#) [YE572113-30RSMM](#) [108-00014-50](#) [66089-2406](#) [A09-F8NF-M](#) [A09-F5NF-M](#) [RGFRA1903041A1T](#) [W3593B0100](#) [W3921B0100](#) [SIMNA-868](#) [SIMNA-915](#) [SIMNA-433](#) [W1044](#) [W1049B090](#) [A75-001](#) [WTL2449CQ1-FRSMM](#) [CPL9C](#) [EXB148BN](#) [0600-00060](#) [TRA9020S3PBN-001](#) [GD5W-28P-NF](#) [MA9-7N](#) [GD53-25](#) [GD5W-21P-NF](#) [EXB144SM](#) [C37](#) [MAF94051](#) [P1744](#) [MA9-5N](#) [EXD420PL](#) [B1322NR](#) [QWFTB120](#) [MAF94271](#) [MAF94300](#) [GPSMB301](#) [FG4403](#) [AO-AGSM-OM54](#) [5200232](#) [MIKROE-2349](#) [WCM.01.0111](#) [MIKROE-2393](#) [MIKROE-2352](#)