Series FPS SD Card & MMC Reader - Push / Push (Low Profile)

Specifications

Insulation Resistance: 1,000M Ω min. at 500V DC Withstanding Voltage: 500V ACrms for 1 minute $100 m\Omega$ at $1 mA\,/\,40 mV$ max. Contact Resistance:

Voltage Rating: 5V DC **Current Rating:** 0.5A

Operating Temp. Range: -25°C to +85°C ≤ 0.1mm Coplanarity:

Mating Cycles: 10,000 (office environment)

Part Number (Details) **FPS** 009 - 2901 - 0 Series No. **Number of Contacts** Design No. 0 = Tape & Reel Packaging

Materials and Finish Insulator:

LCP glass filled (GF 40%)

Shielding Plate: SUS

Contacts: PB, t = 0.15 / Contact area = Ni-Au /




Features

- Connector for both card types (MMC and SD card)
- Smooth extraction function by Push-in/ Push-out of card
- Soft lock mechanism for SD card
- Super low profile (Ht. 2.80 x W. 28.10 x L. 27.10)
- Card detector
- Write protection switch
- Mechanism to avoid fling-off with the card
- Closed cover
- Tape & Reel packaging (500 pcs / reel)



Utline Dimensions



Prohibited


Area

Card eject position


Top View

SD and MMC






Circuit Diagram for Switch



Card Insertion Details

Card locked position



Card pushed position

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Memory Card Connectors category:

Click to view products by Yamaichi manufacturer:

Other Similar products are found below:

M21-033321-005 6407-249V-25273P 6407-249V-25343P 6426-201-21343 69.920.0553.0 FCN-568P068-G/07-4V 809180410000000

HMCAP001 252-0144-000 2041353-2 33CFAE-DN 502431-1011 NX1-32T-KT3K(05) 95622-003LF N7E50-U516RB-50-SIN0005 9507900CALF 33DVIR-29S12R 125A-78C00 MI20A-50PD-SF-EJL(71) KP10S-SF-PEJ(812) 504536-0691 504580-0691 CCM03-3109 B LFT

MI21-50PD-SF(91) 2309923-1 61126-050CAHLF IC1GA-68PD-1.27DS-EJ(72) GTFP08432B1HR G85DT17001P1EU

G85B21611142HHR GSD090144HR G85D1140022P1HR GMCB05801124EU G85C11101152HHR G85B231021B1HR

G85D1160022HHR 112K-TAA0-RA1 115S-ACA2 115S-ACA3 115S-BS00 115S-BT00 115V-AD00 503960-0695 101B-TAA0-R 101DTAAA-R01 101D-TAAB-R01 104D-TCA0-R06 104B-TAA0-R 112C-TBAR-R02 114B-40B00-R02