



承认书

客 户: _____

品 名: Φ2.0*10mm 跳线型采样电阻

料 号: T120-10-4

日 期: 2020 年 09 月 12 日

拟 制: 邓小辉 核 准: 李昭华

承认结果: 合格 不合格

说 明: _____

承 认: _____

日 期: _____



业展简称: T 1 20 - 10 - 4

跳线 康铜 线径 跨距 脚长


物理参数

项 目	参 数
材 料	康铜
图 解	
W(跨距)	10mm±0.5mm
L (线径)	2.0mm±0.1mm
H (脚长)	4mm±0.5mm
通过电流	15A
使用温度	-65℃~170℃

工作特性 Performance Data

条件	阻值最大变化百分比 ΔR%
25° C 时满负载工作 1000 小时 Loading life: 1000hrs at 25° C	1%
潮湿环境中放置 100 小时 100 hrs in moisture	1%
在-40° C~+150° C 温度下循环 1000 次 Temperature Cycled at -40° C~+150° C(1000 cyc)	1%

电阻功率温度曲线图 Resistance power temperature curve



特点 Features

- ▶ 无压脚工艺，可任意选择位置在电路板上固定 No presser foot process, we can choose any fixed position on PCB before welding
- ▶ 使用温度范围较宽 high temperature proof
- ▶ 无感型设计，电感小于 10 纳亨 non-inductance design, less than 10 nanohenries
- ▶ 产品无铅符合 RoHS 要求 Lead-free
- ▶ 引脚易于锡焊 easily solderable

电气性能 Electrical Features

- ▶ 电阻温度系数 $a TCR \times 10^{-6}/^{\circ}C$ ≤ 40
- ▶ 对铜热电势 EMF VS Cu(0-100°C) $\mu V/^{\circ}C$ ≤ 35

应用 Applications

- ▶ 精度要求不很高的电流采样 current sensing for not high precision
- ▶ 反馈电路 feedback current
- ▶ 低电感电路 low inductance current
- ▶ 大电流脉冲电路 big surge and pulse current

包装 Packaging

- ▶ 散装 Bulk packaging

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Current Sense Resistors - Through Hole](#) *category:*

Click to view products by [Yezhan](#) *manufacturer:*

Other Similar products are found below :

[SR10-0.015-1%](#) [SR20-0.008-1%](#) [SBL4R005J](#) [SR10-0.25-1%](#) [T125-12-3](#) [T120-10-4](#) [HPCR0402F12K0K9](#) [HPCR0402F130RK9](#)
[HPCR0402F13K0K9](#) [HPCR0402F17K4K9](#) [HPCR0402F180KK9](#) [HPCR0402F180RK9](#) [HPCR0402F1K10K9](#) [HPCR0402F220KK9](#)
[HPCR0402F220RK9](#) [HPCR0402F24K0K9](#) [HPCR0402F27K0K9](#) [HPCR0402F2K00K9](#) [HPCR0402F33K0K9](#) [HPCR0402F430KK9](#)
[HPCR0402F4K30K9](#) [HPCR0402F4K70K9](#) [HPCR0402F680KK9](#) [HPCR0402F680RK9](#) [HPCR0402F390KK9](#) [HPCR0402F39K0K9](#)
[HPCR0402F8K20K9](#) [HPCR0402F560RK9](#) [HPCR0402F2K70K9](#) [HPCR0402F360KK9](#) [HPCR0402F36K0K9](#) [HPCR0402F3K00K9](#)
[HPCR0402F3K90K9](#) [HPCR0402F430RK9](#) [HPCR0402F43K0K9](#) [HPCR0402F475KK9](#) [HPCR0402F47K0K9](#) [HPCR0402F51K0K9](#)
[HPCR0402F560KK9](#) [HPCR0402F56K0K9](#) [HPCR0402F5K10K9](#) [HPCR0402F5K60K9](#) [HPCR0402F620KK9](#) [HPCR0402F620RK9](#)
[HPCR0402F68K0K9](#) [HPCR0402F6K20K9](#) [HPCR0402F6K80K9](#) [HPCR0402F750KK9](#) [HPCR0402F750RK9](#) [HPCR0402F7K50K9](#)