



# LK

- ◆ 小体积 耐高频大纹波电流 高频低阻抗 电源专用产品
- ◆ 105℃环境下6000小时~8000小时
- ◆ 符合AEC-Q200 RoHS指令对应



## ■ 主要技术参数

| 项目  | 特性   |         |             |      |      |        |        |      |      |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
|---|--|---------|-------------|------|------|--------|--------|------|------|-----|-------------------|------|------|------|------|------|------|------|------|---------|-----|-----|-----|-----|-----|-----|-----|-----|-------------------|------|------|------|------|------|------|------|------|
| 使用温度范围  | ≤120V.DC -55℃~+105℃ ; 160~500V.DC -40℃~+105℃   |         |             |      |      |        |        |      |      |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
| 标称电压范围  | 10~500V.DC   |         |             |      |      |        |        |      |      |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
| 容量允许偏差  | ±20% (25±2℃ 120Hz)   |         |             |      |      |        |        |      |      |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
| 漏电流(μA)   | 10~120WV I≤0.01CV or 3μA取大者 C:标称容量(μF) V:额定电压(V) 2分钟读数   |         |             |      |      |        |        |      |      |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
|   | 160~500WV I≤0.02CV+10(μA) C:标称容量(μF) V:额定电压(V) 2分钟读数   |         |             |      |      |        |        |      |      |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
| 损耗角正切值<br>(25±2℃ 120Hz)   | <table border="1"> <tr> <td>额定电压(V)</td> <td>10</td> <td>16</td> <td>25</td> <td>35</td> <td>50</td> <td>63</td> <td>80</td> <td>100</td> </tr> <tr> <td>tg δ</td> <td>0.19</td> <td>0.16</td> <td>0.14</td> <td>0.12</td> <td>0.10</td> <td>0.09</td> <td>0.09</td> <td>0.09</td> </tr> <tr> <td>额定电压(V)</td> <td>120</td> <td>160</td> <td>200</td> <td>250</td> <td>350</td> <td>400</td> <td>450</td> <td>500</td> </tr> <tr> <td>tg δ</td> <td>0.09</td> <td>0.09</td> <td>0.08</td> <td>0.08</td> <td>0.10</td> <td>0.10</td> <td>0.12</td> <td>0.20</td> </tr> </table> | 额定电压(V) | 10          | 16   | 25   | 35     | 50     | 63   | 80   | 100 | tg δ              | 0.19 | 0.16 | 0.14 | 0.12 | 0.10 | 0.09 | 0.09 | 0.09 | 额定电压(V) | 120 | 160 | 200 | 250 | 350 | 400 | 450 | 500 | tg δ              | 0.09 | 0.09 | 0.08 | 0.08 | 0.10 | 0.10 | 0.12 | 0.20 |
|   | 额定电压(V)  | 10      | 16          | 25   | 35   | 50     | 63     | 80   | 100  |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
|   | tg δ   | 0.19    | 0.16        | 0.14 | 0.12 | 0.10   | 0.09   | 0.09 | 0.09 |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
|   | 额定电压(V)  | 120     | 160         | 200  | 250  | 350    | 400    | 450  | 500  |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
| tg δ  | 0.09   | 0.09    | 0.08        | 0.08 | 0.10 | 0.10   | 0.12   | 0.20 |      |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
| 标称容量超过1000μF者,则每增加1000μF,损耗角正切值增加0.02                               |  |         |             |      |      |        |        |      |      |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
| 温度特性<br>(120Hz)   | <table border="1"> <tr> <td>额定电压(V)</td> <td>10</td> <td>16</td> <td>25</td> <td>35</td> <td>50</td> <td>63</td> <td>80</td> <td>100</td> </tr> <tr> <td>阻抗比Z(-40℃)/Z(20℃)</td> <td>6</td> <td>4</td> <td>3</td> <td>3</td> <td>3</td> <td>3</td> <td>3</td> <td>3</td> </tr> <tr> <td>额定电压(V)</td> <td>120</td> <td>160</td> <td>200</td> <td>250</td> <td>350</td> <td>400</td> <td>450</td> <td>500</td> </tr> <tr> <td>阻抗比Z(-40℃)/Z(20℃)</td> <td>5</td> <td>5</td> <td>5</td> <td>5</td> <td>7</td> <td>7</td> <td>7</td> <td>8</td> </tr> </table>                       | 额定电压(V) | 10          | 16   | 25   | 35     | 50     | 63   | 80   | 100 | 阻抗比Z(-40℃)/Z(20℃) | 6    | 4    | 3    | 3    | 3    | 3    | 3    | 3    | 额定电压(V) | 120 | 160 | 200 | 250 | 350 | 400 | 450 | 500 | 阻抗比Z(-40℃)/Z(20℃) | 5    | 5    | 5    | 5    | 7    | 7    | 7    | 8    |
|   | 额定电压(V)  | 10      | 16          | 25   | 35   | 50     | 63     | 80   | 100  |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
|   | 阻抗比Z(-40℃)/Z(20℃)  | 6       | 4           | 3    | 3    | 3      | 3      | 3    | 3    |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
|   | 额定电压(V)  | 120     | 160         | 200  | 250  | 350    | 400    | 450  | 500  |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
| 阻抗比Z(-40℃)/Z(20℃)   | 5  | 5       | 5           | 5    | 7    | 7      | 7      | 8    |      |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
| 在105℃烘箱中,施加含额定纹波电流的额定电压,持续规定时间后,置于常温16小时后测试,测试温度25±2℃,电容器的性能应满足如下要求 |  |         |             |      |      |        |        |      |      |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
| 耐久性   | 容量变化率  |         | 在初始值的±20%以内 |      |      |        |        |      |      |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
|   | 损耗角正切值   |         | 在规定值的200%以下 |      |      |        |        |      |      |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
|   | 漏电流  |         | 在规定值以下      |      |      |        |        |      |      |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
|   | 负荷寿命   |         | ≤φ5~φ6.3    |      |      |        | 6000小时 |      |      |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
|   |  | ≥φ8     |             |      |      | 8000小时 |        |      |      |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
| 高温储存  | 在105℃下,储存1000小时,置于常温16小时后测试,测试温度25±2℃,电容器的性能应满足如下要求  |         |             |      |      |        |        |      |      |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
|   | 容量变化率  |         | 在初始值的±20%以内 |      |      |        |        |      |      |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
|   | 损耗角正切值   |         | 在规定值的200%以下 |      |      |        |        |      |      |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |
|   | 漏电流  |         | 在规定值的200%以下 |      |      |        |        |      |      |     |                   |      |      |      |      |      |      |      |      |         |     |     |     |     |     |     |     |     |                   |      |      |      |      |      |      |      |      |



■ 标准品一览表

| 电压(V) | 10                     |               |  | 16                                  |               |  | 25                                  |               |  | 35                                  |               |  |
|-------|------------------------|---------------|--|-------------------------------------|---------------|--|-------------------------------------|---------------|--|-------------------------------------|---------------|--|
|       | 项目<br>容量<br>( $\mu$ F) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100kHz<br>25±2°C) | 纹波电流<br>(mA r.m.s/<br>105°C 100kHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100kHz<br>25±2°C) | 纹波电流<br>(mA r.m.s/<br>105°C 100kHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100kHz<br>25±2°C) | 纹波电流<br>(mA r.m.s/<br>105°C 100kHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100kHz<br>25±2°C) |
| 10    | 5×9                    | 1.10          | 55                                     | 5×9                                 | 1.10          | 70                                     | 5×9                                 | 1.10          | 90                                     | 5×9                                 | 1.60          | 100                                    |
| 15    | 5×9                    | 1.10          | 75                                     | 5×9                                 | 1.10          | 90                                     | 5×9                                 | 1.10          | 110                                    | 5×9                                 | 1.10          | 120                                    |
| 22    | 5×9                    | 0.42          | 90                                     | 5×9                                 | 0.42          | 110                                    | 5×9                                 | 1.10          | 120                                    | 5×9                                 | 1.10          | 160                                    |
| 33    | 5×9                    | 0.42          | 105                                    | 5×9                                 | 0.42          | 120                                    | 5×9                                 | 0.42          | 150                                    | 5×9                                 | 0.42          | 215                                    |
| 39    | 5×9                    | 0.42          | 135                                    | 5×9                                 | 0.42          | 150                                    | 5×9                                 | 0.42          | 180                                    | 5×9                                 | 0.42          | 215                                    |
| 47    | 5×9                    | 0.28          | 142                                    | 5×9                                 | 0.28          | 160                                    | 5×9                                 | 0.28          | 210                                    | 5×11                                | 0.38          | 310                                    |
| 56    | 5×9                    | 0.28          | 150                                    | 5×9                                 | 0.28          | 170                                    | 5×9                                 | 0.28          | 290                                    | 5×11                                | 0.38          | 310                                    |
| 68    | 5×9                    | 0.28          | 160                                    | 5×9                                 | 0.28          | 180                                    | 5×11                                | 0.25          | 310                                    | 6.3×9                               | 0.36          | 390                                    |
| 82    | 5×9                    | 0.28          | 170                                    | 5×9                                 | 0.28          | 210                                    | 5×11                                | 0.25          | 310                                    | 6.3×9                               | 0.36          | 390                                    |
| 100   | 5×9                    | 0.28          | 180                                    | 5×9                                 | 0.28          | 290                                    | 5×11                                | 0.25          | 310                                    | 6.3×11                              | 0.17          | 404                                    |
| 100   |                        |               |  |                                     |               |  |                                     |               |  | 8×9                                 | 0.17          | 441                                    |
| 120   | 5×9                    | 0.28          | 210                                    | 5×11                                | 0.25          | 310                                    | 6.3×9                               | 0.25          | 390                                    | 8×9                                 | 0.17          | 441                                    |
| 150   | 5×9                    | 0.28          | 290                                    | 6.3×9                               | 0.25          | 390                                    | 6.3×11                              | 0.17          | 404                                    | 8×11.5                              | 0.13          | 830                                    |
| 150   |                        |               |  |                                     |               |  | 8×9                                 | 0.17          | 441                                    | 10×9                                | 0.13          | 765                                    |
| 180   | 5×11                   | 0.28          | 290                                    | 6.3×9                               | 0.25          | 390                                    | 6.3×11                              | 0.17          | 404                                    | 8×11.5                              | 0.13          | 830                                    |
| 180   |                        |               |  |                                     |               |  | 8×9                                 | 0.17          | 441                                    | 10×9                                | 0.13          | 765                                    |
| 220   | 5×11                   | 0.25          | 310                                    | 6.3×11                              | 0.17          | 404                                    | 6.3×11                              | 0.17          | 404                                    | 8×11.5                              | 0.13          | 830                                    |
| 220   |                        |               |  | 8×9                                 | 0.17          | 441                                    | 8×9                                 | 0.17          | 441                                    | 10×9                                | 0.13          | 765                                    |
| 270   | 6.3×9                  | 0.25          | 390                                    | 6.3×11                              | 0.17          | 404                                    | 8×11.5                              | 0.10          | 830                                    | 8×16                                | 0.10          | 1150                                   |
| 270   |                        |               |  | 8×9                                 | 0.17          | 441                                    | 10×9                                | 0.10          | 765                                    | 10×12.5                             | 0.10          | 1150                                   |
| 330   | 6.3×11                 | 0.17          | 404                                    | 6.3×11                              | 0.17          | 650                                    | 8×11.5                              | 0.10          | 830                                    | 8×16                                | 0.10          | 1170                                   |
| 330   | 8×9                    | 0.17          | 441                                    | 8×9                                 | 0.17          | 765                                    | 10×9                                | 0.10          | 765                                    | 10×12.5                             | 0.10          | 1150                                   |
| 390   | 6.3×11                 | 0.17          | 650                                    | 8×11.5                              | 0.10          | 830                                    | 8×14                                | 0.12          | 1150                                   | 8×20                                | 0.0505        | 1350                                   |
| 390   | 8×9                    | 0.17          | 765                                    | 10×9                                | 0.10          | 765                                    | 10×12.5                             | 0.10          | 1150                                   | 10×16                               | 0.0505        | 1550                                   |
| 470   | 6.3×11                 | 0.17          | 650                                    | 8×11.5                              | 0.10          | 830                                    | 8×16                                | 0.10          | 1170                                   | 8×20                                | 0.0505        | 1350                                   |
| 470   | 8×9                    | 0.17          | 765                                    | 10×9                                | 0.10          | 765                                    | 10×12.5                             | 0.10          | 1150                                   | 10×16                               | 0.0505        | 1550                                   |
| 560   | 8×11.5                 | 0.10          | 830                                    | 8×11.5                              | 0.10          | 830                                    | 8×20                                | 0.0505        | 1350                                   | 10×16                               | 0.0420        | 1550                                   |
| 560   | 10×9                   | 0.10          | 765                                    | 10×9                                | 0.10          | 765                                    | 10×12.5                             | 0.10          | 1150                                   | 12.5×14                             | 0.0500        | 1808                                   |
| 680   | 8×11.5                 | 0.10          | 830                                    | 8×16                                | 0.10          | 1125                                   | 8×20                                | 0.0505        | 1350                                   | 10×20                               | 0.0420        | 1590                                   |
| 680   | 10×9                   | 0.10          | 765                                    | 10×12.5                             | 0.13          | 1150                                   | 10×16                               | 0.0505        | 1550                                   | 12.5×16                             | 0.0500        | 1910                                   |
| 820   | 8×11.5                 | 0.10          | 830                                    | 8×20                                | 0.0505        | 1350                                   | 10×16                               | 0.0505        | 1550                                   | 10×20                               | 0.0420        | 1590                                   |
| 820   |                        |               |  | 10×14                               | 0.0805        | 1350                                   | 12.5×14                             | 0.0600        | 1808                                   | 12.5×16                             | 0.0500        | 1910                                   |
| 1000  | 8×16                   | 0.10          | 1125                                   | 8×20                                | 0.0505        | 1350                                   | 10×20                               | 0.0505        | 1808                                   | 12.5×20                             | 0.0300        | 2250                                   |
| 1000  | 10×12.5                | 0.10          | 1150                                   | 10×14                               | 0.0805        | 1350                                   | 12.5×14                             | 0.0600        | 1808                                   |                                     |               |  |
| 1200  | 8×16                   | 0.10          | 1125                                   | 10×16                               | 0.0505        | 1550                                   | 10×23                               | 0.0500        | 2050                                   | 12.5×20                             | 0.0300        | 2250                                   |
| 1200  | 10×14                  | 0.0805        | 1350                                   | 12.5×14                             | 0.0600        | 1808                                   | 12.5×16                             | 0.0500        | 1910                                   |                                     |               |  |
| 1500  | 8×20                   | 0.0805        | 1350                                   | 10×20                               | 0.0420        | 1590                                   | 12.5×20                             | 0.0300        | 2250                                   | 12.5×25                             | 0.0270        | 2620                                   |
| 1500  | 10×14                  | 0.0805        | 1350                                   | 12.5×14                             | 0.0600        | 1808                                   |                                     |               |  | 16×20                               | 0.0270        | 2925                                   |
| 1800  | 10×20                  | 0.0620        | 1590                                   | 10×20                               | 0.0420        | 1590                                   | 12.5×20                             | 0.0300        | 2250                                   | 12.5×35                             | 0.0210        | 3215                                   |



■ 标准品一览表

| 电压(V)                   | 10            |                                       |                                    | 16            |                                       |                                    | 25            |                                       |                                    | 35            |                                       |                                    |
|-------------------------|---------------|---------------------------------------|------------------------------------|---------------|---------------------------------------|------------------------------------|---------------|---------------------------------------|------------------------------------|---------------|---------------------------------------|------------------------------------|
| 项目<br>容量<br>( $\mu F$ ) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2℃) | 纹波电流<br>(mA r.m.s/<br>105℃ 100KHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2℃) | 纹波电流<br>(mA r.m.s/<br>105℃ 100KHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2℃) | 纹波电流<br>(mA r.m.s/<br>105℃ 100KHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2℃) | 纹波电流<br>(mA r.m.s/<br>105℃ 100KHz) |
| 1800                    | 12.5×14       | 0.0600                                | 1808                               | 12.5×16       | 0.0500                                | 1910                               |               |                                       |                                    | 16×20         | 0.0210                                | 3270                               |
| 2200                    | 10×20         | 0.0620                                | 1590                               | 10×23         | 0.0300                                | 2050                               | 12.5×25       | 0.0270                                | 2620                               | 12.5×35       | 0.0160                                | 3215                               |
| 2200                    | 12.5×14       | 0.0600                                | 1808                               | 12.5×20       | 0.0300                                | 2250                               |               |                                       |                                    | 16×25         | 0.0160                                | 3270                               |
| 2700                    | 10×20         | 0.0620                                | 1590                               | 12.5×20       | 0.0300                                | 2250                               | 12.5×30       | 0.0250                                | 3110                               | 16×31.5       | 0.0140                                | 3500                               |
| 2700                    | 12.5×16       | 0.0500                                | 1910                               |               |                                       |                                    |               |                                       |                                    | 18×25         | 0.0270                                | 3600                               |
| 3300                    | 12.5×20       | 0.0300                                | 2250                               | 12.5×25       | 0.0268                                | 2620                               | 12.5×35       | 0.0250                                | 3215                               | 16×31.5       | 0.0123                                | 3500                               |
| 3300                    |               |                                       |                                    |               |                                       |                                    | 16×25         | 0.0250                                | 3270                               | 18×25         | 0.0135                                | 3600                               |
| 3900                    | 12.5×20       | 0.0300                                | 2250                               | 12.5×30       | 0.0255                                | 3110                               | 16×31.5       | 0.0200                                | 3500                               | 16×35.5       | 0.0100                                | 3610                               |
| 3900                    |               |                                       |                                    | 16×20         | 0.0268                                | 2925                               | 18×25         | 0.0135                                | 3300                               | 18×25         | 0.0135                                | 3600                               |
| 4700                    | 12.5×25       | 0.0270                                | 2620                               | 12.5×30       | 0.0255                                | 3110                               | 18×25         | 0.0135                                | 3600                               | 16×40         | 0.0100                                | 3680                               |
| 4700                    |               |                                       |                                    | 16×25         | 0.0246                                | 3270                               |               |                                       |                                    | 18×35.5       | 0.0100                                | 3680                               |
| 5600                    | 12.5×25       | 0.0270                                | 2620                               | 12.5×35       | 0.0246                                | 3215                               | 18×31.5       | 0.0120                                | 3610                               |               |                                       |                                    |
| 5600                    |               |                                       |                                    | 16×25         | 0.0246                                | 3270                               |               |                                       |                                    |               |                                       |                                    |
| 6800                    | 12.5×30       | 0.0155                                | 3110                               | 16×31.5       | 0.0213                                | 3500                               | 18×35.5       | 0.0110                                | 3680                               |               |                                       |                                    |
| 6800                    | 16×25         | 0.0146                                | 3270                               | 18×25         | 0.0235                                | 3600                               |               |                                       |                                    |               |                                       |                                    |
| 8200                    | 12.5×40       | 0.0123                                | 3500                               | 16×35.5       | 0.0220                                | 3610                               | 18×40         | 0.0100                                | 3735                               |               |                                       |                                    |
| 8200                    | 16×25         | 0.0146                                | 3270                               | 18×31.5       | 0.0220                                | 3610                               |               |                                       |                                    |               |                                       |                                    |
| 10000                   | 16×31.5       | 0.0123                                | 3500                               | 18×35.5       | 0.0210                                | 3680                               |               |                                       |                                    |               |                                       |                                    |
| 10000                   | 18×25         | 0.0135                                | 3600                               |               |                                       |                                    |               |                                       |                                    |               |                                       |                                    |

| 电压(V)                   | 50            |                                       |                                    | 63            |                                       |                                    | 80            |                                       |                                    | 100           |                                       |                                    |
|-------------------------|---------------|---------------------------------------|------------------------------------|---------------|---------------------------------------|------------------------------------|---------------|---------------------------------------|------------------------------------|---------------|---------------------------------------|------------------------------------|
| 项目<br>容量<br>( $\mu F$ ) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2℃) | 纹波电流<br>(mA r.m.s/<br>105℃ 100KHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2℃) | 纹波电流<br>(mA r.m.s/<br>105℃ 100KHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2℃) | 纹波电流<br>(mA r.m.s/<br>105℃ 100KHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2℃) | 纹波电流<br>(mA r.m.s/<br>105℃ 100KHz) |
| 0.47                    | 5×9           | 5.50                                  | 20                                 | 5×9           | 3.00                                  | 22                                 | 5×9           | 3.00                                  | 23                                 | 5×9           | 5.00                                  | 23                                 |
| 1.0                     | 5×9           | 5.50                                  | 30                                 | 5×9           | 3.00                                  | 33                                 | 5×9           | 3.00                                  | 34                                 | 5×9           | 3.00                                  | 34                                 |
| 1.8                     | 5×9           | 5.50                                  | 36                                 | 5×9           | 3.00                                  | 40                                 | 5×9           | 3.00                                  | 42                                 | 5×9           | 3.00                                  | 42                                 |
| 2.2                     | 5×9           | 1.60                                  | 38                                 | 5×9           | 3.00                                  | 44                                 | 5×9           | 3.00                                  | 46                                 | 5×9           | 3.00                                  | 46                                 |
| 2.7                     | 5×9           | 1.60                                  | 46                                 | 5×9           | 3.00                                  | 51                                 | 5×9           | 1.50                                  | 54                                 | 5×9           | 3.00                                  | 54                                 |
| 3.3                     | 5×9           | 1.60                                  | 53                                 | 5×9           | 3.00                                  | 58                                 | 5×9           | 1.50                                  | 61                                 | 5×9           | 1.50                                  | 61                                 |
| 3.9                     | 5×9           | 1.60                                  | 70                                 | 5×9           | 3.00                                  | 77                                 | 5×9           | 1.50                                  | 80                                 | 5×9           | 1.50                                  | 80                                 |
| 4.7                     | 5×9           | 1.60                                  | 88                                 | 5×9           | 3.00                                  | 97                                 | 5×9           | 1.50                                  | 100                                | 5×9           | 1.50                                  | 100                                |
| 5.6                     | 5×9           | 1.60                                  | 90                                 | 5×9           | 1.50                                  | 99                                 | 5×9           | 1.50                                  | 105                                | 5×11          | 1.50                                  | 105                                |
| 6.8                     | 5×9           | 1.60                                  | 93                                 | 5×9           | 1.50                                  | 102                                | 5×9           | 1.50                                  | 110                                | 5×11          | 1.50                                  | 110                                |
| 8.2                     | 5×9           | 1.60                                  | 97                                 | 5×9           | 1.50                                  | 108                                | 5×9           | 1.50                                  | 125                                | 5×11          | 1.50                                  | 125                                |
| 10                      | 5×9           | 1.60                                  | 100                                | 5×9           | 1.50                                  | 110                                | 5×9           | 1.50                                  | 135                                | 5×11          | 1.50                                  | 135                                |
| 12                      | 5×9           | 1.60                                  | 110                                | 5×9           | 1.50                                  | 120                                | 5×11          | 1.50                                  | 150                                | 6.3×9         | 1.00                                  | 216                                |



■ 标准品一览表

| 电压(V) | 50                      |               |  | 63                                  |               |  | 80                                  |               |  | 100                                 |               |  |
|-------|-------------------------|---------------|--|-------------------------------------|---------------|--|-------------------------------------|---------------|--|-------------------------------------|---------------|--|
|       | 项目<br>容量<br>( $\mu F$ ) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100kHz<br>25±2°C) | 纹波电流<br>(mA r.m.s/<br>105°C 100kHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100kHz<br>25±2°C) | 纹波电流<br>(mA r.m.s/<br>105°C 100kHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100kHz<br>25±2°C) | 纹波电流<br>(mA r.m.s/<br>105°C 100kHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100kHz<br>25±2°C) |
| 15    | 5×9                     | 1.60          | 120                                    | 5×9                                 | 1.50          | 145                                    | 5×11                                | 1.50          | 150                                    | 6.3×9                               | 1.00          | 216                                    |
| 18    | 5×9                     | 1.40          | 130                                    | 5×9                                 | 1.00          | 155                                    | 6.3×9                               | 1.00          | 216                                    | 6.3×11                              | 0.64          | 240                                    |
| 18    |                         |               |  |                                     |               |  |                                     |               |  | 8×9                                 | 0.64          | 216                                    |
| 22    | 5×9                     | 1.40          | 145                                    | 5×11                                | 1.00          | 160                                    | 6.3×9                               | 1.00          | 216                                    | 6.3×11                              | 0.64          | 240                                    |
| 22    |                         |               |  |                                     |               |  |                                     |               |  | 8×9                                 | 0.64          | 216                                    |
| 27    | 5×11                    | 0.38          | 215                                    | 6.3×9                               | 0.60          | 225                                    | 6.3×11                              | 0.64          | 240                                    | 8×9                                 | 0.64          | 369                                    |
| 27    |                         |               |  |                                     |               |  | 8×9                                 | 0.64          | 260                                    |                                     |               |  |
| 33    | 5×11                    | 0.38          | 215                                    | 6.3×9                               | 0.60          | 225                                    | 6.3×11                              | 0.64          | 240                                    | 8×11.5                              | 0.41          | 410                                    |
| 33    |                         |               |  |                                     |               |  | 8×9                                 | 0.64          | 260                                    | 10×9                                | 0.41          | 369                                    |
| 39    | 6.3×9                   | 0.38          | 315                                    | 6.3×9                               | 0.40          | 250                                    | 8×9                                 | 0.64          | 260                                    | 8×11.5                              | 0.41          | 410                                    |
| 39    |                         |               |  |                                     |               |  |                                     |               |  | 10×9                                | 0.41          | 369                                    |
| 47    | 6.3×9                   | 0.36          | 350                                    | 6.3×11                              | 0.40          | 250                                    | 8×11.5                              | 0.41          | 410                                    | 8×16                                | 0.29          | 510                                    |
| 47    |                         |               |  | 8×9                                 | 0.50          | 260                                    | 10×9                                | 0.41          | 450                                    | 10×12.5                             | 0.29          | 510                                    |
| 56    | 6.3×11                  | 0.36          | 350                                    | 8×9                                 | 0.50          | 350                                    | 8×11.5                              | 0.41          | 410                                    | 8×16                                | 0.29          | 510                                    |
| 56    | 8×9                     | 0.25          | 450                                    |                                     |               |  | 10×9                                | 0.41          | 450                                    | 10×12.5                             | 0.26          | 565                                    |
| 68    | 6.3×11                  | 0.36          | 350                                    | 8×11.5                              | 0.25          | 480                                    | 8×11.5                              | 0.41          | 410                                    | 8×20                                | 0.22          | 660                                    |
| 68    | 8×9                     | 0.25          | 450                                    | 10×9                                | 0.25          | 490                                    | 10×9                                | 0.41          | 450                                    | 10×14                               | 0.22          | 660                                    |
| 82    | 8×9                     | 0.25          | 585                                    | 8×11.5                              | 0.25          | 480                                    | 8×16                                | 0.29          | 510                                    | 8×20                                | 0.22          | 660                                    |
| 82    |                         |               |  | 10×9                                | 0.25          | 490                                    | 10×12.5                             | 0.29          | 565                                    | 10×16                               | 0.20          | 710                                    |
| 100   | 8×9                     | 0.25          | 585                                    | 8×14                                | 0.25          | 550                                    | 8×16                                | 0.29          | 510                                    | 10×16                               | 0.20          | 710                                    |
| 100   |                         |               |  | 10×9                                | 0.25          | 500                                    | 10×12.5                             | 0.26          | 565                                    | 12.5×14                             | 0.18          | 833                                    |
| 120   | 8×11.5                  | 0.16          | 630                                    | 8×16                                | 0.19          | 620                                    | 8×20                                | 0.22          | 660                                    | 10×20                               | 0.14          | 950                                    |
| 120   | 10×9                    | 0.16          | 650                                    | 10×12.5                             | 0.18          | 630                                    | 10×14                               | 0.20          | 660                                    | 12.5×14                             | 0.18          | 833                                    |
| 150   | 8×14                    | 0.12          | 760                                    | 8×20                                | 0.14          | 775                                    | 10×16                               | 0.20          | 710                                    | 10×20                               | 0.15          | 950                                    |
| 150   | 10×9                    | 0.12          | 650                                    | 10×14                               | 0.14          | 810                                    | 12.5×14                             | 0.18          | 833                                    | 12.5×16                             | 0.15          | 880                                    |
| 180   | 8×16                    | 0.12          | 860                                    | 8×20                                | 0.14          | 775                                    | 10×20                               | 0.14          | 950                                    | 12.5×20                             | 0.0959        | 1290                                   |
| 180   | 10×12.5                 | 0.12          | 875                                    | 10×16                               | 0.14          | 900                                    | 12.5×14                             | 0.18          | 833                                    |                                     |               |  |
| 220   | 8×16                    | 0.12          | 860                                    | 10×16                               | 0.14          | 900                                    | 10×20                               | 0.14          | 950                                    | 12.5×20                             | 0.0959        | 1290                                   |
| 220   | 10×12.5                 | 0.12          | 875                                    |                                     |               |  | 12.5×16                             | 0.18          | 1020                                   |                                     |               |  |
| 270   | 8×20                    | 0.0768        | 1080                                   | 10×20                               | 0.0877        | 1080                                   | 12.5×20                             | 0.0959        | 1290                                   | 12.5×25                             | 0.0673        | 1460                                   |
| 270   | 10×16                   | 0.0768        | 1250                                   | 12.5×14                             | 0.0920        | 1022                                   |                                     |               |  |                                     |               |  |
| 330   | 10×16                   | 0.0768        | 1250                                   | 10×20                               | 0.0877        | 1080                                   | 12.5×20                             | 0.0959        | 1290                                   | 12.5×30                             | 0.0571        | 1760                                   |
| 330   | 12.5×14                 | 0.0810        | 1022                                   | 12.5×16                             | 0.0920        | 1080                                   |                                     |               |  | 16×20                               | 0.0653        | 1560                                   |
| 390   | 10×20                   | 0.0695        | 1430                                   | 12.5×20                             | 0.0673        | 1415                                   | 12.5×25                             | 0.0673        | 1460                                   | 12.5×35                             | 0.0520        | 1930                                   |
| 390   | 12.5×14                 | 0.0810        | 1022                                   | 12.5×20                             | 0.0673        | 1415                                   | 12.5×25                             | 0.0673        | 1460                                   | 16×25                               | 0.0480        | 1990                                   |
| 470   | 10×20                   | 0.0695        | 1430                                   |                                     |               |  | 16×20                               | 0.0653        | 1560                                   | 16×25                               | 0.0480        | 1990                                   |
| 470   | 12.5×16                 | 0.0675        | 1080                                   | 12.5×25                             | 0.0479        | 1800                                   | 12.5×30                             | 0.0571        | 1760                                   | 18×20                               | 0.0465        | 1990                                   |
| 560   | 12.5×16                 | 0.0675        | 1598                                   |                                     |               |  | 16×25                               | 0.0480        | 1990                                   | 16×31.5                             | 0.0368        | 2160                                   |
| 560   |                         |               |  |                                     |               |  |                                     |               |  | 18×25                               | 0.0427        | 2050                                   |





# LK

## ■ 标准品一览表

| 电压(V)                  | 50            |  |                                     | 63            |  |                                     | 80            |  |                                     | 100           |  |                                     |
|------------------------|---------------|--|-------------------------------------|---------------|--|-------------------------------------|---------------|--|-------------------------------------|---------------|--|-------------------------------------|
| 项目<br>容量<br>( $\mu$ F) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2°C) | 纹波电流<br>(mA r.m.s/<br>105°C 100KHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2°C) | 纹波电流<br>(mA r.m.s/<br>105°C 100KHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2°C) | 纹波电流<br>(mA r.m.s/<br>105°C 100KHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2°C) | 纹波电流<br>(mA r.m.s/<br>105°C 100KHz) |
| 680                    | 12.5×20       | 0.0600                                 | 1850                                | 12.5×30       | 0.0410                                 | 2370                                | 12.5×35       | 0.0520                                 | 1930                                | 16×35.5       | 0.0326                                 | 2340                                |
| 680                    |               |  |                                     | 16×20         | 0.0482                                 | 1890                                | 16×25         | 0.0480                                 | 1990                                | 18×31.5       | 0.0346                                 | 2230                                |
| 820                    | 12.5×25       | 0.0625                                 | 2170                                | 12.5×35       | 0.0367                                 | 2360                                | 16×31.5       | 0.0368                                 | 2160                                | 16×40         | 0.0305                                 | 2580                                |
| 820                    |               |  |                                     | 16×25         | 0.0385                                 | 2460                                | 18×25         | 0.0427                                 | 2050                                | 18×35.5       | 0.0305                                 | 3160                                |
| 1000                   | 12.5×30       | 0.0580                                 | 2580                                | 16×25         | 0.0385                                 | 2460                                | 16×35.5       | 0.0326                                 | 2340                                | 18×40         | 0.0305                                 | 3160                                |
| 1000                   | 16×20         | 0.0580                                 | 2460                                | 18×20         | 0.0426                                 | 2550                                | 18×31.5       | 0.0346                                 | 2230                                |               |  |                                     |
| 1200                   | 12.5×30       | 0.0580                                 | 2580                                | 16×31.5       | 0.0350                                 | 2695                                | 16×40         | 0.0305                                 | 2580                                |               |  |                                     |
| 1200                   | 16×25         | 0.0455                                 | 2710                                | 18×25         | 0.0350                                 | 2520                                | 18×31.5       | 0.0246                                 | 2970                                |               |  |                                     |
| 1500                   | 12.5×40       | 0.0211                                 | 2745                                | 16×31.5       | 0.0350                                 | 2695                                | 18×35.5       | 0.0246                                 | 3160                                |               |  |                                     |
| 1500                   | 16×25         | 0.0240                                 | 2710                                | 18×31.5       | 0.0350                                 | 2970                                |               |  |                                     |               |  |                                     |
| 1800                   | 16×31.5       | 0.0265                                 | 2960                                | 16×40         | 0.0350                                 | 3215                                | 18×40         | 0.0204                                 | 3160                                |               |  |                                     |
| 1800                   | 18×25         | 0.0347                                 | 2760                                | 18×31.5       | 0.0350                                 | 2970                                |               |  |                                     |               |  |                                     |
| 2200                   | 18×31.5       | 0.0286                                 | 2970                                | 18×35.5       | 0.0350                                 | 3215                                |               |  |                                     |               |  |                                     |
| 2700                   | 18×35.5       | 0.0224                                 | 3215                                | 18×40         | 0.0350                                 | 3310                                |               |  |                                     |               |  |                                     |
| 3300                   | 18×40         | 0.0204                                 | 3410                                |               |  |                                     |               |  |                                     |               |  |                                     |

| 电压(V)                  | 120           |  |                                    | 160           |  |                                    | 200           |  |                                    | 250           |  |                                    |
|------------------------|---------------|--|------------------------------------|---------------|--|------------------------------------|---------------|--|------------------------------------|---------------|--|------------------------------------|
| 项目<br>容量<br>( $\mu$ F) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2°C) | 纹波电流<br>(mA r.m.s/<br>105°C 100Hz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2°C) | 纹波电流<br>(mA r.m.s/<br>105°C 100Hz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2°C) | 纹波电流<br>(mA r.m.s/<br>105°C 100Hz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2°C) | 纹波电流<br>(mA r.m.s/<br>105°C 100Hz) |
| 0.47                   | 5×9           | 6.60                                   | 23                                 |               |  |                                    |               |  |                                    |               |  |                                    |
| 1.0                    | 5×9           | 6.60                                   | 34                                 | 5×11          | 40.00                                  | 50                                 | 5×11          | 40.00                                  | 50                                 | 6.3×9         | 30.00                                  | 95                                 |
| 1.2                    | 5×9           | 6.60                                   | 34                                 | 5×11          | 40.00                                  | 55                                 | 5×11          | 40.00                                  | 55                                 | 6.3×9         | 30.00                                  | 95                                 |
| 1.5                    | 5×9           | 6.60                                   | 42                                 | 5×11          | 40.00                                  | 60                                 | 5×11          | 40.00                                  | 60                                 | 6.3×9         | 30.00                                  | 95                                 |
| 1.8                    | 5×9           | 6.60                                   | 42                                 | 5×11          | 40.00                                  | 65                                 | 5×11          | 40.00                                  | 65                                 | 6.3×9         | 30.00                                  | 95                                 |
| 2.2                    | 5×9           | 1.80                                   | 46                                 | 5×11          | 40.00                                  | 75                                 | 5×11          | 40.00                                  | 75                                 | 6.3×9         | 30.00                                  | 104                                |
| 2.7                    | 5×9           | 1.80                                   | 54                                 | 5×11          | 40.00                                  | 80                                 | 5×11          | 40.00                                  | 80                                 | 6.3×9         | 30.00                                  | 113                                |
| 3.3                    | 5×9           | 1.80                                   | 61                                 | 5×11          | 40.00                                  | 90                                 | 6.3×9         | 30.00                                  | 95                                 | 6.3×9         | 30.00                                  | 113                                |
| 3.9                    | 5×9           | 1.80                                   | 80                                 | 5×11          | 40.00                                  | 90                                 | 6.3×9         | 30.00                                  | 104                                | 6.3×9         | 15.00                                  | 113                                |
| 4.7                    | 5×9           | 1.80                                   | 100                                | 6.3×9         | 25.00                                  | 104                                | 6.3×11        | 15.00                                  | 115                                | 6.3×11        | 15.00                                  | 125                                |
| 4.7                    |               |  |                                    |               |  |                                    | 8×9           | 15.00                                  | 135                                | 8×9           | 15.00                                  | 135                                |
| 5.6                    | 5×11          | 1.80                                   | 105                                | 6.3×9         | 25.00                                  | 104                                | 6.3×11        | 15.00                                  | 115                                | 8×9           | 15.00                                  | 135                                |
| 5.6                    |               |  |                                    |               |  |                                    | 8×9           | 15.00                                  | 135                                |               |  |                                    |
| 6.8                    | 5×11          | 1.60                                   | 110                                | 6.3×9         | 25.00                                  | 122                                | 8×9           | 15.00                                  | 135                                | 8×9           | 15.00                                  | 135                                |
| 8.2                    | 5×11          | 1.60                                   | 125                                | 6.3×11        | 22.00                                  | 125                                | 8×9           | 15.00                                  | 135                                | 8×11.5        | 15.00                                  | 150                                |
| 8.2                    |               |  |                                    | 8×9           | 22.00                                  | 130                                |               |  |                                    | 10×9          | 15.00                                  | 150                                |
| 10                     | 6.3×9         | 1.21                                   | 135                                | 8×9           | 22.00                                  | 130                                | 8×11.5        | 15.00                                  | 150                                | 8×11.5        | 15.00                                  | 150                                |



■ 标准品一览表

| 电压(V) | 120                    |               |  | 160                                 |               |  | 200                                 |               |  | 250                                 |               |  |                                     |
|-------|------------------------|---------------|--|-------------------------------------|---------------|--|-------------------------------------|---------------|--|-------------------------------------|---------------|--|-------------------------------------|
|       | 项目<br>容量<br>( $\mu$ F) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100kHz<br>25±2°C) | 纹波电流<br>(mA r.m.s/<br>105°C 100kHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100kHz<br>25±2°C) | 纹波电流<br>(mA r.m.s/<br>105°C 100kHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100kHz<br>25±2°C) | 纹波电流<br>(mA r.m.s/<br>105°C 100kHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100kHz<br>25±2°C) | 纹波电流<br>(mA r.m.s/<br>105°C 100kHz) |
| 10    |                        |               |  |                                     |               |  | 10×9                                | 15.00         | 150                                    | 10×9                                | 15.00         | 150                                    |                                     |
| 12    |                        | 6.3×9         | 1.21                                   | 163                                 | 8×11.5        | 20.00                                  | 135                                 | 8×14          | 12.00                                  | 220                                 | 8×14          | 12.00                                  | 220                                 |
| 15    |                        | 6.3×11        | 0.83                                   | 195                                 | 8×11.5        | 16.00                                  | 135                                 | 8×16          | 8.92                                   | 250                                 | 8×16          | 8.92                                   | 250                                 |
| 15    |                        | 8×9           | 0.83                                   | 195                                 | 10×9          | 16.00                                  | 140                                 | 10×12.5       | 8.92                                   | 260                                 | 10×12.5       | 8.92                                   | 250                                 |
| 18    |                        | 8×9           | 0.83                                   | 215                                 | 8×11.5        | 16.00                                  | 135                                 | 8×20          | 6.80                                   | 315                                 | 8×20          | 6.80                                   | 315                                 |
| 18    |                        |               |  |                                     | 10×9          | 16.00                                  | 140                                 | 10×14         | 6.80                                   | 290                                 | 10×14         | 6.80                                   | 290                                 |
| 22    |                        | 8×9           | 0.83                                   | 215                                 | 8×16          | 8.92                                   | 250                                 | 8×20          | 6.80                                   | 315                                 | 8×20          | 6.80                                   | 315                                 |
| 22    |                        |               |  |                                     | 10×12.5       | 8.92                                   | 250                                 | 10×14         | 6.80                                   | 290                                 | 10×14         | 6.80                                   | 290                                 |
| 27    |                        | 8×11.5        | 0.64                                   | 369                                 |               |  |                                     |               |  |                                     |               |  |                                     |
| 33    |                        | 8×11.5        | 0.50                                   | 369                                 | 8×20          | 6.80                                   | 315                                 | 10×20         | 6.60                                   | 575                                 | 10×20         | 6.60                                   | 575                                 |
| 33    |                        | 10×9          | 0.50                                   | 369                                 | 10×12.5       | 6.80                                   | 450                                 | 12.5×14       | 6.60                                   | 670                                 | 12.5×14       | 6.00                                   | 650                                 |
| 39    |                        | 8×14          | 0.41                                   | 410                                 |               |  |                                     |               |  |                                     |               |  |                                     |
| 39    |                        | 10×12.5       | 0.41                                   | 410                                 |               |  |                                     |               |  |                                     |               |  |                                     |
| 47    |                        | 8×16          | 0.32                                   | 451                                 | 10×16         | 6.60                                   | 580                                 | 12.5×20       | 4.65                                   | 870                                 | 12.5×20       | 4.65                                   | 870                                 |
| 47    |                        | 10×12.5       | 0.32                                   | 451                                 | 12.5×14       | 6.60                                   | 650                                 |               |  |                                     |               |  |                                     |
| 56    |                        | 8×20          | 0.29                                   | 510                                 | 10×20         | 6.60                                   | 600                                 | 12.5×20       | 4.65                                   | 870                                 | 12.5×20       | 4.65                                   | 870                                 |
| 56    |                        | 10×14         | 0.29                                   | 565                                 | 12.5×14       | 6.60                                   | 670                                 |               |  |                                     |               |  |                                     |
| 68    |                        | 8×23          | 0.22                                   | 660                                 | 10×23         | 4.65                                   | 670                                 | 12.5×25       | 4.31                                   | 1150                                | 12.5×25       | 4.31                                   | 1150                                |
| 68    |                        | 10×16         | 0.22                                   | 660                                 | 12.5×16       | 4.65                                   | 770                                 | 16×20         | 4.31                                   | 1200                                | 16×20         | 4.31                                   | 1200                                |
| 82    |                        | 10×16         | 0.22                                   | 660                                 | 10×23         | 4.65                                   | 770                                 | 12.5×25       | 4.31                                   | 1150                                | 12.5×25       | 4.31                                   | 1150                                |
| 82    |                        | 12.5×14       | 0.20                                   | 710                                 | 12.5×20       | 4.65                                   | 1040                                | 16×20         | 4.31                                   | 1200                                | 16×20         | 4.31                                   | 1200                                |
| 100   |                        | 10×20         | 0.20                                   | 710                                 | 12.5×20       | 4.65                                   | 1040                                | 12.5×25       | 4.31                                   | 1150                                | 12.5×30       | 3.35                                   | 1260                                |
| 100   |                        | 12.5×16       | 0.18                                   | 833                                 |               |  |                                     | 16×20         | 4.31                                   | 1200                                | 16×25         | 3.05                                   | 1350                                |
| 120   |                        | 10×23         | 0.18                                   | 850                                 | 12.5×25       | 4.09                                   | 1260                                | 12.5×30       | 3.05                                   | 1440                                | 16×25         | 3.05                                   | 1350                                |
| 120   |                        | 12.5×16       | 0.18                                   | 833                                 | 16×20         | 4.09                                   | 1260                                | 16×25         | 3.05                                   | 1670                                |               |  |                                     |
| 150   |                        | 12.5×20       | 0.15                                   | 950                                 | 12.5×30       | 4.09                                   | 1600                                | 16×25         | 3.05                                   | 1670                                | 16×31.5       | 2.71                                   | 1780                                |
| 150   |                        |               |  |                                     | 16×25         | 3.92                                   | 1670                                |               |  |                                     | 18×25         | 2.71                                   | 1780                                |
| 180   |                        | 12.5×25       | 0.11                                   | 1290                                | 12.5×35       | 3.01                                   | 1720                                | 16×35.5       | 2.10                                   | 2025                                | 16×35.5       | 2.10                                   | 2025                                |
| 180   |                        |               |  |                                     | 16×25         | 3.92                                   | 1670                                | 18×25         | 2.71                                   | 2025                                | 18×31.5       | 2.10                                   | 2025                                |
| 220   |                        | 16×20         | 0.11                                   | 1290                                | 16×31.5       | 2.71                                   | 2160                                | 18×31.5       | 2.10                                   | 2200                                | 18×35.5       | 1.04                                   | 2365                                |
| 220   |                        |               |  |                                     | 18×25         | 2.71                                   | 2090                                |               |  |                                     |               |  |                                     |
| 270   |                        | 12.5×30       | 0.0859                                 | 1460                                |               |  |                                     |               |  |                                     |               |  |                                     |
| 270   |                        | 16×20         | 0.0859                                 | 1460                                |               |  |                                     |               |  |                                     |               |  |                                     |
| 330   |                        | 16×25         | 0.0671                                 | 1760                                | 18×31.5       | 1.25                                   | 2400                                |               |  |                                     |               |  |                                     |
| 330   |                        | 18×20         | 0.0671                                 | 1560                                |               |  |                                     |               |  |                                     |               |  |                                     |
| 390   |                        | 16×31.5       | 0.0520                                 | 1930                                | 18×35.5       | 1.15                                   | 2850                                |               |  |                                     |               |  |                                     |
| 390   |                        | 18×25         | 0.0520                                 | 1990                                |               |  |                                     |               |  |                                     |               |  |                                     |
| 470   |                        | 16×31.5       | 0.0480                                 | 1990                                |               |  |                                     |               |  |                                     |               |  |                                     |
| 470   |                        | 18×25         | 0.0480                                 | 1990                                |               |  |                                     |               |  |                                     |               |  |                                     |



■ 标准品一览表

| 电压(V)                   | 120           |                                       |                                    | 160           |                                       |                                    | 200           |                                       |                                    | 250           |                                       |                                    |
|-------------------------|---------------|---------------------------------------|------------------------------------|---------------|---------------------------------------|------------------------------------|---------------|---------------------------------------|------------------------------------|---------------|---------------------------------------|------------------------------------|
| 项目<br>容量<br>( $\mu F$ ) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2℃) | 纹波电流<br>(mA r.m.s/<br>105℃ 100KHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2℃) | 纹波电流<br>(mA r.m.s/<br>105℃ 100KHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2℃) | 纹波电流<br>(mA r.m.s/<br>105℃ 100KHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2℃) | 纹波电流<br>(mA r.m.s/<br>105℃ 100KHz) |
| 560                     | 16×35.5       | 0.0368                                | 2160                               |               |                                       |                                    |               |                                       |                                    |               |                                       |                                    |
| 560                     | 18×31.5       | 0.0368                                | 2050                               |               |                                       |                                    |               |                                       |                                    |               |                                       |                                    |
| 680                     | 18×35.5       | 0.0326                                | 2340                               |               |                                       |                                    |               |                                       |                                    |               |                                       |                                    |

| 电压(V)                   | 350           |                                       |                                    | 400           |                                       |                                    | 450           |                                       |                                    | 500           |                                       |                                    |
|-------------------------|---------------|---------------------------------------|------------------------------------|---------------|---------------------------------------|------------------------------------|---------------|---------------------------------------|------------------------------------|---------------|---------------------------------------|------------------------------------|
| 项目<br>容量<br>( $\mu F$ ) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2℃) | 纹波电流<br>(mA r.m.s/<br>105℃ 100KHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2℃) | 纹波电流<br>(mA r.m.s/<br>105℃ 100KHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2℃) | 纹波电流<br>(mA r.m.s/<br>105℃ 100KHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100KHz<br>25±2℃) | 纹波电流<br>(mA r.m.s/<br>105℃ 100KHz) |
| 1.0                     | 6.3×9         | 38.00                                 | 68                                 | 6.3×9         | 58.00                                 | 68                                 | 6.3×9         | 58.00                                 | 77                                 | 6.3×11        | 52.00                                 | 40                                 |
| 1.2                     | 6.3×9         | 38.00                                 | 95                                 | 6.3×9         | 38.00                                 | 77                                 | 6.3×9         | 55.00                                 | 77                                 | 6.3×11        | 52.00                                 | 40                                 |
| 1.5                     | 6.3×9         | 38.00                                 | 95                                 | 6.3×9         | 38.00                                 | 77                                 | 6.3×9         | 55.00                                 | 85                                 | 6.3×11        | 52.00                                 | 40                                 |
| 1.8                     | 6.3×9         | 38.00                                 | 104                                | 6.3×9         | 33.00                                 | 90                                 | 6.3×11        | 55.00                                 | 90                                 | 8×9           | 48.00                                 | 72                                 |
| 1.8                     |               |                                       |                                    |               |                                       |                                    | 8×9           | 45.00                                 | 90                                 |               |                                       |                                    |
| 2.2                     | 6.3×9         | 33.00                                 | 120                                | 6.3×9         | 33.00                                 | 90                                 | 8×9           | 45.00                                 | 90                                 | 8×11.5        | 45.00                                 | 72                                 |
| 2.7                     | 6.3×11        | 33.00                                 | 120                                | 6.3×11        | 33.00                                 | 110                                | 8×9           | 45.00                                 | 90                                 | 8×11.5        | 45.00                                 | 76                                 |
| 2.7                     | 8×9           | 27.00                                 | 130                                | 8×9           | 27.00                                 | 117                                |               |                                       |                                    |               |                                       |                                    |
| 3.3                     | 6.3×11        | 33.00                                 | 120                                | 6.3×12        | 33.00                                 | 110                                | 8×11.5        | 25.50                                 | 130                                | 8×11.5        | 45.00                                 | 76                                 |
| 3.3                     | 8×9           | 27.00                                 | 130                                | 8×9           | 27.00                                 | 117                                | 10×9          | 25.50                                 | 130                                |               |                                       |                                    |
| 3.9                     | 6.3×12        | 33.00                                 | 120                                | 6.3×12        | 33.00                                 | 110                                | 8×11.5        | 25.50                                 | 130                                | 8×14          | 35.00                                 | 92                                 |
| 3.9                     | 8×9           | 27.00                                 | 130                                | 8×9           | 27.00                                 | 117                                | 10×9          | 25.50                                 | 130                                |               |                                       |                                    |
| 4.7                     | 6.3×12        | 33.00                                 | 120                                | 6.3×12        | 33.00                                 | 120                                | 8×11.5        | 25.50                                 | 130                                | 8×16          | 29.00                                 | 102                                |
| 4.7                     | 8×9           | 27.00                                 | 130                                | 8×11.5        | 27.00                                 | 135                                | 10×9          | 18.00                                 | 130                                | 10×12.5       | 22.50                                 | 102                                |
| 5.6                     | 8×11.5        | 21.00                                 | 135                                | 8×14          | 18.00                                 | 180                                | 8×16          | 13.50                                 | 135                                | 10×14         | 18.00                                 | 117                                |
| 5.6                     | 10×9          | 21.00                                 | 150                                | 10×9          | 18.00                                 | 180                                | 10×12.5       | 13.50                                 | 180                                |               |                                       |                                    |
| 6.8                     | 8×11.5        | 21.00                                 | 135                                | 8×16          | 13.50                                 | 180                                | 8×20          | 9.50                                  | 200                                | 10×14         | 18.00                                 | 117                                |
| 6.8                     | 10×9          | 21.00                                 | 150                                | 10×12.5       | 13.50                                 | 180                                | 10×12.5       | 13.50                                 | 180                                |               |                                       |                                    |
| 8.2                     | 8×16          | 13.50                                 | 180                                | 8×16          | 13.50                                 | 180                                | 8×20          | 9.50                                  | 200                                | 10×16         | 15.00                                 | 152                                |
| 8.2                     | 10×12.5       | 13.50                                 | 190                                | 10×12.5       | 13.50                                 | 180                                | 10×14         | 12.00                                 | 205                                |               |                                       |                                    |
| 10                      | 8×16          | 13.50                                 | 180                                | 8×20          | 9.50                                  | 250                                | 10×16         | 9.50                                  | 205                                | 10×20         | 11.00                                 | 216                                |
| 10                      | 10×12.5       | 13.50                                 | 220                                | 10×14         | 9.50                                  | 250                                | 12.5×14       | 9.20                                  | 315                                | 12.5×14       | 10.00                                 | 234                                |
| 12                      | 10×14         | 11.00                                 | 240                                | 10×16         | 9.00                                  | 280                                | 10×20         | 8.15                                  | 300                                | 12.5×16       | 9.50                                  | 240                                |
| 15                      | 10×16         | 9.50                                  | 280                                | 10×20         | 8.15                                  | 310                                | 10×20         | 8.15                                  | 300                                | 12.5×16       | 9.00                                  | 240                                |
| 15                      | 12.5×14       | 8.15                                  | 530                                | 12.5×14       | 8.15                                  | 310                                | 12.5×16       | 8.15                                  | 410                                |               |                                       |                                    |
| 18                      | 10×20         | 8.15                                  | 550                                | 10×20         | 8.15                                  | 310                                | 12.5×20       | 8.15                                  | 410                                | 12.5×20       | 8.00                                  | 288                                |
| 18                      | 12.5×14       | 8.15                                  | 530                                | 12.5×16       | 8.15                                  | 330                                |               |                                       |                                    |               |                                       |                                    |
| 22                      | 12.5×16       | 8.15                                  | 600                                | 12.5×20       | 8.15                                  | 500                                | 12.5×20       | 8.15                                  | 410                                | 12.5×25       | 7.00                                  | 423                                |
| 33                      | 12.5×20       | 8.15                                  | 865                                | 12.5×25       | 5.14                                  | 670                                | 12.5×25       | 6.50                                  | 650                                | 12.5×30       | 6.50                                  | 508                                |




# LK

## ■ 标准品一览表

| 电压(V)                   | 350           |                                       |                                    | 400           |                                       |                                    | 450           |                                       |                                    | 500           |                                       |                                    |
|-------------------------|---------------|---------------------------------------|------------------------------------|---------------|---------------------------------------|------------------------------------|---------------|---------------------------------------|------------------------------------|---------------|---------------------------------------|------------------------------------|
| 项目<br>容量<br>( $\mu F$ ) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100kHz<br>25±2℃) | 纹波电流<br>(mA r.m.s/<br>105℃ 100kHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100kHz<br>25±2℃) | 纹波电流<br>(mA r.m.s/<br>105℃ 100kHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100kHz<br>25±2℃) | 纹波电流<br>(mA r.m.s/<br>105℃ 100kHz) | 尺寸<br>D×L(mm) | 阻抗<br>( $\Omega$ max/100kHz<br>25±2℃) | 纹波电流<br>(mA r.m.s/<br>105℃ 100kHz) |
| 33                      |               |                                       |                                    | 16×20         | 4.54                                  | 670                                | 16×20         | 4.14                                  | 650                                |               |                                       |                                    |
| 47                      | 12.5×25       | 4.14                                  | 960                                | 12.5×30       | 4.14                                  | 1035                               | 12.5×35       | 3.50                                  | 950                                | 12.5×35       | 5.50                                  | 630                                |
| 47                      | 16×20         | 4.14                                  | 1000                               | 16×25         | 4.14                                  | 1035                               | 16×25         | 3.50                                  | 950                                | 16×25         | 3.50                                  | 630                                |
| 56                      | 12.5×25       | 4.14                                  | 960                                | 16×25         | 4.14                                  | 1035                               | 16×31.5       | 3.50                                  | 1100                               | 16×31.5       | 2.50                                  | 648                                |
| 56                      | 16×20         | 4.14                                  | 1000                               | 18×20         | 4.14                                  | 1280                               | 18×25         | 3.50                                  | 1060                               |               |                                       |                                    |
| 68                      | 16×25         | 4.05                                  | 1150                               | 16×31.5       | 3.50                                  | 1315                               | 16×35.5       | 3.05                                  | 1240                               | 16×35.5       | 2.30                                  | 756                                |
| 68                      | 18×20         | 3.50                                  | 1330                               | 18×25         | 3.50                                  | 1330                               | 18×31.5       | 3.05                                  | 1290                               | 18×31.5       | 2.30                                  | 756                                |
| 82                      | 16×31.5       | 3.50                                  | 1400                               | 16×35.5       | 3.05                                  | 1720                               | 16×40         | 2.95                                  | 1510                               | 18×35.5       | 1.80                                  | 990                                |
| 82                      | 18×25         | 3.50                                  | 1600                               | 18×31.5       | 3.05                                  | 1720                               | 18×31.5       | 3.05                                  | 1290                               |               |                                       |                                    |
| 100                     | 16×31.5       | 3.50                                  | 2010                               | 18×31.5       | 3.05                                  | 2010                               | 18×35.5       | 2.75                                  | 1490                               | 18×40         | 1.50                                  | 1020                               |
| 100                     | 18×25         | 3.50                                  | 2010                               |               |                                       |                                    |               |                                       |                                    |               |                                       |                                    |
| 120                     | 16×35.5       | 3.05                                  | 2080                               | 18×35.5       | 2.05                                  | 2250                               | 18×40         | 2.05                                  | 1740                               |               |                                       |                                    |
| 120                     | 18×31.5       | 3.05                                  | 2010                               |               |                                       |                                    |               |                                       |                                    |               |                                       |                                    |
| 150                     | 18×35.5       | 2.05                                  | 2450                               | 18×40         | 2.00                                  | 2500                               | 18×45         | 2.00                                  | 1950                               |               |                                       |                                    |

## ■ 产品尺寸图 (单位: mm)



备注:  $\geq \phi 6.3$  产品有安全阀

|      |       |
|------|-------|
| L=9  | a=1.0 |
| L≤16 | a=1.5 |
| L>16 | a=2.0 |

|   |     |     |     |     |      |     |     |
|---|-----|-----|-----|-----|------|-----|-----|
| D | 5   | 6.3 | 8   | 10  | 12.5 | 16  | 18  |
| d | 0.5 | 0.5 | 0.6 | 0.6 | 0.6  | 0.8 | 0.8 |
| F | 2.0 | 2.5 | 3.5 | 5.0 | 5.0  | 7.5 | 7.5 |

## ■ 纹波电流补偿系数

### ① 频率修正系数

|      |      |      |      |         |      |
|------|------|------|------|---------|------|
| 频率   | 50   | 120  | 1K   | 10K~50K | 100K |
| 修正因子 | 0.40 | 0.50 | 0.80 | 0.90    | 1.00 |

### ② 温度修正系数

|         |     |     |     |      |
|---------|-----|-----|-----|------|
| 环境温度(℃) | 50℃ | 70℃ | 85℃ | 105℃ |
| 修正因子    | 2.1 | 1.8 | 1.4 | 1.0  |



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Aluminium Electrolytic Capacitors - Radial Leaded](#) category:*

*Click to view products by [Ymin](#) manufacturer:*

Other Similar products are found below :

[LXY50VB4.7M-5X11](#) [RFO-100V471MJ7P#](#) [ECE-A1EGE220](#) [1814181](#) [NCD681K10KVY5PF](#) [NEV1000M25EF-BULK](#) [NEV100M35DC](#)  
[NEV100M63DE](#) [NEV220M25DD-BULK](#) [NEV.33M100AA](#) [NEV4700M50HB](#) [NEV.47M100AA](#) [NEVH1.0M250AB](#) [NEVH3.3M250BB](#)  
[NEVH3.3M450CC](#) [KME50VB100M-8X11.5](#) [SG220M1CSA-0407](#) [ES5107M016AE1DA](#) [ESX472M16B](#) [476CKH100MSA](#) [477RZS050M](#)  
[UVX1V101KPA1FA](#) [UVX1V222MHA1CA](#) [KME25VB100M-6.3X11](#) [VTL100S10](#) [VTL470S10](#) [511D336M250EK5D](#) [052687X](#) [ECE-](#)  
[A1CF471](#) [EKXG451ELL820MM30S](#) [686CKR050M](#) [NRE-S560M16V6.3X7TBSTF](#) [ERZA630VHN182UP54N](#) [UPL1A331MPH](#)  
[NEV1000M6.3DE](#) [NEV100M16CB](#) [NEV100M50DD-BULK](#) [NEV2200M16FF](#) [NEV220M50EE](#) [NEV2.2M50AA](#) [NEV330M63EF](#)  
[NEV4700M35HI](#) [NEV4.7M100BA](#) [NEV47M16BA](#) [NEV47M50CB-BULK](#) [NEVH1.0M350AB](#) [NEVH2.2M160AB](#) [NEVH3.3M350BC](#)  
[TER330M50GM](#) [477KXM035MGBWSA](#)