

# Specifications

备注(Remark)

1. 材料(MATERIAL)

胶芯: PA6T+30%G. F UL94V-0, 颜色: 黑色.

Housing: PA6T+30%G. F UL94V-0, Color: Black

端子: 青铜, 镍底30u"MIN, 表面镀普金

Contact: Bronze, GOLD PLATING OVER ALL

30u" MIN NICKEL UNDERPLATING OVER ALL

2. 特性 (characteristics):

额定电流: 2 AMP

Rating Current: 2 AMP.

接触阻抗: 20 mΩ MAX.

Contact Resistance: 20 mΩ MAX.

绝缘阻抗: 1000 MΩ MIN.




Insulating Resistance: 1000 MΩ MIN.

耐电压: AC 500V/分钟.

Withstanding Voltage: AC 500V/Minute.

温度范围: -40° C to +105° C

Temperature Range: -40° C to +105° C



# Ordering Information

F243-11 04 A0 B SU C 3

NO. OF PINS PER ROW	Contact Plating	INSULATOR MATERIAL:	PACKING
1-40P	Full of Gold	B: PA6T	A: PE Bag
	Semi-gold	C: PA6T	B: Tape & Reel
		D: LCP	C: Tube
			D: Tube+CAP
			E: Tray

NO. OF PINS PER ROW	Contact Plating	INSULATOR MATERIAL:	PACKING
A0=0.8u"	B0=0.8U	B: PA6T	A: PE Bag
A1=1u"	B1=1U	C: PA6T	B: Tape & Reel
A2=1.5u"	B2=1.5U	D: LCP	C: Tube
A3=2u"	B3=2U		D: Tube+CAP
A4=3u"	B4=3U		E: Tray
A5=5u"	B5=5U		
A6=10u"	B6=10U		
A7=15u"	B7=15U		
A8=20u"	B8=20U		
A9=30u"	B9=30U		

NO. OF PINS PER ROW	Contact Plating	INSULATOR MATERIAL:	PACKING
S1=0	Binary Tin Plated		
S2=M	Matte Tin Plated		
S3=T	Tin-plated High-temperature		

RoHS COMPLIANT

客编: K2090

注意事项

1. 带\*为品质重点检验尺寸

			OPERATION		SCALE		Fit		Yxcon 东莞市宇熙精密连接器有限公司		
			X.X	±0.25	UNIT		MM		www.yxcon.com Dongguan Yuxi Electronic Co.,Ltd.		
			X.XX	±0.20	SIZE	A4	DESIGN		PART NO		F243-1104A0BSUC3
A0	2021.07.29	/	X.XXX	±0.10	SHEET		1/1	CHECK		TITLE: 2.0排母4.3mm塑高 1*4P 180度 DIP:2.7mm 底部带杠 U型 PA6T料 镀普金 144个/管	
REV	DATE	SYMBOL	MODIFICATION DESCRIPTION		PROJ.	APPROVE	APPROVE		Cust order No.		

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [Yxcon](#) manufacturer:*

Other Similar products are found below :

[0015917161](#) [0022155065](#) [57102-F02-18ULF](#) [58102-G61-06LF](#) [582553-1](#) [01.001.5753.1](#) [0050291907](#) [02.125.8002.8](#) [609-3404](#) [61062-3](#)  
[CSU011177004](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [65495-038](#) [65692-001LF](#) [65781-018](#)  
[65781-047](#) [65817-010LF](#) [65817-015LF](#) [67095-007LF](#) [67601157](#) [68631-112](#) [699319-000](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-](#)  
[5028](#) [71.350.2428.0](#) [733-134](#) [733-162](#) [760-3052](#) [MHR-64-VUAL](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [801-43-002-10-013000](#)  
[801-43-006-10-002000](#) [803-43-024-10-001000](#) [803-93-012-10-001000](#) [8-1437020-4](#) [819-22-004-30-001101](#) [820-22-006-30-001101](#)  
[820-22-008-30-001101](#) [821-22-002-10-001101](#)