

零件承认书

SPECIFICATION FOR APPROVAL

客户名称: _____
 客户料号: _____
 增益料号: CD5830-4R7
 规格描述: CD53 4.7uH±20%
 日期: 2020/10/16
 版本: A

增益签核:

制订	审核	核准
黄维超	刘顿	刘顿

客户签核:

工程	审核	核准



东莞市增益实业有限公司

地址: 东莞市塘厦镇林村塘厦大道北552号

电话: 0769-87321000

传真: 0769-87891229

物料类型:

贴片电感


日期:

2020/10/16

版本:

A


图面规格变更履历表

客户		0	料号		品名	CD5830-4R7
客户版本	增益版本	变更内容	日期	制定	审核	核准
	A	初版	2020/10/16	黄维超	刘顿	刘顿
 <p>东莞市增益实业有限公司</p> <p>地址：东莞市塘厦镇林村塘厦大道北552号</p> <p>电话：0769-87321000</p> <p>传真：0769-87891229</p>				物料类型：		贴片电感
				日期：		2020/10/16
				版本：		A

SPECIFICATION

客户名称	0	客户料号:		增益料号:	CD5830-4R7
------	---	-------	--	-------	------------

一、外观尺寸 (mm) :



A	B	C	I	J	H
5.8±0.3	5.2±0.3	3.2±0.3	2.2 REF	1.6 REF	5.4 REF

二、产品型号说明:

CD 5830 □□□ M T F
 ① ② ③ ④ ⑤ ⑥


- ①类型: CD型绕线功率电感器 ②外形尺寸: 直径*厚度
- ③类型: 标称电感量: 1R0--1.0uH 100--10uH 101--100uH
- ④公差: M--±20% ⑤包装: T--编带/盘装
- ⑥F: 无铅环保材料标识

三、型号规格

规格系列	料号	L/uH	测试条件	直流电阻/Ω	额定电流/A		
CD53	CD5830-4R7MTF	4.7±20%	100K, 0.3V	0.072	2.500		

	东莞市增益实业有限公司 地址: 东莞市塘厦镇林村塘厦大道北552号 电话: 0769-87321000 传真: 0769-87891229			物料类型:	贴片电感
				日期:	2020/10/16
				版本:	A
制订	黄维超	审核	刘顿	核准	刘顿


SPECIFICATION

四、材料: (1) 铁芯: DR5.8×3.2 B=2.2 F=2.3 (2) 铜线: 2UEW H (3) 磁粉: (3) 圈数:	五、电气原理图: 
---	--

注意事项:	修改记录:
1: 包装: 2500PCS/REEL.	1
2: 黑色印字(印字字体3.0MMX2.0MM)	2:
3: 产品包装需用冷封带	3:
4:	4:
5:	5:

六、物料清单:


序号	物料名称	供应商	物料规格
1	磁芯	LB	DR5.8×3.2 B=2.2 F=2.3
2	铜线	TPY	2UEWH P180
		YLSL	G1 P180
3	锡	QD	99.7Sn 0.3Cu
4	上盖带	JC	宽度9.3mm
5	卷盘	JC	13寸盘
6	载带	JC	CD53透明/2500PCS

	东莞市增益实业有限公司 地址: 东莞市塘厦镇林村塘厦大道北552号 电话: 0769-87321000 传真: 0769-87891229	物料类型:	贴片电感		
	日期:	2020/10/16			
	版本:	A			
制订	黄维超	审核	刘顿	核准	刘顿

SPECIFICATION


七、包装:

1、载带尺寸: (单位: mm)



Series	A0	B0	W	E	F	ϕf
	5.9 ± 0.1	5.4 ± 0.1	12.0 ± 0.3	5.7 ± 0.1	1.75 ± 0.1	1.5 ± 0.1
	P	P1	P2	K0	T	
	8.0 ± 0.1	4.0 ± 0.1	2.0 ± 0.1	3.7 ± 0.1	0.4 ± 0.1	

2、带盘尺寸: (单位: mm)




A	330 ± 0.5
B	100 ± 0.5
C	13.5 ± 0.5
W	12.5 ± 0.5

3、包装数量:

项目	数量 (PCS)	尺寸规格 (mm)
盘	2500	13"
内盒		
外箱		

注意事项:

- 1: 载带前空格留25PCS, 后空格留50PCS。
- 2: 冷封上盖带。
- 3: 胶盘需要用热熔胶对卡扣进行点胶固定。

 <p>东莞市增益实业有限公司 地址: 东莞市塘厦镇林村塘厦大道北552号 电话: 0769-87321000 传真: 0769-87891229</p>	物料类型:	贴片电感			
	日期:	2020/10/16			
	版本:	A			
制订	黄维超	审核	刘顿	核准	刘顿

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Fixed Inductors](#) category:

Click to view products by [Zeng Yi](#) manufacturer:

Other Similar products are found below :

[CR32NP-151KC](#) [CR32NP-180KC](#) [CR32NP-181KC](#) [CR32NP-1R5MC](#) [CR32NP-390KC](#) [CR32NP-3R9MC](#) [CR32NP-680KC](#) [CR32NP-820KC](#) [CR32NP-8R2MC](#) [CR43NP-390KC](#) [CR43NP-560KC](#) [CR43NP-680KC](#) [CR54NP-181KC](#) [CR54NP-470LC](#) [CR54NP-820KC](#) [CR54NP-8R5MC](#) [70F224AI](#) [MGDQ4-00004-P](#) [MHL1ECTTP18NJ](#) [MHQ1005P10NJ](#) [MHQ1005P1N0S](#) [MHQ1005P2N4S](#) [MHQ1005P3N6S](#) [MHQ1005P5N1S](#) [MHQ1005P8N2J](#) [PE-51506NL](#) [PE-53601NL](#) [PE-53602NL](#) [PE-53630NL](#) [PE-53824SNLT](#) [PE-92100NL](#) [PG0434.801NLT](#) [PG0936.113NLT](#) [9220-20](#) [9310-16](#) [PM06-2N7](#) [PM06-39NJ](#) [A01TK](#) [1206CS-471XJ](#) [HC2LP-R47-R](#) [HC2-R47-R](#) [HC3-2R2-R](#) [HCF1305-3R3-R](#) [1206CS-151XG](#) [RCH664NP-140L](#) [RCH664NP-4R7M](#) [RCH8011NP-221L](#) [RCP1317NP-332L](#) [RCP1317NP-391L](#) [RCR1010NP-470M](#)