



# 零件承认书

SPECIFICATION FOR APPROVAL

客户名称: \_\_\_\_\_  
 客户料号: \_\_\_\_\_  
 增益料号: LH3530T0001  
 规格描述: W5 RH 3.5X3.0X1.8  
 日期: 2022/6/22  
 版本: A

增益签核:

制订	审核	核准
张翔	刘业明	柯文学

客户签核:

工程	审核	核准



东莞市增益实业有限公司

地址: 东莞市塘厦镇塘厦大道北552号

电话: 0769-87321000

传真: 0769-87891229

物料类型:

空心磁珠

日期:

2022/6/22

版本:

A



# SPECIFICATION FOR APPROVAL


<b>CUSTOMER:</b>				<b>CUSTOMER'S PART NO/DWG NO:</b>				
<b>ITEM: W5 RH 3.5X3.0X1.8</b>				<b>REF NO 10-13-035018030-0</b>				
<b>(1)DIMENSION(Unit:mm)</b>				<b>ΦA</b>	<b>3.50</b>	$\begin{matrix} + \\ - \end{matrix}$	<b>0.20</b> mm	
						$\begin{matrix} + \\ - \end{matrix}$	mm	
				<b>ΦC</b>	<b>1.80</b>	$\begin{matrix} + \\ - \end{matrix}$	<b>0.20</b> mm	
				<b>D</b>	<b>3.00</b>	$\begin{matrix} + \\ - \end{matrix}$	<b>0.30</b> mm	
				<b>E</b>		$\begin{matrix} + \\ - \end{matrix}$	mm	
				<b>F</b>		$\begin{matrix} + \\ - \end{matrix}$	mm	
				<b>G</b>		$\begin{matrix} + \\ - \end{matrix}$	mm	
				<b>H</b>		-	mm	
						-		
				<b>(2)ELECTRICAL REQUIREMENTS:</b>				
<b>Z1</b>	<b>14 -0</b>	<b>Ω</b>	<b>TEST FREQ</b>	<b>(3)TEST INSTRUMENTS</b> 1.Q-METER: <input type="checkbox"/> HP4342A <input type="checkbox"/> MQ-171 2.IMPEDANCE A-NALYZER: <input checked="" type="checkbox"/> P4286A 3.TORQUE METER: <input type="checkbox"/> 3-OT 1.5kgf-cm <input type="checkbox"/> 3-OT 5.0Kgf-cm 4.PROFILE PROJECTOR: <input type="checkbox"/> PJ300 5.L.C.R METER: <input type="checkbox"/> T3302   OFF 6.POWER SUPPLY: <input type="checkbox"/> CHEN HWACDC-30 7.NETWORK ANALYZER: <input type="checkbox"/> HP8752A				
<b>Z2</b>	<b>35 - 0</b>	<b>Ω</b>	<b>TEST FREQ</b>					<b>25MHz</b>
<b>HI-POT</b>	<b>RI100-0</b>	<b>MΩ</b>	<b>TEST HI/TIME</b>					<b>100 MHz</b>
			<b>TEST FREQ</b>					<b>DC1000V3S</b>
			<b>TEST FREQ</b>					<b>PASS</b>
<b>COIL DATA</b>			<b>TEST FREQ</b>					
			<b>TEST FREQ</b>					
<b>Winding:</b>	<b>0.65 Φ</b>	<b>63m/m T.C.W</b>	<b>1 Ts</b>					
<b>備注:</b>								
<b>DRAWN</b>		<b>CHECKED</b>		<b>Approved</b>		<b>ISSUE NO:</b>		
<b>DATE</b>		<b>DATE</b>		<b>DATE</b>				

# Z-F RESPONSE

品名: W5 RH 3.5X3.0X1.8

1. TEST INSTRUMENT : HP4286A

2. WINDING: 0.65  $\Phi$  63mm T.C.W 1TS



	1	5	10	25	50	100	300	500	700	1000
Z-	1.9	7.4	10.6	17.0	24.6	38.0	118.9	465.3	459.1	145.7

(DATA BETWEEN 500MHZ AND 1000 MHZ ARE FOR REFERENCE ONLY)

核准:

確認:

作成:



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Ferrite Beads](#) category:*

*Click to view products by [Zeng Yi](#) manufacturer:*

Other Similar products are found below :

[CZB1EGTTP700P](#) [CZB1JGTTD152P](#) [CZB1JGTTD601P](#) [CZB2AFTTD800P](#) [CZB2AGTTD121P](#) [CZB2AGTTD601P](#) [CZB2BFTTE600P](#)  
[PE-0402FB121ST](#) [NCB0603R301TR050F](#) [NCB0805A320TR050F](#) [NCB-H1206B680TR300F](#) [SMB2.5-1TR](#) [SMB2.5R-2](#) [CZB1EGTTP121P](#)  
[CZB1JGTTD102P](#) [CZB1JGTTD121P](#) [CZB1JGTTD221P](#) [CZB2AGTTD301P](#) [CZB2BFTTE301P](#) [CZB2BFTTE601P](#) [4221R-1](#) [4221R-2](#)  
[432703041971](#) [EMI0805R-2000](#) [EMI0805R-600](#) [SBY100505T-100Y-N](#) [NCB-GH0402D121TR060F](#) [NCB-H1812D125TR150F](#)  
[CZB2AGTTD102P](#) [NCB0402P301TR005F](#) [NCB0603R152TR030F](#) [NCB0805A121TR050F](#) [NCB3312K900TR500F](#) [NCB-](#)  
[H0805A102TR150F](#) [NCB-H0805A221TR300F](#) [NCB-H1806E181TR300F](#) [NCB0402P300TR030F](#) [NCB0805A102TR040F](#)  
[NCB1806E151TR020F](#) [NCB-H0603R121TR300F](#) [NCB-H0805A220TR600F](#) [NCB-H0805A390TR400F](#) [NCB-H1206B121TR300F](#) [NCB-](#)  
[H1206B601TR200F](#) [CIM21J252NE](#) [EMI0805R-220](#) [74279250](#) [7427924](#) [CZB1JGTTD202P](#) [ABUPDE160808121Y00](#)