

零件承认书



客户名称: _____

客户料号: _____

规格描述: **DR 6*8 0.35mm*26TS L=17uH min 加套管**

增益料号: **X033A-L1**

日期: **2018/2/27**

版本: **A**

增益签核:

制订	审核	核准
张翔	刘业明	柯文学

客户签核:

工程	审核	核准



东莞市增益实业有限公司

地址: 东莞市清溪镇三星路1号

电话: 0769-87321000

传真: 0769-87891229

物料类型:

工字电感

日期:

2018/2/27


版本:

A

外观尺寸

客户名称:	X033A-L1	客户料号:	
规格描述:	DR 6*8 0.35mm*26TS L=17uH min 加套管	增益料号:	0


1. 尺寸图 (单位: MM)



DIM	A	B	C	E	F			
mm	9.0	7.0	4.0	3.0	0.6			
SPEC	MAX	MAX	±0.5	±0.5	±0.1			

- 注意: 1 绕线平整无交叉、无打结。
2 本体无异物。

2. 绕线结构



绕组	起点	终点	材料	圈数	备注
N1	1	2	漆包线0.35MM	26Ts REF	



东莞市增益实业有限公司
地址: 东莞市清溪镇三星路1号
电话: 0769-87321000
传真: 0769-87891229

物料类型:	棒形电感
日期:	2018/2/27
版本:	A

制订	张翔	审核	刘业明	核准	柯文学
----	----	----	-----	----	-----

电气性能


客户名称:	X033A-L1	客户料号:	
规格描述:	DR 6*8 0.35mm*26TS L=17uH min 加套管	增益料号:	0

3. 电气特性 (室内温度 25℃ 室内湿度 65±5% RH)

TEST ITEM (测试项目)	TEST CONDITION (测试条件)	TEST WINDING (测试绕组)	RESULT (条件范围)
电感 测试仪器: HP-4284A	1KHZ/0.3V	1~2	17uH min
Q值 测试仪器: HP-4284A	1KHZ/0.25V	1~2 3~4	
DCR (电阻) 测试仪器: HK-502BC	AT25℃	1~2 3~4	
HI-POT TEST (耐压测试) 测试仪器: HY-7110			

4. 原材料清单

NO	材料	规格	厂家
1	磁芯	DR6*8	ZEE
2	铜线	2UEW	TAI-I
3	套管	热缩套管	沃尔
4			
5			
6			

	东莞市增益实业有限公司			物料类型:	工字电感
	地址: 东莞市清溪镇三星路1号			日期:	2018/2/27
	电话: 0769-87321000 传真: 0769-87891229			版本:	A
制订	张翔	审核	刘业明	核准	柯文学

测试报告

客户名称: X033A-L1		客户料号:									
规格描述: DR 6*8 0.35mm*26TS L=17uH min 加套管		增益料号: 0									
交货数量	抽样数	抽样基准 MIL-STD-105E	判定标准	测试环境	分项检查判定						
5PCS	5PCS	<input checked="" type="checkbox"/> 正常 <input type="checkbox"/> 加严 <input type="checkbox"/> 减严	主要	次要	温度	湿度	尺寸	外观	特性		
			0.1	0.4	25℃	65%	OK	OK	OK		
绝缘电阻DC	COIL TO CORE	V	COIL TO COIL	V	测试仪器						
耐电压AC		MΩ		MΩ	<input type="checkbox"/> CH-9053	<input checked="" type="checkbox"/> HK-502BC					
		SEC		SEC	<input checked="" type="checkbox"/> HP-4284A	<input type="checkbox"/> CH-100	<input type="checkbox"/> HY-7110				
		KV		KV	<input type="checkbox"/> HP-42841A	<input type="checkbox"/> CH-1320	<input checked="" type="checkbox"/> HK-310				
测试条件	1KHZ/0.3V			外观尺寸 (mm)							
PIN	L(S-F)		DCR(S-F)		A	B	C	D	E	F	G
SPEC	17uH										
±	min										
1	19.50										
2	19.60										
3	19.50										
4	19.80										
5	19.60										
6											
7											
8											
9											
10											
X											
R											
备 注:											
 东莞市增益实业有限公司 地址: 东莞市清溪镇三星路1号 电话: 0769-87321000 传真: 0769-87891229					物料类型:		工字电感				
					日 期:		2018/2/27				
					版 本:		A				
制订	张翔	审核	刘业明	核准	柯文学						

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Fixed Inductors](#) category:

Click to view products by [Zeng Yi](#) manufacturer:

Other Similar products are found below :

[CR32NP-151KC](#) [CR32NP-180KC](#) [CR32NP-181KC](#) [CR32NP-1R5MC](#) [CR32NP-390KC](#) [CR32NP-3R9MC](#) [CR32NP-680KC](#) [CR32NP-820KC](#) [CR32NP-8R2MC](#) [CR43NP-390KC](#) [CR43NP-560KC](#) [CR43NP-680KC](#) [CR54NP-181KC](#) [CR54NP-470LC](#) [CR54NP-820KC](#) [CR54NP-8R5MC](#) [70F224AI](#) [MGDQ4-00004-P](#) [MHL1ECTTP18NJ](#) [MHQ1005P10NJ](#) [MHQ1005P1N0S](#) [MHQ1005P2N4S](#) [MHQ1005P3N6S](#) [MHQ1005P5N1S](#) [MHQ1005P8N2J](#) [PE-51506NL](#) [PE-53601NL](#) [PE-53602NL](#) [PE-53630NL](#) [PE-53824SNLT](#) [PE-92100NL](#) [PG0434.801NLT](#) [PG0936.113NLT](#) [9220-20](#) [9310-16](#) [PM06-2N7](#) [PM06-39NJ](#) [A01TK](#) [1206CS-471XJ](#) [HC2LP-R47-R](#) [HC2-R47-R](#) [HC3-2R2-R](#) [HCF1305-3R3-R](#) [1206CS-151XG](#) [RCH664NP-140L](#) [RCH664NP-4R7M](#) [RCH8011NP-221L](#) [RCP1317NP-332L](#) [RCP1317NP-391L](#) [RCR1010NP-470M](#)