

SEALED TRANSFORMER, PCB 0.5VA EE20-10.5 SERIES


PAGE REV	DESCRIPTION	DATE	BY
A0	CREATED	2010-03-30	Jacise
A1	Modified	2015-10-30	ye

1. ELECTRICAL SPECIFICATIONS:






- A. Input Voltage and Frequency: 115/230V @ 50/60 Hz
- B. Secondary Voltage: See Electrical Table
- C. Ambient Temperature: 50° C MAX allowed.
- D. Insulation Resistance:
100M Ohm Min @ 500VDC PRI. to SEC.
- E. Hi-Pot:
4200Vrms 1 minute @ PRI. to SEC., when the primary input voltage is 230V
2800Vrms 1 minute @ PRI. to SEC., when the primary input voltage is 115V

F. APPROVALS:

- UL 5085 class 2 and class 3 recognized.
- Conforms to EN 60950 .



2. MECHANICAL SPECIFICATIONS:



UNIT MM	TOLERANCE
	X.X = ±0.5
	X.XX = ±0.3
	ANG = -
3RD ANGLE 	
SCALE:	DATA
DRAWN: ye	2015-10-30
CHECKED:	
APPROVED:	

ZETTLER MAGNETICS




TITLE: SEALED TRANSFORMER, PCB 0.5VA

PART NO: BV20XXXX005	ZM Project:	SPEC REV: A/1
	Customers p/n:	SH NO 1/3

Web: www.zettlermagnetics.com
E-mail: sales@zettlermagnetics.com

PAGE REV	DESCRIPTION	DATE	BY
A0	CREATED	2010-03-30	Jacise
A1	Modified	2015-10-30	ye

- LAMINATION
- COIL
- BOBBIN



Web: www.zettlermagnetics.com

E-mail: sdles@zettlermagnetics.com

UNIT	TOLERANCE
MM	X.X = ±0.5
3RD ANGLE	X.XX = ±0.3
	ANG = -

SCALE:	DATA
DRAWN: ye	2015-10-26
CHECKED:	
APPROVED:	

ZETTLER MAGNETICS

TITLE: SEALED TRANSFORMER, PCB 0.5VA

PART NO: **BV20XXXXX005**

ZM Project:	SPEC REV: A1
Customer's p/n:	SH NO: 3/3

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Power Transformers](#) category:

Click to view products by [Zettler](#) manufacturer:

Other Similar products are found below :

[ET-030A](#) [F-102X](#) [F-120X](#) [F-14X-1](#) [F-181U](#) [F-18A](#) [F-199U](#) [F-19X](#) [F-202U](#) [F-204U](#) [F-206U](#) [F-227X](#) [F-238U](#) [F-239U-1](#) [F-23U](#) [F24-250-B](#)
[F-242U](#) [F-245U](#) [F-264U](#) [F-265U](#) [F-267U](#) [F-281U](#) [F-283U](#) [F-290X](#) [F-295Z](#) [F-296Z](#) [F-298Z](#) [F-3143P](#) [F-3298Z](#) [F-33U](#) [F-346X](#) [F-35U](#) [F-](#)
[364U](#) [F-392A](#) [F-395X](#) [F-397U](#) [F-412X](#) [F-47U](#) [F-55X-1](#) [F-60U](#) [F-68U](#) [F-71U](#) [F-72Z](#) [F-74U](#) [F-83A](#) [F-84AC](#) [F-85U](#) [F-86U](#) [F-9U](#) [PCT-02](#)