

## Compact-Keyboard G84-4420



Models may vary from the image shown

### Be on the Ball Even in Limited Spaces

Limited space? No room for a mouse? This stylish solution is the answer to your problems. The compact keyboard G84-4420 with convenient and precise trackball. Unique slim-line combination with visual appeal.

### Key Benefits

- Individual keys with Gold Crosspoint contacts (ML technology)
- Designed for continuous usage - over 20 million actuations per key
- High level of reliability and precise tactile feedback
- Integrated optical trackball plus 2 mouse buttons
- Extremely flat - total height just 20 mm
- Lightweight
- 83/84 keyboard layout with all the functions of a standard keyboard
- Can be used with the standard drivers of the operating system
- Ideal for limited space and 19" applications

### Technical Data:

#### Layout (country or language):

(possible country/layout versions, others available on request)  
US English with EURO symbol

#### Housing Color:

Product dependant, see table "Models"

#### Key Color:

Product dependant, see table "Models"

#### Weight (product):

approx. 563 g / 1.24 lb

#### Total Weight (with packaging):

approx. 720 g / approx. 1.59 lb

#### Cable Length:

approx. 1.75 m / approx. 5.74 ft

#### Storage Temperature:

-20°C to 60°C / -4° F to 140° F

#### Operating Temperature:

0°C to 40°C / 32° F to 104° F

#### Current Consumption:

Product dependant, see table "Models"

#### Interface:

Product dependant, see table "Models"

#### Product Approvals:

- C-Tick 
- UL 
- VCCI 
- CE 
- FCC 
- VDE 
- BSMI 

#### System Requirements:

Product dependant, see table "Models"

#### Box Contents:

- Compact-Keyboard G84-4420
- Operating instructions in hard copy

#### Dimensions (product):

approx. 370 x 139 x 19.6 mm / approx. 14.57 x 5.47 x .77 in

#### Packaging Dimensions:

approx. 400 x 195 x 32 mm / approx. 15.75 x 7.68 x 1.26 in

#### Reliability:

- MTBF > 8.8 mill. hours
- Trackball keys: > 3 mill. operations


#### Track ball:

- Scanning: Optical
- Resolution: 500 dpi
- Number of Keys: 2
- Connection: Product dependant, see table "Models"

#### Keyboard:

- Key Technology: ML
- Service life, standard key: > 20 million key operations

- Operation Characteristics: ML Pressure point (50cN)



- Inscription Technology: Laser
- Inscription Layout: Standard
- Number of Keys: 83

**Packaging Unit:**

- Number of products in the master package: 21
- Number of master packages per pallet: 12

**Warranty:**

2 years

Errors, technical changes and delivery delays may occur.  
Technical information refers only to the specifications of the products. Features may differ from the information provided.

## Models:

(possible country/layout versions, others available on request)

	Product Name	Order Number	Housing Color	Key Color	Current Consumption	Interface
1	Compact-Keyboard G84-4420	G84-4420LPBEU-0	light grey	light grey	26.typ. 43 mA (keyboard), typ. 2 mA (trackball)	PS/2 (keyboard), PS/2 (mouse), trackball, touchpad
2	Compact-Keyboard G84-4420	G84-4420LPBEU-2	black	black	26.typ. 43 mA (keyboard), typ. 2 mA (trackball)	PS/2 (keyboard), PS/2 (mouse), trackball, touchpad
3	Compact-Keyboard G84-4420	G84-4420LUBEU-0	light grey	light grey	typ. 45 mA	USB
4	Compact-Keyboard G84-4420	G84-4420LUBEU-2	black	black	typ. 45 mA	USB

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Input Devices](#) category:*

*Click to view products by [ZF Cherry](#) manufacturer:*

Other Similar products are found below :

[80260-00](#) [81485-28](#) [81521-08](#) [FKB4720-103](#) [84250-26](#) [84980-04](#) [84S-AC1-000](#) [JD-0700EU-2](#) [JM-0800-2](#) [JW-T0100](#) [89498-13](#) [89758-05](#)  
[89886-26](#) [89941-00](#) [G80-3000LSCEU-2](#) [MJ0FGGRY](#) [JM-0800-0](#) [84S-BB1-004](#) [81601-26](#) [UL21KMZQ](#) [G8011900LPMUS0](#) [G84-](#)  
[4700LUCUS-0](#) [81485-26](#) [84105-13](#) [V400-W24 5M](#) [V400-W23 5M](#) [G84-5200LCMEU-2](#) [DT2257X20V00GRY](#) [84Z2029-78](#) [84Z2029-79](#)  
[V400-W23P 5M](#) [VW3A8151R20U](#) [V400-W24 15M](#) [LT1332D](#) [V400-W24 10M](#) [V400-W24P 15M](#) [V400-WM0 1M](#) [V400-W24P 10M](#) [V400-](#)  
[W23P 10M](#) [TCS-1492OP](#) [V400-W23 3M](#) [LT1372D](#) [LP1007EXXH00R](#) [DT2253X20V00BLK](#) [100133BX](#) [EZ08-230013](#) [81248-04](#) [89887-26](#)  
[90215-00](#) [HB110C3NWBNA](#)