

SPOS G86-63400



Models may vary from the image shown

Multifunctional Rows & Columns keyboard - Design Your Own Layout

Fully programmable USB keyboard with 18x8 matrix key layout. For POS and other applications requiring maximal space efficiency with uncompromised data entry.

Key Benefits

- Compact size keyboard with QWERTY layout
- IP 54 spill and dust resistant key field
- Fully programmable and relegendable keyboard
- Plug and Play for all common POS features
- "Moving of Key" allows for easy key position exchange including modifier functions

Technical Data:

Layout (country or language):

(possible country/layout versions, others available on request)
US English with EURO symbol

Housing Color:

Product dependant, see table "Models"

Weight (product):

approx. 1400 g / 3.09 lb

Total Weight (with packaging):

approx. 1600 g / approx. 3.53 lb

Cable Length:

approx. 1.85 m / approx. 6.07 ft

Storage Temperature:

-20°C to 60°C / -4° F to 140° F

Operating Temperature:

0°C to 50°C / 32° F to 122° F

Current Consumption:

max. 100 mA

Interface:

- USB

Product Approvals:

Product dependant, see table "Models"

System Requirements:

- USB plug and USB supporting operating system

Box Contents:

Product dependant, see table "Models"

Dimensions (product):

approx. 360 x 198 x 38 mm / approx. 14.17 x 7.80 x 1.50 in

Packaging Dimensions:

approx. 415 x 260 x 50 mm / approx. 16.33 x 10.24 x 1.97 in

Reliability:

- Standard keys (1x1): >25 mill. operations
- Multiple keys (1x2, 2x1, 2x2): >20 mill. operations

Keyboard:

- Protection Class: IP54
- Service life, standard key: > 25 million key operations
- Number of Keys: 142
- Number of Programmable Keys: 142
- Number of Relegendable Keys: 142

Packaging Unit:

- Number of products in the master package: Product dependant, see table "Models"
- Number of master packages per pallet: 8

Warranty:

Product dependant, see table "Models"

Errors, technical changes and delivery delays may occur. Technical information refers only to the specifications of the products. Features may differ from the information provided.

Models:

(possible country/layout versions, others available on request)

	Product Name	Order Number	Housing Color	Warranty	Product Approvals	Box Contents	Number of products in the master package
1	SPOS G86-63400	G86-63400EUADA A	black	3 years	cURus, VCCI, CE, FCC, BSMI, RCM	Keycap puller, 2 Plug-in feet , 1 Bag Key lenses (140 pcs 1x1, 2 pcs 1x2)	16
2	SPOS G86-63400	G86-63400EUAEA A	light grey	2 years	cURus, CE, FCC, RCM	Printed instructions, CD-ROM with up-to-date software, Keycap puller, 6 sheets paper inserts (light grey, red, blue, green, yellow, white), 2 Plug-in feet , 1 Bag Key lenses (140 pcs 1x1, 2 pcs 1x2)	10

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Input Devices](#) category:

Click to view products by [ZF Cherry](#) manufacturer:

Other Similar products are found below :

[80260-00](#) [81485-28](#) [81521-08](#) [FKB4720-103](#) [84250-26](#) [84980-04](#) [84S-AC1-000](#) [JD-0700EU-2](#) [JM-0800-2](#) [JW-T0100](#) [89498-13](#) [89758-05](#)
[89886-26](#) [89941-00](#) [G80-3000LSCEU-2](#) [MJ0FGGRY](#) [JM-0800-0](#) [84S-BB1-004](#) [81601-26](#) [UL21KMZQ](#) [G8011900LPMUS0](#) [G84-](#)
[4700LUCUS-0](#) [81485-26](#) [84105-13](#) [V400-W24 5M](#) [V400-W23 5M](#) [G84-5200LCMEU-2](#) [DT2257X20V00GRY](#) [84Z2029-78](#) [84Z2029-79](#)
[V400-W23P 5M](#) [VW3A8151R20U](#) [V400-W24 15M](#) [LT1332D](#) [V400-W24 10M](#) [V400-W24P 15M](#) [V400-WM0 1M](#) [V400-W24P 10M](#) [V400-](#)
[W23P 10M](#) [TCS-1492OP](#) [V400-W23 3M](#) [LT1372D](#) [LP1007EXXH00R](#) [DT2253X20V00BLK](#) [100133BX](#) [EZ08-230013](#) [81248-04](#) [89887-26](#)
[90215-00](#) [HB110C3NWBNA](#)