

CHERRY DW 3000



Models may vary from the image shown

Wireless desktop with excellent price/performance ratio.

CHERRY DW 3000 is rock-solid CHERRY technology with an excellent price/performance ratio. Modern, flat design with gentle, quiet and durable wear-resistant keys. Universal, reliable and optimised for professional use.

Key benefits

- Whisper keystroke keys with wear-resistant laser key legends
- Flat, wireless keyboard including cursor and number pad
- Up to 10 million keystrokes
- 4 hotkeys (calculator/e-mail, browser/sleep mode)
- Plug & Play via USB connection
- 3-button mouse, for both left-handed and right-handed operation
- Optical sensor technology (1,200 dpi)
- Battery status display in keyboard and mouse
- Interference-free wireless 2.4 GHz technology (range of up to 10 meters)
- Operation of several desktops (multi-station capability)
- Nano USB receiver
- GS approval

Technical Data:

Layout (country or language):

Product dependant, see table "Models"

Housing colour:

black

Key colour:

black

Weight (product):

583 g (keyboard with battery), 85 g (mouse with battery), 4 g (receiver)

Total weight (with packaging):

923 g

Transmission range:

approx. 10 m

Frequency range:

2.400 GHz - 2.4835 GHz

Storage Temperature:

-20°C to 65°C

Operating Temperature:

0°C to 50°C




Current Consumption:

typ. 3 mA (keyboard), typ. 6 mA (mouse), max. 35 mA (receiver)

Interface:

- USB

Product approvals:

- c-tick 
- UL 
- CE 
- FCC 
- TÜV/GS 

System requirements:

- USB connection

Delivery Volume:

- Operating instructions in hard copy
- 1 battery (type AA)
- 1 optical wireless mouse
- 1 nano USB transmission receiver
- 1 battery (type AAA)

Dimensions (product):

458 x 170 x 17 mm (keyboard), 107 x 60 x 35 mm (mouse), 16 x 11 x 3 mm (receiver)

Packaging dimensions:

549 x 200 x 45 mm

Reliability:

- MTBF > 45,000 hours

Mouse:

- Scanning: Infrared
- Resolution: 1200 dpi
- Number of Keys: 3
- Mouse wheel design: Scroll wheel with key function
- Design: Symmetrical
- Connection: wireless
- Scanning rate: max. 2400/s
- Housing colour: anthracite
- Key colour: black

Keyboard:

- Key technology: LPK
- Service life, standard key: > 10 million key operations
- Number of Keys: Product dependant, see table "Models"
- Number of additional keys: 4

Packaging Unit:

- Number of products in the master package: 6
- Number of master packages per pallet: 16

Warranty:

2 years

Errors, technical changes and delivery possibilities excepted.
Technical information refers only to the specifications of the
products. Features may differ from the information provided.

Models:

(possible country/layout versions, others available on request)

	Product name	Order number	EAN code	Layout (country or language)	Number of Keys
1	CHERRY DW 3000	JD-0700DE-2	4025112081378	Germany	105+4
2	CHERRY DW 3000	JD-0700EU-2	4025112081859	US English with EURO symbol	104+4
3	CHERRY DW 3000	JD-0700FR-2	4025112081385	France	105+4
4	CHERRY DW 3000	JD-0700GB-2	4025112081392	UK	105+4

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Input Devices](#) category:

Click to view products by [ZF Cherry](#) manufacturer:

Other Similar products are found below :

[80260-00](#) [81485-28](#) [81521-08](#) [FKB4720-103](#) [84250-26](#) [84980-04](#) [84S-AC1-000](#) [JD-0700EU-2](#) [JM-0800-2](#) [JW-T0100](#) [89498-13](#) [89758-05](#)
[89886-26](#) [89941-00](#) [G80-3000LSCEU-2](#) [MJ0FGGRY](#) [JM-0800-0](#) [84S-BB1-004](#) [81601-26](#) [UL21KMZQ](#) [G8011900LPMUS0](#) [G84-](#)
[4700LUCUS-0](#) [81485-26](#) [84105-13](#) [V400-W24 5M](#) [V400-W23 5M](#) [G84-5200LCMEU-2](#) [DT2257X20V00GRY](#) [84Z2029-78](#) [84Z2029-79](#)
[V400-W23P 5M](#) [VW3A8151R20U](#) [V400-W24 15M](#) [LT1332D](#) [V400-W24 10M](#) [V400-W24P 15M](#) [V400-WM0 1M](#) [V400-W24P 10M](#) [V400-](#)
[W23P 10M](#) [TCS-1492OP](#) [V400-W23 3M](#) [LT1372D](#) [LP1007EXXH00R](#) [DT2253X20V00BLK](#) [100133BX](#) [EZ08-230013](#) [81248-04](#) [89887-26](#)
[90215-00](#) [HB110C3NWBNA](#)