

WheelMouse optical



Models may vary from the image shown

Simply insert and off you go

Comfortable Plug & Play-mouse, suitable for left and right-handed use. With its pleasant size and ideal curves, the mouse not only fits perfectly in the hand but also offers an elegant appearance.

Key Benefits

- Optical sensor for precise movement of the mouse pointer
- Compatible for PCs and Macs via USB connection
- Precise performance with 1000 dpi resolution
- Easy scrolling with the PowerWheel
- Elegant Design, ideal for right- and left-handed users
- Problem-free connection and disconnection, including during operation
- incl. adapter for PS/2 interface

Technical Data:

Weight (product):

approx. 135 g / 4.76 oz

Total Weight (with packaging):

approx. 155 g / approx. 5.47 oz

Cable Length:

approx. 1.80 m / approx. 5.91 ft

Storage Temperature:

-15°C to 60°C / -5° F to 140° F

Operating Temperature:

0°C to 40°C / 32° F to 104° F






Current Consumption:

typ. 30 mA

Interface:

- USB (PS/2 via adapter)

Product Approvals:

- VDE GS 
- C-Tick 
- CE 
- FCC 
- cTUVus 

System Requirements:

- USB or PS/2 connection

Box Contents:

- WheelMouse optical
- Adapter (USB port on PS/2 plug)
- Operating instructions in hard copy

Dimensions (product):

approx. 120 x 65 x 40 mm / approx. 4.72 x 2.56 x 1.57 in

Packaging Dimensions:

approx. 136 x 89 x 48 mm / approx. 5.35 x 3.50 x 1.89 in

Reliability:

- MTBF > 80,000 hours

Mouse:

- Scanning: Optical
- Resolution: 1000 dpi
- Number of Keys: 3
- Mouse Wheel Design: Scroll wheel with key function
- Design: Symmetrical
- Connection: USB (PS/2 via adapter)
- Scanning Rate: 1500/second
- Housing Color: Product dependant, see table "Models"
- Key Color: Product dependant, see table "Models"

Packaging Unit:

- Number of products in the master package: 40
- Number of master packages per pallet: 21

Warranty:

3-year limited manufacturer's guarantee

For the first two years after delivery, the statutory warranty applies. In the third year after delivery, CHERRY voluntarily grants an additional warranty according to the following conditions ("extended warranty"). In the event of a defect, please contact the seller of your CHERRY product. Do not carry out any repairs on your own and do not open the product. There is no warranty if unauthorized changes to the product cause a defect.

Conditions for the extended warranty:

In the case of a defect after the first 2 years after delivery of the CHERRY product, CHERRY grants its customers for the additional period of one year the right to assert claims for cure, i.e. demand that the defect is remedied or a thing free of defects is supplied. The extended warranty is to be asserted against the seller of the CHERRY product upon presentation of the original invoice, proof of purchase or a comparable proof of the time of purchase.

CHERRY, and the seller of the CHERRY product, where applicable, shall remedy the defect in the event the customer has justified claims for cure under the terms of the extended warranty.

Excluded from the extended warranty are damages caused by improper use, in particular by the effects of chemical substances, other damages caused by external influences,

as well as normal wear and tear and optical changes, in particular discoloration or abrasion of shiny areas. Also excluded from the extended warranty are accessories and other parts which are not an integral part of the purchased item.

Errors, technical changes and delivery delays may occur.
Technical information refers only to the specifications of the products. Features may differ from the information provided.

Models:

(possible country/layout versions, others available on request)

	Product Name	Order Number	EAN Code	Mouse Housing Color	Mouse Key Color
1	WheelMouse optical M-5400	M-5400	4025112056789	light grey	light grey
2	WheelMouse optical M-5450	M-5450	4025112056994	black	black

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Input Devices](#) category:

Click to view products by [ZF Cherry](#) manufacturer:

Other Similar products are found below :

[80260-00](#) [81485-28](#) [81521-08](#) [FKB4720-103](#) [84250-26](#) [84980-04](#) [84S-AC1-000](#) [JD-0700EU-2](#) [JM-0800-2](#) [JW-T0100](#) [89498-13](#) [89758-05](#)
[89886-26](#) [89941-00](#) [G80-3000LSCEU-2](#) [MJ0FGGRY](#) [JM-0800-0](#) [84S-BB1-004](#) [81601-26](#) [UL21KMZQ](#) [G8011900LPMUS0](#) [G84-](#)
[4700LUCUS-0](#) [81485-26](#) [84105-13](#) [V400-W24 5M](#) [V400-W23 5M](#) [G84-5200LCMEU-2](#) [DT2257X20V00GRY](#) [84Z2029-78](#) [84Z2029-79](#)
[V400-W23P 5M](#) [VW3A8151R20U](#) [V400-W24 15M](#) [LT1332D](#) [V400-W24 10M](#) [V400-W24P 15M](#) [V400-WM0 1M](#) [V400-W24P 10M](#) [V400-](#)
[W23P 10M](#) [TCS-1492OP](#) [V400-W23 3M](#) [LT1372D](#) [LP1007EXXH00R](#) [DT2253X20V00BLK](#) [100133BX](#) [EZ08-230013](#) [81248-04](#) [89887-26](#)
[90215-00](#) [HB110C3NWBNA](#)