

CHERRY MW 2900



Models may vary from the image shown

Industrial, medical and commercial Nema 4 rated optical mouse with scrolling buttons

Interface:

• USB

Product Approvals:

• CE <u>C</u>€

• FCC **F**©

RoHS

Dimensions (product):

63.56 mm x 126.93 mm x 40.37 mm / 2.50 x 4.97 x 1.59 in

Reliability:

• MTBF > 20,000 hours

Mouse:

- Number of Keys: 5
- Mouse Wheel Design: 3 scroll buttons design allows for quick and easy navigation while eliminating bacterial and dirt traps
- Design: Symmetrical
- Connection: USB

Packaging Unit:

- Number of products in the master package: 24
- Number of master packages per pallet: 36

Warranty:

1 year

Errors, technical changes and delivery delays may occur. Technical information refers only to the specifications of the products. Features may differ from the information provided.

Key Benefits

Rugged and fully sealed:
 Compact easy-to-wipe casing,
 Completely sealed silicone-based casing-NEMA 4 rated,
 Suitable for rinsing with cleaning and disinfection fluids.
 Impervious to typical hospital cleaning solutions.
 Impervious to liquid, sand and dust,
 No room for bacterial and infection traps,
 Hypo-allergenic, silicone skin provides a soft feel

• Humidity: 5% to 100%

Technical Data:

Housing Color:

black

Key Color:

black

Weight (product):

approx. 148.15 g / approx. 0.33 lb

Total Weight (with packaging):

approx. 179.2 g / approx. 0.40 lb

Cable Length:

4.5 ft

Storage Temperature:

-30°C to 85°C / -22°F to +185°F

Operating Temperature:

0°C to 70°C / 32°F to +158°F



Models:

(possible country/layout versions, others available on request)

	Product Name	Order Number
1	CHERRY MW 2900	MW-2900-2

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Input Devices category:

Click to view products by ZF Cherry manufacturer:

Other Similar products are found below:

80260-00 81485-28 81521-08 FKB4720-103 84250-26 84980-04 84S-AC1-000 JD-0700EU-2 JM-0800-2 JW-T0100 89498-13 89758-05 89886-26 89941-00 G80-3000LSCEU-2 MJ0FGGRY JM-0800-0 84S-BB1-004 81601-26 UL21KMZQ G8011900LPMUS0 G84-4700LUCUS-0 81485-26 84105-13 V400-W24 5M V400-W23 5M G84-5200LCMEU-2 DT2257X20V00GRY 84Z2029-78 84Z2029-79 V400-W23P 5M VW3A8151R20U V400-W24 15M LT1332D V400-W24 10M V400-W24P 15M V400-WM0 1M V400-W24P 10M V400-W23P 10M TCS-14920P V400-W23 3M LT1372D LP1007EXXH00R DT2253X20V00BLK 100133BX EZ08-230013 81248-04 89887-26 90215-00 HB110C3NWBNA