


Surface Mount Transient Voltage Suppressor Rectifiers  
Reverse Voltage 5.0 ~ 440 V  
3000 Watt Peak Pulse Power



## Features

- Glass passivated chip
- 3000 W peak pulse power capability with a 10/1000 us waveform, repetitive rate (duty cycle):0.01 %
- Excellent clamping capability
- Low reverse leakage
- Very fast response time
- Lead and body according with RoHS standard

## Mechanical Data

- Case: DO214AB/(SMC) Molded plastic
- Lead: Solderable per MIL-STD-750, method 2026
- Epoxy: UL 94V-0 rate flame retardant
- Polarity: Color band denotes cathode end except Bipolar
- Mounting position: Any

Maximum Ratings & Characteristics Ratings at 25°C ambient temperature unless otherwise specified.

| Parameter  | Symbols        | Value          | Unit |
|--|----------------|----------------|------|
| Peak power dissipation with a 10/1000 us waveform <sup>(1)</sup>                           | $P_{PP}$       | 3000           | W    |
| Peak pulse current with a 10/1000 us waveform <sup>(1)</sup>                               | $I_{PP}$       | See Next Table | A    |
| Power dissipation on infinite heatsink at $T_L = 75\text{ }^\circ\text{C}$                 | $P_D$          | 6.5            | W    |
| Peak forward surge current, 8.3 ms single half sinewave unidirectional only <sup>(2)</sup> | $I_{FSM}$      | 300            | A    |
| Maximum instantaneous forward voltage at 100 A for unidirectional only <sup>(3)</sup>      | $V_F$          | 3.5/6.5        | V    |
| Operating junction and storage temperature range   | $T_J, T_{STG}$ | -55 to +150    | °C   |

Note:

- 1) Non-repetitive current pulse per Fig.5 and derated above  $T_A = 25\text{ }^\circ\text{C}$  per Fig.1 ;
- 2) Measured on 8.3 ms single half sine-wave or equivalent square wave, duty cycle = 4 pulses per minute maximum ;
- 3)  $V_F < 3.5\text{V}$  for devices of  $V_{BR} < 200\text{V}$  and  $V_F < 6.5\text{V}$  for devices of  $V_{BR} > 201\text{V}$ .



# SMDJxx(C)A Series

| Part Number |           | Device Marking Code |     | Reverse Stand-off Voltage | Breakdown Voltage $V_{BR} @ I_T$ |         | Test Current | Max. Clamping Voltage @ $I_{PP}$ | Max. Peak Pulse Current | Max. Reverse Leakage @ $V_{RWM}$ |
|-------------|-----------|---------------------|-----|---------------------------|----------------------------------|---------|--------------|----------------------------------|-------------------------|----------------------------------|
| UNI-POLAR   | BI-POLAR  | UNI                 | BI  | $V_{RWM}(V)$              | Min.(V)                          | Max.(V) | $I_T(mA)$    | $V_{C MAX}(V)$                   | $I_{PP}(A)$             | $I_R(\mu A)$                     |
| SMDJ5.0A    | SMDJ5.0CA | RDE                 | DDE | 5.0                       | 6.40                             | 7.00    | 10           | 9.2                              | 326.1                   | 800                              |
| SMDJ6.0A    | SMDJ6.0CA | RDG                 | DDG | 6.0                       | 6.67                             | 7.37    | 10           | 10.3                             | 291.3                   | 800                              |
| SMDJ6.5A    | SMDJ6.5CA | RDK                 | DDK | 6.5                       | 7.22                             | 7.98    | 10           | 11.2                             | 267.9                   | 500                              |
| SMDJ7.0A    | SMDJ7.0CA | PDM                 | DDM | 7.0                       | 7.78                             | 8.60    | 10           | 12.0                             | 250.0                   | 200                              |
| SMDJ7.5A    | SMDJ7.5CA | PDP                 | DDP | 7.5                       | 8.33                             | 9.21    | 1            | 12.9                             | 232.6                   | 100                              |
| SMDJ8.0A    | SMDJ8.0CA | PDR                 | DDR | 8.0                       | 8.89                             | 9.83    | 1            | 13.6                             | 220.6                   | 50                               |
| SMDJ8.5A    | SMDJ8.5CA | PDT                 | DDT | 8.5                       | 9.44                             | 10.40   | 1            | 14.4                             | 208.3                   | 20                               |
| SMDJ9.0A    | SMDJ9.0CA | PDV                 | DDV | 9.0                       | 10.00                            | 11.10   | 1            | 15.4                             | 194.8                   | 10                               |
| SMDJ10A     | SMDJ10CA  | PDX                 | DDX | 10.0                      | 11.10                            | 12.30   | 1            | 17.0                             | 176.5                   | 5                                |
| SMDJ11A     | SMDJ11CA  | PDZ                 | DDZ | 11.0                      | 12.20                            | 13.50   | 1            | 18.2                             | 164.8                   | 1                                |
| SMDJ12A     | SMDJ12CA  | PEE                 | DEE | 12.0                      | 13.30                            | 14.70   | 1            | 19.9                             | 150.8                   | 1                                |
| SMDJ13A     | SMDJ13CA  | PEG                 | DEG | 13.0                      | 14.40                            | 15.90   | 1            | 21.5                             | 139.5                   | 1                                |
| SMDJ14A     | SMDJ14CA  | PEK                 | DEK | 14.0                      | 15.60                            | 17.20   | 1            | 23.2                             | 129.3                   | 1                                |
| SMDJ15A     | SMDJ15CA  | PEM                 | DEM | 15.0                      | 16.70                            | 18.50   | 1            | 24.4                             | 123.0                   | 1                                |
| SMDJ16A     | SMDJ16CA  | PEP                 | DEP | 16.0                      | 17.80                            | 19.70   | 1            | 26.0                             | 115.4                   | 1                                |
| SMDJ17A     | SMDJ17CA  | PER                 | DER | 17.0                      | 18.90                            | 20.90   | 1            | 27.6                             | 108.7                   | 1                                |
| SMDJ18A     | SMDJ18CA  | PET                 | DET | 18.0                      | 20.00                            | 22.10   | 1            | 29.2                             | 102.7                   | 1                                |
| SMDJ20A     | SMDJ20CA  | PEV                 | DEV | 20.0                      | 22.20                            | 24.50   | 1            | 32.4                             | 92.6                    | 1                                |
| SMDJ22A     | SMDJ22CA  | PEX                 | DEX | 22.0                      | 24.40                            | 26.90   | 1            | 35.5                             | 84.5                    | 1                                |
| SMDJ24A     | SMDJ24CA  | PEZ                 | DEZ | 24.0                      | 26.70                            | 29.50   | 1            | 38.9                             | 77.1                    | 1                                |
| SMDJ26A     | SMDJ26CA  | PFE                 | DFE | 26.0                      | 28.90                            | 31.90   | 1            | 42.1                             | 71.3                    | 1                                |
| SMDJ28A     | SMDJ28CA  | PFG                 | DFG | 28.0                      | 31.10                            | 34.40   | 1            | 45.4                             | 66.1                    | 1                                |
| SMDJ30A     | SMDJ30CA  | PFK                 | DFK | 30.0                      | 33.50                            | 36.80   | 1            | 48.4                             | 62.0                    | 1                                |
| SMDJ33A     | SMDJ33CA  | PFM                 | DFM | 33.0                      | 36.70                            | 40.60   | 1            | 53.3                             | 56.3                    | 1                                |
| SMDJ36A     | SMDJ36CA  | PFP                 | DFP | 36.0                      | 40.00                            | 44.20   | 1            | 58.1                             | 51.6                    | 1                                |
| SMDJ40A     | SMDJ40CA  | PFR                 | DFR | 40.0                      | 44.40                            | 49.10   | 1            | 64.5                             | 46.5                    | 1                                |
| SMDJ43A     | SMDJ43CA  | PFT                 | DFT | 43.0                      | 47.80                            | 52.80   | 1            | 69.4                             | 43.2                    | 1                                |
| SMDJ45A     | SMDJ45CA  | PFV                 | DFV | 45.0                      | 50.00                            | 55.30   | 1            | 72.7                             | 41.3                    | 1                                |
| SMDJ48A     | SMDJ48CA  | PFX                 | DFX | 48.0                      | 53.30                            | 58.90   | 1            | 77.4                             | 38.8                    | 1                                |
| SMDJ51A     | SMDJ51CA  | PFZ                 | DFZ | 51.0                      | 56.70                            | 62.70   | 1            | 82.4                             | 36.4                    | 1                                |
| SMDJ54A     | SMDJ54CA  | PGE                 | DGE | 54.0                      | 60.00                            | 66.30   | 1            | 87.1                             | 34.4                    | 1                                |
| SMDJ58A     | SMDJ58CA  | PGG                 | DGG | 58.0                      | 64.40                            | 71.20   | 1            | 93.6                             | 32.1                    | 1                                |
| SMDJ60A     | SMDJ60CA  | PGK                 | DGK | 60.0                      | 66.70                            | 73.70   | 1            | 96.8                             | 31.0                    | 1                                |
| SMDJ64A     | SMDJ64CA  | PGM                 | DGM | 64.0                      | 71.10                            | 78.60   | 1            | 103.0                            | 29.1                    | 1                                |
| SMDJ70A     | SMDJ70CA  | PGP                 | DGP | 70.0                      | 77.80                            | 86.00   | 1            | 113.0                            | 26.5                    | 1                                |
| SMDJ75A     | SMDJ75CA  | PGR                 | DGR | 75.0                      | 83.30                            | 92.10   | 1            | 121.0                            | 24.8                    | 1                                |
| SMDJ78A     | SMDJ78CA  | PGT                 | DGT | 78.0                      | 86.70                            | 95.80   | 1            | 126.0                            | 23.8                    | 1                                |
| SMDJ85A     | SMDJ85CA  | PGV                 | DGV | 85.0                      | 94.4                             | 104.0   | 1            | 137.0                            | 21.9                    | 1                                |
| SMDJ90A     | SMDJ90CA  | PGX                 | DGX | 90.0                      | 100.0                            | 111.0   | 1            | 146.0                            | 20.5                    | 1                                |
| SMDJ100A    | SMDJ100CA | PGZ                 | DGZ | 100.0                     | 111.0                            | 123.0   | 1            | 162.0                            | 18.5                    | 1                                |
| SMDJ110A    | SMDJ110CA | PHE                 | DHE | 110.0                     | 122.0                            | 135.0   | 1            | 177.0                            | 16.9                    | 1                                |
| SMDJ120A    | SMDJ120CA | PHG                 | DHG | 120.0                     | 133.0                            | 147.0   | 1            | 193.0                            | 15.5                    | 1                                |
| SMDJ130A    | SMDJ130CA | PHK                 | DHK | 130.0                     | 144.0                            | 159.0   | 1            | 209.0                            | 14.4                    | 1                                |
| SMDJ150A    | SMDJ150CA | PHM                 | DHM | 150.0                     | 167.0                            | 185.0   | 1            | 243.0                            | 12.3                    | 1                                |
| SMDJ160A    | SMDJ160CA | PHP                 | DHP | 160.0                     | 178.0                            | 197.0   | 1            | 259.0                            | 11.6                    | 1                                |
| SMDJ170A    | SMDJ170CA | PHR                 | DHR | 170.0                     | 189.0                            | 209.0   | 1            | 275.0                            | 10.9                    | 1                                |
| SMDJ180A    | SMDJ180CA | PHT                 | DHT | 180.0                     | 201.0                            | 222.0   | 1            | 292.0                            | 10.3                    | 1                                |
| SMDJ190A    | SMDJ190CA | PHV                 | DHV | 190.0                     | 209.0                            | 243.0   | 1            | 308.0                            | 9.7                     | 1                                |
| SMDJ200A    | SMDJ200CA | PHX                 | DHX | 200.0                     | 224.0                            | 247.0   | 1            | 324.0                            | 9.3                     | 1                                |
| SMDJ210A    | SMDJ210CA | PHZ                 | DHZ | 210.0                     | 231.0                            | 268.0   | 1            | 340.0                            | 8.8                     | 1                                |
| SMDJ220A    | SMDJ220CA | PIE                 | DIE | 220.0                     | 246.0                            | 272.0   | 1            | 356.0                            | 8.4                     | 1                                |
| SMDJ250A    | SMDJ250CA | PIG                 | DIG | 250.0                     | 279.0                            | 309.0   | 1            | 405.0                            | 7.4                     | 1                                |
| SMDJ300A    | SMDJ300CA | PIK                 | DIK | 300.0                     | 335.0                            | 371.0   | 1            | 486.0                            | 6.2                     | 1                                |
| SMDJ350A    | SMDJ350CA | PIM                 | DIM | 350.0                     | 391.0                            | 432.0   | 1            | 567.0                            | 5.3                     | 1                                |
| SMDJ400A    | SMDJ400CA | PIP                 | DIP | 400.0                     | 447.0                            | 494.0   | 1            | 648.0                            | 4.6                     | 1                                |
| SMDJ440A    | SMDJ440CA | PIR                 | DIR | 440.0                     | 492.0                            | 543.0   | 1            | 713.0                            | 4.2                     | 1                                |

## Ratings and Characteristics Curves (TA=25°C unless otherwise noted)




Fig. 1 - Pulse Derating Curve




Fig. 2 - Maximum Non-Repetitive Surge Current




Fig. 3 - Steady State Power Derating Curve




Fig. 4 - Peak Pulse Power Rating Curve




Fig. 5 - Pulse Waveform




Fig. 6 - Typical Junction Capacitance

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [ESD Suppressors / TVS Diodes](#) category:*

*Click to view products by [ZHIDE](#) manufacturer:*

Other Similar products are found below :

[60KS200C](#) [D18V0L1B2LP-7B](#) [D5V0F4U5P5-7](#) [NTE4902](#) [P4KE27CA](#) [P6KE11CA](#) [P6KE8.2A](#) [SA60CA](#) [SA64CA](#) [SMBJ12CATR](#)  
[SMBJ33CATR](#) [SMBJ6.5A](#) [SMBJ8.0A](#) [ESD101-B1-02ELS](#) [E6327](#) [ESD112-B1-02EL](#) [E6327](#) [ESD7451N2T5G](#) [19180-510](#) [CPDT-5V0USP-](#)  
[HF](#) [3.0SMCJ33CA-F](#) [3.0SMCJ36A-F](#) [HSPC16701B02TP](#) [JANTX1N6126A](#) [D3V3Q1B2DLP3-7](#) [D55V0M1B2WS-7](#) [SCM1293A-04SO](#)  
[ESD200-B1-CSP0201](#) [E6327](#) [SM12-7](#) [CEN955](#) [W/DATA](#) [VESD12A1A-HD1-GS08](#) [CPDQC5V0-HF](#) [D1213A-01LP4-7B](#) [ESD101-B1-02EL](#)  
[E6327](#) [AOZ8808DI-03](#) [5KP15A](#) [5KP48A](#) [5KP90A](#) [ESD3V3D7-TP](#) [15KPA36A-LF](#) [P4KE56CA](#) [P4KE68A](#) [P4KE91CATR](#) [P6KE120A](#)  
[P6KE13CA](#) [P6KE43CA](#) [P6KE6.8CA](#) [P6KE8.2](#) [P6SMBJ20CA](#) [JANTX1N6072A](#) [SR2835ESKG](#) [SA90CA](#)