Spacer





Features:

• Material Designation : 101(+)(f1), 101F(+)(f1), 101L(+)(f1), E101(+)(f1), E101L(f1), 132F(+)(f1), 135F(+)(f1)

Product Description : Polyamide 6.6 (PA6.6), designated "zytel" furnished as pallets

• Dielectric Strength : 13kV/mm• Volume Resistivity : $14 (10^k \Omega\text{-cm})$

CTI : 0
 HVTR : 0
 D495 : 6
 Overall Length : 2mm
 External Dia : 6.3mm
 External Length / Height : 2mm

Specification Table:

Colour	Minimum Thickness (mm)	Flame Class	HWI	HAI	RTI Elec	RTI Imp	RTI Str	IEC GWIT	IEC GWFI
All	0.71	V-2	4	0	130	75	85	725	960
	1.5		3					750	
	3		2					800	
	6							-	

⁽⁺⁾ Virgin and regrind up to 50% by weight inclusive, have the same basic material characteristics.


⁽f1) Suitable for outdoor use with respect to exposure to ultraviolet light and water exposure.



Spacer







Dimensions: Millimetres

Part Number Table

Description	Part Number		
PCB Round Spacer, Nylon 6.6, Natural	D01480		

Important Notice: This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. DURATOOL is the registered trademark of the Group. © Premier Farnell plc 2012.

www.element14.com www.farnell.com www.newark.com www.cpc.co.uk www.mcmelectronics.com



X-ON Electronics

Authorized Distributor

Click to view similar products for Duratool manufacturer.

Other Similar products are found below:

D01894 D01998 D02153 D03011 D00080 D02167 D02286 793902 MC23781

DTRSR2032W DTRPGSB1519A DTRNSE1207M38 DTRNSE1207M225

DTRNSE1207M220 DTRHTSAM6252 9750010 NUTCAPTIVENO8PK100

M10N5STZ100 793905 793929 9700010 DTRMSPS301 DTRRLCBSRE601 49900300

17038N008GPB