

# Technical Data

## **ELECTROSPRAY** **ELECTRONIC CLEANING SOLVENT**

**ELECTROSPRAY** is an electronic cleaning solvent, containing Isopropyl Alcohol (IPA), for quick and efficient cleaning of delicate electronic components.

### **APPLICATIONS**

Ideal for removing dirt, dust and tape oxides from audio and video recording heads, thereby improving frequency response, reducing wear and minimising noise. Also suitable for cleaning away carbon deposits from photocopier drums and for removing moisture from electronic components, switches and PCBs.

Spray onto the part to be cleaned and wipe away with a lint-free cloth or chamois leather. Alternatively, spray onto the cloth or leather and wipe components clean. Evaporation can be accelerated by the application of gentle heat such as warm air.

**N.B. Not for use on live equipment.**

### **TECHNICAL DATA**

Appearance	:	Clear, colourless liquid
Odour	:	Alcohol (Propan-2-ol)
Specifications/Approvals	:	Active cleaning solvent, Isopropyl Alcohol, conforms to BS1595, ASTM D770 and DIN 53245
SG @ 25°C	:	0.78
Pressure @ 25°C	:	5 Bar
Discharge rate	:	1.0 g/sec
Solubility	:	Miscible with water to form an azeotrope, which evaporates more quickly than water for quick and efficient removal of moisture. Soluble in some solvents
Compatibility	:	Safe to use on plastics and rubber
Flammability	:	Classified as extremely flammable under current EC Regulations
Flashpoint	:	Not applicable in sealed aerosol
Packaging	:	200 ml aerosol (12 per carton). Isopropyl Alcohol (IPA) is also available in non-aerosol,

Ambersil Limited  
Wylds Road  
Bridgwater  
Somerset  
TA6 4DD

Tel: 01278 424200  
Fax: 01278 425644

Web:  
[www.ambersilindustrial.com](http://www.ambersilindustrial.com)

E-mail:  
[industrial.sales@ambersil.co.uk](mailto:industrial.sales@ambersil.co.uk)

packed in 1 and 30 litres

### **STORAGE**

The product may be stored at normal ambient temperatures and has a shelf life of not less than 12 months with correct storage. Aerosols should always be stored below 50°C, away from direct heat and naked flame.

### **HEALTH AND SAFETY**

Health and Safety sheet available separately.

### **TECHNICAL SERVICE**

Ambersil provides a technical support service and maintains a constant programme of research and development. We are able to assist customers by specific product development to meet particular requirements.

### **MISREPRESENTATION ACT 1967    TRADE DESCRIPTIONS ACT 1968**

The information given in this publication is based on our experience and reports from customers. There are many factors outside our control and knowledge which affect the use and performance of our products and for which reason no warranty is given, express or implied. Users should make their own tests to determine the applicability of such information or the suitability of any products for their own particular purposes. Statements concerning the use of the products described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is to be assumed.

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [ambersil](#) manufacturer:*

Other Similar products are found below :

[6150001010](#) [6130004010](#) [63700M7018](#) [6190011600](#) [6150002000](#) [33184](#) [6150009360](#) [6130001500](#) [63700M7036](#) [6120001500](#) [33183](#)  
[6150009350](#) [6150009510](#) [6190019000](#) [6190011511](#) [6190015000](#) [33181](#) [6230015200](#) [33182](#) [6130004040](#) [6130002500](#) [32504](#) [6130011000](#)  
[6190012000](#) [6150009450](#)