Split Loom Tubing 3/4 Inch I.D. 30 Ft





Used to protect and hide automobile electrical wiring.

Specifications:

Composition:

Chemical Name : Ethylene-Polypropylene, Copolymer

Chemical Family : Polyolefin

: Polypropylene Copolymer, PP Copolymer, Block Copolymer, Synonyms

Random Copolymer, TPO

Formula $: (C_3H_6)_x - (C_2H_2)_y$

Percentage(%) : 100

Physical And Chemical Properties:

Physical Form : Pellets Colour : Black

Odour : Odorless to faint, mild hydrocarbon odor

Molecular Weight : Not applicable **Boiling Point** : Not available

Melting Point : 248 - 338°F (120 - 170°C)

Freezing Point : Not applicable Solubility in Water : Insolube

Specific Gravity : 0.9g/cm³(water = 1) Bulk Density : 400 - 600 kg/m³

Page <1>

Vapor Density : Not applicable (air = 1)

Evaporation Rate : Not applicable (Butyl Acetate = 1)


Vapor Pressure : Not applicable PH Value : Not applicable % Volatile : Not applicable



Split Loom Tubing 3/4 Inch I.D. 30 Ft



Dimensions:



Part No.	Α	В	С
28-1965	19.3± 0.4	23.8± 0.4	3.5

Part Number Table

Description	Part Number
3/4 Inch I.D. 30 Ft Split Loom Tubing	28-1965

Important Notice: This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. MCM is the registered trademark of the Group. © Premier Farnell plc 2012.

www.element14.com www.farnell.com www.newark.com www.mcmelectronics.com



X-ON Electronics

Authorized Distributor

Click to view similar products for MCM manufacturer.

Other Similar products are found below:

<u>10676 10677 10678 10679 10680 10681 10682 10683 10705 10DPDPHM206 123402 123404 123408 123410 123412 123414 123416 12810 13PT001 17705 211150 211155 211170 211175 2112825</u>