Detailed Specifications & Technical Data

ENGLISH MEASUREMENT VERSION



8825 Hook-up/Lead - Hook-Up Wire on Racks (Kits)

Picture Not Available

For more Information please call

1-800-Belden1



Description:

Great for R and D labs, engineers, servicemen and hobbyists. Specify Part No. 8800 for Rack only.

Physical Characteristics (Overall)

Conductor

AWG:

AWG	Stranding	Conductor Material
20	7x28	TC - Tinned Copper

Insulation

Insulation Material:

Insulation Material
PVC - Polyvinyl Chloride

Overall Insulation

Mechanical Characteristics (Overall)

Operating Temperature Range: 105°C

Applicable Specifications and Agency Compliance (Overall)

Applicable Standards & Environmental Programs

EU Directive 2000/53/EC (ELV):	Yes		
EU Directive 2002/95/EC (RoHS):	Yes		
EU RoHS Compliance Date (mm/dd/yyyy):	04/01/2006		
EU Directive 2002/96/EC (WEEE):	Yes		
EU Directive 2003/11/EC (BFR):	Yes		
CA Prop 65 (CJ for Wire & Cable):	Yes		
MII Order #39 (China RoHS):	Yes		
(NI DI			

Plenum/Non-Plenum

Plenum (Y/N): No

Notes (Overall)

Notes: 5 Spools of 8502 in the following colors 2, 4, 5, 9, 10 - Spool Lengths 100 Ft.

Put Ups and Colors:

Item #	Putup	Ship Weight	Color	Notes	Item Desc
8825	1 EA	0.003 LB			20 STR PVC 5 COLOR KIT

Revision Number: 1 Revision Date: 05-14-2007

© 2012 Belden, Inc All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express,

Page 1 of 2 11-14-2012

Detailed Specifications & Technical Data

ENGLISH MEASUREMENT VERSION



8825 Hook-up/Lead - Hook-Up Wire on Racks (Kits)

statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale. Belden believes this product to be in compliance with EU RoHS (Directive 2002/95/EC, 27-Jan-2003). Material manufactured prior to the compliance date may be in stock at Belden facilities and in our Distributor's inventory. The information provided in this Product Disclosure, and the identification of materials listed as reportable or restricted within the Product Disclosure, is correct to the best of Belden's knowledge, information, and belief at the date of its publication. The information provided in this Product Disclosure is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. This Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.

Page 2 of 2 11-14-2012

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for stellar labs manufacturer:

Other Similar products are found below:

24-16210 24-16244 28-11104 555-13890 83-9962 24-15411 24-15415 24-15417 24-15434 24-15439 24-14685 24-15989 24-16012 2416052 24-16135 24-16147 24-1850 24-10271 28-11105 10DV-07203-R 24-15450 24-15453 24-15456 24-15395 24-15124 24-15104 2415096 24-15114 24-15900 24-15984 24-16040 24-1810 24-14730 24-15416 24-15455 24-15130 24-15061 24-15053 24-15085 24-15126
24-15158 24-16044 24-16095 24-16145 83-12261 555-11695 555-11913 PSG91163 24-12291 24-12307