


GS-300

300 TIE-POINT, SOLDERLESS BREADBOARD

Applications

The GS-300 is a modular type solderless breadboard that connects with the GS-050 bus strip to make a 400 tie point breadboard (GS-400). Expandable in two dimensions, it is a great way to prototype low frequency or DC powered circuits. They are ideal for:

- Educational labs
- Hobbyists



Features

- 300 Tie-points
- ABS plastic body
- Square hole style
- Interlocking tabs
- Peel and stick adhesive
- Nickel plated phosphor bronze spring clip contacts
- Allowable wire diameter of 0.4-0.7 mm
- Fits 3 total 16-pin ICs
- Measures 3.7 x 8.6 x 1.0 cm
- Weighs 22 g
- Maximum capacity of 1.5 A at 36 V
- RoHS compliant
- Three-year warranty

GS-300


300 TIE-POINT, SOLDERLESS BREADBOARD

Applications

The GS-300 is a modular type solderless breadboard that connects with the GS-050 bus strip to make a 400 tie point breadboard (GS-400). Expandable in two dimensions, it is a great way to prototype low frequency or DC powered circuits. They are ideal for:

- Educational labs
- Hobbyists

GS-400 Components



GS-050*

GS-300

GS-050*

GS-400

*The GS-050 is sold as a pack of two

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for PCBs & Breadboards category:

Click to view products by Global Specialties manufacturer:

Other Similar products are found below :

[8004](#) [8007](#) [8016](#) [8017](#) [8028](#) [8029](#) [1268-12](#) [1268-10](#) [1320833-1](#) [923252-R](#) [3410](#) [3396](#) [15107](#) [15101](#) [8006](#) [8015](#) [8018](#) [8019](#) [8020](#) [1268-19](#)
[1268-20](#) [8026](#) [1239-19](#) [SBBTH1520-1](#) [SBBTH1506-1](#) [SBBTH4080-1](#) [SBBTH3030-1](#) [SBBTH1508-1](#) [SBBSM2120-1](#) [SBB2808-1](#)
[SBB2805-1](#) [SBB1605-1](#) [SBB1602-1](#) [SBB1005-1](#) [SBB1002-1](#) [3426](#) [32P15WE](#) [ZAS1X206203XRPU160](#) [SBBTH3040-1](#) [SBB0004-1](#)
[SBB830-QTY10](#) [7115](#) [923749-I](#) [RE013-LF](#) [RE014-LF](#) [RE1210-LF](#) [RE200-C3](#) [RE210-S1](#) [RE317-HP](#) [RE438-LF](#)