

Item code

CCMA 4.0



Brief description:

16A CC contacts, silver plated, 4mmq, AWG 12

Product description

Model	male contacts
Version	Crimp contacts CLASS series
Series	16A CC contacts
Family	crimp contacts
N° of poles	1 pole

Technical data

Current	16 A
Wire section	4,00 mm ²
AWG size	12
Contact type	silver plated

Other technical details

Weight	1,60 g
---------------	--------

Approvals / Standards

Quality mark	, EAC
Conformity	CQC, CE

General ordering information

EAN code	8015747012430
Tariff number	85369095

Packaging Information

Packaging length	112,00 mm
Packaging height	95,00 mm
Packaging width	117,00 mm
Packaging weight	1,28 kg
Packaging volume	1,24 dm ³
Packaging description	Carton box
Packaging quantity	800 Pcs
Packaging EAN code	8015747103947
Sub-packaging length	50,00 mm
Sub-packaging height	44,00 mm
Sub-packaging width	50,00 mm
Sub-packaging weight	0,16 kg
Sub-packaging volume	0,11 dm ³
Sub-packaging description	Plastic box
Sub-packaging quantity	100 Pcs
Sub-packaging EAN barcode	8015747012447


Item code

CCMA 4.0





Catalogue drawings

CCM



CC...AN



CCF

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [ILME manufacturer](#):

Other Similar products are found below :

[TAVH 24 G40](#) [TAVW 10 G32](#) [TAPW 06 L25](#) [PE1663PI](#) [CSAHM 10](#) [C7IE16](#) [APW 14](#) [CX25IFCIFD0.5](#) [CX25IMCIMD0.5](#) [CX01YPEF](#)
[CYFA50](#) [TAVH 10 G32](#) [THCC 06 LG](#) [PE1663SMB](#) [ASM32PR](#) [PEW3263PV](#) [CX02BFCX04BF](#) [CX25IMCIMD0.2](#) [CX05SHM](#) [CYMA35](#)
[A2P 0915.04](#) [MFV 06 LG25](#) [TAVC 10 G25](#) [TAVC 10 G32](#) [TAVW 16 G40](#) [AS C36T](#) [KI1663EB6](#) [PEW1663SV](#) [PEW3263SV](#) [PEW1663PV](#)
[APS 21](#) [APF 21](#) [TAPW 10.32](#) [MHP10L20](#) [CSAHF 10](#) [CDDM108](#) [CQES](#) [CX 01 J8F](#) [MAV 16 L32](#) [APF 12](#) [APF 20](#) [CX25IFCIFD0.2](#)
[TAVW 16 G32](#) [THCC 16 G](#) [CHCR 10](#) [CRR 36](#) [CRR 42](#) [CDDF42](#) [AP 0920](#) [APD 21](#)