

SUMMARY

# Wires			
Low voltage	1		
Thermocouple	2		
			Image is for illustrative purpose only
Series		Download	
Termination type	No contacts / Accessory	Request a quote	
IP rating	0	Catalog	
AWG wire size	0.00 - 0.00	<u>×</u> .	
Cable Ø	0.00 - 0.00 mm		
Status	active		

TECHNICAL DETAILS

Mechanics

Shell Style/Model	DCF*: Automatic extraction tool for crimp contacts
Keying	No keying
Housing Material	
Weight	37.86 g
Performance Configuration Insulator Rated Current	

Specifications

Contact Type: Thermocouple

Others

LEMO products and services are provided "as is". LEMO makes no warranties or representations with regard to LEMO product & services or use of them, express, implied or statutory, including for accuracy, completeness, or security. The user is fully responsible for his products and applications using LEMO components.

DRAWINGS

No keying

RECOMMENDED BY LEMO

Tools

Crimp settings: AWG/Selector = 10-12-14/3-1-1 Replacement contact: FGG.3B.580.ZZC

LEMO products and services are provided "as is". LEMO makes no warranties or representations with regard to LEMO product & services or use of them, express, implied or statutory, including for accuracy, completeness, or security. The user is fully responsible for his products and applications using LEMO components.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Extraction, Removal & Insertion Tools category:

Click to view products by LEMO manufacturer:

Other Similar products are found below :

 M8196914-08
 768211-2
 809-131
 844751-2
 8-59558-2
 91018-1
 12014013
 12093647
 1-21048-0
 R282867020
 12093078
 12180559
 1

 21048-6
 12121897
 DCF.91.405.5LT
 1322
 13549852
 15314260
 15313892
 15350698
 15350707
 15430130
 1643916-1
 1-679532-0

 1976593-3
 OUTEXT-0321
 2-1579008-3
 2-1579008-4
 229694-7
 231106-1
 241469
 91040-3
 91040-7
 965004-000
 965069-000
 1738219-1

 ET-JL05-16
 FG 0300 146 3000
 FIT-6
 210S048
 2-1579007-9
 231879-1
 CF-008025-000
 312138-3
 RJ11FODE
 356-162
 M8196914-10
 4

 1579018-0
 483249-1
 5-1579007-2
 231879-1
 CF-008025-000
 312138-3
 RJ11FODE
 356-162
 M8196914-10
 4