



- NOTES:  
 1. MATERIAL: SEE TABLE.  
 2. FINISHES: SEE TABLE.  
 3. PRODUCT SPECIFICATION: NOT REQUIRED.  
 4. \*XX\* REFERS TO QUANTITY OF CIRCUITS.  
 5. ROHS COMPLIANT.

ITEM	QTY	DESCRIPTION	MATERIAL	FINISH
5	XX	SCREW, #6-32 X .250 PAN HEAD PH-SL W/SQ WASHER (-50 OPT.)	STEEL	ZN, CLEAR CHROMATE
4	XX	SCREW, #6-32 X .250 PAN HEAD PHIL-SLOT (-49 OPT.)	BRASS	NICKEL PLATE
3	XX	SCREW, #6-32 X .250 BINDING HEAD PHIL-SLOT (STD)	STEEL	ZN, CLEAR CHROMATE
2	XX	TERMINAL TURRET 6C SN/B	BRASS	TIN PLATE
1	1	INSULATOR, MOLDED MTG, INSUL. BASE	POLYESTER (PBT)	BLACK

RELEASED  
 EC NO: WNA2012-0245  
 DRAWN: JENC INAS 2011/11/02  
 CHKD: JMACNEIL 2011/11/02  
 APPR: JMACNEIL 2011/11/10

QUALITY SYMBOLS  
 ▼=0  
 ▽=0

	GENERAL TOLERANCES (UNLESS SPECIFIED)	
	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .005
2 PLACES	± 0.13	± .010
1 PLACE	± 0.3	± ---
ANGULAR ± 2 °		

DRAFT WHERE APPLICABLE  
 MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE	
MM/IN	
DRAWN BY	DATE
JENC INAS	2011/10/31
CHECKED BY	DATE
JMACNEIL	2011/11/02
APPROVED BY	DATE
JMACNEIL	2011/11/10
MATERIAL NO.	
SEE SHEET 2	

SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
2:1	INCH	☉
TITLE		
11.11/.438 SR BTS ASSY, INSULATED SOLDER TURRET		
MOLEX INCORPORATED		
DOCUMENT NO.		SHEET NO.
SD-38730-009		1 OF 2
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

# OF CIRC. "XX"	DIM. "A"	DIM. "B"	DIM. "C"	MATERIAL NO. (STD)	MATERIAL NO. (-49)	MATERIAL NO. (-50)
02	43.5 [1.71]	33.34 [1.313]	24.5 [0.97]	387303102	387303402	387303702
03	54.6 [2.15]	44.45 [1.750]	35.7 [1.40]	387303103	387303403	387303703
04	65.7 [2.59]	55.56 [2.188]	46.8 [1.84]	387303104	387303404	387303704
05	76.8 [3.03]	66.68 [2.625]	57.9 [2.28]	387303105	387303405	387303705
06	87.9 [3.46]	77.79 [3.063]	69.0 [2.72]	387303106	387303406	387303706
07	99.1 [3.90]	88.90 [3.500]	80.1 [3.15]	387303107	387303407	387303707
08	110.2 [4.34]	100.01 [3.938]	91.2 [3.59]	387303108	387303408	387303708
09	121.3 [4.78]	111.13 [4.375]	102.3 [4.03]	387303109	387303409	387303709
10	132.4 [5.21]	122.24 [4.813]	113.4 [4.47]	387303110	387303410	387303710
11	143.5 [5.65]	133.35 [5.250]	124.6 [4.90]	387303111	387303411	387303711
12	154.6 [6.09]	144.46 [5.688]	135.7 [5.34]	387303112	387303412	387303712
13	165.7 [6.53]	155.58 [6.125]	146.8 [5.78]	387303113	387303413	387303713
14	176.8 [6.96]	166.69 [6.563]	157.9 [6.22]	387303114	387303414	387303714
15	188.0 [7.40]	177.80 [7.000]	169.0 [6.65]	387303115	387303415	387303715
16	199.1 [7.84]	188.91 [7.438]	180.1 [7.09]	387303116	387303416	387303716
17	210.2 [8.28]	200.03 [7.875]	191.2 [7.53]	387303117	387303417	387303717
18	221.3 [8.71]	211.14 [8.313]	202.3 [7.97]	387303118	387303418	387303718
19	232.4 [9.15]	222.25 [8.750]	213.5 [8.40]	387303119	387303419	387303719
20	243.5 [9.59]	233.36 [9.188]	224.6 [8.84]	387303120	387303420	387303720
21	254.6 [10.03]	244.48 [9.625]	235.7 [9.28]	387303121	387303421	387303721
22	265.7 [10.46]	255.59 [10.063]	246.8 [9.72]	387303122	387303422	387303722
23	276.9 [10.90]	266.70 [10.500]	257.9 [10.15]	387303123	387303423	387303723
24	288.0 [11.34]	277.81 [10.938]	269.0 [10.59]	387303124	387303424	387303724
25	299.1 [11.78]	288.93 [11.375]	280.1 [11.03]	387303125	387303425	387303725
26	310.2 [12.21]	300.04 [11.813]	291.2 [11.47]	387303126	387303426	387303726
27	321.3 [12.65]	311.15 [12.250]	302.4 [11.90]	387303127	387303427	387303727
28	332.4 [13.09]	322.26 [12.688]	313.5 [12.34]	387303128	387303428	387303728
29	343.5 [13.53]	333.38 [13.125]	324.6 [12.78]	387303129	387303429	387303729
30	354.6 [13.96]	344.49 [13.563]	335.7 [13.22]	387303130	387303430	387303730

SEE SHEET #1 EC NO: WNA2012-0245 DRWN: JENCINAS 2011/11/01 CHKD: JMACNEIL 2011/11/02 APPR: JMACNEIL 2011/11/10	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽7=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .005 2 PLACES ± 0.13 ± .010 1 PLACE ± 0.3 ± --- ANGULAR ± 2 °	DIMENSION STYLE MM/IN DRAWN BY DATE JENCINAS 2011/11/01 CHECKED BY DATE JMACNEIL 2011/11/02 APPROVED BY DATE JMACNEIL 2011/11/10	SCALE 2:1 DESIGN UNITS INCH THIRD ANGLE PROJECTION	TITLE 11.11/.438 SR BTS ASSY, INSULATED SOLDER TURRET
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO. SEE CHART	MOLEX INCORPORATED DOCUMENT NO. SD-38730-009	SHEET NO. 2 OF 2	
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Barrier Terminal Blocks](#) category:*

*Click to view products by [Molex](#) manufacturer:*

Other Similar products are found below :

[CR151D20104](#) [670A-RZ-15-KT20](#) [6C1N03](#) [6PCR-02](#) [6PCR-02-008](#) [6PCR-05-008](#) [6PCR-08-008](#) [6PCR-09-008](#) [6PCR-13-006](#) [6PCR-15-006](#) [6PCR-21-006](#) [6PCV-06-008](#) [6PCV-06-716](#) [6PCV-09-001](#) [6PCV-10-009](#) [6PCV-15-008](#) [6PCV-17-1206](#) [6PCV-20-323](#) [6PCV-20-720](#) [6PCV-30-006](#) [6STR-06-006](#) [6STR-08-006](#) [6STR-12-008](#) [6STR-13-006](#) [6STR-14-008](#) [6STR-16-008](#) [6STR-17-008](#) [6STR-21-008](#) [6STR-25-008](#) [6STR-27-008](#) [6STV-03-006](#) [6STV-03-008](#) [6STV-04-006](#) [6STV-09-006](#) [6STV-10-006](#) [6WWR-03-693](#) [6WWV-12-008](#) [72212603](#) [72506-C](#) [72507-C-50](#) [73203](#) [75505-C](#) [75505-C-50](#) [75510-C](#) [77010-50](#) [7C1N08](#) [812-GP-3/4ST-09](#) [8-1437402-5](#) [8PCR-06-006](#) [8PCR-11-006](#)