



NOTES:

1. MATERIAL: SEE DETAILS
2. FINISHES: SEE DETAILS
3. PRODUCT SPECIFICATION: NOT REQUIRED
4. *XX* REFERS TO QUANTITY OF CIRCUITS
5. ROHS COMPLIANT

ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH
4	XX	SCREW, #6-32X.250 PAN PH-SL W/SQ WASHER (-A-50 OPT)	STEEL	ZN. CLEAR CHROMATE
3	XX	SCREW, #6-32 X.250 BINDING HEAD PHIL-SLOT (-A OPT)	BRASS	NICKEL PLATE
2	XX	TERMINAL, STYLE 3, WW, #8-32	BRASS	TIN PLATE
1	1	INSULATOR, MOLDED MTG, INSUL. BASE	POLYESTER (PB7)	BLACK

INITIAL RELEASE
 EC NO: WINA2010-0069
 2009/08/21
 DRAWN: ENC INAS
 2009/09/14
 CHKD: CYORK
 2009/09/14
 APPR: JMACNE IL

QUALITY SYMBOLS
 ▽=0
 ▽=0

	GENERAL TOLERANCES (UNLESS SPECIFIED)	
	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .005
2 PLACES	± 0.13	± .01
1 PLACE	± 0.3	± ---
ANGULAR ± 2 °		

DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
MM/IN		2:1	INCH	THIRD ANGLE PROJECTION
DRAWN BY	DATE	TITLE		
C. YORK	2006/03/29	11.11 [.438] SR BTS ASY, INSUL PC, W/MTG, OVERSIZED SCREW, -A		
CHECKED BY	DATE	MATERIAL NO.		
R. DEROSS	2006/03/29	SEE SHT. 2		
APPROVED BY	DATE	DOCUMENT NO.		
R. DEROSS	2006/03/29	SD-38731-009		

MOLEX INCORPORATED

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SHEET NO. 1 OF 2

# OF CIRCUITS "XX"	DIM. "A"		DIM. "B"		DIM. "C"		DIM. "D"		ASSEMBLY MATERIAL NO. (-A OPT)	ASSEMBLY MATERIAL NO. (-A-50 OPT)
	mm	in	mm	in	mm	in	mm	in		
02	43.5	1.71	11.11	0.438	33.34	1.313	24.5	0.97	387319302	387319502
03	54.6	2.15	22.23	0.875	44.45	1.750	35.7	1.40	387319303	387319503
04	65.7	2.59	33.34	1.313	55.56	2.188	46.8	1.84	387319304	387319504
05	76.8	3.03	44.45	1.750	66.68	2.625	57.9	2.28	387319305	387319505
06	87.9	3.46	55.56	2.188	77.79	3.063	69.0	2.72	387319306	387319506
07	99.1	3.90	66.68	2.625	88.90	3.500	80.1	3.15	387319307	387319507
08	110.2	4.34	77.79	3.063	100.01	3.938	91.2	3.59	387319308	387319508
09	121.3	4.78	88.90	3.500	111.13	4.375	102.3	4.03	387319309	387319509
10	132.4	5.21	100.01	3.938	122.24	4.813	113.4	4.47	387319310	387319510
11	143.5	5.65	111.13	4.375	133.35	5.250	124.6	4.90	387319311	387319511
12	154.6	6.09	122.24	4.813	144.46	5.688	135.7	5.34	387319312	387319512
13	165.7	6.53	133.35	5.250	155.58	6.125	146.8	5.78	387319313	387319513
14	176.8	6.96	144.46	5.688	166.69	6.563	157.9	6.22	387319314	387319514
15	188.0	7.40	155.58	6.125	177.80	7.000	169.0	6.65	387319315	387319515
16	199.1	7.84	166.69	6.563	188.91	7.438	180.1	7.09	387319316	387319516
17	210.2	8.28	177.80	7.000	200.03	7.875	191.2	7.53	387319317	387319517
18	221.3	8.71	188.91	7.438	211.14	8.313	202.3	7.97	387319318	387319518
19	232.4	9.15	200.03	7.875	222.25	8.750	213.5	8.40	387319319	387319519
20	243.5	9.59	211.14	8.313	233.36	9.188	224.6	8.84	387319320	387319520
21	254.6	10.03	222.25	8.750	244.48	9.625	235.7	9.28	387319321	387319521
22	265.7	10.46	233.36	9.188	255.59	10.063	246.8	9.72	387319322	387319522
23	276.9	10.90	244.48	9.625	266.70	10.500	257.9	10.15	387319323	387319523
24	288.0	11.34	255.59	10.063	277.81	10.938	269.0	10.59	387319324	387319524
25	299.1	11.78	266.70	10.500	288.93	11.375	280.1	11.03	387319325	387319525
26	310.2	12.21	277.81	10.938	300.04	11.813	291.2	11.47	387319326	387319526
27	321.3	12.65	288.93	11.375	311.15	12.250	302.4	11.90	387319327	387319527
28	332.4	13.09	300.04	11.813	322.26	12.688	313.5	12.34	387319328	387319528
29	343.5	13.53	311.15	12.250	333.38	13.125	324.6	12.78	387319329	387319529
30	354.6	13.96	322.26	12.688	344.49	13.563	335.7	13.22	387319330	387319530

SEE SHEET 1 EC NO: WNA2010-0069 DRWN: JENC INAS 2009/08/21 CHKD: CYORK 2009/09/14 APPR: JMACNEIL 2009/09/14 A	REV DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽7=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .005 2 PLACES ± 0.13 ± .01 1 PLACE ± 0.3 ± --- ANGULAR ± 2°	DIMENSION STYLE MM/IN DRAWN BY DATE C. YORK 2006/03/29 CHECKED BY DATE R. DEROSS 2006/03/29 APPROVED BY DATE R. DEROSS 2006/03/29	SCALE 1:1 DESIGN UNITS INCH THIRD ANGLE PROJECTION	TITLE 11.11 [.438] SR BTS ASY, INSUL PC, W/MTG, OVERSIZED SCREW, -A
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO. SEE CHART	MOLEX INCORPORATED	DOCUMENT NO. SD-38731-009	SHEET NO. 2 OF 2
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
		SIZE B				

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Barrier Terminal Blocks](#) category:

Click to view products by [Molex](#) manufacturer:

Other Similar products are found below :

[CR151D20104](#) [670A-RZ-15-KT20](#) [6C1N03](#) [6PCR-02](#) [6PCR-02-008](#) [6PCR-05-008](#) [6PCR-08-008](#) [6PCR-09-008](#) [6PCR-13-006](#) [6PCR-15-006](#) [6PCR-21-006](#) [6PCV-06-008](#) [6PCV-06-716](#) [6PCV-09-001](#) [6PCV-10-009](#) [6PCV-15-008](#) [6PCV-17-1206](#) [6PCV-20-323](#) [6PCV-20-720](#) [6PCV-30-006](#) [6STR-06-006](#) [6STR-08-006](#) [6STR-12-008](#) [6STR-13-006](#) [6STR-14-008](#) [6STR-16-008](#) [6STR-17-008](#) [6STR-21-008](#) [6STR-25-008](#) [6STR-27-008](#) [6STV-03-006](#) [6STV-03-008](#) [6STV-04-006](#) [6STV-09-006](#) [6STV-10-006](#) [6WWR-03-693](#) [6WWV-12-008](#) [72212603](#) [72506-C](#) [72507-C-50](#) [73203](#) [75505-C](#) [75505-C-50](#) [75510-C](#) [77010-50](#) [7C1N08](#) [812-GP-3/4ST-09](#) [8-1437402-5](#) [8PCR-06-006](#) [8PCR-11-006](#)