NEUTRIK



NL4MDXX-V-2

This connector is fully compliant to the device standard IEC 62368-1, due to its component certification according to IEC 61984.

4 pole chassis connector, black D-size flange, mirrored self tapping screw holes (A-screw), vertical PCB mount.

The speakON panel mount connectors are the standard chassis connectors for loudspeaker / amplifier interconnections. They feature a unique metal locking system, making contact only once fully locked. The speakON receptacles are robust, versatile and easy to terminate.

Features & Benefits

- IEC 61984 certified > IEC 62368-1 compliant
- Precise keyway for secure mating
- Metal insert in locking area

- Glass reinforced V-0 materials make it extremely robust and dependable
- Accurate twist lock latching system
- Airtight design optimized for speaker applications

NL4MDXX-V-2



Technical Information

Product	
Title	NL4MDXX-V-2
Gender	male

Electrical	
Contact resistance	≤ 2 mΩ
Dielectric strength	4 kVdc (peak)
Insulation resistance	> 1 G Ω (after dampheat)
Rated current per contact	25 A rms continuous (audio rating significantly higher, depending on signal)

Mechanical	
Lifetime	> 5000 mating cycles
Wiring	vertical PCB mount
Locking device	Quick Lock
Mounting direction	Rear mounting
Chassis shape	D
Layout	Mirrored hole position, self tapping screw holes (A-Screw)

Material	
Contact plating	Ag
Locking element	Stainless Steel
Shell	Polyamide (PA 6.6)
Contacts	Copper Alloy

Environmental	
Flammability	UL 94 V-0
Temperature range	-30 °C to +80 °C

NL4MDXX-V-2 2/2

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Loudspeaker Connectors category:

Click to view products by Neutrik manufacturer:

Other Similar products are found below:

HFRP-01 LRX FE6935 EP-3-14 EP-4-12 SC-M2-20 CC-212 CC-226 FM1250 FM1255 FM1285 NL4FRX NL4MMX NL4MPR

NL4MP-ST NL8FC NLT4FP-BAG NLT8MP NLT8MP-BAG SP-4-MDV EP-8-11P EP-6-13P HPCC4FT NL4FX-5 NL4MD-H NL4MD
V-2 NL4MP-UC NLJ2MD-H NLT4MP SCNLT CP303010 CP303010X HFRP-01B SP-2-FSG SP-2-FNSG AP-4-12 AP-4-21 AP-5-22

AP-6-14 AP-8-13 SC-M2-04 SC-NB10-1.0 SC-NB20-1.0 SC-NB30-1.0 SC-NI10-0.6 SC-NI10-1.8 SC-NI4-0.75 SC-NI6-0.6 SC-NI6-2.7

SC-SA15-0.6