





Chain Nose Pliers (Radio Pliers)

- For cutting hard and soft wires
- For holding, gripping, bending and cutting work
- Cutting edges inductively hardened
- With cutting edge and burner hole
- With long flat-round jaws
- Serrated inside jaws
- Integrated ring spanner
- Handles with ergonomically shaped SoftGripp multi-component sleeves
- SoftGripp handles with SystemSocket for holding optionally available accessories, e.g. the easily attached SystemClip for fall protection
- Made of tool steel, forged, oil-hardened

SKU: 140-69-205

CHE .	Art-Nr.: 819-1 System Clip with Lanyard	- A	Art-Nr.: 819-2 System Clip with Opening Spring, Size 1+2	-	Art-Nr.: 819-3 System Clip with Opening Spring, Size 3+4
12	Art-Nr.: 819-4 E-Detector	2	Art-Nr.: 820-12 Tool Tethering System		



Safety Notes



Use tools for indicated purposes only. Before using the cutting tools please wear body protection such as safety mask, safety glasses and hand protection. Beware of wire ends flying off!

General Information

Finish 69

Our pliers, cutters & wrenches with the attractive titanium finish are supplied with our new SoftGripp 3K sleeves. The triple zone sleeves provide a firm grip which is pleasant to the touch, thanks to ergonomically designed handles. The pliers, cutters & wrenches themselves are drop-forged tool steel, special tool steel or chrome vanadium steel and are oil hardened. The cutting edges of all these cutting tools are induction- hardened to ensure they are able to cope with the needs of professionals in industry and the trades.



Keeping a grip on the matter in hand

Assembly jobs in high places offer not only excellent views but also serious challenges. Here, where freedom of movement is restricted, every move the worker makes must make sense and the safety of the workers, machines and tools must have priority. NWS industrial tools enable workers to keep a grip on things. Their ergonomic design reduces work effort, when working overhead, for example. With the tools secured with the SystemClip, they are guaranteed not to fall if dropped, which makes work safer and easier.





SoftGripp with SystemSocket

When we developed our handle sleeves, the focus was on functionality, safety and environmental compatibility. The SoftGripp sleeves provide firm but comfortable grip as you work thanks to the triple-component texture. The tailored shape of the handles and the combination of different, environmentally compatible materials makes the tool rest more snugly in the hand. The ergonomically designed SoftGripp, with its multi-zone blend of handle textures, coupled with the optional spring-loaded opening mechanism, ensure strain-free working. To ensure maximum safety, the tools feature an optimised shape to prevent hands slipping off the tool and the SystemClip, which secures the tools when working on a roof, scaffolding or construction site. The SystemClip, which is easily attached on the SystemSocket, creates a quick, secure connection between the tool and the strap and features an integrated pocket for storing the opener spring.



40	-69-205	
••	Length - mm	205
¢,	Length - in	8
Ţ	Jaw shape	Φ
\leq	Cutting edge shape	
•	Soft wire (220 N/mm ²) copper, aluminium, plastic - cutting capacity - Ø mm	3,9
•	Medium hard wire (750 N / mm²) nail, wire nail - cutting capacity - Ø mm	3,2

NWS Germany Produktion W. Nöthen e.K.

Röntgenstraße 18 | 42719 Solingen | Phone +49 212 24000-0 | www.nws-tools.de | info@nws-tools.de



•	Hard wire (1800 N / mm²) wire rope fiber, steel rope - cutting capacity - Ø mm	2,2
\circ	Wrench size - mm	18
DIN	DIN standards - National, European and worldwide	DIN ISO 5745
HRC	Cutting edge hardness - HRC	57 - 59
52	Weight - g	190
9	Packing unit	6
	Barcode	40 03758 14018 5

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Pliers & Tweezers category:

Click to view products by NWS manufacturer:

Other Similar products are found below :

 0031
 32750
 PN-5050/38D
 PG-TP-30D
 PG-DP-18-N
 G77015
 4-1532129-2
 77
 12
 115
 0037
 T0058765801
 571
 76C
 37
 31
 125
 RX 8130

 37
 33
 125
 DRP10N
 32
 11
 135
 36
 12
 130
 0036
 64
 11
 115
 0032
 T3627B
 7
 HT-109
 6211-06
 6214-45
 6217-05
 6231-07
 6231-08
 6411-06

 DP15N
 DP20N
 PN 5050/19D
 PNI 5000
 TP 5000/15D
 TR 20 M
 TR 25
 15
 TR 5000
 TR 5000
 10 D
 TR 5000 PG
 TR 5000 PR

 TR 58 R A D
 TR 58 R A 00
 20
 08 US2
 13
 01
 614
 87
 28
 250
 SBA
 INCP8
 30993
 011820101
 011830101