Our Autumn/Winter production innovations








EAN: 4013288221360 **Size**: 240x97x32 mm

Part number:05022860001Weight:730 gArticle number:3950/9 Hex-Plus Multicolour Country of origin:CZ

Imperial Stainless 1

Customs tariff 82041100

number:



- Hex-Plus allows socket head screws to live longer
- With Take it easy tool finder: colour coding by size
- Colour coded, easy-to-grip plastic sleeve, even at low temperatures
- · Wear-resistant clip material for enhanced durability

Premium L-key set made of stainless steel for imperial hexagonal socket screws by Wera. Stainless steel prevents transmission of extraneous rust. The Hex-Plus profile offers larger contact surfaces in the screw head. The notch effect is reduced to a minimum and the destruction of the screw head is almost eliminated. With hexagonal ball tip at the long arm: The ball-shaped tip profiles enable the tool shaft to be moved and pivoted relative to the screw axis which allows screwdriving "around the corner". Take it easy tool finder with colour coding by size. In an almost wear-free L-key clip.









Our Autumn/Winter production innovations



Set contents:



3950 SPKL Multicolour Imperial

05022850001 1 x 5/64" x 101 mm 1 x 3/32" x 112 mm 05022851001 1 x 1/8" x 123 mm 05022852001 05022853001 1 x 5/32" x 137 mm 05022854001 1 x 3/16" x 154 mm 1 x 7/32" x 172 mm 05022855001 1 x 1/4" x 185 mm 05022856001 05022857001 1 x 5/16" x 195 mm 05022858001 1 x 3/8" x 224 mm

L-Keys




We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened - and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.

Stainless L-keys



Stainless L-keys are hardened to the same strength as conventional (carbon) steel tools, and prevent extraenous rust forming.

Vacuum ice-hardened



The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Our Autumn/Winter production innovations



L-keys with a thermoplastic sleeve



L-keys made from circular material fit into the hand better and allow less strenuous work over a longer period. Additionally, the rubber sleeve provides a pleasant grip, particularly in applications at low temperatures. Colour coding and large stamp enable the desired L-key to be easily located. Moreover, the round material keys are more robust, particularly where smaller sizes are concerned.

Secure hold and easy removal



The wear-resistant clip material ensures that the L-keys are securely held yet are easy to remove.

Take it easy tool finder system



Take it easy tool finder system - with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklop bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklop sockets and Zyklop bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklop bit sockets).

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Tool Kits & Cases category:

Click to view products by Wera manufacturer:

Other Similar products are found below:

217434-1 4263 1055420-1 11-18-3023 63860-8170 856600-2 690372163 11-40-3247 63883-2870 63885-0270 63901-5670 63866-1070 63863-5070 63892-7370 11-18-3209 63860-4070 63881-0970 A0403641 11-18-3040 63865-2070 63910-1470 63861-5070 63850-7470 11-18-3201 63910-7570 FM 0501 146 63883-0670 63830-0070 63902-9170 11-18-3147 11-18-3079 63883-2670 63900-1770 11-18-3190 63851-1070 63912-4770 63911-5270 63895-1070 63860-1470 63850-6070 1-69411-3 63852-9270 63802-6270 63902-4870 11-18-3202 63852-9170 63850-1070 63830-0170 63910-2870 11-18-3010