

Order Code	L (mm)	ID (mm)	OD (mm)
960020010	2	2,2	4,0
960030010	3	2,2	4,0
960040010	4	2,2	4,0
960050010	5	2,2	4,0
960060010	6	2,2	4,0
960070010	7	2,2	4,0
960080010	8	2,2	4,0
960090010	9	2,2	4,0
960100010	10	2,2	4,0
960110010	11	2,2	4,0
960120010	12	2,2	4,0
960150010	15	2,2	4,0
960200010	20	2,2	4,0
960300010	30	2,2	4,0
960020021	2	2,7	5,0
960030021	3	2,7	5,0
960040021	4	2,7	5,0
960050021	5	2,7	5,0
960060021	6	2,7	5,0
960070021	7	2,7	5,0
960080021	8	2,7	5,0
960090021	9	2,7	5,0
960100021	10	2,7	5,0
960110021	11	2,7	5,0
960200021	20	2,7	5,0
960250021	25	2,7	5,0
960300021	30	2,7	5,0
960020042	2	3,2	6,0
960030042	3	3,2	6,0
960040042	4	3,2	6,0
960050042	5	3,2	6,0
960060042	6	3,2	6,0
960070042	7	3,2	6,0
960080042	8	3,2	6,0
960090042	9	3,2	6,0
960100042	10	3,2	6,0
960110042	11	3,2	6,0
960120042	12	3,2	6,0
960130042	13	3,2	6,0
960140042	14	3,2	6,0
960150042	15	3,2	6,0
960160042	16	3,2	6,0
960170042	17	3,2	6,0
960180042	18	3,2	6,0
960190042	19	3,2	6,0
960200042	20	3,2	6,0
960220042	22	3,2	6,0
960280042	28	3,2	6,0
960300042	30	3,2	6,0
960400042	40	3,2	6,0
960450042	45	3,2	6,0
960500042	50	3,2	6,0

Würth Elektronik eiSos GmbH & Co. KG  
EMC & Inductive Solutions






Max-Eyth-Str. 1  
74638 Waldenburg  
Germany  
com. +49 79 42 945 - 0

www.we-online.de  
eiSos@we-online.de



CREATED DaF	CHECKED SKI	GENERAL TOLERANCE DIN ISO 2768-1m	PROJECTION METHOD 	SCALE 5 : 1
DESCRIPTION <b>AsSPaRO Round Plastic Spacer</b>		MATERIAL PA-GV25, black		
SIZE xxx xxx xxx		ORDER CODE 960 xxx xxx		
WEIGHT xxx	STATUS Released	DATE 2015-06-09	BUSINESS UNIT eiCan	PAGE 1 / 2

This electronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment where a higher safety standard and reliability standard is especially required or where a failure of the product is reasonably expected to cause severe personal injury or death, unless the parties have executed an agreement specifically governing such use. Moreover Würth Elektronik eiSos GmbH & Co KG products are neither designed nor intended for use in areas such as military, aerospace, aviation, nuclear control, submarine, transportation (automotive control, train control, ship control), transportation signal, disaster prevention, medical, public information network etc.. Würth Elektronik eiSos GmbH & Co KG must be informed about the intent of such usage before the design-in stage. In addition, sufficient reliability evaluation checks for safety must be performed on every electronic component which is used in electrical circuits that require high safety and reliability functions or performance.



Order Code	L (mm)	ID (mm)	OD (mm)
960020084	2	4,2	8,0
960030084	3	4,2	8,0
960040084	4	4,2	8,0
960050084	5	4,2	8,0
960060084	6	4,2	8,0
960070084	7	4,2	8,0
960080084	8	4,2	8,0
960090084	9	4,2	8,0
960100084	10	4,2	8,0
960110084	11	4,2	8,0
960120084	12	4,2	8,0
960140084	14	4,2	8,0
960150084	15	4,2	8,0
960180084	18	4,2	8,0
960190084	19	4,2	8,0
960200084	20	4,2	8,0
960210084	21	4,2	8,0
960250084	25	4,2	8,0
960300084	30	4,2	8,0
960350084	35	4,2	8,0
960400084	40	4,2	8,0
960500084	50	4,2	8,0
960020116	2	5,2	10,0
960030116	3	5,2	10,0
960050116	5	5,2	10,0
960060116	6	5,2	10,0
960080116	8	5,2	10,0
960100116	10	5,2	10,0
960150116	15	5,2	10,0
960200116	20	5,2	10,0
960360116	36	5,2	10,0
960450116	45	5,2	10,0
960500116	50	5,2	10,0
960020126	2	6,2	10,0
960040126	4	6,2	10,0
960050126	5	6,2	10,0
960060126	6	6,2	10,0
960080126	8	6,2	10,0
960100126	10	6,2	10,0
960110126	11	6,2	10,0
960120126	12	6,2	10,0
960140126	14	6,2	10,0
960150126	15	6,2	10,0
960340126	34	6,2	12,0
960400126	40	6,2	10,0
960450126	45	6,2	10,0

Würth Elektronik eiSos GmbH & Co. KG  
EMC & Inductive Solutions

Max-Eyth-Str. 1  
74638 Waldenburg  
Germany  
com. +49 79 42 945 - 0

www.we-online.de  
eiSos@we-online.de



CREATED DaF	CHECKED SKI	GENERAL TOLERANCE DIN ISO 2768-1m	PROJECTION METHOD 	SCALE 5 : 1
DESCRIPTION <b>AsSPaRO Round Plastic Spacer</b>		MATERIAL PA-GV25, black		
ORDER CODE 960 xxx xxx				
SIZE xxx xxx xxx	WEIGHT xxx	STATUS Released	DATE 2015-06-09	BUSINESS UNIT eiCan
				PAGE 2 / 2

This electronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment where a higher safety standard and reliability standard is especially required or where a failure of the product is reasonably expected to cause severe personal injury or death, unless the parties have executed an agreement specifically governing such use. Moreover Würth Elektronik eiSos GmbH & Co KG products are neither designed nor intended for use in areas such as military, aerospace, aviation, nuclear control, submarine, transportation (automotive control, train control, ship control), transportation signal, disaster prevention, medical, public information network etc.. Würth Elektronik eiSos GmbH & Co KG must be informed about the intent of such usage before the design-in stage. In addition, sufficient reliability evaluation checks for safety must be performed on every electronic component which is used in electrical circuits that require high safety and reliability functions or performance.

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Wurth manufacturer](#):*

Other Similar products are found below :

[742700](#) [74270062](#) [7446222002](#) [750314624](#) [750341638](#) [30405S](#) [31402](#) [7446321027](#) [744732100](#) [744741471](#) [744772681](#) [744777](#)  
[890334025009](#) [178050601](#) [61308021121](#) [615008138221](#) [744999](#) [7446823003](#) [744028](#) [66201621822](#) [691301710003](#) [7446221012](#) [744720](#)  
[760390015](#) [760895431](#) [662006236022](#) [64900621822](#) [74436410330](#) [78438357100](#) [890334026014](#) [744839208072](#) [744762A/RFI](#) [7449984](#)  
[750310346](#) [861011384014](#) [750817018](#) [7449982](#) [3021717](#) [3020903](#) [885342](#) [2603019321001](#) [2603019021001](#) [2606039021001](#)  
[2608019324001](#) [2607019213001](#) [2605039241001](#) [2605049281001](#) [2607029291011](#) [709620200](#) [709951000](#)